

ACKNOWLEDGEMENTS

It gives me immense pleasure to express my sincere and heartfelt gratitude to my research guide, Dr. V. P. Kamat of Department of Chemistry, for the constant & active interest he took in guiding me right from the beginning till the completion of my research work. His precious guidance, valuable suggestions and predesigned schedule have enabled me to complete my research work in time. I am extremely grateful to him.

I am very much indebted to Prof. Dr. H. Laatsch, Department of Organic Chemistry, University of Göttingen, Göttingen, Germany, for providing me with facilities to work in his laboratory & for making my stay comfortable in Germany. I also thank him for his valuable suggestions and encouragement.

I thank Dr. J. K. Kirtany for his interest and constructive suggestions throughout my research work.

My sincere thanks are also due to Dr. E. D'sa, Director, National Institute of Oceanography, Dona Paula, Goa, for awarding a research fellowship under the Department of Ocean Development funded project "Development of Potential drugs from the Sea". I thank Dr. S. Y. S. Singbal, Head, Chemical Oceanography Division, N. I. O., for the facilities & permission to carry out some part of the work described in this thesis. I also thank Dr. C. G. Naik, Dr. S. Wahidullah, Dr. P.S. Paramewaran & Dr. L. D'souza for their help, advice and encouragement.

I thank Prof. Dr. J. S. Budkuley, Head, Department of Chemistry, Goa University, for providing necessary facilities and encouragement.

My special thanks are due to Mrs. F. Lissy and Dr. R. Maskey for their valuable help and cheerful company during my stay in Göttingen, Germany.

Some of the spectral data have been obtained from the Dept. of Organic Chemistry, University of Göttingen, Germany, the Graduate School of Science and Technology, Niigata University, Niigata, Japan, CDRI-Lucknow and NIO, Dona Paula Goa. I take this opportunity to express my sincere thanks to all of them for providing me with the required data at the right time.

My special thanks are due to Mr. R. Machinek (NMR) and Dr. G. Remberg (mass spectrometry), Dept. of Organic Chemistry, University of Göttingen, for their timely help for recording the spectral data and for helpful discussions.

I thank all my research colleagues from the Department, teaching, non-teaching and library staff for all their help.

I owe a deep sense of gratitude to Shri. G. M. Parsekar, Headmaster, Mandre High School, Mandrem Goa, for his support and constant encouragement.

Last, but not the least, I am very much indebted to my family members, especially my sisters, Surekha, Rekha & Neeta and brothers, Satyawar & Ramakant for their help and support in all my endeavours.



Ratnakar N. Asolkar