

LIST OF TABLES

Table No.	Title	Page No.
4.1	Antimicrobial studies of functionalized AgNP with zone of inhibition technique.	103
4.2	Antimicrobial studies of AgNP synthesized using clove buds extract with agar dilution method.	107
4.3	MIC and MBC in $\mu\text{g}/\text{mL}$ of AgNP versus silver sulfadiazine	108
4.4	Raw wound area (RWA) (mm^2) of excision wound on wounding day	126
4.5	Raw wound area (RWA) (mm^2) and % of Closure of excision wound on 4 th wounding day	126
4.6	Raw wound area (RWA) (mm^2) and % of Closure of excision wound on 8 th wounding day	127
4.7	Raw wound area (RWA) (mm^2) and % of Closure of excision wound on 12 th wounding day	127
4.8	Raw wound area (RWA) (mm^2) and % of Closure of excision wound on 16 th wounding day	128
4.9	Mean wound area (mm^2) and % closure of excision wounds at different time intervals in control and treated groups	128
4.10	Time (Days) for complete wound closure (epithialization) of excision wound	129
4.11	Tensile Strength (G) after 10 th post wounding day on Resutured incision wound in different groups	130
4.12	Collagen content from regenerated tissue of excision wound (mg/kg)	130
5.1	Summary of Body Weight (g) (Mean \pm SD) (AgNP)	163
5.2	Summary of Cumulative Weekly Body Weight Gains (g) (AgNP)	164
5.3	Summary of Cage wise Average Food Intake ($\text{g}/\text{rat}/\text{day}$) (AgNP)	165

Table No.	Title	Page No.
5.4	Summary of Hematological Values at Termination (AgNP)	166
5.5	Summary of Clinical Chemistry Values at Termination (AgNP)	167
5.6	Summary of Clinical Analysis of Urine at Termination (Incidence of parameters measured) (AgNP)	168
5.7	Summary of Terminal Fasting Body Weights and Organ Weights (AgNP)	169
5.8	Summary of Weekly Body Weights (g) (AuNP)	172
5.9	Summary of Cumulative Weekly Body Weight Gains (g) (AuNP)	173
5.10	Summary of Cage wise Average Food Intake (g/rat/day) (AuNP)	174
5.11	Summary of Hematological Values at Termination (AuNP)	175
5.12	Summary of Clinical Chemistry Values at Termination (AuNP)	176
5.13	Summary of Clinical Analysis of Urine at Termination (AuNP)	177
5.14	Summary of Terminal Fasting Body Weights and Organ Weights (AuNP)	178

LIST OF FIGURES

Fig. No.	Title	Page No.
1.1	Nanometric scale	02
2.1	TEM image of polypyrrole silver synthesized by interfacial polymerization technique	12
2.2	Pictogram of functionalized AgNP antibacterial action	16
2.3	UV-vis spectra (down) and picture of the test tubes containing the filtrate of the <i>F. semitectum</i> biomass in an aqueous solution of 10^{-3} M HAuCl_4 at the beginning of the reaction (test tube 1) and after 4 and 24 h of the reaction (test tubes 2 & 3, respectively) and TEM images of AuNP (Left side).	17
2.4	TEM images of AgNP. (b) ED pattern images of AgNP synthesized using fungus, <i>Cladosporium cladosporioides</i>	18
2.5	AFM images of Functionalized silver nanoparticles	19
3.1	Intensity graph of reaction mixture containing aqueous 10^{-3} M AgNO_3 solution treated with microwave exposed guava leaf extract versus time indicating that the 90% of AgNP biosynthesis completed in 90 s. Inset: increase in the color intensity of the reaction mixture with time.	38
3.2	UV-Vis spectra indicating microwave-assisted AgNP synthesis recorded as a function of time. Arrow mark shows the hypsochromic shift of the surface plasmon peak.	39
3.3	XRD pattern of crystalline AgNP.	40
3.4	Energy dispersive x-ray spectrum (EDXA) of metallic AgNP.	40
3.5	FESEM images of AgNP on different nanometric scales	40
3.6	Size distribution histogram of AgNP	41
3.7	TEM image of silver nanoparticles	42
3.8	FTIR absorption spectra of bio-functionalized AgNP synthesized using guava (<i>Psidium guajava</i>) leaf extract.	43

Fig. No.	Title	Page No.
3.9	Change in the color intensity of the reaction mixture of aqueous AgNO ₃ solution treated with aqueous extracellular clove buds (<i>Syzygium aromaticum</i>) solution at different time in sec on exposure to microwave for the biosynthesis of AgNP.	44
3.10	UV-Visible spectra recorded as a function of time in sec for 10 ⁻³ M AgNO ₃ solution with an extracellular aqueous solution of dried clove buds solution on microwave irradiation. For brevity, not all spectra corresponding to the data are plotted.	46
3.11	XRD pattern confirming the crystalline nature of the AgNP biosynthesized using microwave assisted clove buds solution	47
3.12	EDAX of biosynthesized AgNP	47
3.13	FESEM images of bio-functionalized AgNP at different nanometric scale	48
3.14	TEM image of AgNP	48
3.15	Particle size distribution histogram of AgNP	49
3.16	AFM images of AgNP	50
3.17	a) FTIR spectra of dried AgNP powder in KBR pellets. b) Probable mechanism of AgNP biosynthesis using aqueous clove buds extract.	52
3.18	Color intensity of AgNP. The intensity of color of the solution containing aqueous 10 ⁻⁴ M AgNO ₃ treated with cow milk increases up to 30 min. on exposure to direct sunlight.	53
3.19	UV-Visible spectra recorded as a function of time in min. For brevity, data corresponding to all spectra are not plotted.	54
3.20	XRD pattern of crystalline AgNP	54
3.21	EDAX graph of metallic AgNP	55
3.22	FESEM images of AgNP at two different nanometric scale.	55
3.23	TEM images of AgNP	56
3.24	Histogram of Functionalized silver nanoparticles	56
3.25	shows AFM images of functionalized AgNP	57

Fig. No.	Title	Page No.
3.26	FTIR spectra of dried, ultracentrifuged, and separated AgNP powder in KBR pellets.	57
3.27	Color intensity of AuNP. The intensity of color of the solution containing aqueous 10^{-3} M HAuCl ₄ treated with microwave-exposed guava (<i>P. guajava</i>) leaf extract increases steadily as a function of reaction time.	61
3.28	UV-Visible spectra recorded as a function of time ($\lambda_{\text{max}}=505$ for AuNP). For brevity, data corresponding to all spectra are not plotted.	61
3.29	XRD pattern of AuNP	63
3.30	EDAX graph of metallic AuNP. <i>Inset:</i> Shapes of AuNP observed under different microscopic techniques.	63
3.31	FESEM images of AuNP. The inset shows the homogeneity of AuNP showed at 1 μm scale.	65
3.32	Histogram with respect to size and shape of AuNP.	65
3.33	TEM images of AuNP.	66
3.34	AFM images of AuNP.	67
3.35	FTIR spectra of dried, ultracentrifuged, and separated AuNP powder in KBR pellets. Inset shows the probable pathway of extracellular biosynthesis of AuNP from bio reducing agents of guava (<i>P. guajava</i>) leaf extract.	68
3.36	Enzyme activity of the first step of biosynthesis. Image Credit: Physorg	69
3.37	Zeta potential studies of functionalized AuNP	71
3.38	Increase in the color intensity of the reaction mixture containing aqueous 10^{-3} M HAuCl ₄ solution and macerated solution of dried clove buds with time. b) AuNP biosynthesis recorded as a function of time with UV-vis spectra. Inset: UV-vis spectra of the extracellular macerated aqueous dried clove buds (<i>Syzygium aromaticum</i>) solution.	74
3.39	XRD pattern of crystalline AuNP synthesized using macerated clove buds solution. Inset: picture shows the characterization of irregular shaped AuNP with different microscopic techniques.	76

Fig. No.	Title	Page No.
3.40	Energy dispersive X-ray spectrum (EDAX) of metallic AuNP synthesized using macerated aqueous clove buds solution.	77
3.41	FESEM image of irregular shaped AuNP synthesized on nanometric scale. Inset: size distribution histogram of AuNP.	77
3.42	Size distribution histogram of AuNP	78
3.43	TEM image of the irregular shaped AuNP synthesized from macerated aqueous clove buds solution.	78
3.44	Medium scale tapping mode AFM image of bio-functionalized AuNP adsorbed with organic layer.	80
3.45	Typical FTIR absorption spectra of the bio-moieties of the macerated extracellular solution of dried clove buds (<i>S. aromaticum</i>) adsorbed on the AuNP.	81
3.46	Probable pathway of biosynthesis and stability of bio-functionalized AuNP in aqueous solution	82
3.47	Color intensity of AuNP. The intensity of color of the solution containing aqueous 10^{-3} M HAuCl ₄ treated with fermented cow urine increases rapidly between 4 to min. on exposure to microwave heating.	85
3.48	UV-Visible spectra recorded as a function of time ($\lambda_{\text{max}}=630$ for AuNP). For brevity, data corresponding to all spectra are not plotted.	86
3.49	XRD pattern of AuNP	87
3.50	EDAX graph of metallic AuNP	87
3.51	FESEM images of AuNP at different nanometric scale.	87
3.52	Particle size distribution histogram of AuNP using FESEM measurements.	88
3.53	TEM images of AuNP.	88
3.54	FTIR spectra of dried, ultracentrifuged, and separated AuNP powder in KBR pellets.	89
3.55	FESEM images of synthesized AgNP in colloidal condition on different nanometric scale. <i>Inset</i> at the center shows histogram indicating size distribution of AgNP.	91

Fig. No.	Title	Page No.
3.56	Typical FTIR absorption spectra of the bio-moieties of the macerated extracellular aqueous ethanolic carom seed extract adsorbed on the AgNP. Functionalized AgNP is shown as an <i>inset</i> .	92
3.57	TGA graph showing the weight loss pattern of functional groups and other biological moieties adsorbed on the AgNP surface. <i>Inset</i> image shows bulk microstructures of pure silver as the residue left after cooling.	93
4.1	Zone of inhibition of AgNP in <i>Proteous mirabilis</i>	104
4.2	FESEM image of <i>Proteus mirabilis</i> cells. The arrow mark shows the leakage of extracellular contents.	105
4.3	Antibacterial activity of functionalized AgNP using aqueous guava leaf extract	105
4.4	Anti-microbial activity of bio-functionalized AgNP using clove buds solution. 'a' represents the microbial plates treated with different concentration of silver sulfadiazine and 'b' represents the microbial plates treated with different concentrations of AgNP. For brevity only 1/4th portion of the plates are shown. The center portion marked as 'C1' & 'C2' show the control of respective microorganisms with and without addition of the clove buds extract respectively. All the concentrations are taken in $\mu\text{g}/\text{mL}$.	108
4.5	Antimicrobial effect of AgNP a) FESEM image of the model microorganism <i>Proteus mirabilis</i> treated with AgNP at $20\ \mu\text{g}/\text{mL}$ concentration after 24 h of incubation. <i>Inset</i> figure shows the image of healthy microorganism at 0 h. b) EDAX of the medium at the scanned spot. c) Anti-microbial study of AgNP using cup-plate technique. Black spot inside the inhibition zone shows from where the sample is picked for FESEM image and EDAX studies.	111
4.6	Free-radical scavenging activity histogram of AgNP and BHA, showing quenching efficacy of DPPH radical at different μg concentrations	115
4.7	Wound Healing activity of functionalized AgNP using clove buds extract	122
4.8	The photograph showing excision wound	123

Fig. No.	Title	Page No.
4.9	Assembly to estimate the tensile strength	124
4.10	comparative wound healing studies of AgNP against the control	125
4.11	Cell proliferation studies	138
4.12	Anti-proliferative activity of functionalized noble metal nanoparticles on different cell lines	145
4.13	Shape-dependent anti-proliferative activity of AuNP	146
5.1	Microscopic pictures analysed histologically after treating with AgNP.	171
5.2	Microscopic pictures analysed histologically after treating with AuNP.	179

LIST OF GRAPHS

Graph No.	Title	Page No.
4.1	Graph Showing mean raw wound area of excision wound area at different time interval in various groups.	131
4.2	Graph Showing % of Closure of excision of wound area at different time intervals in various groups.	131
4.3	Graph showing time (days) for complete wound closure (epithelialization) of excision of wound area at different time intervals in various groups	131
4.4	Graph Showing tensile strength of resutured incision wound on 10 th post wounding day in various groups.	132
4.5	Graph showing collagen content from regenerated tissues of excision wound in various groups.	132