

6. LITERATURE CITED



LITERATURE CITED

- Agarwal, D.K., Gaur, S.D., Tiwari, I.C., Narayanaswamy, N. and Marwah, S.M. 1976. Physico-chemical characteristics of the Ganges at Varanasi. Indian J. Environ. Hlth. 18(3): 201-206.
- Agarwal, S.C., Mehrotra, S.K. and Sinha, B.K. 1964. Influence of exchangeable sodium on the growth and mineral composition of plants, paddy and barley. J. Indian Soc. Soil Sci. 12: 7-74
- Arunachalam, A. and Pandiaraj, S. 1994. Toxicity of match factory effluent and DDT to primary productivity of Hydrilla verticillata Royle Geobios 21: 279-282.
- Ahluwalia, A.S., Kaur, M. and Dua, S. 1979. Physico-chemical characteristics of effect of some industrial effluents on growth of a green algae Scenedesmus sps. Ind. J. Environ. Health 31(2): 112 - 119.



- Ajmal, M. and Khan, A.U. 1983. Effects of sugar factory effluent on soil and crop plants. Environ. Pollut. Ser. A. 30: 135 - 141.
- Ajmal, M. and Khan, A.U. 1984. Effects of breweries effluent on agricultural soil and crop plants. Environ. Pollut. Ser. A. 33: 341 - 351.
- Ajmal, M. and Khan, A.U. 1985. Effect of textile factory effluent on soil and crop plants. Env. Poll. A. 37(2): 131-148.
- Ajmal, M., Khan, M.A. and Nomani, A.A. 1984. Effects of industrial dairy processing effluent on soil and crop plants. Environ. Pollut. Ser. A. 33: 97 - 106.
- Alten, F., Georze, G. and Fischer, H.F. 1938. Mineralsalzernahrung Kohlensaureassimilation and Stickstoffhaushalt junger Waizen pflanzen. Die Ernährung der pflanze 35: 277 - 284.
- Ambrose, T., Vincent, S. and Cyril Arunkumar L. 1994. Impact of tannery effluent on primary production in the aquatic macrophytes Hydrilla verticillata and Ceratophyllum demersum Goebios 21: 89 - 92.
- APHA, AWWA and WPCF 1981. Standard methods for the examination of waste water . 15th ed. Amer. Pub. Health Assoc. Inc. New York P. 1134.



- Arnon, D.I. 1949. Copper enzymes in isolated chloroplasts. Polyphenoloxidase in Beta vulgaris. Plant Physiol. 24: 1 - 15.
- Ayers, A.D. and Haywards, H.E. 1948. A method for measuring the effect of soil salinity on germination with observation on several crop plants. Soil Sci. Soc. Amer. Proc. 13: 224 - 226.
- Ayling, R.D. 1977. Anatomical and histochemical changes in germinating seeds of Pinus radiata with Tordon herbicides. Can. J. Bot. 55: 1359 - 1372.
- Bahadur, Brijesh and Sharma, P.K. 1988. Seed germination and early seedling growth of Hordeum vulgare L. var. Jyothi as affected by the industrial effluent. Advances in Pl.Sci. 1: 302-310.
- Balasouri and Prameela Devi, 1994. Effect of Tannery effluent on germination and growth of selected pulse and cereal crop plants. J. Ecotoxicol. Environ. Monit. 4: 115 - 120.
- Balachand, A.N. and Nambisan, P.N.K. 1986. Effect of pulp-papermill effluents on the water quality of Muvattupuzha river emptying into Cochin backwaters. Indian J. Mar. Sci. 15: 253 - 259.
- Basu, A.K. 1966. Studies on effluents from pulp and paper mills and its role in bringing the physico-chemical changes around several discharge points in the Hooghly river estuary, India. J. Instt. of Engineering Vol. XIVI No. 10pt. Ph3.



June, 107-116.

Basu, A.K., Rao, C.S.G., Dhaneswar, R.S., Mukherjee, G., Kutty, M.K.A., Ray, D. and Trivedi, R.C. 1973. Studies on Hooghly estuarine pollution in the vicinity of Tissue Mill. Proc. Sym. on Environmental Pollution 26-40 Neeri, Nagpur.

Bauwer, H. 1970. Ground water recharge design for renovating waste water. J. Sanit. Engrg. Div. 96: 59.

Bauwer, H. and Chaney, R.L. 1974. Land treatment of waste water. Adv. Agron. 26: 133-176.

Behera, B.K. and Misra, B.N. 1982. Analysis of the effect of industrial effluent on growth and development of rice seedlings. Environ. Res 28: 10-20.

Behera, B.K. Misra, B.N. and Patnaik, H. 1980. Nutrient value of distillery effluent. Geobios 7: 316-318.

Bharathi, A., Saxena, R.P. and Pandey, G.N. 1979. Physiological imbalances due to hexavalent chromium in fresh water algae. Ind. J. Environ. Hlth. 21: 243.

Bhaskaran, T.R. 1959. Industrial waste survey and river pollution studies in Bihar and U.P. states. Bull. Cpheri 1 : 55-62.

Bhimachar, B.S. and David, A. 1946. A study of the effects of factory effluents on the Bhadra river fisheries at Bhadravati. 33rd Indian Sci. Congr. Proc. 3: 130.

Bhosale, L.J. 1985. Effect of water pollution on plants. In :



- Current Pollution Researches in India. (Eds. R.K Trivedy and P.K Goel) Environmental Publications Karad. 245 - 249.
- Bhumla, D.R., Singh, B. and Singh, T.N. 1968. Effect of salt on seed germination. Indian J. Agro. 15: 181-185.
- Bhumla, D.R. and Singh, N.T. 1965. Effects of salts on seed germination. Sci. and Culture 31: 96 - 97.
- Bilgrami, K.S. and Siddiqui, E.N. 1980. Effect of industrial pollutants on phytoplankton composition of the river Ganges at Barauni. J. Indian bot. Soc. 59 (Suppl.): 9 - 10.
- Blinks, E. and Jonas, R.E.E. 1973. Effect of cadmium and copper on the oxidation of lactate by rainbow trout (Salmo gaidneri) gills. Water Res. 10: 37-43.
- Boralkar, D.B., Trivedy, R.K., Pathak, S.G., Deshmukh, A.M. and Patil, M.K. 1982. Studies on soil pollution among the Krishna river. J. Environ. Biol. 9(2): 32-38.
- Bowley, J.D. and Black, M. 1978. Physiology and Biochemistry of seeds. Vol. I. Development, Germination and growth. Springer Verlag, Berlin, Heidelberg.
- Bull, J.N. and Mansfield, T.A. 1974. Photosynthesis in leaves exposed to SO₂ and NO₂. Nature 250: 443 - 444.
- Capron, T.M. and Mansfield, T.A. 1976. Inhibition of net photosynthesis in tomato in air polluted with NO and NO₂. J. Exp. Bot. 27: 1181 - 1186.



- Cernakova, M. and Golis, E. 1994. Testing of the cytotoxic effects of sulphate pulp mill waste waters. Folia microbiologica 39(4): 307 - 314.
- Chapman, D.M. 1975. Dichromatism of bromophenol blue with an improvement in the mercuric bromophenol technique for protein. Stain Technol. 50: 25 - 30.
- Chiny, M.T. 1972. Metabolism of germinating seeds. In: Seed Biology (Ed. T. Kozolwski) 11: 103 - 108. Academic press, New York.
- Chockalingam, S. and Balaji, A. 1991. Effect of diary effluent on the rate of oxygen consumption and survival of the tadpole larva of Bufo bufo. J. Environ. Biol. 12(4): 377-399.
- Constantinidou, H.A. and Kozlowski, T.T. 1979. Effects of SO₂ and O₃ on Ulmus americana seedling . 1. Visible injury and growth. 2. Carbohydrate, proteins and lipids. Can. J. Bot. 57: 170 - 184.
- Cottenie, A. 1973. Chemical fertilizers in relation to agriculture production. Modedelingen Faculteit Land Bouwweten-Schapeen. Genetics. 38: 1722 - 1731.
- Cutter, E.G. 1978. Plant Anatomy. Experiment and interpretation. Part II. Organs, Edward Arnold. London.
- Dafedar, S.D. 1983. Effect of water pollution on organic constituents of plants. Msc. Dissertation submitted to Shivaji University, Kohlapur. 46.



- David, D.A. and Ray, P. 1966. Studies on the pollution of river Daba (N.Bihar) by sugar and distillery wastes. Environ. Hlth. 8: 6-35
- Day, D.A. 1973. Recycling urban effluents on land using annual crops. In. Proc. Nat. Workshop, Land application of municipal sludge effluent. 155-160
- Day, D.A., Strohlein, T.L. and Tucker, T.C. 1972. Effects of treatment plant effluent on Soil crops. J. Wat. Pollut. Control Fed. 44: 372.
- De Veries, J. 1972. Soil filtration of waste water effluent and the mechanism of pore clogging. J. Wat. Pollut. Control Fed. 44: 565 - 573.
- Dixit, A.M., Lalman and Srivastava, S.K. 1986. Effect of cardboard factory effluent on seed germination and early seedling growth of rice (Oryza sativa) seeds. Seed Res.14: 66-71.
- Dolar, S.G., Boyle, J.R. and Keeney, A.D. 1972. Paper mill sludge disposal on soils. Effects on the yield and mineral nutrition of oats (Avena sativa). Environ Qual. 1: 405-409.
- Donahue, R.I. 1958. Soils. Engle Wood Cliffs, N.J, Prentice - Hall. Inc.
- Eye, J.D. and Lawrence, L. 1971. Treatment wastes from a sole leather tannery. J. Wat. Pollut. Cont. Fed. 43: 2291-2303.

- Feder, N. and O'Brien, T.P. 1968. Plant microtechnique. Some principles and new methods. Amer. J. Bot. 55: 123 - 142.
- Feder, N. and Wolf, M.K. 1965. Studies on nucleic acid metachromasy. II-Metachromatic and orthochromatic staining by toluidine blue of nucleic acid in tissue sections J. Cell Biol. 27: 327 - 336.
- Feigin, A., Bielorai, H., Shalhevet, J., Kipnis, T. and Day, J. 1979. The effectiveness of some crops in removing minerals from soils irrigated with sewage effluent. Progr. Wat. Technol. 11: 151 - 162.
- Ganapati, S.V. and Alikunhi, K.H. 1950. Factory effluents from the Mettur chemical and Industrial Corporation Ltd., Mettur Dam, Madras and their pollutional effects on the fisheries of the river Cauvery. Proc. natn. Inst. Sci. India 16(3): 189 - 206.
- Ganapati, S.V. and Chacko, P.I. 1951 a. A hydrobiological survey of the water of Upper plains with a view of fish culture. Arch. Hydrobiol. 45: 543-556.
- Ganapati, S.V. and Chacko, P.I. 1951 b. An investigation of the river Godavari and the effect of the paper mills pollution at Rajahmundry. Proc. Indo-Pacific Fish. Council. 1-5.
- Gautam, D.D., Kumar, K. and Bishnoi, S. 1992. Effect of dairy effluent on seed germination of some Rabi and Kharif crop plants. J. Environ. Biol. 13: 7 - 12.



- Ghosh, B.B., Bagchi, M.M. and Saha, S.B. 1980. Effect of industrial pollution by Soda process Pulp and paper mill waste on the primary productivity of the Hooghly estuary near Tribeni. Symposium on coastal Aquaculture, Cochin, India, January 12-18.
- Ghosh, B.B., Rao, P. and Gopalakrishnan, V. 1973. Survey and Characterization of waste waters discharged into the Hooghly estuary. J. Inland Fish. Sec., India 4, Dec. 82-101.
- Ghosh, B.B., Ray, P., Bagchi, M.M. and Halder, D.D. 1977. Effects on the biotic condition of the Hooghly estuary due to disposal of effluent from sulphite pulp and paper industry. Proc. of the Seminar on Industrial Wastes Dec 8-9, 167-201. Metropolitan Development Authority and Neeri, Calcutta.
- Ghosh, B.B., Ray, P., Halder, D.D. and Bagchi, M.M. 1976. Some observations on the pollution of the Hooghly estuary in the vicinity of a rayon industry with a note on the toxicity of the effluent. ACMRR/IASO Expert consultation on bioassay with aquatic organisms in relation to pollution problems. Dubrovnik, Yugoslavia 16-1 November. FAO Publication FI: ACMRR/BE/7 18 October 1976.
- Ghosh, T.K. and Konar, S.K. 1980. Toxicity of chemicals waste waters of paper mills to worms, planktons, molluscs. Indian J. Environ. Hlth., 22: (4) 278 - 285.
- Gould, C.J.M., Eclelan, W.D. and Miller, V. 1961. Injury to Narcissus from treatment of bulbs with certain mercury



compounds. Plants Dis. Rep. 45: 508 - 511.

Govindan, V.S. and Sundaresan, B.B. 1979. Seasonal succession of algal flora in polluted region of Adyar river. Indian J. Environ. Hlth. 21(2): 131-142.

Govt. of India 1974. The water (prevention and control of pollution) Act, 1974. Act, No. 6 of 1974.

Gupta, G.P. and Singh, D. 1972. Zinc status of some soils of Indore. J. Indian Soc. Soil Sci. 20: 49 - 51.

Gupta, I.C. 1979. Use of saline water in agriculture. Oxford IBH Publ. Co.

Gupta, M.C. and Ghose, A.K.M. 1987. Effects of coal smoke pollutants from different sources on the growth, chlorophyll content, stem anatomy and cuticular traits of Euphorbia hirta, L. Environ. Pollut. 47: 221 - 229.

Guruprasada Rao, M. and Nandakumar, N.V. 1981. Analysis of irrigation reservoir contaminated by tannery effluents. Indian - J. Environ. Hlth. 23: 239-241.

*Hammond, L.C. 1949. The influence of oxygen and carbondioxide levels in the substrate upon potassium absorption by plants. PhD Thesis, Iowa state college, Ames, Iowa.

Handas, A. 1976. Water uptake and germination of Leguminous seeds under changing external water potential in osmotic solutions J. Exp. Bot. 27: 480-489.



- Handas, A. and Stibbe, E. 1973. An analysis of soil water movement towards seedling prior to emergency. Physical aspect of soil water and salts, in ecosystem. Ecological studies Vol.4 (Ed: A. Handas, D. Swartzendruber et al.). Chapman and Hall limited, London, P.97.
- Hari Om, Nepal Singh and Mayank, S. Arya 1994. Combined effect of wastes of distillery and sugar mill on seed germination, seedling growth and biomass of Okra, Abelmoschus esculentus, (L.) Moench J. Environ. Biol. 15(3): 171 - 175.
- Hartmann, H.T. and Kester, D. E. 1976. Plant propagation principles and practices. 3rd edition. 164.
- Haupt, R.S. and Folger, D.W. 1993. Paper plant effluent revisited - southern Lake Champlain, Vermont and New York. Envtl. Geology 21: 77 - 83.
- Hedge, B.A. and Patil, T.M. 1983. Utilization of industrial waste water in agriculture. Poll. Res. 2(1): 37-39.
- Heikal, M.M.D., Berry, W.L. and Wallace, A. 1989. Interactions in plant growth response between the osmotic effect of sodium chloride and high concentration of the trace element Nickel. Soil Science 147: 422-425.
- Horiston, A.S. and Herlinveaux 1957. A 'man mortality' of fish in Alberni Harbour, British Columbia. Fish Res. Bd. Can. Pac. Prog. Rep. 109.



Indian Standard Institution 1974. Tolerance limits for industrial effluents discharged into Inland surface waters part - 1 (First revision) No. 2490. New Delhi.

Indian Standard Institution 1974. Tolerance limits for inland surface waters subject to pollution (First revision) No.2296, New Delhi.

Indian Standard Institution 1974. Tolerance limits for industrial effluent discharged into public sewers (First revision) No.3306, New Delhi.

Indian Standard Institution 1977. Tolerance limits for discharge of industrial effluents on land for irrigation. No.3307, New Delhi.

Inamdar, J.A. and Chaudhari, G.S. 1984. Effects of environment pollution on leaf epidermis and leaf architecture. J. Pl. Anat. Morph. 1: 1 - 7.

Jabeen, S. and Saxena, P.K. 1990. Effect of industrial effluent on growth behaviour of Pisum sativum. Geobios 17: 197-201.

Jensen, W.A. 1962. Botanical Histochemistry. Freeman, San Francisco.

Jeyraj, V.M., Mandakini, M. and Prabhakar, N. 1992. Effect of mercury and lead on primary productivity of two water bodies. Env. Ecol. 10: 653 - 658.

Jha, C. N. and Gupta, R.K. 1988. Effect of opium and alkaloids factory effluent on seed germination, seedling growth and



pigment content of rice (Oryza sativa) Proc. 75th Indian Sci. Cong., Pune Section VI Bot.

Johansen, D.A. 1940. Plant microtechnique. McGraw - Hill Book Company, Inc, New York.

Johnson, M.G. 1977. Calorific changes along pulp and paper mill effluent plumes. J. Fish. Res. Board Can. 34: 784-790.

Kannabiran, B. and Pragasan, A. 1993. Effect of distillery effluent on seed germination, seedling growth and pigment content of Vigna mungo (L.) Hepper (C.V.T. ?). Geobios 20: 108-112.

Kawakmi, J. and Kanda, T. 1976. Biodegradation of components of pulp waste effluents by bacteria III. On the degradation of lignin preparation from waste liquor of oxygen alkali pulping. Tappi (Japan) 30: 165.

Khandelwal, R.K. and Aery, N.C. 1993. Effect of zinc tailing on the chlorophyll content of Glycine max and Lathyrus sativus. J. Ecotoxicol. Environ. Monit. 3: 129 - 132.

Khosla, N. 1980. Ecophysiological responses of certain plant species to fertilizer factory effluent. Ph.D Thesis, Gorakhpur University, Gorakhpur.

Kich, H. and Braun, B. 1977. The effect of chromium containing tannery sludges on the growth and uptake of Cr by different crops. Land Wirtsch Forsch. 30: 160 - 173.



- Kothandaraman, V., Murahari Rao, P. and Sastry, C.A. 1972. Characteristics of water from three typical tanneries in Madras. In: Treatment and disposal of tannery and slaughter house wastes. (Eds. V.S. Krishnamurthy, C.A. Sastry and R. Bhaskaran). CLRI. Madras 1-17.
- Kott, Y., Hershkovits, G., Shemtob, A. and Slaes, J.B. 1966. Appl. Microbiol. 14: 8 - 11.
- Krishnamurthy, K.V. 1988. Methods in plant histochemistry. S. Viswanathan (Printers and Publishers) Pvt. Ltd., 38 Mc Nichol Road, Chetput, Madras - 31.
- Kuivasniemi, Kaija, Varpu Eloranta and Liisa Halttunen - Keyriläinen. 1986. Ageing of Bleached Kraft Mill effluent studied by degradation of chlorinated phenolic compounds and Selenastrum Algal assays. Environ. Pollut. 41: 247 - 262.
- Kumar, K.T., Patel, P.B. and Pushpalatha, K. 1990. Effect of chemical factory effluents on germination and growth of Guar plant (Cyamopsis tetragonoloba, L.). Adv. In. Pl. Sci. 3: 34-42.
- Lokhande, S.V. and Bhosale, L.J. 1983. Effect of distillery waste on inorganic constituents of Dichanthium annulatum. Poll. Rs. 2(2): 57-58.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. 1951. J. Biol. Chem. 193: 165.
- Maguire, J.D. 1973. Physiological disorders in germinating seeds



induced by the environment. Seed Ecology Proc. Univ. Nottingham (Ed. H. Heydcker) 288.

Mahajan, S.P. 1989. Pollution control in process industries. Tata Mc Graw - Hill publishing Company Ltd. New Delhi.

Maliwal, G.L. and Paliwal, K.V. 1966. Salt tolerance of some bajara (Pennisetum typhoides) varieties at germination stage presented in the symposium on 'Soil and Water management in crop production', Indian Society of Soil Science, held at Ranchi, 12th June 1966.

Maliwal, G.L. and Paliwal, K.V. 1967. Salt tolerance studies of some varieties of wheat and barley at germination stage. Indian J. Pl. Physiol. 10: 26 - 35.

Manoharan, M. and Lakshamanan, K.K. 1988. Effect of tannery effluent on seed germination and early seedling growth in Glycine max Merr. J.Pl. Sci. Res. 4: 59 - 61.

Manoharan, C. and Subramanian, G. 1992. Interaction between papermill effluent and the cyanobacterium Oscillatoria pseudogeminata var. Unigranulata. Poll. Res. 11(2): 73 - 84.

Mazia, D., Brewer, P.A. and Alfert, M. 1953. The cytochemical staining and measurement of protein with mercuric bromophenol blue. Biol. Bull. 104: 57 - 67.

Mc Cermic, C.L. 1959. Effect of paper mill waste water on crops and soils. Bull. La. Agric. Exp. Stn 25: 302-310

Mc Cully, M.E. 1966. Histological studies on the genus Fucus I.



Light microscopy of the mature vegetative plant. Protoplasma 62: 287 - 305.

Mehrotra, C. L. and Gangwar, B.R. 1964. Studies on salt and alkali tolerance of some important agricultural crops in Uttar Pradesh. J. Ind. Soc. Soil. Sc. 12: 74 - 84.

Mehta, B.V. and Desai, R.S. 1958. Effect of soil salinity on germination of some seed. J. soil and water Cons. (India) 6: 169.

Mhatre, G.N. and Chaphekar, S.B 1982. Effect of heavy metals on seed germination and early growth. J. Environ. Biol. 3: 53-63.

Misra, B.B., Nanda, D.R. and Misra, B.N. 1985. Reclamation with blue-green algae: Mercury uptake by algae cultured in solid waste of a chloralkali factory and its effect on growth and pigmentation. J. Environ. Biol. 6: 223-231.

Misra, L.C. and Singh, K.K. 1987. Pollution effects of fertilizer factory effluent on growth and development of corn and rice seedlings. Conserv. Recycling 10: 27-36.

Misra, L.S. 1987. Effect of fertilizer factory effluent on growth and development of corn and rice seedling. Proc. of 74th Indian Science Congress. Bangalore, Section VI: Bot.

Misra, R.N. and Behera, P.K. 1991. The effect of paper industry effluent on growth pigments, carbohydrates and proteins of rice seedlings. Environ. Pollution 72: 159-168



- Misra, S.R. and Misra, B.N. 1984. Studies on the solid wastes extracts from a chlor-alkali factory: 1. Morphological behaviour of rice seedlings grown on the waste extract. Environ. Pollut. 35: 17-28.
- Motwani, M.P., Banerjee, S.M. and Karan Chandani 1956. Some observations on the pollution of Rohtas Industry at Dalmia Nagar (Bihar). Indian J. Fish 3: 334-367.
- Muthukumar, B. and Arockiasamy, D.I. 1994. Effect of distillery waste on the nitrate reduction system in Vigna mungo (black gram). J. Ecotoxicol. Environ. Monit. 4(1): 27-31.
- Nanda, D.R., Mishra, B.B. and Misra, B.N. 1986. Toxic effect of solid waste extract of a chlor-alkali factory on pigment concentration of a crop plant, Phaseolus aureus, Roxb. J. Environ. Biol. 7: 95-99.
- Neelam, S. and Sahai, R. 1985. Effect of fertilizer factory effluent on seed germination and growth behaviour of Vigna radiata Env. Eco. 3(3): 307-311.
- Neelam, S. and Sahai, R. 1988. Effect of fertilizer factory effluent on seed germination, seedling growth, pigment content and biomass of Sesamum indicum Linn. J. Environ. Biol 9: 45-50.
- Nieman, R.H. and Poulsen, L.L. 1964. Separation of salt and water stress effects on plant growth. Plant Physiol. 39: (LV. II.)

- Nirmala Rani, J.N. and Janardhanan, K. 1988. Effect of South India Viscose factory effluent on seed germination, seedling growth and chloroplast pigments content in five varieties of maize (Zea mays L.) Madras Agric. J. 75: 41-47.
- Nirmala Rani, J.N. and Janardhanan, K. 1989. Impact of Coimbatore Alcohol and Chemicals factory effluents on seed germination, seedling growth and chloroplast pigments content in five varieties of maize. Seed Res. 17: 88-92.
- O'Brien, T.P., Feder, N. and Mc Cully, M.E. 1964. Polychromatic staining of plant cell walls by toluidine blue 'O'. Protoplasma 59: 367-373.
- Dhki, K. 1975. Lower and upper critical zinc levels in relation to cotton growth and development. Physiol. Plant. 35: 96-100.
- Dhki, K. 1976. Zinc: Key micronutrient for cotton. Georgia Agric. Res. 18: 13 - 16.
- Okusanya, O.T. 1980. The effect of salinity and nutrient level on growth of Lavatera arborea. Dikos 35: 49-54.
- Olaniya, M.S., Saxena, K.I. and Sharma, H.C. 1976. pollution studies of Chambal river and its tributaries at Kota. Indian J. Environ. Hlth. 18: 219-226.
- Palmer, C.M. 1980. Algae and water pollution. Castlehouse Publications Ltd, USA.



- Paramasivam, M. and Sreenivasan, A. 1981. Changes in algal flora due to pollution in Cauvery river. Indian J. Environ. Hlth. 23(3): 222-238.
- Patel, P.B. and Ramesh Kumar, K.T. 1990. Effects of pharmaceutical factory effluent on germination, drymatter accumulation and crop productivity of mustard plant, Brassica Juncea L. Var.T 59. Poll. Res. 9: 113-119.
- Percy, K.E. and Riding, R.T. 1981. Histology and histochemistry of elongated needles of Pinus strobus subjected to a long duration low concentration exposure of SO₂. Can. J. Bot. 59: 2558 - 2567.
- Pinkerton, John E. 1993. Emmissions of SO₂ and No from pulp and paper mills. Air waste 43: 1404-1407.
- Piper, C.S. 1950. Soil and Plant analysis New York, Interscience.
- Prasad, B.N. and Saxena, M. 1980. Ecological study of blue green algae in river Gomati. Indian J. Environ. Hlth. 22(2): 151-168.
- Pritchard, John, B., Ramsey Walden and Aimo Oikari 1991. Dehydroabiatic acid, a major anionic contaminant of pulpmill effluent, reduces both active P-aminohippurate transport and passive membrane permeability in isolated renal membranes.
- Pound, C.E. and Critis, 1973. Waste water treatment and re-use by land application. Vol. 1 and 2, Environ Protect. Agency.



Ada, Oklahomie. Epa 660/273-006.

Quasim, S.Z and Siddiqui, R.H. 1960. Preliminary observations on the river Kali covered by the effluent of industrial wastes. Curr. Sci. 29(8): 310-311.

Rajannan, G. and Oblisamy, G. 1979. Effect of paper factory effluent on soil and crop plants. Indian J. Environ. Hlth. 21: 120-130.

Rajaram, N. Janardhanan, K. 1988. Effect of distillery effluent on seed germination and early seedling growth of soybean, cow pea, rice and sorghum. Seed Res. 16: 170-177.

Rajaram, N., Manoharan, M. and Janardhanan, K. 1988. Effects of alcohol and chemical effluents on seed germination and seedling growth of black gram. Cur. Sci. 57: 559-560

Rama Rao, S.V., Singh, V.P. and Mall, L.P. 1978. Biological methods for monitoring water pollution levels: studies at Ujjain. In Glimpses of Ecology. Inter. Sci. Publications, Jaipur 341-348.

Rao, M.G. and Nanda Kumar, V. 1983. Impacts of effluent on seed germinability and chlorophyll content in Cicer arietinum, L. Poll. Res. J. 2: 33.

Rao, N.P. and Rao N.Y. 1992. Quality of effluent water discharged from paper board industry and its effect on alluvial soils and crops. Indian J. Agric. Sci. 6 2(1): 9 - 12.



- Rao, Salem, S., Burnison, B.K., Rokosh, D.A. and Taylor, C.M. 1994. Mutagenicity and Toxicity assesment of pulpmill effluent. Chemosphere 28(10): 1859-1870.
- Ray, P. 1961. Evaluation of toxicity of some industrial wastes to test fish by bioassays. Indian J. Fish. 8(1): 233-240.
- Ray, P. 1980. A pollution survey of the Hooghly estuary as influenced by industrial and domestic wastes under tropical environment. 3rd international Congress on Industrial Waste Water and Wastes, Stockholm, Feb. 6-8, 1-11.
- Ray, P. Ghosh, B.B. and Bagchi, M.M 1977. Effects of paper mill Waste (Soda process) around the outfall in the Hooghly estuary. Proc. Symp. Environ. Biol. 453-464. Academy of Environmental Biology, India.
- Ray, P. and Mitra, E. 1980. Effects of suspended solids on biotic life around the outfall area of sulphate pulp and paper mill waste in Hooghly estuary. Symposium on Coastal Aquaculture, Cochin, India, Jan. 12-18.
- Raza, A.H. and Vijayakumari, N. 1989. Effect of liquor factory effluent on germination and growth of paddy seedling. Indian J. Bot. 2(1): 11-18.
- Re Boredo, Fernando Henriques and Carlos Alberto, B. Ribeiro 1984 studies on a selected industrial effluent and the receiving stream. Int. J. Environ. stud. 23: 229 - 234.
- Reddy, M.P and Venkateswarlu, V. 1986. Ecology of algae in the



- paper mill effluents and their impact on the river Tungabhadra. J. Environ. Biol. 7(4): 215-213.
- Reddy, M.P. and Venkateswarlu, V. 1987. Assessment of water quality and pollution in river Tungabhadra near Kurnool, Andhrapradesh. J. Environ. Biol. 8(2): 109-119.
- Rishi, V. and Kachroo, P. 1981. Effect of sewage and fertilizers on phytoplankton of Doodhghanga. Geobios 8: 160-162.
- Ruthmann, A.C. 1970. Methods in cell Research. Cornell University Press, Ithaca, New York.
- Sahai, R., Agarwal N. and Khosla, N. 1979. Effect of fertilizer factory effluent on seed germination, seedling growth and chlorophyll content of Phaseolus radiatus, Linn. Trop. Ecol. 22: 156-162.
- Sahai, R. Jabeen, S. and Saxena, P.K. 1983. Effects of distillery waste on seed germination, seedling growth and pigment content of rice. Indian J. Ecol. 10: 7-10.
- Sahai, R., Jabeen, S. and Srivastava, N. 1983. Effect of distillery waste on the seed germination, seedling growth and pigment content of three leguminous crops of eastern Uttarpradesh. In: Seminar Strategics for Environmental Management, 10-11 Lucknow, India. 154-161.
- Sahai, R., Shukla, N., Jabeen, S. and Saxena, P. 1983. Pollution effect of distillery waste on the growth behaviour of Phaseolus radiatus, L. Environmental Pollution 37: 245-53.



- Sahai, R. and Srivastava, C. 1988. Effect of fertilizer factory waste on seed germination and seedling growth of two vegetable crop plants (Brassica oleracea, var. botrytis and B. oleracea var. capitata). J. Environ. Biol. 9: 381 - 386.
- Sahai, R., and Srivastava, N. 1985. Effect of fertilizer factory waste on seed germination, seedling growth and pigment content of two leguminous crops, Cajanus cajan and Lens esculenta. Environment and Ecology 3(2): 180-183.
- Sahai, R. and Srivastava, N. 1986. Effect of distillery waste on the seed germination, seedling growth and pigment content of Cajanus cajan. L. J. Indian Bot. Soc. 65: 208 - 211.
- Salisbury, E.J. 1927. On the causes and ecological significance of stomatal frequency with special reference to woodland flora. Philos. Trans. R. Soc. Lond. Ser. B. Biol. Sci. 216: 1 - 65.
- Salisbury, E.J. 1932. The interrelation of soil, climate and organism and the use of stomatal frequency as an intergrating index of the water relation of the plant. Beih. Bot. Zentralb. 49: 408 - 420.
- Salisbury, F.B. and Ross, C.W. 1986. Plant physiology. Publ. S.K. Jain for CBS publishers and distributors. Delhi. India.
- Santhamurthy, K.B. and Rangaswamy, V. 1979. Cytological effects of papermill effluents on somatic cells of Allium cepa. Cytologica 53: 163 - 168.



- Satya Kala, G., Sayeeda Begum, Awarul Hasan and Kaiser Jamil. 1986. Effect of aquatic pollution on the mineral accumulation in water hyacinth. Proc. Indian Acad. Sci. (Plant Sci.) 96: 37 - 40.
- Saxena, P.K and Jabeen, S. 1990. Study on distillery effluent on the growth behaviour of Microcystis aeruginosa, Schweiz, and Chlorella vulgaris, Beijerinck. Geobios 17: 118 - 121.
- Saxena, R.M., Kewal, P.F., Yadav, R.S. and Bhatnagar, A.K. 1986. Impact of factory effluents on some pulse crops. Indian J. Environ. Hlth. 28: 345-348.
- Sharma, G.K., and Butler, Joe. 1973. Leaf cuticular variations in Trifolium repens. L. as indicators of environmental pollution. Environ. Pollut. 5: 287 - 293.
- Sheoran, I.S. and Gary, O.P. 1978. Effect of salinity on the activity of RNase, DNase and protease during germination and early seedling growth of Mung bean. Physiol. Plant. 44: 171 - 174.
- Sheoran, J.S. and Gary, O.P. 1983. Effect of different types of salinities on gram (Cicer arietinum L.) during germination. I. Seedling growth and water relations. Indian J. Plant. Physiol. 26: 363 - 369.
- Shumway, D.F. and Palensky, J.R. 1973. Impairment of flavours of fish by water pollutants. U.S. Environ. Prot. Agency. EPA.



- Shirlaw, D.W. and Gilchrist, D.W. 1967. A. Practical course in agriculture chemistry. Pergaman Pub. London 122 - 130.
- Singh, D.K., Dinesh Kumar and Singh, V.P. 1985. Studies on pollution effect of sugar mills and distillery effluent on seed germination and seedling growth of three varieties of rice. J. Environ. Biol. 6: 31-35.
- Singh, K.K and Misra, L.C. 1987. Effect of fertilizer factory effluent on soil and crop productivity. J. Water, Air, and Soil pollution 33: 309-320.
- Singh, S.N. and Rao, D.N. 1981. Certain responses of wheat plants to cement dust pollution. Environ. Pollut. 21.
- Somashekar, R.K., Gowda, M.T.G., Shettigar, S.L.N. and Srinath, K.P. 1984 . Effects of industrial effluents on crop plants. Ind. J. Environ. Hlth. 26(2): 136-146.
- Somashekar, R.K. and Ramaswamy, S.N. 1983. Algal indicators of papermill waste waters. Phykos 22: 161 - 166.
- Soon, Y.K., Bates, T.E. and Moyer, J.R. 1978. Land application of chemically treated sewage sludge, II. Effects on plant and soil phosphorus, potassium, calcium and magnesium and soil. pH. J. Environ. Qual. 7: 269 - 273.
- Soon, Y.K., Bates, T.E. and Moyer, J.R. 1980. Land application of chemically treated sewage sludge. III. Effects on soil and plant heavy metal content. J. environ. Qual. 9: 497 - 504.



Sprague, J.B. and Mc Lease, D.W. 1968. Different toxic mechanisms in kraft pulp mill effluent for two aquatic animals. Water Res. 2: 761-765.

Spulmik, J.B. 1940. Effect of waste sulphite liquor on soil properties and plant growth. Soil Sciences 49: 320-327.

Sreenivasan, R., Sampath, V., Paramasivam, M. and Ananthanarayanan, R. 1980. Pollution of river Cauvery from industrial and urban wastes. Proc. Symp. Environ. Trivandrum, 177-190.

Srivastava, H.S., Jolliffe, P.A. and Runeckles, V.C. 1975. Inhibition of gas exchange in bean leaves by NO₂. Can. J. Bot. 53: 466 - 474.

Srivastava, N. and Sahai, R. 1987. Effects of distillery waste on performance of Cicer arietinum, L. Environ. pollut. 43: 91 - 102.

Srivastava, R.K. 1991. Effect of papermill effluent on seed germination and early growth performance of Radish and Onion. J. Ecotoxicology and environmental monitoring 1: 13-18.

Steel, E.W. and Beg, E.J. 1954. Effect of sewage irrigation upon soil. Sewage and industrial waste 26: 1325.

Subba Rao, B. 1982. In: Pollution detection and control Camp, EPRF, Sangli.



- Subramaniyan, A., Sundaramoorthy, P. and Lakshmanachary, A.S. 1990. Effect of presowing seed hardening treatment on growth and yield of black gram under distillery effluent irrigation. Inter. Nat. Symp. on Environ. Influences on seed and germination Mechanism. Recent Advances in Research and Technology. Jodhpur, India. Abstr. 27-36.
- Sudhakar, G. Jyothi, B. and Venkateswarlu, V. 1991a. Impact of paper mill effluents on the distribution of cyanobacteria in the River Godawari, India. Water manage 11.: 263-270.
- Sudhakar, G., Jyothi, B. and Venkateswarlu. 1991 b. Metal pollution and its impact on algae in flowing waters in India. Arch. Environ. Contam. Toxicol. 21(4): 556 - 566.
- Sundarmoorthy, P. and Lakshamanachary, A.S. 1989. Effect of alum treated effluent and activated sludge process treated effluent on growth parameters and yield of groundnut. Proc. 76th Indian Sci. Cong. Madurai, Sec.VI Abst. 249. Bot.
- Swaminathan, K., Manonmani, K. and Sarojini, B. 1992. Studies on toxicity of South India Viscose factory effluent on ground nut (Arachis hypogea) J. Environ. Biol. 13(3): 253 - 260.
- Swaminathan, K. and Ravi, K. 1987. Effect of dyeing factory effluents on physico-chemical and biological properties of soil. In: Environment and Ecotoxicology (Ed. R.C. Daleela et al.). The Academy of Environmental Biology, Muzaffarnagar 249-253.



Swaminathan, K. and Vaidheeswaran, P. 1991. Effect of dyeing factory effluents on seed germination and seedling development of groundnut (Arachis hypogea) J. Environ. Biol. 12(4): 353-358.

Taghavi, S.M. and Vora, A.B. 1994. Effect of industrial effluent on germination and growth development of Guar seed (var. PNB) J. Environ. Biol. 15: 209 - 212.

Thabaraj, G.J., Bose, S.M. and Nayudamma, Y. 1964. Utilization of tannery effluent for agricultural purposes. Environ. Hlth. 6: 18-36.

Thomas, N.A. 1973. Assesment of fish flesh tainting substances. Biological methods for assessment of water quality. ASTM Am. Soc. Test. Master STP. 528: 178-193.

Tripathi, B.D., Dwivedi, R.K and Anamika Tripthi 1990. Influence of industrial waste on physico-chemical properties of soil and germination and mineral composition of wheat. Water Air Soil Pollut. 49: 107 - 112.

Turner, M.A. 1973. Effects of Cd treatment on Cd and Zn uptake by selected vegetable species. J. Environ. Qual. 2: 118 - 119.

Van Dobben, W.H. 1961. Nitrogen uptake by the spring wheat and poppies in relation to growth and development. Med. 154 Jaarbock IBS: 45-60.

Van Dobben, W.H. 1962. The distribution of dry matter in cereals



and grass in relation to nitrogen nutrition. Med. 183.
Jaarboek IBS. 77-139.

Venkataraman, G. 1966. A note on the occurrence of large scale fish mortality along the Chaliyar river near Beypore J. Mar. Biol. Ass. India 8: 224.

Venkateswarlu, V. 1969 a. An ecological study of the algae of the river Mossi, Hyderabad (India) with special reference to water pollution. Physico-chemical complex. Hydrobiol. 33:117-143.

Venkateswarlu, V. 1969 b. An ecological study of the algae of the river Mossi, Hyderabad (India) with special reference to water pollution. II. Factors influencing the distribution of algae. Hydrobiol. 33: 352-363.

Venkateswarlu, V. 1969 c. An ecological study of the river Mossi, Hyderabad (India) with special reference to water pollution. III. Algal periodicity. Hydrobiol. 34: 533-560.

Verma Anand Mohan Dudaivi, V.K., Kumari, B., Kumar, S. and Pandey, S. 1988. Ecological studies of papermill effluents. Proc. Natl. Acad. Sci. India Sect. B (Biol.Sci) 58(2): 259-270.

Verma, S.R. and Dalela, R.C. 1975. Studies on the pollution of Kalinadi by industrial wastes near Mansurpur Part 2. Biological index of pollution of biological characteristics of the river. Acta. Hydrochim. Hydrobiol. 3: 259-274.



- Verma, S.R. and Shukla, G.R. 1969. Pollution in perennial stream Khala by sugar factory effluents near Laksar (Dist. Sharanpur). U.P. J. Environ. Health. 1: 145-163.
- Vijayakumari, K. and Kumudha, P. 1990. Effect of distillery effluent on seed germination and early seedling growth in some crop plants. Geobios 17: 207-211.
- Vijayakumari, K., Kumudha, P., Siddhuraju, P. and Janardhanan, K. 1993. Effect of soap factory effluent on seed germination and early seedling growth of certain millet and pulse crops. J. Environ. Biol. 14(4): 275- 281.
- Vijayaraghavan, M.R. and Shukla, A.K. 1990. "Histochemistry-Theory and Practice" Bishen Singh, Mahendera Pal Singh Dehradun.
- Wadkar, P.R., Toru, S.V., Patwardhan and Bhosale, L. J. 1984. Effect of water pollution on the stomatal behaviour and carbohydrate contents of the leaves of Cynodon dactylon. Indian Sci. Cong. Session. 71 - 56.
- Waghmare, S.M, Bhole, A.G. and Dhabadgaonkar, S.M (1986). Evaluation of waste water treatment plant of a pulp and paper mill. IAWPC Tech. Annual 13: 51 - 54.
- Waldichuk, M. 1962. Some water pollution problems connected with the disposal of pulp mill wastes. Can. Fish culturist 31: 3 - 34.



- Webber, C.G. 1969. The Biological aspects of water pollution.
Charles C. Thomas, Springfield, III 296.
- Whitton, B.A. 1975. Algae and higher plants as indicators of river pollution. In: Biological indicators of water quality (ed. A. James and L. Erison). John Wiley and Sons, New York.
- Williams, C.H. 1977. Trace metals and superphosphate toxicity problems. J. Aust. Inst. Agric. Sci. 43: 99 - 109.
- Young, J.C., Boumann, E.R. and Dannyal, V. 1975. Packed bed reactors for secondary effluent BOD and ammonia removal. J. Wat. Pollt. Control Fed. 47: 46 - 56.
- Zinakov, I.E. and Zakharova, L.L. 1984. Accumulation of heavy metals by various plant species and features of form management near zinc factories. S. KH. Biol. 0(4): 117-122.
- * Not seen in original.

