

LIST OF FIGURES

3.1	Power circuit connection diagram for the IM	38
3.2	The single-phase circuit model of inverter	40
3.3	PWM graphical concept	41
3.4	Diagrammatic view of a 3 Φ ac voltage source PWM inverter	42
3.5	The relationship b/w <i>abc</i> ref & stationary <i>d-q</i> frame	44
3.6	Diagrammatic representation of the sequence of Space vectors	46
3.7	IM Equivalent circuit in the <i>d</i> -axis frame	46
3.8	IM Equivalent circuit in the <i>q</i> -axis frame	47
4.1	Block diagram of speed control IM using a PI controller	64
4.2	Simulink block diagram of speed control of IM using PI controller	67
4.3	Flux char. using PI	69
4.4	Slip char. using PI	69
4.5	Torque char. using PI	70
4.6	Stator current char. using PI	70
4.7	Voltage char. using PI	71
4.8	Speed char. using PI	72
5.1	A diagrammatic view of the mamdani based FLC	75
5.2	A 2-input, 2-rule Mamdani model	78
5.3	Developed simulink model for control using the M-FLC scheme	84
5.4	2 inputs and 1 output Fuzzy Editor	85
5.5	Surface plot for speed error, change in error and output	85
5.6	Plot of flux vs. time using the M-FLC scheme	86

5.7	Plot i_d vs. time using the M-FLC scheme	87
5.8	Plot of i_q vs. time using M-FLC scheme	87
5.9	Plot of voltage vs. time using the M-FLC scheme	88
5.10	Plot of rotor current (abc frame) vs. time using M-FLC scheme	88
5.11	Plot of rotor current ($d-q$ frame) vs. time using M-FLC scheme	89
5.12	Plot of 3-phase stator current vs. time using M-FLC scheme	89
5.13	Plot of speed vs. time using the M-FLC scheme	90
5.14	Plot of torque vs. time using the M-FLC scheme	91
5.15	Plot of rotor angle vs. time using M-FLC scheme	91
5.16	Plot of slip vs. time using M-FLC scheme	92
5.17	Char. of load vs. time using the M-FLC	93
6.1	Block diagram of the TS-FLC drive system	99
6.2	Developed simulink model with TS-FLC	101
6.3	Surface plot for change in error, speed error and output	102
6.4	Plot of speed vs. time	103
6.5	Plot of flux vs. time	104
6.6	Char. of torque vs. time	104
6.7	Plot of voltage vs. time (normal and zoomed)	105
6.8	Plot of 3- Φ stator currents vs. time	106
6.9	Plot of slip vs. time	106
6.10	Slip-speed characteristics	107
6.11	Plot of i_d vs. time	108

6.12	Plot of i_q vs. time	108
6.13	Plot of $i_{r abc}$ vs. time	108
6.14	Plot of i_{rdq} vs. time	109
6.15	Variation of speed curve from 100 to 120 rad/second and back to 100 rad/second	111
6.16	Torque char. for variation in speed from 100 to 120 rad/second and back	112
6.17	Stator current char. for speed variation from 100 to 120 r/s and back	113
6.18	Flux char. for variation of speed from 100 to 120 rad/second and back	113
6.19	Load char. for variation of speed from 100 to 120 rad/second and back	114
6.20	Plot of variation of speed with time for clockwise and anticlockwise rotation of IM	114
6.21	Slip char. for varying speeds (50,100,140,180 rads/second)	115
7.1	Block diagram of the ANFIS control scheme	125
7.2	The Simulink model for the ANFIS controller	128
7.3	ANFIS editor window	130
7.4	ANFIS editor: Loading the data from the workspace	130
7.5	ANFIS model with 2 inputs and 1 output showing ANN Architecture	131
7.6	Plot of speed vs. time	133

7.7	Plot of flux vs. time	134
7.8	Plot of 3 Φ stator current vs. time	134
7.9	Plot of torque vs. time	135
7.10	Plot of voltage vs. time (normal and zoomed)	136
7.11	Plot of slip vs. time	137
7.12	Plot of speed vs. slip	137
7.13	Plot of direct axes i_d vs. time	138
7.14	Plot of rotor current i_q vs. time	138
7.15	Plot of rotor current $i_{r abc}$ vs. time	139
7.16	Plot of rotor current $i_{r dq}$ vs. time	139
7.17	Speed curve for variation in speed from 100 to 140 r/s and back	140
7.18	Torque characteristics for variation in speed	142
7.19	stator current characteristics for variation in speed	143
7.20	Flux characteristics for variation in speed	144
7.21	Direct axes current characteristics for variation in speed	145
7.22	Quadrature axes current characteristics for variation in speed	146
7.23	3- Φ rotor current characteristics for variation in speed	146
7.24	Rotor current: 2 phase characteristics for variation in speed	147
7.25	Plot of load torque v/s. time	147
7.26	Plot of variation of speed with time for clockwise and anticlockwise rotation of IM	148
8.1	Comparison of speed curves for ANFIS, TS, M- FLC & with PI	151

	control	
8.2	Bar chart for the proposed ANFIS method compared with references	154