

BIBLIOGRAPHY:

- Abedin , M.J. , Feldmann, J. and Mecharg, A.A. (2002). Uptake kinetics of arsenic species in rice plants. *Plant Physiol.* **128**: 1120-28.
- Adhikari, S., Gupta , S.K. and Banerjee, S.K. (1993). Heavy metal content of city sewage and sludge. *J.Indian Soc. Soil Sci.* **40**: 170-172
- Adriano, D.C. (2001). Trace elements in the terrestrial environment. Springer, New York.
- Agarwala, S.C., Bisht. S.S and sharma, C.P (1977). Relative effectiveness of certain heavy metals in producing toxicity and symptoms of iron deficiency in Barley. *Can. J.Bot.* **55** : 1299-1301.
- Ali, M.B. , Tripathi, R.D. , Rai, U.N., Pal , A. and singh, S.P. (1999). Physicochemical characteristics and pollution level of lake Nainital (U.P. , India): role of macrophytes and phytoplankton in biomonitoring and phytoremediation of toxic metal ions. *Chemosphere.* **39**: 2171-2182
- Alexander, J. Kashut, R., Keefer., Singh, R. and Horvath, D.J. (1978) movement of Ni frm sewage sluege into soil, soybeans and volis. In trace substances in environment health. XII led. Hemphill. D.D. Columbia, missoure. USA Univ. of Missouri, Columbia, P.P 377-388.
- Ambika , S.R. and latha, S.S. (1966). Hyper accumulation of phosphates by radish *Florra and fauna-jhansi.* **2(1)**: 59-62.
- Anderson, C.W.N. , Brooks, R.R., Stewart, R.B. and Simcock, R. (1998). Harvesting a crop of gold in plants , *Nature.* **395**: 553-554.
- Arora, C.L. and Chhibba, I.M. (1992). Influence of sewage disposal on the micronutrient and sulphur status of soil and plants. *J.Indian soc. Soil Sci.* **40**: 792-795.
- Axelsen, K.B. and Palmgren, M.G. (2001). Inventroy of the superfamily of P-type ion pumps in Arabidopsis. *Plant Physiol.* **126**: 696-706.
- Baker, A.J.M. (1987). Metal tolerance. *New Phytol.* **106**: 93-111.

- Baker, A.J.M. and Brooks, R.R. (1989). Terrestrial higher plants which hyper accumulating metallic elements- A review of their distribution, ecology and phytochemistry. *Biorecovery* **1**: 81-126.
- Baker, A.J.M. McGrath, S.P. , Reeves, R.D. and smith , J.A.C. (2000). Metal hyper-accumulator plants: A review of the ecology and physiology of a biological resource for phytoremediation of metal-polluted soil. In “Phytoremediation of contaminated soil and water” (N. Terry, G. Banuelos and J. Vangrosveld, Eds.). *Lewis Publisher, Boca Raton, Florida* . **P.** 85-107.
- Bakers, A.J.M., Reeves, R.D. and McGrath, S.P. (1991). In situ contamination of heavy metal polluted soil using crops metal accumulating plants a feasibility study. In situ Bioreclamation ed. R.E.H. Inches, R.F. Olfen buttel. 536-544.
- Baker, A.J.M., Reeves, R.D. and Hajar, A.S.M. (1994). Heavy metal accumulation and tolerance in British populations of the metallophyte *Thlaspi Caerulescens* C. Presl. (*Brassicaceae*)*New Phytol.* **113**:96-98.
- Balsberg and pahlesson, A.M. (1989). Toxicity heavy metals (Zn. cu, cd, pb) to vascular plants. *Water air soil pollut.* **66**: 163-171.
- Banuelos , G.S. and Meek. (1990). Accumulation of selenium in plants grown in se treated soil. *J. Environ, Qual* **19**: 772-777.
- Banuelos, G.S. Ajwa, H.A., Mackey, B., Wu, L., Cook, C., Akohoues and Zambrzuski, S. (1997). Evaluation of different plant species used for phytoremediation of high soil selenium. *J.Environ. Qual.* **26**: 639-646.
- Banuclos, G.S., Cardon, G., Markey, B., Ben Asher, J. and Wu, L. (1993). Plant and environment interactions boron and selenium removal in boron-laden soil by four sprinkler irrigated plant species. *J. Environ, Qual.* **22**: 789-792
- Banuelos, G.S., Ajwa, H.A., Wu , L. and Zambrzuski, S. (1998). Selenium accumulation by *Brassica napus* grown in Se-laden soil from different depths of kesterson Reservdir. Special issue Phytoremediation : Curren views on an emerging green technology. *J. Soil contam.* **7(4)**: 481-496.

- Bansal , R.L., Nayyar, V.K. and Takkar, P.N.C. (1992). Accumulation and bioavailability of Zn, Cu, Mn and Fe in soil polluted with industrial waste water. *J.Indian Soc. soil Sci.* **40**: 796-799.
- Brallier S, Harrison R.B., Henry C.L. and Dangson x. (1996). Liming effects on availability of cd, cu, ni and zn in a soil anunded with sewage sludge 16 years previously. *Water. air and soil pollution* **86**: 196-206.
- Barar, M.S. Mahli, S.S., Singh, A.P., Arora, C.L., and Gill, K.S. 2000. Sewer water irrigation effects on some potentially toxic trace elements in soil and Potato plants in north western India. *Can. J. Soil Sci.* **80**, 465-471
- Bassi, R., Sharma, S.S., Prasher, S.O., Clements, R.S. (1997). Uptake and accumulation of Zn and Cu by duckweed (*Lemna Minor*): effects on cotionic status. CSAE Annual conference, Sherbrooke, Quebee Canada , CSAESCGR, No. **97**: 108-110.
- Beckett, P.H.T. and Davis, R.D. (1978). The additivity of the toxic effect of cu, Ni and Xn in young barley. *New phytol.*, 81: 155-173.
- Begonia, G.B., Davis, C.D., Begonia, M.F.D. and Gray, C.N. (1998). Growth response of Indian mustard and its phytoextraction of lead from a contaminated soil. *Bull. Environ. Contam. Toxicol.* **61**: 38-43.
- Berti, W.R. and Cunningham, S.D. (1997). In place inactivation of Pb in Pb- contaminated soils. *Environ. Sci. Technol.* **31**: 2673-2678.
- Black, H. (1995). Absorbing possibilities : Phytoremediation. *Environ, Health Perspec.* **103**: 1106-1108.
- Blaylock, M.J. (2000). Field demonstration of phytoremediation of lead contaminated soils. In N. Terry and G. Banueloz (ed.) phytoremediation of contaminated soil and water. *Lewis-Publ. Boaca Raton. Florida.* p. 1-12
- Blaylock, M.J., Salt, D.E., Dushenkov, S., Zakharova, O., Gussman, C., Kapulnik, Y., Ensley, D.B. and Raskin, I. (1997). Enhanced accumulation of Pb in Indian mustard by soil-applied chelating agents. *Environ Sci. Technol.* **31**: 860-865.
- Borah D.K., Rattan R.K. and Banerjee N.K. (1992). Effect of soil organic matter on the adsorption of Zn, Cu and Mn in soils. *J. Ind. Soc. Soil Sci.* **40 : 2**, 277-282.

- Bosshard, E. and Zimmerls, B. (1994). Utensils of copper and copper alloys, a health problem. *Mtt Geb. Lebensmittelunters Hug.*, **85** : 287-311.
- Brallier.S., Harrism R.B., Henry C.L. and Dongson X. (1996). Liming effect on availability of cd, cu, Mi and Zn in a soil amende with sewage sludge 16 years previously. *Water, air and soil pollution* **86** : 196-206
- Brooks, R., Aderson, C., Stewart, R. and Robinson , B. (1999). Phytomining : growing a corp of a metal. *Biologist, London.* **46(5)**: 201-205.
- Brewer, E.P., Saunders, J.A., Angle, J.S., chaney, R.L. and McIntosh , M.S. (1999). Somatic hybridization between the zinc accumulator *Thlaspi Caerulescens* and *Brassica Napus*. *Theore. Appl. Gen.* **9**: 761-771.
- Brown, J.R. and Brush, L. (1992). Lime stabilized sludge treatment of acidic soil relative to soil acidity minimum for sludge application common, *Soil Sci. plant Anal.* **23**: 1257-1273.
- Brown, S.L., Chaney, R.L., Angle, J.S. and Baker, A.J.M. (1994). Phytoremediation potential of *Thalspi Caerulescens* and bladder Campion for zinc and cadmium- contaminated soil. *J. Environ. Qual.* **23**: 1151-1157.
- Brown, S.L., Chaney, R.L., Angle, J.S. and Baker, A.J.M. (1995). Zinc and cadmium uptake by hyperaccumulator *Thlaspi caerulescens* grown in nutrient solution. *Soil sci. Soc. Am. J.* **59**: 125-133.
- Brune, H. (1984). Schwermentallgehalte hessischer Boden and das Aufnahmepotential verschiedener pflanzenarten. *Angewandte Botanik.* **58**: 11-20
- Burridge, J.C. and Berrow, M.L. (1984). Long term effects of metal contaminated sewage sludge on soils and crops. In consultans, **PP. 215-224.**
- Chandra, P., Sinha, S., Rai, U.N. Kroger, E.L., Anderson, T.A and coats, J.R. (1997). Bioremediation of chromium from water and soil by vascular aquatic plants. *Phytoremediation of soil and water contamination.* 274-282.
- Chaney, R.L. (1987). Zinc Phytotoxicity. In: Robson, A.D. (ed.) zinc in soils and plants. Kluwer Academic Publishers, Dordrecht, The Netherlands. **P.** 135-150.
- Chaney, R.L. (1983). Zinc phytotoxicity. In : A.D. Robson (ed.) Zinc in soils and plants. Kluwer Academic publishers, Dordrecht, The Netherlands **P.** 135-150.

- Chang, A.C. page, A.L. foster, K.W and Jones, T.E. (1982). A comparison of cd and zn accumulation by four cultivars of barley grown an sludge amended soil. *J. Environ . Qual.* 11 (3). 409-412.
- Chang, A.C. Hyun H., and page A.L. (1997). Cadmium uptake for swiss chard grown on composted sludge treated field plots plateau or time bomb ? *J. Envirom Qual.* 26: 11-19.
- Charlatichka, R. and Cambier, P. (2000). Influence of reducing conditions on solubility of trace metals in contaminated soils, water. *Air soil pollut.* **118**: 143-167.
- Chaun, M.C. and Liu, J.C. (1996). Release behavior of chromium from tannery sludge. *Water Research.* **30**: 932-938.
- Chen, H.M., Zheng, C.R., Tu, C., Shen, Z.G. and Wong, M.H. (2000). Chemical methods and phyto remediation of soil contaminated with heavy metals. Special issue. Environmental contamination , toxicology and health. *Chemosphere.* **41(1-2)**:229-234.
- Chen, X.B., Wright, J.V., Conca, J.L., and Peurrung, L.M. (1997). Evaluation of heavy metal remediation using mineral apatite. *Water Air Pollu.* **98**: 57-78.
- Chhonkar, P.K., Datta, S.P., Joshi, H.C. and Pathak, H. (2000). Impact of industrial effluents on soils nealth and agriculture- Indian experience: Part-II- Tannery and textile industrial effluents – *J. Scientific Industrial Res.* **59**: 350-361.
- Chumbley, C.G. (1971). Permissible levels of toxic metals in sewage used an agricultural land. Agricultural and development Advisory paper No. 10. Ministry of Agri. Fishers and food , U.K.
- Clarkson, D.T. and Luttge. (1989). Mineral nutrition : divalent cations, transport and compartmentation. *Progr. Bot.* **51**: 93-112.
- Conyers, M.K. (2002). Liming and lime materials in : Encyclopedia of soils science . DOI: 10.1081/E-ESS-120001945, marcel Dekker Inc. , New York : 796-798.
- Cooper , E.M., Sims, J.T, Cunnigham, S.D., Huany, J.W. and Berti, W.R. (1999). Chelteassisted phytoextraction of lead from contaminated soils. *J. Environ. dual.* **28**: 17.9-19.
- Cooper, E.M., Strawn , D.G., Sims, J.T., Sparks, D.L. and Onken, B.M. (1998). Effect of chemical stabilization by phosphate amendment on the desorption of P and Pb from a contaminated soil. *Agronomy Abstracts , ASA , Madison, WI.* **p.** 343.

- Cotter- Howeless, J. and capron, S. (1996). remediation of contaminated land by formation of heavy metal phosphates. *Appl. Geochem.* **11**: 335-342.
- Cunningham, J.D., Riyan J.a. and Keeney D.R. (1975). Phytotoxicity and metal uptake from soil treated with metal amended sewage sludge. *J. Environ Qual* 4: 455-460.
- Datta, S.P. Biswas, D.R. , Saharan, N., Ghosh, S.K. and Rattan, R.K. (2000). Effect long term application of sewage effluents on organic carbon , biavailable phosphorus, potassium and heavy metal status of soils and content of heavy metals in crops grown there on. *J. Indian Soc. Sci.* **48(4)**: 836-839
- Day , P.R. (1965). Fractionation and Particle size analysis. In : *Methods of Soil Analysis, Part I.* Black , C.A. et. al. (eds.). *Am. Soc. Agron., Madison, wis.* p. 545-567
- Dahatonde, B.N., Chaudhary, K.S. and Nalomwar, R.V. (1995). The effects of town waste on plant nutrients , physical and chemical properties of soils. *Int. confsustainable Agric. Hisar.* p. 27
- Deram, A., Petit, D., Robinson , B., Brooks, R., Gregg, P., Halluwyn- C-van and van-Halluwyn – C, (2000). Natural and induced heavy metal accumulation by *Arenathenum elatius* : *implecations for phylotemediation. Communication in soil science and plant analysis.* **31 (3-4)** :413-421.
- De Villarroel J.R., Chang A.C. and Amrhein C. (1993). *Cd* and *Zn* phyto availability of a field stabilized sludge treated soil. *Soil Sci.* **155** : **197-205**.
- Dushenkov, V., Nanda kumar , P.B.A., Motto, H. and Raskin, I. (1995). Rhizofiltration-the use of plants to remove heavy metals from aqueous streams. *Environ. Sci. Technol.* **29**: 1239-1245.
- Ebbs, S.D. and Kochain, L.V. (1997). Toxicity of zinc and copper to Brassica species ; implications for phytoremediation. *J. Environ Qual.* **26**: 776-781.
- Ebbs. S.D., and Kochian, L.V. (1998). Phytoextraction of zinc by oat (*Avenna sativa*), braley (*Hordeum vulgare*) and Indian mustard (*Brassica Juncea*). *Environ . Sci. Technol.* **32**: 802-806.

- Ebbs, S.D., Lasat, M.M., Brady, D.J., Cornish, J., Gordon, R. and Kochain, L.V. (1997). Phytoextraction of cadmium and zinc from a contaminated soil. *J. Environ. Qual.* **26**: 1424-1430.
- Ensley, B.D. (2000) "Rationale for the use of phytoremediation." *Phytoremediation of toxic metals.using plants to clean up the environment.* John Wiley Publishers : New York.
- Escarre, J., Lefebure, C., Grubber, W., Loblanc, M., Lopart, J., Rivere, Y. and Dolay, B. (2000). zinc and Cadimium hyperaccumulation of *Thlaspi Caerulescens* from metalliferous and non-metalliferous sites in the mediteranian area : implications for phytoremediation. *New Phytologist.* **145**: 429-437.
- Evans, L .J. , Spiers G.A. and Zhao G. (1995) . Chemical aspects of heavy metal solubility with reference to sewage sludge amended soil. *Int. J. Environ Anal. Chem* 59: 291-302.
- Fleisher, D.H., Ting, K.C. and Giacomelli, G.A. (1997). Computer model for full scale phytoremediation systems using rhizofiltration process. ASAE Annual International Meeting. Minneapolis, Minnesota, USA. *Am. Soci. Agric. Engineers.* No. 973883.
- Forgasova, A. (1994). Effect of Pb, Cd, Hg, As and Cr on germination and root growth of *sinapsis alba* seeds. *J.Environ Qual .* 26:639-646.
- Fraser, C.M. (ed.) (1986). *The Merck Veterinary Manual* 6th Edition Merck & Co., Inc., Rahway, NJ. Toxicology Part-VII, p. **1328-1413, 1645-1677.**
- Gillman, G.P. (1979). A proposed method for the measurement of exchange properties of highly weathered soils. *Aust. J. Soil. Res.* **17**: 129-139.
- Gleba, B.D. Borisjuk, N.V. Borisjuk, L.G., Kneer, R. Poulev, A., Skarzhinskaya, M., Dushenkov, S. Longendra, S., gleba, Y.Y. and Raskin, I. (1999). Use of plant roots for phytoremediation and molecular farming. Nationals Academy of Sciences Colloguim Plants and populations: is there time 5-6 Dec., 1998 Irvine, California, USA. *Proc. National Acad. Sci. USA.* **96**: 5973-5977.
- Gomes P.C., Fontes M.P.F., da silva A.G., Mendonca E. and Netto A.R. (2001). Selectivity Sequence and competitive adsorption of heavy metals by Brazilian soils. *Soil Sci. Soc. Am. J.* **65** : **1115-1121.**

- Grybos, M., Davranche, M., Gvuau, G. and Petitjcan, P. (2007). Is trace metal release in wetland soils controlled by organic matter mobility or Fe-oxyhydroxides reduction. *J. collid Int. Sci.* **314**: 490-501.
- Gupta A.P., Narwal R.P., Singh A and Singh J.P. (1989). Effect of farmyard manure on the field and heavy metal accumulation in wheat grown in a polluted soil paper No. 48. Published in reports on National symp. on Impact and Mgt. of pollutants on crop productivity. HAU, Hisar : **86-89**.
- Gupta, C., Umesh and Gupta, C. Subhas (1998). Trace element toxicity relationships to crop production and livestock and human health : Implications for management commun. *Soil Sci. plant Anal.*, **29 (11-14) : 1491-1522**.
- Gworek B. (1992) Lead inactivation in soils by zeolites. *Plant and soil.* 143:71-74.
- Hajar, A.S.M. (1987). Comparative ecology of *Minuati verna (L.)* and *Thlaspi alperfre (L.)* in the south pennines with special references to heavy metal tolerance. Ph. D. Diss. Univ. of Sheffield, Sheffield, U.K.
- Harter R.D. (1983). English of soil ph on adsorption of lead. Copper, Zinc and soil sci.soc.am. *J.* **47**: 47-51.
- Hanway, J.J. and Heidel, H. (1952). Soil Analysis Methods as used in Iowa State College Soil Testing Laboratory. *Iowa Agric.* **54**: 1-31.
- Harrison, R., Xue, D.S., Henry, C., Cole, D.W., Harrison, R.B., Bengtsson, J. and Lundhqvist, H. (1994). Long- Term effects of heavy applications of biosolids on organic matter and nutrient content of a coarse textured forest soil. *Ecol. Mange.* **66**: 165-177.
- Hettiarachchi, G.M., Pierzynski, G.M., Zwonitzer, J. and Lambert, M. (1997). Phosphorus sources and rate effected on Cadmium Lead and Zinc bioavailability in a metal-contaminated soil. In Extended Abstr., 4th Int. Conf. on the Biogeachem. Trace Elements (ICOBTE). Berkeley. C.A. 23-26 June 1997. Int. Soc. For Trace Element Res. Berkeley. CA. **p.** 463-464.
- Hooda, P.S., and Alloway, B.J. (1993). Effects of times and temperature on the bioavailability of Cd and Pb from sludge- amended soils. *J. Soil Sci.* **44**: 97-110.

- Hooda P.S and Alloway B.J (1998). Cadmium and lead sorption behavior of selected English and Indian soils. *Geoderma* **84**: 121-134.
- Hooda, P.S. McNulty, D., Alloway, B.J. and Aitken, M.N. (1997). Plant availability of heavy metals in soils previously amended with heavy application of sewage sludge. *J.Sci. Food Agric.* **73**: 446-454.
- Howkesford, M.J. (2003). Transporter gene families in plants: the sulfate transporter gene family redundancy or specialization. *Physiol. Plant.* **117**: 155-63.
- Haan, S. De and Lubbers, J. (1983). Micro elements in potatoes under normal conditions, and as affected by Micro-elements in municipal waste compost, sewage sludge and degraded materials from harbours. Rapport, Institute Voor Bodemvruchtbaarheid, **83 (3)**: 22.
- Hyun, H., Chang A.C., Parker D.R. and Page A.L. (1998) Cd solubility and phyto availability in sludge treated soil. Effect of organic carbon. *J. Environ. Qual.* **27**: 329-34
- Huang, J.W., Blaylock, M.J., Kapulnik, Y. and Ensley, B.D. (1998). Phytoremediation of uranium contaminated soil: Role of organic acids in triggering uranium hyperaccumulation in plants. *Environ Sci. Technol.* **32**: 2004-2008.
- Huang, J.W., Chen, J., Berti, W.B. and Cunningham, S.D. (1997). Phytoremediation of lead contaminated soil: Role of synthetic chelates in lead phytoextraction. *Environ. Sci. Technol.* **31**: 800-805.
- Huang, J.W. and Cunningham, S.D. (1996). Lead phytoextraction species variation in lead uptake and translocation. *New Phytol.* **13**: 75-84.
- Impens R., Fagot J. and Avril C. (1991). Gestion des Soils contaminés par les métaux lourds. Association française Interprofessionnelle du cadmium, Paris France.
- Iyengar, S.S. Martens D.C. and Miller W.P (1981). Distribution and plant availability of soil zinc fractions. *Soil Sci. Soc. Am, J.* **45**: 735-739.
- Jackson, M.L. (1973). Soil Chemical Analysis, Prentice Hall of India Pvt. Ltd., New Delhi.
- Jackson, M.L., (1967). Soil Chemical Analysis, Prentice Hall of India Pvt. Ltd., New Delhi.
- Jadia, C.D. and Fulekar, M.H. (2008). Phytotoxicity and remediation of heavy metals by fibrous root grass (sorghum). *J.Appl. Bio.* **10**: 491-499.

- Jiang Xian Jun, Luo Yon Ming, zhao Qi Cuo, Wu, Shango Wu Longllua , Qiou, Xion Liang, Song-Jing, Jiang, X.J., Luo, Y.M., Shao, Q.G., Wu, L.H., Qiao, X.L. and Song, J. (2000). Phytoremediation of heavy metal conataminated soils. I. Response of meatl accumulator plant *Brassica Juncea* to soil contamination of copper , Zinc , Cadmium and lead soils. **32(1):**71-74.
- John M.K and Iearhoven. C.J (1976). Effects of sewage sludge composition application rate, lime regime on plant availability of heavy metals. *J. Environ. Qual*, **5**: 246-251.
- Kabata- Pendais, A. and Pendias, H. (1984). Trace element in soils and plants. *CRC Press, Boca Raton Florida*.
- Kabata- Pendias and Pendias, H . (1992). Trace elements in soils and plants. CRC Press Ino. Boca Raton, Florida.
- Karapanagiotis N.K, Sterrift R.M and lester J.N (1991). Heavy metal complexation in sludge amended soil. The role of organic matter in metal retention. *Eviron. Technol.* **12**: 1107-1116.
- Karkhanis, M., Jadia, C.D.and Fulekar, M.H. (2005). Rhizofiltration of metals from coal ash leachate. *Asian J. water Environ. Pullut.* **3. (1)**: 91-94.
- Kashem, M.A. and Singh, B.R.(2001a). Metal availability contaminated soils. I. Effects of flooding and organic matter on changes in Eh, pH and solubility of Cd, Ni and Zn. *Nutr. Cycling agroecosyst.***61**: 247-255.
- Kaul . S.N., Badrinath S.D., Juwarka, A.S. and Satyanarayan, S. (1989).Asian Environment. **11**:33.
- Kemppainen, E. (1987). Ammonia binding capacity of peat, straw, sawaust and cutter shavings. *Ann. Agric. Fenn.* **26** : 89-94.
- Knox, A.S., Seaman, J.C., Mench, M.J. and Vangronsveld, J. (2001). Remediation of metal and radionuclides contaminated soils by in situ stabilization techniques. In: Is Kandar I.K. (ed.). Environment restauration of metals contaminated soils. *CRC Press LLC. Boca Raton. Florida.* 21-60.
- Krishanaraj, S., Dan, T.V. and Saxena, P.K. (2000). A fragrant solution to soil remediation. *International J. Phytoremediation.* **2(2)**: 117-132.

- Kukier, U. and Chaney, R.L. (2000). Remediating Ni-Phytotoxicity of contaminated muck soil using limestone and hydrous iron oxide. *Can. J. Soil Sci.* **80**: 581-593.
- Kumar, G., Singh, R.P. and Sushila (1991). Nitrate assimilation and biomass production in *sesamum indicum* L. Seedlings in a lead enriched environment. *Water Air and soil pollution*, 66 '0 163-171.
- Kumar, P.B.A.N., Dushenkov, V., Mottott, raskin, I. (1995). Phytoextraction : the use of plants to remove heavy metal from soils. *Environ. Sci. Tech.* **29(5)**: 1232-1238.
- Kuo S.and Baker A.S (1980) sorption of copper, zinc and cadmium by some acid soils. *Soil Sci.Sco.A.J* **44**: 969-974.
- Lambinon, J. and Auquier, p. (1963). La floce et la vegetation-terrains calaminaives de la wallonie Septentrionale et de la Rhenanie Aixoise. Types chlorologiques at groups ecologiques. *Nature. Mosama.* 16:113-131
- Lasat, M.M., Baker, A.J.M. and Kochian, L.V. (1998). Altered Zinc compartmentation in the root symplasm and stimulated Zn⁺² absorption into the leaf as mechanisms involved in Zinc hyper-accumulation in *Thalspi caerulescens*. *Plant Physiol.* **118**: 875-883.
- Langston J.W. and Irwin. I. (1989). Lead, mercury and manganese. In. W.N. Kally (ed.), Text book of Internal medicine. J.B. Lippincott company Philadelphia. P.A.P. 2447-2451.
- Leeper, G.W. (1978). Managing the heavy metals on the land. Marcel Dekker New York, U.S.A.
- Leckie. J.O and James. R.O (1974). Control mechanisms for trace metals in natural waters. In Rubin. A.J (Ed.) Aqueous-Enviornmental chemistry of metals .Ann Arbot Science.
- Levi- Minzi, R., and Petruzzeli, G. (1984). The influence of phosphate fertilizers on Cd solubility in soil. *Water Air Pollut.* **23**: 423-429.
- Lindsay, W.L. and Norvell, W.A. (1978). Development of DTPA soil test for zinc, iron, manganese and copper. *Soil Sci. Am. J.* **42**: 421 448.
- Lombi, E., Wenzel W.W., Gobran. G.R. and Adriano, D.c. (2001). Dependency of Phytoavailablity ppl – 24. In Gobran, G.R., Wenzel, W.W. and Lambi, E. (eds.). Trace Element in the Rhizosphere. *CRS Press. Boca Raton. Florida.*

- Lombi, E., Zheo, F.J., Wieshammer, G. and McGrath, S.P. (2002). In situ fixation of metals on soil using bauxite residue: biological effect. *Environ. Pollu.* **118**: 445-452.
- Luo, Y.M. and Christie, P. (1998). Bioavailability of Cu and Zn in soil treated with alkaline stabilized sewage sludge. *J. Environ. Qual.* **27**: 335-342.
- Lyble, M.C., Lyble, F.W., Yang, n., Qian, Jin Hong, Hansen, D., Zayed, A., Terry, N. and Qian, J.H. (1998). Reduction of Cr(VI) to Cr(III) by wetland plants: potentials for in situ heavy metal detoxification. *Environ. Sci. Tech.* **32(20)**: 3087-3093.
- Ma, L.Q., Komar, K.M., Tu, C., Zhang, Wo., Cai, Y. and Kennevelley, E.D. (2001). A fern that hyperaccumulates arsenic. *Nature.* **409**:579-579.
- Ma, L.Q., Rao, G.N. (1997). Chemical fractionation of Cadmium, Copper, Nickel and Zinc in contaminated soil. *J. Environ. Qual.* **26**: 259-264.
- Ma, Q.Y., Logan, T.J. and Traina, S.J. (1995). Lead Immobilization from aqueous solutions and contaminated soils using phosphate rocks. *Environ. Sci. Technol.***29**:1118.
- Ma, Q.Y., Traina, S.J. and Logan, T.S. (1993). In situ lead Immobilization by apatite *Environ. Sci. Technol.* **27**: 1803-1810.
- Ma Q.L. and Rao G.N. (1998). Aqueous Pb Reduction in Pb contaminated Soils by Florida Phosphate rocks, water, Air and soil Pollution (1-15)
- Mandal. B., Hazra G.C. (1997). Zinc adsorption in soils as influenced by different soil management practices. *J. Soil Sci.* **162**: 713-721.
- Mc Bride M.B. (1994) Environmental chemistry of soils. Oxford university press. New york.
- McGrath, S.P. (1998). Phytoextraction for soil remediation. In R.R. Brooks (ed.) Plants that hyperaccumulate heavy metals CAB Int; Walling ford, Uk. **p.** 262-287.
- McGrath, SP. And Cegarra, J. (1992). Chemical extractability of heavy metals during and after long-term applications of sewage sludge to soil. *J. Soil Sci.***43**: 313-321.
- McGrath. S.P., Giller, K.E. and Brookes, P.C. (1988). Effects of potentially toxic metals in soil derived from past applications of sewage sludge on nitrogen fixation by *Trifolium repens* L. *Soil Biology and Biochemistry.* **20**: 415-424.

- McGrath, S.P., Shen, Z. G. and Zhao, F.J. (1997). Heavy metal uptake and chemical changes in the rhizosphere of *Thalassia Caerulescens* and *Thalassia ochroleucum* grown in contaminated Soils. *Pl. Soil*. **188**: 153-159.
- Mc Grath, S.P. Chaudri, A.M. and Giller . K.E 1995. Long-term effects of metals in sewage sludge on soils micro organisms and plants. *J. Ind. Microbial*. **14**: 94-104.
- Mc Laren. R.G. and Crawford D.V. (1973). Studies and soil copper. I. the fractionation of copper in soil. *J. Soil Sci* **24**: 172-191.
- Maywald, F. and Weigel, H.J. (1977). Biochemistry and molecular biology of heavy metal accumulation in higher plants. *Landbau for schungvolkenrode*. **47(3)**: 103-126.
- Meagher, R.B., Rugh, C.L., Kandasamy, M.K., Gragson, G. and Wang, N.J. (2000). Engineered Phytoremediation of Mercury Pollution in soil and water. *Lewis Publishers, Boca Raton, Florida*. p. 201-219.
- Mench, M. (1998). Cadmium availability to plants in relation to major long-term changes in agronomy systems. *Agri. Ecosyst. Environ*. **67**: 175-187.
- Mench, M.J., Dier, V.L., Loffer, M., Gomez, A. and Masson, P. (1994). A mimicked in situ remediation study of metal contaminated soils with emphasis on Cd and Pb. *J. Environ. Qual*. **23**: 58-63.
- Miller. W.P. Martens D.C and Zelozny L.W (1986). Effect of sequence in extraction of trace metals from soils *soil Sci. Soc. An. J*. **50**: 598-601.
- Mitchell, G.A., Bingham, F.T. and Page, A.L. (1978). Yield and metal composition of lettuce and wheat grown on soils amended with sewage sludge enriched with Cd, Cu, Ni and Zn. *J. Environ. Qual*. **7**: 165-171.
- Mitra, A. And Gupta, S.k. (1999). Effect of sewage water irrigation on essential plant nutrient and pollutant element status in a vegetable growing area around Calcutta. *J. Indian Soci. Soil Sci*. **47(1)**: 99-105.
- Misra. S.G and Pande P. (1974). Evaluation of a suitable extractant for available nickel in soils. *Plant soil* **41**: 697-700.

- Monicke, R., Klase R. and Kurzer, H.J. (1999). Nutz ungsempfelungen for Boden mit erhohnton Cd-Pb-and As- Concenstration. In:19. Arbeitstagund mergen and Spurencle-mente, Friedrich- Schiller-Universitat J. Ena. 488-492.
- Moreno, J.L., Garcia, C. and Hernanadez, T. (1998). Changes inh organic matter and enzyomatic activity of an agricultural soil amended with metal contaminated sewage sludge compost. *Commun. Soil Sci. Plant Anal.* **29(15&16)**: 2247-2262.
- Morrey, D.r., Balkwill, K. And Balkwill, M.J. (1989). Studies on serpentine flora, preliminary analysis of soils and vegetation associated with serpentine rock formations in the south east Transvall. *S. Africa. J. Bot.* **55**: 171-177.
- Nedelkoska, T.V. and Doran, P.M. (2000). Hyper-accumulation of Cadmium by hairy roots of *Thlaspi Caerulescens*. *Biotech. Bioengg.* **67**: 607-615.
- Obbard, J.P., Sauerbeck, D. and Jones, K.C. (1993). Di- nitrogen fixation by Rhizobium Leguminosarum by trifolii in soils amended with heavy metal contaminated sludges. *Soil Biology and Biochemistry.* **25**: 277-231.
- Oliver, D.P., Tiller., K.G., Conyers, K.M., Stattery, W.J., Alston, A.M. And Meery, R.H. (1996). Effectiveness of liming to minimize uptake of Cadmium by wheat and barely grain grown in the field. *Aust. J. Agri. Rs.* **47**: 1181-1193.
- Olsen, S.R., Cole, C.V., Watanabe, F.S. and Dean , L.A (1954). Estimation of available phosphorus in soils by extracting with sodium bicarbonate. USDA Circ. 939.
- O' connor G.A.(1988) use and misuse of DTPA soil test. *J. Environ. Qual.* **17 (4)**: 715-718.
- Pescod, M. 1992. waste water treatment and use in agriculture. Bull. FAO (Rome) **47, 125**.
- Petrovic, N. (1978). Effect of Ni on weight of dry matter and content of chloroplast pigments in young plants of wheat sunflower, bean and maize. *Arniza Pal j u priveredne Nanke*, 31:51-60.
- Pierzynski, G.M. and Schwab, A.P. (1993). Bioavilablity of Zinc, Cadmium and Lead in a metal contaminated all uvial soil. *J. Environ Qual.* **22**: 247-254.
- Pierzinski, G.M, sims, J.T. and vance, G.F. (2000). Soil phosphorus and environmental quality, In "Soils and Enviromental quality", PP. **155-207**. CRC.

- Pilon-Smits, E. (2005). Phytoremediation. *Annu. Rev. Plant. Biol.* **56**:39.
- Pitchel, J., and salt. C.A. (1998). Vegetable growth and trace metal accumulation on metalliferous wastes. *J. Environ. Qual* 28:618-624.
- Porebska, C. and Ostrowska, A. (1999). Heavy metal accumulation in wild plants: Implications for phytoremediation. *Polish J. Environ. Studies.* **8(6)**: 433-442.
- Rai, J.P.N. and Sharma, H.C. (1990). Proc. Natn. Symp. On Protection of Environ, of city water fronts, central water commission, New Delhi. P. 11-25.
- Randolph, L.M. and J.I. Rotter (1989). Hereditary disorder of the gut and liver. In : W.M. Kelley (ed.) Text book of Internal medicine. J.B. Lippincott Company, Philadelphia, PA. P. 630-649.
- Raskin, I. and Ensley, B.D. (2000). Phytoremediation of Toxic Metals: Using plants to clean up to the Environment, John Wiley & Sons, Inc. New York.
- Raskin, I., Kumar, P.B.A.N., Dushenkov, S. and Dalt, D.E. (1994). Bioconcentration of heavy metals by plants. *Current opinion in Biotech.* **5**: 285-290.
- Rattan, R.K., Datta, S.P., Chhonkar. P.K., suribabu, K., and singh, A.K. 2005. Long-term impact fo irrigation with sewage effluents on heavy metal contents in soils, Crops and ground water-A case study. *Agric. Ecosys. Env.* **109**,210-322.
- Rattan, R.K., Datta, S.P., Chhonker, P.K., Suribabu, K, and Singh, A.K. (2002). Long-term effects of sewage effluent irrigation on soil environment under Keshopur effluent irrigation scheme in Delhi. 4th water Asia.
- Rattan, R.K., Datta, S.P. and chhonkar, P.K. (2001). Heavy metals in sewage Effluent- Irrigated soils and their utilization by crops. AP cess fund project of ICAR, Annual Report. Division of soil Science and Agricultural chemistry, IARI. New Delhi.
- Reeves, R.D. and Brook. R.R. (1983). Hyper accumulation of lead and zinc by two metallophytes from mining areas of Central Europe. *Environ. Pollut.* **31**: 277-285.
- Rietz, E., Sauerbeck, D., Timmermann, F. and Luders, A. (1983). Pflanzenverfugbarkeit and Mobilitat Von Cadmium, Blei, Zink and Kupfer in Abhangig keit vonder kalkungeines Schwermetallverseuchten Bodens. *Landwirtschaftliche Forschueng.* **36**: 295-300.

- Rio- M- del., Fong, R., Fernandez- Martinez, J., Dominguez, j., Haro, A. de., del- Rio, M. and de- Haro, A. (2000). Field trials of *Brassica Carinata* and *Brassica Juncea* in polluted soils of the Guadiamar river area. *Fresenius- Environmental- Bulletin*. **9(5-6)** : 328-332.
- Rough, C.L., Senecoff, J.F., Meagher, R.B. and merkele, S.A. (1998). Development of transgenic Yellow poplar for mercury phytoremediation. *Nat. Biotech.* **16(10)**: 925-928.
- Ruby, M., Davis A., and Nicholson, A. (1994). In situ formation of lead phosphates in soils as method to immobilize lead. *Environ. Sci. Technol.* **28**: 646-654.
- Sadstrom, B.C (1995) Zinc-adequate and harmless in takes scand J. Nutr Narings forskning **39 (1)**: 17-19.
- Sagner, S., kneer, R., Wanner, G., Cosson, J.P., Deus-Neumann, B. and Zenk, M.H. (1998). Hyper-accumulation, Complexation and distribution of nickel in *Seberitia acuminata*. *Phytochemistry*. **47**: 339-347.
- Sakal, R., Prasad, A.K. and Singh. A.P. (1992). Depth wise Distribution of heavy metals in soil receiving sewage sludge. *J. Indian Soc. Soil Sci.* **40**: 732-737.
- Salt, D.E., Blaylock, M., Kumar, P.B.A.N., Dushenkov, v., Ensley, B.D, Chert, I. and Reaskin, I. (1995). Phytoremediation: a novel strategy for the removal of toxic metals from the environment using plants. *Biotech.* **13**: 468-474.
- Salt, D.E. Kato, N., Kamer, U. Smith, R.D. and Raskin, I. (2000). The role of root exudates in nickel hyper- accumulation and tolerance in accumulator and non-accumulator species of *Thlaspi*. In. "Phytoremediation of Contaminated soil and Water" (N.Terry and G. Baflueolos, eds.). *Lewis, Boca Raton, Florida*. **P.** 189-200.
- Salt, D.E., Prince, R.C., Pickering, I.J. and Raskin, I. (1995b). Mechanisms of cadmium mobility and accumulation in Indian mustard. *Plant Physiol.* **109**: 1427-1433.
- Salt, D.E., Smith, R.D. and Raskin, i. (1998). Phytoremediation. *Anon Rev. Plant Physiol. Plant Mol. Biol.* **49**: 643-668.
- Sanders, J.R., McGrath, S.P. and Adams, T. Mc M. (1987). Zinc, Copper and Nickel in soil extracts and crops grown on four soil treated with metal- loaded sewage sludges., *Environ. Plllut.* **44**: 193-210.

- Santillan- Medrano, J. and Juriank, J.J. (1975). The chemistry of lead and cadmium in soil: solid phase formation. *Soil Sci. Soc Am Proc.* **39**: 851-856.
- Schnoor, J.L. (1997). Phytoremediation. University of Iowa, Department of Civil and Engineering. **1**: 62.
- Schalscha, E.B., Morales, M., Vergara, I. and Chang, A.C. (1982). Chemical fractionation of heavy metals in wastewater affected soils. *J. of water pollution control federation*, **54**: 175-180.
- Shahandeh, H. and Hossner, L.R. (2000). Plant screening for chromium phytoremediation. *Int. J. Phyto.* **2(1)**: 31-51.
- Siciliano, S.D. and Germida, J.J. (1998). Mechanisms of phytoremediation biochemical and ecological interactions between plants and bacteria. *Env. Reviews.* **6(1)** : 65-79.
- Sims J.T. and Kline J.S. (1991) chemical fractionation and Plant uptake of heavy metals in soil amended with co-composted sewage sludge. *J. Environ. Qual.* **20**:387-395.
- Sims, T. and Baswell, F.C. (1978). Effect of bentonite on plant availability of sludge borne heavy metals in soil. *J. Environ Quals*, **7(4)**: 501-505.
- Singh, B.R. and Narwal, R.P. (1984). Plant availability of heavy metals in a sludge treated soil. II: metal extractability compared with plant metal uptake. *J. of Environ. Qual* **13**: 344-349.
- Singh, S.P., Takkar, P.N. and Nayyar, V.K. (1989). Effect of Cd on wheat as influenced by lime and manure and its toxic level in plant and soil. *Intern. J. Environ. Studies.* **33**: 59-66.
- Singh B.R. (1994). Trace element availability to plants in agricultural soils, with special emphasis on fertilizer inputs. *Environments Reviews. NRC Canada* **2 (2)**:133-146.
- Singh, S.P. and Nayyar, V.K. (1998). Accumulation of Ni in selected forage species. *J. Indian Soc. Sci.*, **46 (3)** : 479-481.
- Singh B.R. and Oste L. (2001) In sites Immobilizations of metals in contaminated or naturally metals rich soils. *Environ. Reviews* **9**:2, 81-97.

- Smith, S.R. (1994). Effect of Soil pH on availability of metals in sewage sludge treated soil 11. Cd uptake by crops and implications for human dietary intake. *Environ. Pollut.* **86**: 5-13.
- Smith, J.A.C., Harper, F.A., Leighton, R.S., Thompson, I.P., Vaughan, D.J. and Baker, A.J.M. (1999). Comparative analysis of metal uptake, transport and sequestration in hyper-accumulator plants. In: "Proceedings of the 5th International Conference on the Biogeochemistry of Trace Element" (W.W. Wenzel, D.C. Adriano., B. Alloway, H.E. Doner, C. Keller, N.W. Leeps, M. Mench, R. Nadidu and G.M. Pierzynski, eds.). Vienna. **P.** 22-23.
- Sloan, J.J., Dowdy R.H., Dooan M.S., and Linden D.R. (1997). Long-term effects of bio solids application on heavy metal bio availability in agricultural Soils. *J. Environ. Qual.* **26**: 966-974.
- Soil Survey staff. (1966). Soil survey manual, USDA Hand Book No. 18, Oxford and IBH Publishing Co., New Delhi.
- Sommers, L.E. (1977). Chemical composition of sewage sludges and analysis of their Potential use as fertilizers. *J. Environ. Qual.* **6**: 225-232.
- Sposito, G., Lund, L.J. and Chang, A.C. (1982). Trace metal chemistry in aridzone field solids amended with sewage sludge. 1. Fractionation of Ni, Cu, Zn, Cd, and Pb in solid phases. *Soil Sci. Soc. Am. J.* **46**: 260-264.
- Stephen, U.W., Schmidke, I., Stephan, V.W. and Scholtz, G. (1996). The nicotianamine molecule is made-to-measure for complexation of metal micronutrients in plants. *Biomaterials.* **9**: 84-90.
- Subbiah, B.V. and Asija, G.L. (1956). A rapid procedure for the determination of available nitrogen in soil. *Curr. Sci.* **25**: 259-260.
- Tambasco G., Sauve S., Look N., Mc bride M. and Henderslot W. (2000). Phy to availability of cu and lettuce in contaminated urban soils can. *J. soil Sci.* **80**: 309-317.
- Tang Shi Rong., Huang- chang youg., Zhu Zuxiang., Tang, S.R., Huang- C.Y., Zhu, Z.X. (1996), Accumulation of copper by mosla scabra. *J. Zhejiang Agricultural University.* **22(2)**: 214.

- Taylor, R.W., Ibeabuchi I.O., Sistani K.R., and Shuford J.W. (1992). Accumulation of some metals by legumes and their extractability from mine soils. *J. Environ. Qual.* **21**:176-180.
- Tiller, K.G., Oliver, D.P., McLoughlin, M.j., Conyers, M.K., Merry, R.H. and Naidu, R. (1997). Managing Cadmium Contamination of Agricultural land In: Iskander, I.K. (ed.): Remediation of soil contaminated by metals. *Sci. and Tech. letter. Northwood.* 225-255.
- Tlustos, P., Vostal, J., Szakova, J. and Balik, J. (1995). Direct and subsequent efficiency of selected measures on the Cd and Zn content in the biomass of spinach. *Rostlinna Vyroba.* **41**: 31-37.
- Tolra, R.P, Poschenrieder, C., Barcelo, (1996). Zinc hyper- Accumulation in *Thlaspi Carulescens* – Influence on growth and mineral nutrition. *J.Pl. Nutrition.* **19(12)**: 1531-1540.
- Tomsett, A.B. and Thurman, D.A. (1988). Molecular biology of metal tolerances of plants Pl. cell Environ. **11**:383-394.
- Turner, M.A. and Rust, R.H. (1971). Effects of chromium on growth and mineral nutrition of soybeans. *Soil Sci. Soc. Am. Proc.* **35**: 755-758.
- USEA. (2000) Permit Guidance Document, Pulp, paper and paperboard manufacturing point source category. 40 CFR 430. EPA – 821 – B-00-003. USEPA, Washington, DC.
- U.S. Environmental Protection Agency (1991). Rod annual reports Fy 1990. USEPA report 540/8-91/067. USEPA, Washington DC.
- United States protection Agency (USPA). (2000). Introduction to Phytoremediation EPA 600/R-99/107. U.S.Environment Protection Agency. Office of research and Development, Cincinnati, OH.
- U.S.E.P.A. (1975), EPA -440/1-75/037. Washington D.C.P 2-7.
- U.S. Environmental Protection Agency, (1991). Rod annual reports FY. (1990). USEPA report 540/8-91/067. USEPA, Washington DC.
- Valdares, J.M.A.S., Gal, M., Mingelgrin, V. and Page, A.L. (1983) Some heavy metals in soils treated with sewage sludge their effects on yield and their uptake by plants. *J. Environ Qual.*, **12(1)**: 49-57.

- Vandenhove, H., van Hees, M. and Van Winkel, S. (2001). Feasibility of phytoremediation to clean up low-level uranium-contaminated soil. *Int. J. Phytoremediation*. **3**: 301-320.
- Vangronsveld, J., and Cunningham, S.D. (1988). Introduction to the concepts. In Vangronsveld, J. and Cunningham, S.D.(ed.). Metal-contaminated soils: In situ inactivation and Phytoremediation. *Springer-verlag. Berlin*. **P**. 1-15.
- Von Wiren, N., Klair, S., Bansal, S., Briat, J.F., Khodr, H., Shiori T., Leigh, R.A. and Hider, R.C. (1999). Nicotianamine chelates both Fe (III) and Fe (II). Implications for metal transport in plants. *Plant Physiol*. **119**: 1107-1114.
- Walkley, A. and Black, I.A. (1934). Estimation of soil organic carbon by chromic acid titration method. *Soil Sci*. **37**: 29-38.
- Watanabe, M.E. (1997). Phytoremediation on the brink of commercialization *Environ. Sci. Tech.* **31**: 182-188.
- Xiao Bing Chen, Wright J.V., Conca, J.L. and Peurrung L.M. (1997). Evolution of heavy metal remediation using mineral apatite water, *Air and Soil Pollution*. **98 (1-2)**: 57-78.
- Xiong-zhiting. (1997). Bioaccumulation and physiological effects of excess lead in a roadside pioneer species *Sonchus oleraceus* L. *Environ. Pollut.* **97(3)**: 275-279.
- Yadav, R.K., Goyal, B., Sharma, R.K., Dubey, S.K., and Minhas, P.S. 2002. Post-irrigation impact of domestic sewage effluent on composition of soils, crops and ground water-A case study. *Environ. Int.* 28,28-486.
- Yassen, A., Abdel Galil and Miruat, E, Gobarah, (2006). Chemical remediation of sludge by lime and their effect on yield and chemical composition of wheat. *J. App. Sci. Res.* **2(7)**: 430-435.
- Zhang, P. and Ryan, J.A. (1999). Formation of chloropyromorphite from galena (PbS). In the presence of hydroxyapatite. *Environ Sci. Technol.* **33**: 618-624.
- Zhao, F.J., Hamon, R.E. and McLaughlin, M.J. (2001). Root Exudates of the hyper-accumulator *Thlaspi caerulescens* do not enhance metal mobilization. *New Phytol.* **151**: 613-620.