

I

C O N T E N T S

		PAGE	
<u>CHAPTER</u>	I	<u>INTRODUCTION</u>	1
	1.1	Objective	1
	1.2	Magnetospheric plasma, whistlers and VLF emissions	3
	1.3	A Review of the work done towards the explanation of VLF emissions	19
	1.4	A short description of the present work	33
<u>CHAPTER</u>	II	<u>THE LANDAU RESONANT INTERACTION OF CFF ANGLE WHISTLER MODE PULSES</u>	39
	2.1	<u>INTRODUCTION</u>	39
	2.2	Mathematical formulation	41
	2.3	Computation of the changes in particle velocities	47
	2.4	Calculation of the new distribution function	54

II

2.5	Application to VLF emissions	59	
<u>CHAPTER</u>	III	<u>GYRO RESONANT INTERACTION OF WHISTLER MODE WAVE PACKETS: EXTENSION OF DAS'S MODEL FOR VLF EMISSIONS</u>	64
3.1	<u>INTRODUCTION</u>	64	
3.2	Extension of Das's model for VLF emissions	71	
3.3	Results and discussion	83	
<u>CHAPTER</u>	IV	<u>EMISSIONS AT HALF THE EQUATORIAL GYRO FREQUENCY AND THE GROUP RESONANCE OF A WAVE PACKET</u>	88
4.1	<u>INTRODUCTION</u>	88	
4.2	Whistler characteristics at $\omega = \frac{1}{2} \Omega$	90	
4.3	A short description of Abdella's model	93	
4.4	A parallel model for Landau resonant interaction	97	

III

	4.5	Dungey's suggestion and its critical appreciation	99
	4.6	The group resonance of a wave packet at $\omega = \frac{1}{2} \Omega$	101
	4.7	Conclusions	105
<u>CHAPTER</u>	V	<u>THE EFFECT OF LANDAU DAMPING ON CYCLOTRON RESONANCE IN A UNIFORM MAGNETOPLASMA</u>	113
	5.1	<u>INTRODUCTION</u>	113
	5.2	Landau damping and cyclotron resonance in a uniform magnetoplasma	114
	5.3	Consideration of the effect of occurrence of a maximum in the Landau resonant $V_{ }$ of the particles	128
	5.4	Calculation of the growth rate at $\omega = \frac{1}{2} \Omega$ and conclusions	131

CHAPTER	VI	<u>CONCLUSIONS AND DISCUSSIONS</u>	137
	6.1	A brief survey (Synoptic view) of the work done	138
	6.2	Conclusions	148
	6.3	Suggested experiments and scope for further work	150
		REFERENCES	153