

LIST OF FIGURES

Figure		Page
1.1	Relative terms positions of $4f^n$ (white) and $4f^{n-1} 5d$ (black) configurations of RE^{3+} ions.....	6
1.2	Approximate charge distributions of electrons in different orbitals for RE^{3+} ions demonstrating the shielding of unpaired 4f electrons by outer filled $5s^2$ and $5p^6$ shell electrons	7
1.3	Schematic model of boroxal group which is linked by shared oxygen in B_2O_3 glass	22
1.4	Schematic3D structure of boron trioxide (B_2O_3)	22
1.5	Hypothetical 3d diagram of the structure of a group of two coupled boroxol rings	23
1.6	Effect of temperature on the enthalpy of a glass forming melts.....	25
1.7	Energy levels of trivalent rare earth ions	31
1.8	Schematic diagram of the splitting of RE^{3+} energy levels due to the coulomb, spin-orbit and crystal-field interactions	32
1.9	Schematic diagram of the splitting of rare earth energy levels due to the electrostatic, spin orbit and crystal field interactions for ion with 10 electrons in f orbital	36
1.10	Time-resolved excitation and de-excitation of RE^{3+} luminescence intensity	48
1.11	General energy scheme related to the ESA	53
2.1	XRD pattern of ZnAlBiB glass	61

2.2	FT-IR spectrum of 1 mol% Sm^{3+} ions doped ZnAlBiB glass (ZnAlBiBSm10).....	62
2.3	Photograph ofJasco Model V-670 UV-vis-NIR spectrophotometer	64
2.4	Schematic diagram of the optical system of the spectrophotometer	64
2.5	Schematic diagram of electrical system of the spectrophotometer	65
2.6	Photograph of Horiba Jobin-Yvon flouorolog-3 spectrofluorimeter	66
2.7	Optical layout of Horiba Jobin-Yvon Fluorolog-3 spectrofluorimeter...	66
2.8	Photograph of Schimadzu RF-5301 PC Spectrofluorophotometer	67
2.9	Photograph of Acton SP2300	68
2.10	Photograph of Confocal microscope (Olympus, BX51) equipped with XY-piezo stage and coupled with a 410 nm CW diode laser	68
2.11	Photograph of (ANDOR SR-500i-B2)	69
3.1	Absorption spectrum of ZnAlBiBDy10 glass	74
3.2	Excitation spectrum of ZnAlBiBDy10 glass	78
3.3	Fluorescence spectra of Dy^{3+} ions doped ZnAlBiB glasses	78
3.4	CIE chromaticity coordinates of Dy^{3+} ions in ZnAlBiB glasses under 357 nm excitation	82
4.1	Absorption spectra of different concentration on Sm^{3+} ions doped ZnAlBiB glasses. The inset shows the absorption edge details of ZnAlBiBSm10 glass.	88
4.2	Excitation spectra of different concentrations of Sm^{3+} ions doped ZnAlBiB glasses	91
4.3	PL images of Sm^{3+} ions doped ZnAlBiB glasses and their corresponding emission Spectra	93
4.4	Decay curves of the prominent emission transition at 598 nm for Sm^{3+}	100

	ions doped ZnAlBiB glasses	
4.5	CIE color chromaticity diagram for Sm ³⁺ ions doped ZnAlBiB glasses ...	102
5.1	Optical Absorption Spectrum of ZnAlBiBEu25 glass in UV-vis-NIR region.....	108
5.2	Excitation Spectra of Eu ³⁺ doped ZnAlBiB glasses	109
5.3	PL Spectra and corresponding images of Eu ³⁺ doped ZnAlBiB glasses excited at 410 nm CW laser. (Inset shows PL Spectra of Eu ³⁺ doped ZnAlBiB glasses excited at 395 nm from Xe source)	119
5.4	Decay rates for the ⁵ D ₀ level of Eu ³⁺ ions in ZnAlBiB glasses	117
5.5	The color space chromaticity diagram of Eu ³⁺ ions in ZnAlBiB glasses...	118
6.1 (a)	Variation of Density and Average molecular weight as a function of Tb ³⁺ ion concentration in ZnAlBiB glasses	122
6.1 (b)	Variation of Interionic distance and field strength as a function of Tb ³⁺ ion concentration in ZnAlBiB glasses	123
6.2	Absorption spectrum of 2.5 mol % of Tb ³⁺ ions in ZnAlBiB glass	126
6.3	Excitation spectra of the Tb ³⁺ ions in ZnAlBiB Glasses	127
6.4	Emission spectra of Tb ³⁺ ions in ZnAlBiB glasses recorded at an excitation wavelength 377 nm	128
6.5	Partial Energy level diagram of 2.5 mol% of Terbium ions in ZnAlBiB Glass.....	129
6.6 (a)	Variation of Blue (⁵ D ₃ → ⁷ F ₄) and Green (⁵ D ₄ → ⁷ F ₅) luminescent intensity as a function of Tb ³⁺ ion concentration in ZnAlBiB glasses ...	130
6.6 (b)	Variation of relative luminescence intensity ratio (I _G /I _B) as a function of Tb ³⁺ ion concentration in ZnAlBiB glasses.....	130
6.7 (a)	Decay curves for the luminescent transition (⁵ D ₄ → ⁷ F ₅) of Tb ³⁺ ions	135

	doped ZnAlBiB glasses at 337 nm excitation	
6.7 (b)	Variation of decay time (τ_{mes}) and quantum efficiency (η) % of 5D_4 excited level as a function of Tb^{3+} ion concentration in ZnAlBiB glasses	135
6.8	CIE co-ordinates of ZnAlBiBTb25 Glass	136
7.1	UV-vis-NIR absorption spectrum of ZnAlBiBER20 glass.	142
7.2	Variation of Ω_2 with respect to the Er^{3+} ion concentration in ZnAlBiB glasses	144
7.3	Variation of $(\alpha h\nu)^{1/2}$ with photon energy ($h\nu$) in Er^{3+} ions in ZnAlBiB glasses	146
7.4	PL Excitation Spectra of Er^{3+} ions in ZnAlBiB glasses	146
7.5	PL Emission Spectra of Er^{3+} ions in ZnAlBiB glasses	147
7.6	NIR fluorescence spectra of Er^{3+} ions in ZnAlBiB glasses	149
7.7	Absorption and emission cross sections of ZnAlBiBER10 glass	151
7.8	Decay curves of $^4I_{13/2} \rightarrow ^4I_{15/2}$ emission transition of Er^{3+} ions in ZnAlBiB glasses ($\lambda_{em}=1530$ nm and $\lambda_{exc}=980$ nm)	153
7.9	Up-conversion Emission spectra of Er^{3+} ions in ZnAlBiB glasses	154
7.10	Energy level diagram of ZnAlBiBER10 glass showing the mechanism of up conversion emission under 980nm excitation	155
8.1	Comparison of Spectroscopic quality factor values of ZnAlBiB: Dy^{3+} glasses with the other reported systems.....	163
8.2	Comparison of Stimulated emission cross section values of ZnAlBiB: Dy^{3+} glasses with the other reported systems.....	163
8.3	Comparison of radiative branching ratio observed for the ZnAlBiB: Sm^{3+} ions doped glasses with reported glasses.....	168
8.4	Comparison of Stimulate Emission cross section values of	168

	ZnAlBiBSm10 glass with some of the reported glass systems.....	
8.5	Comparison of quantum efficiency of ZnAlBiBSm10 glass with other reported values.....	169
8.6	Comparison of stimulated emission cross section and quantum efficiency values of the ZnAlBiB:Eu ³⁺ glass systems with reported values.....	171
8.7	Comparison of Stimulated emission cross section values observed in ZnAlBiB: Tb ³⁺ glasses with some important reported glass systems.....	173
8.8	Comparison of quantum efficiency values observed forTb ³⁺ ions in ZnAlBiB glass systems with other reported values.....	174
8.9	Comparison of emission cross section observed for ZnAlBiBEr10 glass with other reported glass systems.....	176
8.10	Comparison of quantum efficiency values reported for ZnAlBiBEr10 glass with reported glass systems.....	176

LIST OF TABLES

Table	Page
1.1. Electronic configurations of RE ³⁺ ions along with their ground states and valencies	4
1.2. Classification of glass forming materials in terms of chemical bonding	12
1.3. Different quenching Techniques and their rates of Cooling	18
1.4. Glass formers, modifiers and intermediate	20
1.5. Average phonon frequencies ($\hbar\omega$) of some of the network formers in glasses ...	20
1.6. Prominent emission colours of RE ³⁺ ions used in the present thesis	30
1.7. Magnetic dipole transitions of rare earth ions	37
1.8. Hypersensitive transitions of rare earth ions	39
2.1. Certain physical properties of RE ³⁺ ions - doped ZnAlBiB glasses	58
3.1. Various physical properties of Dy ³⁺ - doped ZnAlBiB glasses.....	73
3.2. Experimental ($f_{\text{exp}} \times 10^{-6}$) and calculated ($f_{\text{cal}} \times 10^{-6}$) oscillator strengths, rms deviation (δ_{rms}), JO parameters (Ω_2, Ω_4 and Ω_6) and spectroscopic quality factor (Ω_4/Ω_6) for Dy ³⁺ ions doped ZnAlBiB glasses	76
3.3. Emission peak wavelength (λ_p)(nm), effective band widths($\Delta\lambda_p$)(nm), radiative properties such as Transition probability (A)(S ⁻¹), total radiative transition probabilities(A_T) (S ⁻¹), radiative life time (τ_R) (μ s), branching ratio (β_R and β_{mea}) and stimulated emission cross-sections (σ_e)(cm ²) for sharp emission transitions of Dy ³⁺ ions doped ZnAlBiB glasses	80
3.4. Chromaticity color co-ordinates and yellow (⁴ F _{9/2} → ⁶ H _{13/2}) to blue (⁴ F _{9/2} → ⁶ H _{15/2}) intensity ratios (Y/B) for the visible emission spectra of Dy ³⁺ ions doped ZnAlBiB glasses	83
4.1. Measured ($f_{\text{exp}} \times 10^{-6}$) and calculated ($f_{\text{cal}} \times 10^{-6}$) oscillator strengths of Sm ³⁺ ions doped ZnAlBiB glasses	89

4.2	Comparison of Judd-Ofelt parameters ($\times 10^{-20} \text{ cm}^2$) and their trend for Sm^{3+} ions in different glasses	90
4.3	Radiative transition probability (A_R) (s^{-1}), radiative branching ratio (β_R) and total radiative transition probability (A_T) (s^{-1}) for Sm^{3+} ions doped ZnAlBiB glasses	95
4.4	Emission peak wavelength (λ_P)(nm), effective band width ($\Delta\lambda_P$)(nm), experimental branching ratio (β_{exp}), stimulated emission cross-section (σ_{se})($\times 10^{-22}$) (cm^2), gain bandwidth ($\sigma_{\text{se}} \times \Delta\lambda_P$)($\times 10^{-28}$), optical gain ($\sigma_{\text{se}} \times \tau_R$)($\times 10^{-25}$) and O/R ratios for the emission transitions of Sm^{3+} ions doped ZnAlBiB glasses. Experimental, radiative lifetime (τ_{exp} , τ_R)(μs) and quantum efficiency (η %) of ${}^4G_{5/2}$ transition for different concentrations of Sm^{3+} ions doped ZnAlBiB glasses are given separately	97
4.5	Comparison of branching ratio (β_R), stimulated emission cross section ($\sigma_{\text{se}} \times 10^{-22} \text{ cm}^2$) and quantum efficiency (η) (%) of ${}^4G_{5/2} \rightarrow {}^6H_{7/2}$ transition for sm^{3+} ion in different glass hosts	101
5.1	Physical properties of Eu^{3+} doped ZnAlBiB glasses	107
5.2	Judd- Ofelt Parameters Ω_λ ($\lambda=2, 4$ and 6) (10^{-20} cm^2) estimated from emission spectral details and red to orange intensity ratio [$R/O = ({}^5D_0 \rightarrow {}^7F_2) / ({}^5D_0 \rightarrow {}^7F_1)$] of Eu^{3+} ions in ZnAlBiB glasses	112
5.3	Spontaneous transition probabilities (A_R)(s^{-1}), and total transition probabilities (A_T)(s^{-1}) of Eu^{3+} ions in ZnAlBiB glasses for the transitions ${}^5D_0 \rightarrow {}^7F_J$ ($J=0-4$)..	114
5.4	Emission peak wavelength (λ_P) (nm), Effective Bandwidth ($\Delta\lambda_P$) (nm), experimental and calculated branching ratios (β_{exp} & β_{cal}), Stimulated emission cross section ($\sigma_{\text{se}} \times 10^{-22}$) (cm^2) gain band width ($\sigma_{\text{se}} \times \Delta\lambda_P$) ($\times 10^{-28}$) (cm^3) and optical gain ($\sigma_{\text{se}} \times \tau_R$) ($\times 10^{-24}$)(s) for the respective transitions of the ZnAlBiBEu25glass	115
5.5	Measured lifetime (τ_{mes}), radiative lifetime (τ_R) and quantum efficiency (η)(%) for the 5D_0 level of Eu^{3+} ions in ZnAlBiB glasses	116
6.1	Various physical properties of terbium ions doped ZnAlBiB Glasses	124

6.2	Comparison of Judd-Ofelt Parameters ($\Omega_{\lambda=2,4,6} \times 10^{-20} \text{cm}^2$) of terbium ions doped ZnAlBiB Glasses with other reported values.	126
6.3	Radiative transition Probability (A_R) (s^{-1}), total transition probability (A_T) (s^{-1}), radiative and experimental branching ratios (β_R & β_{exp}), of terbium ions doped ZnAlBiB Glasses	132
6.4	Emission peak wavelength (λ_p) (nm), effective band widths ($\Delta\lambda_p$) (nm), stimulated emission cross-section (σ_{se}) ($\times 10^{22}$) (cm^2), gain band width ($\sigma_{se} \times \Delta\lambda_p$) ($\times 10^{28}$) (cm^3) and optical gain parameter ($\sigma_{se} \times \tau_R$) ($\times 10^{25}$) ($\text{cm}^2 \text{s}$) for the emission transitions of terbium ions doped ZnAlBiB Glasses ...	133
6.5	Measured, radiative lifetimes (τ_{exp} & τ_R) (ms) and quantum efficiency (η) % of terbium ions doped ZnAlBiB glasses for the luminescent emission transition $^5D_4 \rightarrow ^7F_5$	134
7.1	Physical properties of Er^{3+} ions in ZnAlBiB Glasses	141
7.2	Experimental (f_{exp}) ($\times 10^{-06}$) and calculated oscillator strength (f_{cal}) ($\times 10^{-06}$) of Er^{3+} ions in ZnAlBiB glasses	142
7.3	Comparison of JO Parameters ($\Omega_2, \Omega_4, \Omega_6$) ($\times 10^{-20} \text{cm}^2$), and their trend for Er^{3+} ions in ZnAlBiB glasses with other reported glass systems	143
7.4	Emission peak wavelength (λ_p) (nm), effective band widths (FWHM) ($\Delta\lambda_p$) (nm), Transition Probability (A) (s^{-1}), Branching ratios (β_R & β_{exp}), stimulated emission cross-section (σ_{se}) ($\times 10^{20}$) (cm^2), radiative lifetime (τ_R) (ms), gain band width ($\sigma_{se} \times \Delta\lambda_p$) ($\times 10^{27}$) (cm^3) and optical gain ($\sigma_{se} \times \tau_R$) ($\times 10^{22}$) ($\text{cm}^2 \text{s}$) parameters evaluated from the visible emission spectra of Er^{3+} ions in ZnAlBiB Glasses	148
7.5	Comparison of Emission peak wavelength (λ_p) (nm), effective band widths ($\Delta\lambda_p$) (nm), stimulated emission cross-section (σ_{se}) ($\times 10^{21}$) (cm^2), radiative and experimental lifetimes ($\tau_R, \tau_{\text{exp}}$) (ms), Quantum efficiency (η) (%), gain band width ($\sigma_{se} \times \Delta\lambda_p$) ($\times 10^{28}$) (cm^3) and optical gain ($\sigma_{se} \times \tau_R$) ($\times 10^{25}$) ($\text{cm}^2 \text{s}$) parameters for the NIR emission of Er^{3+} ions in ZnAlBiB glasses	150
7.6	Emission peak wavelength (λ_p) (nm), effective band widths ($\Delta\lambda_p$) (nm), stimulated emission cross-section (σ_{se}) ($\times 10^{-21}$) (cm^2), gain band width ($\sigma_{se} \times \Delta\lambda_p$) ($\times 10^{28}$) (cm^3) and optical gain ($\sigma_{se} \times \tau_R$) ($\times 10^{20}$) ($\text{cm}^2 \text{s}$)	157

	parameters for the up-conversion emission transitions of Er ³⁺ ions in ZnAlBiB Glasses.....	
8.1	Comparison of JO Intensity parameters (Ω_2 , Ω_4 and Ω_6), their trend, spectroscopic quality factor (χ), stimulated emission cross-section ($\sigma_{se} \times 10^{-22} \text{cm}^2$) Dy ³⁺ ions doped Zinc Alumino Bismuth Borate (ZnAlBiB) glasses with the other reported values	161
8.2	Comparison of JO Intensity parameters (Ω_2 , Ω_4 and Ω_6), radiative branching ratio (β_R), stimulated emission cross-section ($\sigma_{se} \times 10^{-22} \text{cm}^2$) and radiative & experimental lifetimes (τ_R & τ_{exp} , ms) and Quantum efficiency (η) (%) of Sm ³⁺ ions doped ZnAlBiB glasses with other reported values.....	165
8.3	Comparison of JO parameters ($\Omega_\lambda \times 10^{-20} \text{cm}^2$), stimulated emission cross section σ_{se} ($\times 10^{-22}$), Radiative (τ_R , ms) and Experimental (τ_{exp} , ms) lifetimes, quantum efficiencies (η)(%) and luminescent intensity ratios (R/O) for Eu ³⁺ ions doped ZnAlBiB system with other glasses.....	170
8.4	Comparison of JO parameters ($\Omega_\lambda \times 10^{-20} \text{cm}^2$), stimulated emission cross section σ_{se} ($\times 10^{-22}$) (cm^2), Radiative (τ_R , ms) and Experimental (τ_{exp} , ms) lifetimes, quantum efficiencies (η) (%) and luminescent intensity ratios (R) for Tb ³⁺ : ZnAlBiB system.....	172
8.5	Comparison of JO parameters ($\Omega_\lambda \times 10^{-20} \text{cm}^2$), stimulated emission cross section σ_{se} ($\times 10^{-21}$), Radiative (τ_R , ms) and Experimental (τ_{exp} , ms) lifetimes and quantum efficiencies (η) (%) for Er ³⁺ : ZnAlBiB system.....	174