

## REFERENCES

- Adams, W.M., and Furumoto, A.S., 1965, A seismic refraction of the Koolau volcanic plug: *Pacific Sci.*, v. 19, p.296-305. ✓
- Ahmad, F., (preprint), "Gondwanaland", The concept that failed: The Birbal Sahni Lecture, Birbal Sahani Institute of Paleobotany, Lucknow, India, 1977.
- Ahmad, F., and Ahmad, Z.S., 1976, (in press), The genesis of the Himalayas — A new approach: Himalayan Geology Seminar, New Delhi.
- Aumento, F., 1969, Diorites from the Mid-Atlantic ridge at 45°N, *Science*, v. 165, p. 1112-1113.
- Beskow, G., 1929, Sodra Storjallet im sudlichen Lappland: *Sver. geol. Underskn, Arsbok.*, v. 21, Ser. C, no.350, 334 p.
- Beus, A.A., 1976, *Geochemistry of Lithosphere* (translated from Russian by V. Aragnant): Mir Publishers, 238 p.
- Bion, H.S., 1928, Fauna of the Agglomeratic slate series of Kashmir — with an introductory chapter by C.S.Middlemiss: *Paleon. Ind.*, v. 12, p. 1-42.
- Bloxam, T.W., and Lewis, A.D., 1972, Ti, Zr and Cr in some British pillow lavas and their petrogenetic affinities: *Nature Phys. Sci.*, v. 128, p. 134-136. ✓
- Brooks, C.K., 1973, Tertiary of Greenland - a volcanic and plutonic record of continental break-up: *Arctic Geology, Proc. 2nd Internat. Symp. on Arctic Geology, San Francisco, California*, ed. M.G.Pitcher: *Am. Assoc.Petrol.Geol., Mem.* 19, p. 150. ✓

- Burrett, C.F., 1972, Plate Tectonics and the Hercynian Orogeny: *Nature*, v. 239, p. 155-157.
- Butler, J.M., and Skiba, W., 1962, Strontium in plagioclase feldspars from four layered basic masses in Somalia: *Mineral. Mag.*, v. 33, p. 213-225. ✓
- Cann, J.R., 1969, Spilites from Carlaberg Ridge, Indian Ocean: *Jour. Petrol.*, v. 10, p. 1-19.
- Cann, J.R., 1970, Rb, Sr, Y, Zr, Nb in some ocean-floor basaltic rocks: *Earth and Planet Sci. Lett.*, v. 10, p. 7-11. ✓
- Cann, J.R., 1971, Major element variation in ocean-floor basalts: *Phil. Trans. Roy. Soc., London*, v. 268-A, p. 495-508.
- Chayes, F., 1966, A petrographic distinction between Cenozoic volcanics in and around the open oceans: *Jour. Geophys. Res.*, v. 69, p. 1573-1588.
- Clarke, D.B., 1970, Tertiary basalts of Bafin Bay: possible magma primary magma from the mantle: *Contrib. Mineral. Petrol.*, v. 25, p. 203-224.
- Clarke, D.B., and Upton, B.G.J., 1971, Tertiary basalts of Baffin Island: field relations and tectonic setting: *Can. Jour. Earth Sci.*, v. 8, p. 248-258. ✓
- Compston, W., McDougall, I., and Heier, K.S., 1968, Geochemical comparison of the Mesozoic basaltic rocks of Antarctica, South Africa, South America and Tasmania: *Geochim. et Cosmochim. Acta*, v. 32, p. 129-149.

- Condie, K.C., 1977, Effects of alteration on element distributions in Archaean tholeiites from the Barberton Greenstone Belt, South Africa (Abstract): Archaean Geochemistry - Symp., Hyderabad, India. ✓
- Condie, K.C., Barsky, C.K., and Mueller, P.A., 1969, Geochemistry of Precambrian diabase dikes from Wyoming: Geochim. et Cosmochim Acta, v. 33, p. 1371-1388.
- Coombs, D.S., 1963, Trends and affinities of basaltic magmas as illustrated on the diopside-olivine-silica diagram: Mineral. Soc. Amer. Special Paper, v. 1, p. 227-250. ✓
- Cornwall, H.R., and Rose, H.J., 1957, Minor elements in Keweenawan lavas, Michigan: Geochim. et Cosmochim. Acta, v. 12, p. 209-224.
- Cox, K.G., 1970, Tectonics and volcanism of the Karroo Period and their bearing on the postulated fragmentation of Gondwanaland: African magmatism and tectonics, eds., T.N. Clifford and I.G. Gass, Oliver and Boyd, Edinburgh.
- Cox, K.G., Macdonald, R., and Hormung, R., 1967, Geochemical and petrographical provinces in the Karroo basalts of South Africa: Amer. Mineral., v. 52, p. 1451-1475. ✓
- Daly, R.A., 1914, Igneous rocks and their origin: McGraw Hill, New York, London, 339-340 p.

- De Terra, H., 1939, Geological studies in the north-western Himalayas and Indus Valley (Yale North India Expedition): Mem. Connecticut Acad. Arts Sci., v. 8, p. 19-36. ✓
- Dickinson, W.R., and Haetherton, T., 1967, Andesite volcanism and seismicity around the Pacific: Science, v. 157, p. 801-803. ✓
- Diener, C., 1897, Die aquivalente der Carbon-und-performations in Himalaya: Sitz-ber Akad. Wiss. Wien., v. 106 (I), p. 447-465. ✓
- Evans, B.W., and Leake, B.E., 1960, The composition and origin of striped amphibolites of Connemara, Ireland: Jour. Petrol., v. 1, p. 337-363. ✓
- Faust, G.T., Murata, K.J., and Fahey, J.J., 1956, Relation of minor element content of serpentines to the geological origin: Geochim. Cosmochim. Acta, v. 10, p. 316-320. ✓
- Flower, M.F.J., 1973, Evolution of basaltic and differentiated lavas from Anjouan, Comores Archipelago: Contrib. Mineral. Petrol., v. 38, p. 237-260. ✓
- Forbes, R.B., and Kuno, H., 1965, The regional petrology of peridotite inclusions and basic host rocks: Internat. Union Geol. Sci., Upper Mantle Symposium, New Delhi, India, 1964, p. 161-179.
- Francis, E.H., 1967, Review of Carboniferous-Permian volcanism in Scotland: Geol. Rdsch., v. 57, p. 219-246. ✓

- Francis, E.H., 1968, Effect of sedimentation on volcanic process including neck-sill relationships, in the British Carboniferous: 23rd Intern. Geol. Congress, v. 2, p. 163-174.
- Gast, P.W., 1965, Terrestrial ratio of potassium to rubidium and the composition of the Earth's mantle: Science, v. 147, p. 858-860.
- Gast, P.W., 1968, Trace element fractionation and the origin of tholeiitic and alkaline magma types: Geochim. et Cosmochim. Acta, v. 32, p. 1057-1086.
- Gibson, I.L., 1966, Crustal flexures and flood basalts: Tectonophysics, v. 3, p. 447-452.
- Gilluly, J., 1935, Keratophyres of eastern Oregon and the spilite problem: Amer. Jour. Sci., v. 29, p. 225-233.
- Green, D.M., and Ringwood, A.E., 1967c, The genesis of basaltic magmas: Contrib. Mineral. Petrol., v. 15, p. 103-190.
- Griffen, W.L., and Murthy, V.R., 1969, Distribution of K, Rb, Sr and Ba in some minerals relevant to basalt genesis: Geochim. et Cosmochim. Acta, v. 33, p. 1389-1414.
- Gunju, P.N., 1943, The Panjal Traps: acid and basic volcanic rocks: Proc. Ind. Acad. Sci., Sect. B, v. 18, p. 125-131.
- Gunju, P.N., and Majnath, 1939, Study of the Panjal Traps in the neighbourhood of Srinagar, Kashmir: Proc. Ind. Sci. Congress, 26th sess., Part 3, p. 105.

- Gunju, P.N., and Srivastava, V.K., 1961, A study of the Agglomeratic slates near Breen, Kashmir: Proc. Nat. Inst. Sci., India, v. 27 A(6), p. 625-636.
- Gunn, B.M., 1966, Modal and element variation in Antarctic tholeiites: Geochim. et Cosmochim. Acta, v. 30, p.881-920.
- Gupta, V.J., 1975, The stratigraphic position of the Boulder beds in the Agglomeratic Slate succession and their equivalents in the Tethyan Himalayas: Ind. Geologists Assoc., v. 8(2), p. 35-49.
- Hamilton, W., 1970, The Uralides and the motion of the Russian and Siberian plate forms: Geol. Soc. Amer. Bull., v. 81, p. 2553-2576.
- Hart, S.R., 1970, Chemical exchange between sea water and deep ocean basalts: Earth Planet. Sci. Lett., v. 9, p. 269-279.
- Hart, S.R., Glassley, W.E., and Karig, D.E., 1972, Basalts and sea-floor spreading behind the Mariana Island arc: Earth Planet. Sci. Lett., v. 15, p. 12-18.
- Heier, K.S., 1962, Trace elements in feldspars — a review: Norsk Geol. Tidssk., v. 42, p. 413-453.
- Heier, K.S., and Taylor, S.R., 1964, A note on the geochemistry of the alkaline rocks: Norsk Geol. Tidssk., v. 44, p. 197-203.

- Heier, K.S., Compston, W., and McDougall, I., 1965, Thorium and uranium concentrations and the isotopic composition of strontium in the differentiated Tasmanian dolerites: *Geochim. et Cosmochim. Acta*, v. 29, p. 643-659.
- Holmes, A., 1964, *Principles of Physical Geology*: Thomas Nelson (Printers) Ltd., London, 99 p.
- Irvine, T.N., and Baragar, W.R.A., 1971, A guide to the chemical classification of the common igneous rocks: *Can. Jour. Earth Sci.*, v. 8, p. 523-548. ✓
- Jolly, W.T., and Smith, R.E., 1972, Degradation and metamorphic differentiation of the Keweenawan tholeiitic lavas of Northern Michigan: *Petrol.*, v. 13, p. 273-309. ✓
- Kamen-Kaye, M., 1972, Permian Tethys and Indian Ocean: *Amer. Assoc. Pet. Geol. Bull.*, v. 56 (10), p. 1984-1999.
- Kapoor, H.M., and Shah, S.C., (in press), Lower Permian in Kashmir Himalaya — a discussion: *Himalayan Geology Seminar*, New Delhi, India, 1976.
- Karke, S.G., 1965, *Geochemical studies on the Deccan traps*: B.H.U. Press, India, 42 p.
- Kennedy, G.C., 1966, The effect of pressure on melting: *Trans. Amer. Geophys. Union*, v. 47, p. 37-76. ✓
- Kinoshita, W.T., 1965, A gravity survey of the island of Hawaii: *Pacific Sci.*, v. 19, p. 339-340.

- Kinoshita, W.T., and Okamura, R.T., 1965, A gravity survey of island of Maui, Hawaii: Pacific Sci., v. 19, p. 341-342. ✓
- Kogarko, L.N., 1973, The Ni/Co ratio as an indicator of the mantle origin of magmas: Geochemistry Intern., v.10 (5), p. 1081-1086. ✓
- Krishnan, M.S., 1968, Geology of India and Burma. 4th ed., Higginbotham, Madras, 355 p. ✓
- Kropotkin, P.N., 1971, Eurasia as a composite continent: Tectonophysics, v. 12, p. 261-266. ✓
- Kuno, H., 1950, Petrology of Hakone Volcano and the adjacent areas, Japan: Geol. Soc. Amer. Bull., v. 61, p. 957-1020.
- Kuno, H., 1959, Origin of Cenozoic petrographic provinces of Japan and surrounding areas: Bull. Volcanologique, ser.II, v. 20, p. 37-76.
- Kuno, H., 1968, Differentiation of basalt magmas: Basalts: The Poldevaart treatise on rocks of basaltic composition. v. II, p. 633-688, Interscience.
- Kushiro, I., 1968, Composition of magmas formed by partial zone melting of the Earth's upper mantle: Jour. Geophys. Res., v. 73, p. 619-634. ✓
- Le Pichon, X., Hyndman, R.D., and Pautot, G., 1971, Geophysical study of the opening of the Labrador Sea, J.G.R., v. 76, p. 4724. ✓

- Liebenberg, C.J., 1960, The trace elements of the rocks of the Bushveld igneous complex: Publikasies Univ. Pretoria, Nuwe Reeks, no. 12, 69 p.
- Macdonald, G.A., 1954a, Igneous rocks (of Bikini atoll): U.S. Geol. Survey Prof. Paper, v. 206, A, p. 120-124.
- Macdonald, G.A., 1968, Composition and origin of Hawaiian magmas: Geol. Soc. Amer., Mem. 116, p. 477-522.
- Macdonald, G.A., Katsura, T., 1964, Chemical composition of the Hawaiian lavas: Jour. Petrol., v. 5, p. 82-133.
- Macdonald, R., 1975, Petrochemistry of the Early Carboniferous (Dinantian) lavas of Scotland: Scottish Jour. Geol., v. II, part 4, p. 269-314.
- Manson, V., 1967, Geochemistry of basaltic rocks: Major elements, in: Basalts: The Poldervaart Treatise on Rocks of Basaltic Composition, eds. H.H. Hess and A. Poldervaart (Interscience, New York), p. 215-269.
- McBirney, A.R., 1963, Factors governing the nature of submarine volcanism: Bull. Volcanologique, ser. 2, v. 26, p. 455-469.
- McDougall, I., and Lovering, J.P., 1963, Fractionation of chromium, nickel, cobalt and copper in a differentiated dolerite-granophyre sequence at Red Hill, Tasmania: Geol. Soc. Austria Jour., v. 10, p. 325-338.

- Menzies, M., 1976, Rifting of a Tethyan continent — rare evidence of an accreting plate margin: *Earth Planet. Sci. Lett.*, v. 28, no.3, p. 427-438.
- Melson, W.G., and Van Andel, T.H., 1966, Metamorphism in the Mid-Atlantic Ridge; 22°N Latitude, *Mar. Geol.*, v. 4, p. 165-186.
- Middlemiss, C.S., 1909, Gondwana and related sedimentary systems of Kashmir: *Records Geol. Surv. India*, v. 37(4), p. 286-327.
- Middlemiss, C.S., 1910, Revision of Silurian-Trias sequence in Kashmir: *Records Geol. Surv. India*, v. 40(3), p. 206-260.
- Miyashiro, A., 1974, Volcanic rock series in island arcs and active continental margins: *Amer. Jour. Sci.*, v. 274, no.4, p. 321-355.
- Miyashiro, A., and Shido, F., 1975, Tholeiitic and calc-alkalic series in relation to the behaviors of titanium, vanadium, chromium, and nickel: *Amer. Jour. Sci.*, v. 275, no. 3, p. 265-277.
- Moore, J.G., 1965, Properties of Hawaiian submarine basalt (abstract): *Geol. Soc. Amer., Spec. Paper*, v. 82, p. 267.
- Murata, K.J., 1960, A new method of plotting chemical analyses of basaltic rocks: *Amer. Jour. Sci.*, v. 258-A, p.247-252.

- Murata, K.J., and Richter, D.H., 1966, Chemistry of the lavas of the 1959-60 eruption of Kilauea Volcano, Hawaii: U.S. Geol. Survey Prof. Paper 537-A, 26 P.
- Nakazawa, K., and Kapoor, H.M., 1973, Spilitic pillow lava in Panjal Traps of Kashmir: India: Mem. Fac. Sci., Kyoto University., Ser. Geol. Mineral., v. 9(2), p.83-98.
- Nockolds, S.R., and Allen, R., 1953, The geochemistry of some igneous rock series: Geochim. et Cosmochim. Acta, v. 4, p. 105-142.
- O'Hara, M.J., 1965, Primary magmas and the origin of basalts: Scottish Jour. Geol., v. 1, p. 19-40.
- Osborn, E.F., 1959, Role of oxygen pressure in the crystallization and differentiation of basaltic magma: Amer. Jour. Sci., v. 257, p. 609-647.
- Pareek, H.S., (in press), On the studies of the volcanics of Kashmir and H.P., Western Himalaya: 125th Anniversary Celebrations of G.S.I. Symposium on the Contribution of the Earth Sciences towards the Research and Developmental Activities in the Northern Region, 1976, Section I-VIII,
- Park, C.F., 1946, The spilite and the manganese problem of the Olympic Peninsula, Washington: Amer. Jour. Sci., v. 244, p. 305-323.
- Pascoe, Sir E.H., 1975, A Manual of the Geology of India and Burma, Vol. II, 3rd edition, Government of India publication, Calcutta, 780 p.

- Pearce, J.A., 1975, Basalt geochemistry used to investigate past tectonic environments on Cyprus: *Tectonophysics*, v. 25, p. 41-68.
- Pearce, J.A., and Cann, J.R., 1971, Ophiolite origin investigated by discriminant analysis using Ti, Zr and Y: *Earth Planet. Sci. Lett.*, v. 12, p. 339-349.
- Pearce, J.A., and Cann, J.R., 1973, Tectonic setting of basic volcanic rocks determined using trace element analyses: *Earth Planet. Sci. Lett.*, v. 19, p. 290-300.
- Pearce, T.H., Gorman, B.E., and Birkett, T.C., 1975, The  $TiO_2 - K_2O - P_2O_5$  diagram: a new method of discriminating between oceanic and non-oceanic basalts: *Earth Planet. Sci. Lett.*, v. 24, p. 219-426.
- Poldervaart, A., 1949, Three methods of graphic representation of chemical analyses of igneous rocks: *Royal Soc. South Africa Trans.* v. 32, p. 177-188.
- Prinz, M., 1967, Geochemistry of Basaltic rocks: Trace elements, in: *Basalts: The Poldervaart Treatise on Rocks of Basaltic Composition*, eds. H.H. Hess and A. Poldevaart (Interscience, New York), p. 217-323.
- Reed, F.R.C., 1932, New fossils from the Agglomeratic slate of Kashmir: *Paleont. Ind.*, v. 29, part I, p. 1-79.

- Ringwood, A.E., 1955a, The principles governing trace element distribution during magmatic crystallization, Part I: The influence of electronegativity : *Geochim. Acta*, v. 7, p. 189-202.
- Rittman, A., 1936, *Vulkane und ihre Tätigkeit: Ferdinand Enke, Stuttgart, 336 p.*
- Roe, G.D., 1964, Rubidium-strontium analyses of ultramafic rocks and the origin of peridotites: Twelfth Annual Progress Report for M.I.T., ed. P.M. Hurley, 263 p.
- Rosler, H.J., 1963, Einige Beobachtungen und Gedanken zur Frage des Wassergehaltes basischer Magmen und Gesteine: *Ber. Geol. Ges. DDR, Sonderh.*, v. 1, p. 97-101.
- Sen, S.K., 1960, Some aspects of distribution of barium, strontium, iron and titanium in plagioclase feldspars: *Jour. Geol.*, v. 68, p. 638-665.
- Singh, M.P., Nanda, M.M., and Sinha, P.K., (in press), The Ralaking volcanics of the Zaskar Valley — its geological setting, petrography, petrochemistry and a comparative study with the Panjal volcanics of the Northwestern Himalaya: *Himalayan Geology Seminar, New Delhi, India, 1976.*
- Smith, R.E., 1968, Redistribution of major elements in the alteration of some basic lavas during burial metamorphism: *Jour. Petrol.*, v. 9, p. 191-219.

- Snyder, G.L., and Frazer, G.D., 1963a, Pillowed lavas, I:  
Intrusive layered lava pods and pillowed lavas, Unalaska  
Island, Alaska: U.S. Geol. Surv. Prof. Paper 454-B, p.
- Snyder, G.L., and Frazer, G.D., 1963b, Pillowed lavas, II:  
A review of selected recent literature: U.S. Geol. Surv.  
Prof. Paper 454-C, p.
- Srikantia, S.V., 1973, The tectonic and stratigraphic position  
of "Panjal Volcanics" in the Kashmir Himalaya — a  
reappraisal: Himalayan Geol., v. 3, p. 59-72.
- Srikantia, S.V., and Kapoor, H.M., 1969, Discovery of the  
Lepistrobis from Kashmir: Jour. Paleont. Soc. India,  
v. 12, p. 44-117.
- Strom, T.W., and Holland, H.D., 1957, The distribution of  
nickel in the Lambertville diabase: Geochim. et Cosmochim.  
Acta, v. II, p. 335-347.
- Strange, W.E., Machesky, L.F., and Woollard, G.P., 1965, A  
gravity survey of the island of Oahu, Hawaii: Pacific  
Sci., v. 19, p. 350-353.
- Strong, D.F., 1972, The petrology of the lavas of Grande  
Comore: Jour. Petrol., v. 13, p. 181-217.
- Stueber, A.M., 1968, Rubidium and strontium in ultramafic rocks  
and minerals: In Ann. Rep. Dir., Dept. Terrestrial  
Magnetism, Carnegie Inst. Washington, p. 1966-1967.

Strom + Holland 1957

- Sugisaki, R., Mizutani, S., Adaclai, M., Hattori, H., and Tanaka, T., 1971, Rifting in the Japanese Late Paleozoic Geosynclines: *Nature*, v. 233, p. 30-31.
- Szadeky-Kardoos, E., 1963, Wesser und magma: *Ber. Geol. Ges. DDR, Sonderh.*, v. 1, p.
- Taubeneck, W.H., 1965, An appraisal of some potassium-rubidium ratios in igneous rocks: *Jour. Geophys. Res.*, v. 70, p. 475-478.
- Taylor, S.R., and White, A.J.R., 1965, Geochemistry of andesites and the growth of continents: *Nature*, v. 208, p. 271-273.
- Tilley, C.E., 1950, Some aspects of magmatic evolution: *Geol. Soc. London Quart. Jour.*, v. 106, p. 37-61.
- Turekian, K.K., 1963, The chromium and nickle distribution in basaltic rocks and eclogites: *Geochim et Cosmochim. Acta*, v. 27, p. 835-836.
- Turekian, K.K., and Kulp, J.L., 1956, The geochemistry of strontium: *Geochim et Cosmochim. Acta*, v. 10, p.245-296.
- Vallence, T.G., 1969, Spilites again: some consequences of the dehydration of basalts: *Proc. Linn. Soc. New South Wales*, v. 94, p. 8-51.
- Vallence, T.G., 1974, Spilitic degradation of a tholeiitic basalt: *Jour. Petrol.*, v. 15, p. 79-96.

- Vine, F.J., 1966, Spreading of Decan floor: new evidence: Science, v. 154, p. 1405-1415.
- Vogt, J.H.L., 1923, Nickle in igneous rocks: Econ. Geology, v. 18, p. 307-353.
- Wadia, D.N., 1934, The Cambrian-Trias sequence of Northwestern Kashmir: Records Geol. Surv. India, v. 68, part 2, p. 121-176. ✓
- Wadia, D.N., 1940, Note on the palaeogeography and climate of Kashmir during the Permo-Carboniferous: Rep. Intern. Geol. Congress, 17th Session, part 6, p. 209-211.
- Wager, R.L., 1960, Major element variation of layered series of the Skaergaard intrusion and a reestimation of the average composition of the hidden layered series and the successive residual magmas: Jour. Petrol., v. 1, p.364-398.
- Wager, R.L., and Deer, W.A., 1939, Geological investigation in East Greenland: Part III, The petrology of the Skaergaard intrusion, Kangerdlugssuaq, East Greenland: Meddl. om Gronland, v. 105, p. 1-352.
- Wager, R.L., and Mitchell, R.L., 1951, The distribution of trace elements during strong fractionation of basic magma - a further study of the Skaergaard intrusion, East Greenland: Geochim. et Cosmochim. Acta, v. 1, p. 129-208. ✓

- Wakhloo, S.N., 1969, The occurrence of acid differentiates in the Panjal Traps of Kashmir (abstract): Proc. Indian Sci. Congress Assoc., 56th Session, part 3, p. 144.
- Watkins, N.D., Gunn, B.M., and Coy-yll, R., 1970, Major and trace element variation during the initial cooling of an Icelandic lava: Amer. Jour. Sci., v. 268, p. 24-49. ✓
- Wilkinson, J.F.G., 1959, The geochemistry of a differentiated teschenite sill near Gunnedah, New South Wales: Geochim. et Cosmochim. Acta, v. 16, p. 123-150.
- Winchester, J.A., and Floyd, P.A., 1975, Magma type and tectonic setting discrimination using immobile elements: Earth Planet. Sci. Lett., v. 27, p. 211-218.
- Winchester, J.A., and Floyd, P.A., 1976, Geochemical magma type discrimination: application to altered and metamorphosed basic igneous rocks: Earth Planet. Sci. Lett., v. 28, p. 459-469. ✓
- Yagi, K., 1969, Petrology of the alkalic dolerites of the Nemuro Peninsula, Japan: Geol. Soc. Amer., Mem. 115, p. 103-147. ✓