

List of Tables:

Table1.1	Some properties of Ti, Zr and Hf (Taken from “Chemistry of the Elements” by N. N.Greenwood and A. Earnshaw)	19
Table1.2	Properties of Typical TDPAC Probes	91
Table3.1	TDPAC parameters for $^{181}\text{Hf}/^{181}\text{Ta}$ probe	129
Table3.2	TDPAC parameters for $^{111}\text{In}/^{111}\text{Cd}$ probe	131
Table3.3	TDPAC parameters for Zr-doped rutile different samples	136
Table3.4	Result of leaching of ^{181}Hf from different TiO_2 samples	140
Table3.5	Hyperfine parameters for rutile TiO_2 before and after γ -irradiation	141
Table3.6	Results for the TDPAC measurements of HfO_2 fiber	146
Table3.7	Comparison between neutral and charged state calculations for ^{181}Ta doped HfO_2 bulk samples	149
Table3.8	Change in EFG parameters after relaxation of atomic position	152
Table4.1	Width of XRD peak for TiO_2 samples annealed at different temperatures	157
Table4.2	Description of the TiO_2 samples with annealing condition	158
Table4.3	TDPAC parameters for different samples	158
Table4.4	Grain sizes and phases present at different annealing temperatures	168
Table4.5	TDPAC parameters for different annealing conditions under 10 mbar O_2 pressure	182