

CONTENTS

SI No	Title	Page No.
1.	INTRODUCTION	1
2.	REVIEW OF LITERATURE	13
2.1	Vibrios	13
2.2.	Vibrios vis-à-vis Human disease	13
2.2.1.	<i>V. cholerae</i>	15
2.2.1.1.	Serotypes of <i>V. cholerae</i>	15
2.2.1.2.	<i>V.cholerae</i> O139	16
2.2.1.3.	Non O1 <i>V. cholerae</i>	17
2.2.1.4.	Sources of <i>V. cholerae</i>	18
2.2.1.5.	Cholera disease and predisposing factors	23
2.2.2.	<i>V.parahaemolyticus</i>	23
2.2.3.	<i>V. vulnificus</i>	26
2.2.4.	<i>V. alginolyticus</i>	29
2.2.5.	Other pathogenic <i>Vibrio spp.</i>	30
2.3.	Vibrios vis-à-vis Fish/Shrimp Disease	30
2.4.	Vibrios vis-à-vis post-harvest quality	40
2.5.	Identification of Vibrios	42
2.6.	PCR (Standard, Multiplex and Real Time PCR) methods for the detection of Vibrios	45
2.6.1.	PCR methods for pathogenic vibrio species	46
2.6.2.	Multiplex methods targeting more than one organism	48
2.6.3.	Real-Time PCR	49
2.7.	Growth Kinetics and Enzymatic activities of Vibrios	51
2.8.	Control of Vibrios	54
2.9.	DNA Fingerprinting of pathogenic Vibrios with special reference to <i>Vibrio cholerae</i>	57
2.9.1.	ERIC-PCR: Enterobacterial repetitive intergenic consensus (ERIC)	62
2.9.2.	REP-PCR (Repetitive Extragenic Palindromes)	64
2.9.3.	RS-PCR : Ribosomal Gene Spacer Sequence (RS)	65
2.10.	Cholera toxin and ctx genes	66
3.	MATERIALS AND METHODS	70
3.1.	Materials	70
3.1.1.	Hatchery Samples	70
3.1.2.	Aquaculture samples	70
3.1.3.	Bacteriological Media and cultures	70
3.1.4.	Chemicals / preservatives used for special studies	71
3.1.5.	Polymerase Chain Reaction chemicals	71
3.1.5.1.	Chemicals for DNA extraction	71
3.1.5.2.	PCR Components	72
3.1.5.3.	Agarose gel electrophoresis components	72
3.1.5.4.	Oligonucleotide primers used in the detection of pathogenic Vibrios	73

CONTENTS

3.1.5.5.	Primers for PCR typing of <i>V.cholerae</i>	74
3.1.5.6.	Primers for Real Time PCR for <i>V.cholerae</i>	74
3.1.5.7.	Real time PCR kit	75
3.1.6.	Equipment and software	75
3.2.	Methods	76
3.2.1.	Estimation of abiotic factors in water samples from hatcheries and aquaculture farms.	76
3.2.2.	Bacteriological analysis	76
3.2.2.1.	Quantitative analysis	76
3.2.2.1.1.	Preparation of sample	76
3.2.2.1.2.	Total Plate Counts (TPC)/ Aerobic Plate Count (APC)	77
3.2.2.1.3.	<i>E.coli</i>	77
3.2.2.1.4.	Total Vibrio Counts (TVC)	77
3.2.2.2.	Qualitative analysis of Vibrios	78
3.2.2.2.1.	Identification of pathogenic <i>Vibrios spp.</i>	78
3.2.2.2.2.	Scheme of Alsina and Blanch (1994)	78
3.2.2.2.3.	Noguerola and Blanch (2008) scheme	80
3.2.2.2.4.	Biochemical reactions of pathogenic Vibrios	82
3.2.2.2.5.	Biochemical tests for identification of pathogenic Vibrios isolated from shrimp hatcheries and aquaculture farms	83
3.2.2.2.5.1.	Grams staining	83
3.2.2.2.5.2.	Motility	83
3.2.2.2.5.3.	Cytochrome Oxidase test	83
3.2.2.2.5.4.	Nitrate reduction test	84
3.2.2.2.5.5.	Hugh and Leifson's oxidative / fermentative metabolism (H&L O/F) test	84
3.2.2.2.5.6.	Urease test	84
3.2.2.2.5.7.	Indole test	84
3.2.2.2.5.8.	Voges-Proskauer (VP) test	85
3.2.2.2.5.9.	Methyl Red (MR) test	85
3.2.2.2.5.10.	Citrate utilization test	85
3.2.2.2.5.11.	Triple Sugar Iron (TSI) and Kligler Iron Agar (KIA) reactions	85
3.2.2.2.5.12.	Sugar fermentation tests	85
3.2.2.2.5.13.	Amino Acid decarboxylase / dihydrolase test	86
3.2.2.2.5.14.	Sensitivity to O/129 vibriostat (2,4,-diamino-6,7-diisopropyl pteridine)	86
3.2.2.2.5.15.	Salt tolerance test	86
3.2.3.	Slide agglutination tests for identifying <i>V. cholerae</i> O1 and <i>V. cholerae</i> O139 and <i>V. cholerae</i> Non O1 and Non O139	86
3.2.4.	Biochemical characterization of Vibrios isolated from shrimp hatcheries and farms	87
3.2.4.1.	Utilization of sugars	87

CONTENTS

3.2.4.1.1.	Utilization of pentoses	87
3.2.4.1.2.	Utilization of hexoses	88
3.2.4.1.3.	Utilization of disaccharides	88
3.2.4.1.4.	Utilization of sugar derivatives	88
3.2.4.1.5.	Utilization of Glycogen	88
3.2.4.2.	Utilization of amino acids	88
3.2.4.3.	Enzyme activities of pathogenic Vibrios isolated from shrimp hatcheries and farms	88
3.2.4.3.1.	Determination of Amylolytic activity	88
3.2.4.3.2.	Determination of proteolytic activity	89
3.2.4.3.2.1.	Gelatin liquefaction	89
3.2.4.3.2.2.	Gelatin hydrolysis in agar medium	89
3.2.4.3.2.3.	Proteolytic activity against fish protein	90
3.2.4.3.2.4.	Proteolytic activity against shrimp protein	90
3.2.4.3.3.	Determination of DNase activity	90
3.2.4.3.4.	Determination of lipolytic activity	90
3.2.4.3.4.1.	Tributylin hydrolysis by pathogenic Vibrios	90
3.2.4.3.4.2.	Phospholipase activity of pathogenic Vibrios	90
3.2.4.3.5.	Determination of phosphatase activity	91
3.2.5.	Studies on growth kinetics of pathogenic Vibrios isolated from shrimp hatcheries and farms	91
3.2.5.1.	Effect of temperature on the growth of Vibrios isolated from shrimp hatcheries and farms	92
3.2.5.1.1.	Effect of temperature on the utilization of sugars by pathogenic Vibrios	92
3.2.5.1.2.	Effect of temperature on the utilization of amino acids by Vibrios	93
3.2.5.2.	Effect of pH on the growth of Vibrios isolated from shrimp hatcheries and farms	93
3.2.5.3.	Effect of salt on the growth of Vibrios isolated from shrimp hatcheries and farms	93
3.2.5.4.	Effect of salt on the enzymatic activities of pathogenic Vibrios isolated from shrimp hatcheries and farms	94
3.2.5.4.1.	Effect of salt on the amylolytic activity of pathogenic Vibrios	94
3.2.5.4.2.	Effect of salt on the proteolytic activity of pathogenic Vibrios	94
3.2.5.4.3.	Effect of salt on the DNase activity of pathogenic Vibrios	95
3.2.5.5.	Effect of salt on the swarming behaviour of <i>V.alginolyticus</i>	95
3.2.5.6.	Effect of salt on the utilization of sugars by pathogenic Vibrios	95
3.2.5.7.	Effect of salt on the utilization of amino acids by pathogenic Vibrios	96

CONTENTS

3.2.6.	Effect of preservatives/ chemicals on the growth of Vibrios isolated from shrimp hatcheries and farms	96
3.2.6.1.	Effect of potassium chloride (KCl) on the growth of pathogenic Vibrios	96
3.2.6.2.	Effect of potassium sorbate (C ₆ H ₇ O ₂ K) on the growth of pathogenic Vibrios	97
3.2.6.3.	Effect of sodium citrate (Na ₃ C ₆ H ₅ O ₇) on the growth of pathogenic Vibrios	97
3.2.6.4.	Effect of sodium tri polyphosphate (Na ₅ P ₃ O ₁₀ , STPP) on the growth of pathogenic Vibrios	97
3.2.7.	Molecular characterization of pathogenic Vibrios isolated from shrimp hatcheries and farms	98
3.2.7.1.	PCR for the detection of enterotoxigenic <i>V.cholerae</i>	98
3.2.7.2.	PCR for the detection of <i>V.cholerae</i> using species specific primers	99
3.2.7.3.	Duplex PCR for the simultaneous detection of <i>V. cholerae</i> and differentiation of cholera toxin producing <i>V. cholerae</i> isolates (<i>V. cholerae</i> -duplex PCR)	100
3.2.7.3.1.	End point dilution of <i>V. cholerae</i> -duplex PCR	101
3.2.7.4.	PCR for and <i>V. cholerae</i> O1 and <i>V. cholerae</i> O139	101
3.2.7.5.	PCR for the detection of <i>V. alginolyticus</i>	101
3.2.7.5.1.	End point dilution of <i>V. alginolyticus</i> PCR	102
3.2.7.6.	Duplex PCR for the <i>V. alginolyticus</i> using species specific and genus specific primers (<i>V. alginolyticus</i> -duplex PCR)	102
3.2.7.7.	PCR for detection of <i>V. vulnificus</i>	103
3.2.7.8.	PCR for detection of <i>V. parahaemolyticus</i>	103
3.2.7.9.	Multiplex PCR for the detection of pathogenic Vibrios viz., <i>V.cholerae</i> , <i>V. cholerae</i> (ctx), <i>V. alginolyticus</i> , <i>V. vulnificus</i> and <i>V. parahaemolyticus</i> (Pathogenic Vibrio-multiplex PCR)	104
3.2.7.9.1.	Multiplex PCR for pathogenic Vibrios using unknown cultures.	105
3.2.7.10.	PCR fingerprinting of <i>V.cholerae</i> isolates	105
3.2.7.11.	Real time PCR for <i>V.cholerae</i>	107
4.	RESULTS AND DISCUSSION	109
4.1.	Estimation of abiotic factors in water samples from hatcheries and aquaculture farms.	109
4.2.	Bacteriological analysis of hatchery and farm samples	109
4.2.1.	Quantitative analysis	109
4.2.1.1.	Total Plate Counts (TPC) / (Aerobic Plate Count APC) of hatchery and farm samples	109
4.2.1.2.	<i>Escherichia coli</i> (<i>E.coli</i>) in <i>P. monodon</i> hatcheries and aquaculture farms	111

CONTENTS

4.2.1.3.	Total Vibrio Counts (TVC) in <i>P. monodon</i> hatcheries and aquaculture farms	112
4.2.2.	Qualitative analysis of Vibrios isolated from shrimp hatcheries and aquaculture farms.	118
4.2.2.1.	Identification of pathogenic <i>Vibrio spp.</i> isolated from shrimp hatcheries and aquaculture farms.	118
4.2.2.1.1.	Incidence of pathogenic Vibrios in shrimp hatcheries	118
4.2.2.1.2.	Incidence of pathogenic Vibrios in aquaculture farms	120
4.2.3.	Slide agglutination tests for identification of <i>V. cholerae</i> O1 and <i>V. cholerae</i> O139 and <i>V. cholerae</i> Non O1 and Non O139	126
4.2.4.	Biochemical characterization of Vibrios isolated from aquaculture farms and hatcheries	126
4.2.4.1.	Biochemical reactions of pathogenic Vibrios isolated from shrimp hatcheries and farms used for biochemical studies	128
4.2.4.1.1.	Biochemical reactions of <i>V.cholerae</i> cultures isolated from aquaculture farms	128
4.2.4.1.2.	Biochemical reactions of <i>V.vulnificus</i> isolated from shrimp hatcheries	131
4.2.4.1.3.	Biochemical reactions of <i>V.alginolyticus</i> isolated from shrimp hatcheries and aquaculture farms	133
4.2.4.1.4.	Biochemical reactions of <i>V.parahaemolyticus</i> isolated from shrimp hatcheries	135
4.2.4.1.5.	Biochemical reactions of <i>V.harveyi</i> isolated from shrimp hatcheries.	137
4.2.4.2.	Utilization of sugars by vibrio cultures isolated from shrimp hatcheries and aquaculture farms	139
4.2.4.2.1.	Utilization of pentoses by Vibrio cultures isolated from shrimp culture system	140
4.2.4.2.2	Utilization of hexoses by Vibrio cultures isolated from shrimp culture system	140
4.2.4.2.3	Utilization of disaccharides by Vibrio cultures isolated from shrimp culture system	141
4.2.4.2.4.	Utilization of sugar derivatives by Vibrio cultures isolated from shrimp culture system	142
4.2.4.2.5	Utilization of Glycogen by Vibrio cultures isolated from shrimp culture system	143
4.2.4.4.	Utilization of amino acids by Vibrio cultures isolated from shrimp culture system	143
4.2.4.5.	Enzyme activities of pathogenic Vibrios isolated from hatcheries and farms	144

CONTENTS

4.2.4.5.1.	Determination of Amylolytic activity by <i>Vibrio</i> cultures isolated from shrimp culture system	145
4.2.4.5.2.	Determination of proteolytic activity by <i>Vibrio</i> cultures isolated from shrimp culture system	146
4.2.4.5.2.1.	Gelatin liquefaction by <i>Vibrio</i> cultures isolated from shrimp culture system	146
4.2.4.5.2.2.	Proteolytic activity (gelatin) by <i>Vibrio</i> cultures isolated from shrimp culture system	147
4.2.4.5.2.3.	Proteolytic activity of pathogenic <i>Vibrio</i> cultures on fish protein	148
4.2.4.5.2.4.	Proteolytic activity of pathogenic <i>Vibrios</i> on shrimp protein	150
4.2.4.5.3.	Determination of DNase activity of <i>Vibrio</i> cultures isolated from shrimp culture system	152
4.2.4.5.4.	Determination of lipolytic activity of <i>Vibrio</i> cultures isolated from shrimp culture system	153
4.2.4.5.5.	Determination of phosphatase activity of <i>Vibrio</i> cultures isolated from shrimp culture system	156
4.2.4.6.	Growth kinetics of pathogenic <i>Vibrios</i> cultures isolated from shrimp culture system	156
4.2.4.6.1.	Effect of temperature on the growth of pathogenic <i>Vibrio</i> cultures isolated from shrimp culture system	157
4.2.4.6.2.	Effect of pH on the growth of pathogenic <i>Vibrio</i> cultures isolated from shrimp culture system	158
4.2.4.6.3.	Effect of salt on the growth of pathogenic <i>Vibrio</i> cultures isolated from shrimp culture system	159
4.2.4.6.3.1.	Effect of salt on the growth of <i>V.cholerae</i> isolated from shrimp farm	159
4.2.4.6.3.2.	Effect of salt on the growth of <i>ctx</i> toxigenic <i>V.cholerae</i> isolated from farm water	161
4.2.4.6.3.3.	Effect of salt on the growth of <i>V.vulnificus</i> isolated from shrimp hatchery	163
4.2.4.6.3.4.	Effect of salt on the growth of <i>V.parahaemolyticus</i> isolated from shrimp hatchery	164
4.2.4.6.3.5.	Effect of salt on the growth of <i>V.alginolyticus</i> isolated from shrimp farm	167
4.2.4.7.	Effect of salt on the enzymatic activity pathogenic <i>Vibrio</i> cultures isolated from shrimp culture system	168
4.2.4.7.1	Effect of salt on the amylytic activity of pathogenic <i>Vibrio</i> cultures isolated from shrimp culture system	169
4.2.4.7.2	Effect of salt on the proteolytic activity of pathogenic <i>Vibrio</i> cultures isolated from shrimp culture system	170
4.2.4.7.3.	Effect of salt on the DNase activity pathogenic <i>Vibrio</i> cultures isolated from shrimp culture system	171

CONTENTS

4.2.4.8.	Effect of salt on the swarming behaviour of <i>V.alginolyticus</i> isolated from shrimp culture system	172
4.2.4.9.	Effect of salt on the utilization of sugars by pathogenic Vibrio cultures isolated from shrimp culture system	174
4.2.4.9.1.	Effect of salt on the utilization of sucrose by pathogenic Vibrios	174
4.2.4.9.2.	Effect of salt on the utilization of Mannitol by pathogenic Vibrios	177
4.2.4.9.3.	Effect of salt on the utilization of Cellobiose by <i>V.vulnificus</i> isolated from shrimp hatchery	179
4.2.4.10.	Effect of salt on the utilization of amino acids by pathogenic Vibrio cultures isolated from shrimp culture system	179
4.2.4.10.1	Effect of salt on the arginine dihydrolase activity of Vibrios	180
4.2.4.10.2.	Effect of salt on the lysine decarboxylase activity of Vibrios	182
4.2.4.10.3.	Effect of salt on the ornithine decarboxylase activity of Vibrios	184
4.2.4.11.	Effect of temperature on the utilization of sugars by pathogenic Vibrio cultures isolated from shrimp culture system	186
4.2.4.11.1.	Effect of temperature on the utilization of sucrose by pathogenic Vibrios	186
4.2.4.11.2.	Effect of temperature on the utilization of mannitol by pathogenic Vibrios	187
4.2.4.12.	Effect of temperature on the utilization of amino acids by pathogenic Vibrio cultures isolated from shrimp culture system	189
4.2.4.12.1.	Effect of temperature on the utilization of arginine by pathogenic Vibrios	189
4.2.4.12.2.	Effect of temperature on lysine decarboxylase activity by pathogenic Vibrios	190
4.2.4.12.3.	Effect of temperature on ornithine decarboxylase activity by pathogenic Vibrios	192
4.2.5.	Effect of preservatives/ chemicals on the growth of pathogenic Vibrio cultures isolated from shrimp culture system	194
4.2.5.1.	Effect of potassium chloride (KCl) on the growth of pathogenic Vibrio cultures isolated from shrimp culture system	194
4.2.5.2.	Effect of potassium sorbate ($C_6H_7O_2K$) on the growth of pathogenic Vibrio cultures isolated from shrimp culture system	195
4.2.5.3.	Effect of sodium citrate ($Na_3C_6H_5O_7$) on the growth of pathogenic Vibrio cultures isolated from shrimp culture system	196

CONTENTS

4.2.5.4.	Effect of sodium tri polyphosphate ($\text{Na}_5\text{P}_3\text{O}_{10}$, STPP) on the growth of pathogenic <i>Vibrio</i> cultures isolated from shrimp culture system	197
4.3.	Molecular characterization of pathogenic <i>Vibrios</i> isolated from shrimp hatchery and aquaculture farms	199
4.3.1.	PCR for the detection of enterotoxigenic <i>V.cholerae</i>	199
4.3.2.	PCR for the detection of <i>V.cholerae</i> using species specific primers	201
4.3.3.	<i>V.cholerae</i> -duplex PCR for the simultaneous detection of <i>V.cholerae</i> and differentiation of cholera toxin producing <i>V.cholerae</i> isolates	203
4.3.3.1.	End point dilution of <i>V.cholerae</i> -duplex PCR	209
4.3.4.	PCR for the detection of <i>V.alginolyticus</i>	210
4.3.4.1	End point dilution of <i>V.alginolyticus</i> PCR	212
4.3.5.	<i>V.alginolyticus</i> -duplex PCR for the using species specific and genus specific primers	213
4.3.6.	PCR for detection of <i>V.vulnificus</i>	214
4.3.7.	PCR for detection of <i>V.parahaemolyticus</i>	215
4.3.8.	Pathogenic <i>Vibrio</i> -Multiplex PCR for the detection of pathogenic <i>Vibrios</i> viz., <i>V.cholerae</i> , <i>V.cholerae</i> (<i>ctx</i>), <i>V.alginolyticus</i> , <i>V.vulnificus</i> and <i>V.parahaemolyticus</i>	216
4.3.8.1.	Multiplex PCR for pathogenic <i>Vibrios</i> using unknown culture	218
4.3.9.	PCR fingerprinting of <i>V.cholerae</i> isolates using RS-PCR, REP-PCR and ERIC-PCR	218
4.3.9.1.	RS-PCR targeting Ribosomal Gene Spacer Sequence	219
4.3.9.2.	REP-PCR targeting Repetitive Extragenic Palindromes	222
4.3.9.3.	ERIC-PCR targeting Enterobacterial repetitive intergenic consensus	225
4.3.9.4.	Similarity among patterns of the <i>V. cholerae</i> isolates from shrimp aquaculture farms obtained by three different PCR fingerprinting methods.	228
4.3.10.	Real time PCR for <i>V.cholerae</i>	229
4.3.10.1.	Real time PCR for <i>V.cholerae</i> using species specific primers	230
5	SUMMARY	234
	BIBLIOGRAPHY	246
	ANNEXURE	288
	LIST OF PUBLICATIONS BY THE AUTHOR	297