

LIST OF FIGURES

Figure No.	TITLE OF THE FIGURE	Page No.
Fig 1.1.	Growth of Indian Marine Exports	1
Fig 1.2a.	Indian Marine Exports -2007-08 (US \$ realization)	6
Fig 1.2b.	Indian Marine Exports – 2007-08 (Quantity wise)	6
Fig 3.1a.	Scheme of Alsina and Blanch (1994) for identification of <i>Vibrio species</i>	79
Fig 3.1b.	Scheme of Alsina and Blanch (1994) for identification of <i>Vibrio species</i>	80
Fig 3.2.	Initial key of the Nogueroles and Blanch (2008) scheme for identification of <i>Vibrio species</i>	81
Fig 4.1.	Vibrios on TCBS Agar	113
Fig 4.2.	Sucrose fermenting and Non-fermenting Vibrios in hatchery and aquaculture samples	117
Fig 4.3.	Distribution of <i>V.alginolyticus</i> in <i>P.monodon</i> Aquaculture farms	123
Fig 4.4.	Distribution of <i>V.cholerae</i> in <i>P.monodon</i> Aquaculture farms	124
Fig 4.5.	Autoclavable 96 well plastic plates for Sugar fermentation tests	139
Fig 4.6.	Amylolytic Activity on Starch Agar	145
Fig 4.7.	Proteolytic activity on Gelatin Agar	147
Fig 4.8.	Proteolytic Activity of <i>V.cholerae</i> on Fish Protein agar	149
Fig 4.9.	Proteolytic Activity on Shrimp Protein agar	150
Fig 10.	Proteolytic Activity of pathogenic Vibrios on different protein substrates	152
Fig 4.11.	DNase activity on DNase agar	153
Fig 4.12.	Phospholipase activity (lecithinase) on Egg Yolk agar	155
Fig 4.13.	Lipase and Phospholipase activity of pathogenic Vibrios	156
Fig 4.14.	Drop plate method on TCBS Agar for obtaining <i>V.cholerae</i> counts	159
Fig 4.15.	Effect of salt on the growth of <i>V.cholerae</i> isolated from shrimp farm	160
Fig 4.16.	Quantitative assessment of effect of salt on the growth of <i>V.cholerae</i> by employing the Drop Plate method on TCBS agar	160
Fig. 4.17.	Effect of salt on the growth of <i>ctx</i> toxigenic <i>V.cholerae</i>	161
Fig. 4.18.	Quantitative assessment of effect of salt on the growth of cholera toxinogenic <i>V.cholerae</i> by employing the Drop Plate method on TCBS agar	162
Fig. 4.19.	Effect of salt on the growth of <i>V.vulnificus</i> isolated from shrimp hatchery	163
Fig. 4.20.	Drop plate method on TCBS Agar for obtaining <i>V.parahaemolyticus</i> counts	164

Fig. 4.21.	Quantitative assessment of effect of salt on the growth of <i>V.parahaemolyticus</i> by employing the Drop Plate method on TCBS agar	165
Fig. 4.22.	Effect of salt on the growth of <i>V.parahaemolyticus</i> isolated from shrimp hatchery	165
Fig. 4.23.	Drop plate method on TCBS Agar for obtaining <i>V. alginolyticus</i> counts	167
Fig. 4.24.	Quantitative assessment of effect of salt on the growth of <i>V. alginolyticus</i> by employing the Drop Plate method on TCBS agar	167
Fig. 4.25.	Effect of salt on the growth of <i>V.alginolyticus</i> isolated from shrimp farm	168
Fig. 4.26.	Comparison of amylytic activity at different salt concentrations of pathogenic Vibrios isolated from shrimp culture system	169
Fig. 4.27.	Comparison of proteolytic activity of pathogenic Vibrios at different salt concentrations	170
Fig. 4.28.	Comparison of DNase activity of pathogenic Vibrios at different salt concentrations	171
Fig. 4.29.	Effect of salt on the swarming behaviour of <i>V.alginolyticus</i> (24 hours)	173
Fig. 4.30.	Effect of potassium chloride (KCl) on the growth of pathogenic Vibrios	194
Fig. 4.31.	Effect of potassium sorbate (C ₆ H ₇ O ₂ K) on the growth of pathogenic Vibrio cultures isolated from shrimp culture system	195
Fig. 4.32.	Effect of sodium citrate (Na ₃ C ₆ H ₅ O ₇) on the growth of pathogenic Vibrio cultures isolated from shrimp culture system	197
Fig. 4.33.	Effect of sodium tri polyphosphate (Na ₅ P ₃ O ₁₀ , STPP) on the growth of pathogenic Vibrio cultures isolated from shrimp culture system	198
Fig. 4.34.	PCR for the detection of enterotoxigenic <i>V.cholerae</i>	199
Fig. 4.35.	PCR for the detection of enterotoxigenic <i>V.cholerae</i> in shrimp aquaculture farms	200
Fig. 4.36.	Incidence of <i>ctx</i> positive <i>V.cholerae</i> in shrimp aquaculture farms	201
Fig. 4.37.	PCR for the detection of <i>V.cholerae</i> using species specific primers	202
Fig. 4.38.	Duplex PCR for the simultaneous detection of <i>V.cholerae</i> and differentiation of cholera toxin producing <i>V.cholerae</i> isolates	206
Fig. 4.39.	PCR for testing the O1 and O139 status of <i>ctx</i> bearing <i>V.cholerae</i> isolated from farm water	207

Fig. 4.40.	End point dilution of <i>V.cholerae</i> -duplex PCR	210
Fig. 4.41.	PCR for the detection of <i>V.alginolyticus</i>	211
Fig. 4.42.	End point dilution of <i>V.alginolyticus</i> PCR	212
Fig. 4.43.	<i>V.alginolyticus</i> -duplex PCR	213
Fig. 4.44.	PCR for detection of <i>V.vulnificus</i>	214
Fig. 4.45.	PCR for detection of <i>V.parahaemolyticus</i>	215
Fig. 4.46.	Pathogenic Vibrio-multiplex PCR	217
Fig. 4.47.	DNA finger print pattern of <i>V.cholerae</i> isolates from farms using RS-PCR	220
Fig. 4.48a.	Dendogram of <i>V.cholerae</i> isolates from farms using RS-PCR	221
Fig. 4.48b.	Dendograms of <i>V.cholerae</i> isolates from farms using RS-PCR	222
Fig. 4.49.	DNA finger print pattern of <i>V.cholerae</i> isolates from farms using REP-PCR	223
Fig. 4.50a.	Dendograms of <i>V.cholerae</i> isolates from farms using REP-PCR	224
Fig. 4.50b.	Dendograms of <i>V.cholerae</i> isolates from farms using REP-PCR	225
Fig. 4.51.	DNA finger print pattern of <i>V.cholerae</i> isolates from farms using ERIC-PCR	226
Fig. 4.52a.	Dendograms of <i>V.cholerae</i> isolates from farms using ERIC-PCR	227
Fig. 4.52b.	Dendograms of <i>V.cholerae</i> isolates from farms using ERIC-PCR	228
Fig. 4.53.	Real time PCR data Sheet for <i>V.cholerae</i> using species specific primers	231
Fig.4.54.	Melt curve analysis of the Real time PCR products obtained using <i>V.cholerae</i> species specific primers	232