

TABLE 41

## FEATURE AND FREQUENCY SCORES FOR HEALTH, EDUCATION AND RECREATION

SAS

----- IG=L -----

UBS	CFSC	SFFSC	ROFSC	HFSC1	CFRSC	SFFRSC	ROFRSC	HFRSC1
1	17	11	18	1.1711	40	28	36	0.5690
2	16	10	17	0.7318	40	28	36	0.5690
3	17	10	18	0.9950	60	42	54	1.4308
4	17	11	18	1.1711	40	28	36	0.5690
5	16	11	18	1.0114	20	14	18	-0.2928
6	16	10	18	0.8352	41	28	36	0.5633
7	17	10	18	0.9950	60	42	54	1.4308
8	16	10	18	0.8352	40	28	36	0.5690
9	16	10	18	0.8352	61	42	54	1.4451
10	13	10	18	0.3560	36	28	36	0.5118
11	16	8	18	0.4828	0	0	0	-1.1547
12	13	10	15	0.0457	36	28	30	0.4148
13	12	8	12	-0.7767	0	0	0	-1.1547
14	15	11	18	0.8517	20	15	18	-0.2725
15	12	11	12	-0.2481	0	0	0	-1.1547
16	13	10	13	-0.1611	20	14	18	-0.2928
17	12	8	12	-0.7767	0	0	0	-1.1547
18	17	11	18	1.1711	60	42	54	1.4308
19	16	10	16	0.6284	0	0	0	-1.1547
20	16	11	16	0.8045	60	42	54	1.4308
21	13	9	12	-0.4407	0	0	0	-1.1547
22	14	11	18	0.6919	36	28	36	0.5118
23	12	8	11	-0.8801	0	0	0	-1.1547
24	17	10	18	0.9950	61	42	54	1.4451
25	12	10	13	-0.3209	40	28	36	0.5690
26	16	10	18	0.8352	0	0	0	-1.1547
27	12	8	11	-0.8801	0	0	0	-1.1547
28	15	8	12	-0.2975	0	0	0	-1.1547
29	16	10	18	0.8352	40	28	36	0.5690
30	17	10	18	0.9950	0	0	0	-1.1547
31	8	7	3	-2.5227	0	0	0	-1.1547
32	15	10	18	0.6755	61	42	54	1.4451
33	14	11	13	0.1748	61	42	54	1.4451
34	14	6	9	-1.1199	0	0	0	-1.1547
35	15	10	18	0.6755	0	0	0	-1.1547
36	14	7	10	-0.8403	0	0	0	-1.1547
37	17	8	18	0.6426	61	42	54	1.4451
38	15	6	18	-0.0293	0	0	0	-1.1547
39	17	12	18	1.3473	60	0	54	0.5756
40	16	10	18	0.8352	60	42	54	1.4306
41	15	9	18	0.4993	61	42	54	1.4451
42	16	10	18	0.8352	61	42	54	1.4451
43	16	10	18	0.8352	60	45	54	1.4919
44	15	11	18	0.8517	20	14	18	-0.2928
45	15	8	18	0.3231	0	0	0	-1.1547
46	14	10	9	-0.4151	0	0	0	-1.1547
47	11	8	10	-1.1433	0	0	0	-1.1547
48	16	9	15	0.3487	0	0	0	-1.1547
49	12	6	15	-0.8188	15	14	15	-0.4128
50	10	9	10	-1.1268	19	14	15	-0.3556
51	11	6	15	-0.9785	16	12	15	-0.4392
52	12	5	14	-1.0984	15	12	15	-0.4535
53	13	9	15	-0.1305	55	42	45	1.2139
54	13	7	15	-0.4828	17	12	15	-0.4249

SAS

----- IG=L -----

OBS	CFSC	SFFSC	ROFSC	HFSC1	CFRSC	SFFRSC	ROFRSC	HFSCR1
55	16	10	14	0.4215	19	14	15	-0.3556
56	16	10	15	0.5249	38	26	30	0.4027
57	14	9	15	0.0293	19	13	15	-0.3760
58	15	9	18	0.4993	40	28	36	0.5690
59	11	7	15	-0.8023	18	12	15	-0.4106
60	15	10	18	0.6755	61	42	54	1.4451
61	18	8	18	0.8023	57	42	45	1.2425
62	15	10	18	0.6755	21	14	18	-0.2786
63	17	8	12	0.0220	0	0	0	-1.1547
64	11	8	12	-0.9364	0	0	0	-1.1547
65	11	11	15	-0.0975	60	42	54	1.4308
66	14	8	11	-0.5606	0	0	0	-1.1547
67	14	11	18	0.6919	43	28	36	0.6119
68	13	10	11	-0.3680	40	28	36	0.5690
69	18	10	18	1.1547	60	42	54	1.4308
70	14	5	13	-0.8823	0	0	0	-1.1547
71	14	9	18	0.3396	40	28	36	0.5690
72	14	6	18	-0.1890	0	0	0	-1.1547
73	15	10	18	0.6755	40	28	36	0.5690
74	15	7	18	0.1469	0	0	0	-1.1547
75	15	7	15	-0.1634	40	28	30	0.4720
76	15	9	18	0.4993	0	0	0	-1.1547
77	13	5	9	-1.4558	0	0	0	-1.1547
78	15	11	18	0.8517	40	28	36	0.5690
79	12	9	11	-0.7039	0	0	0	-1.1547
80	14	4	18	-0.5414	0	0	0	-1.1547
81	15	8	18	0.3231	40	28	36	0.5690
82	14	10	18	0.5158	40	28	36	0.5690
83	14	10	17	0.4123	41	28	34	0.5510
84	11	8	15	-0.6261	0	0	0	-1.1547
85	15	10	18	0.6755	40	28	36	0.5690
86	16	10	16	0.6284	21	14	18	-0.2786
87	14	10	18	0.5158	60	42	54	1.4308
88	14	6	12	-0.8096	0	0	0	-1.1547
89	15	8	18	0.3231	40	28	36	0.5690
90	14	6	17	-0.2924	0	0	0	-1.1547
91	13	7	17	-0.2760	46	36	44	0.9470
92	10	3	3	-2.9079	6	6	26	-0.5265
93	12	6	14	-0.9222	18	13	15	-0.3903
94	4	6	1	-3.5446	0	0	0	-1.1547
95	6	3	3	-3.5469	0	0	0	-1.1547
96	7	4	1	-3.4178	30	24	30	0.2477
97	13	12	12	0.0878	34	26	24	0.2486
98	15	12	16	0.8210	34	26	34	0.4102
99	10	9	14	-0.7131	55	36	45	1.0917
100	16	7	13	-0.2105	20	11	18	-0.3539
101	10	9	11	-1.0234	4	0	4	-1.0329
102	7	6	8	-2.3414	7	2	9	-0.8684
103	12	6	11	-1.2325	51	30	33	0.7184
104	14	8	14	-0.2503	37	18	30	0.2255
105	12	12	12	-0.0719	17	16	18	-0.2950
106	13	7	11	-0.8966	0	0	0	-1.1547
107	16	9	18	0.6590	60	42	54	1.4308
108	13	7	10	-1.0000	0	0	0	-1.1547

SAS

IG=L

OBS	CFSC	SFFSC	ROFSC	HFSC1	CFFRSC	SFFRSC	ROFRSC	HFRSC1
109	17	10	18	0.99495	60	42	54	1.4308
110	16	10	14	0.42150	20	14	18	-0.2928
111	14	11	14	0.27822	20	14	18	-0.2928
112	18	10	18	1.15468	40	28	36	0.5690
113	16	10	18	0.83522	60	42	54	1.4308
114	16	10	18	0.83522	60	42	54	1.4308
115	17	10	18	0.99495	60	42	54	1.4308
116	15	9	18	0.49930	60	28	54	1.1458
117	15	8	11	-0.40090	0	0	0	-1.1547
118	17	8	17	0.53915	0	0	0	-1.1547
119	16	11	18	1.01141	20	14	18	-0.2928
120	17	9	18	0.81876	60	42	54	1.4308

IG=L,M

OBS	CFSC	SFFSC	ROFSC	HFSC1	CFFRSC	SFFRSC	ROFRSC	HFRSC1
121	17	10	17	0.9613	60	42	54	1.61057
122	16	10	18	0.9335	40	28	36	0.76397
123	14	8	12	-0.3493	0	0	0	-0.92923
124	16	8	12	-0.0866	0	0	0	-0.92923
125	17	8	13	0.1483	0	0	0	-0.92923
126	18	10	18	1.1962	40	28	36	0.76397
127	16	10	18	0.9335	41	28	36	0.77806
128	18	10	18	1.1962	20	14	18	-0.08263
129	10	8	11	-0.9783	0	0	0	-0.92923
130	14	9	12	-0.1500	0	0	0	-0.92923
131	12	8	11	-0.7156	0	0	0	-0.92923
132	14	8	9	-0.6601	0	0	0	-0.92923
133	15	10	13	0.2842	20	14	18	-0.08263
134	14	10	15	0.3600	60	42	45	1.40826
135	12	8	12	-0.6120	0	0	0	-0.92923
136	12	10	12	-0.2134	20	14	18	-0.08263
137	16	10	18	0.9335	20	14	18	-0.08263
138	17	10	18	1.0649	60	42	54	1.61057
139	14	8	13	-0.2457	0	0	0	-0.92923
140	12	8	12	-0.6120	0	0	0	-0.92923
141	17	11	18	1.2641	0	0	0	-0.92923
142	14	10	18	0.6708	60	42	54	1.61057
143	17	10	18	1.0649	60	42	54	1.61057
144	17	10	18	1.0649	40	28	36	0.76397
145	13	11	18	0.7388	60	42	54	1.61057
146	16	10	18	0.9335	60	42	54	1.61057
147	16	10	18	0.9335	41	28	36	0.77806
148	14	8	11	-0.4529	0	0	0	-0.92923
149	11	8	12	-0.7433	0	0	0	-0.92923
150	12	8	14	-0.4048	0	0	0	-0.92923
151	15	10	18	0.8022	60	42	54	1.61057
152	14	12	18	1.0094	61	42	54	1.62466
153	15	8	18	0.4036	61	42	54	1.62466
154	6	8	4	-2.2288	0	0	0	-0.92923
155	15	8	11	-0.3215	0	0	0	-0.92923
156	16	10	18	0.9335	0	0	0	-0.92923

SAS

----- IG=L,M -----

OBS	CFSC	SFFSC	ROFSC	HFSC1	CFRSC	SFFRSC	ROFRSC	HFRSC1
157	7	7	3	-2.4003	0	0	0	-0.92923
158	16	10	15	0.6227	0	0	0	-0.92923
159	13	9	15	0.0294	51	36	45	1.22137
160	12	8	15	-0.3012	0	0	0	-0.92923
161	13	9	17	0.2366	20	14	18	-0.08263
162	12	5	11	-1.3134	0	0	0	-0.92923
163	15	7	12	-0.4172	0	0	0	-0.92923
164	16	10	18	0.9335	40	28	36	0.76397
165	14	7	12	-0.5486	0	0	0	-0.92923
166	16	7	11	-0.3895	0	0	0	-0.92923
167	18	10	18	1.1962	40	28	36	0.76397
168	15	7	12	-0.4172	0	0	0	-0.92923
169	14	10	18	0.6708	54	42	54	1.52600
170	17	9	18	0.8656	60	42	54	1.61057
171	15	9	8	-0.4330	0	0	0	-0.92923
172	14	9	12	-0.1500	0	0	0	-0.92923
173	14	10	18	0.6708	60	42	54	1.61057
174	17	7	18	0.4670	0	0	0	-0.92923
175	15	9	14	0.1885	0	0	0	-0.92923
176	15	8	18	0.4036	0	0	0	-0.92923
177	16	8	14	0.1206	0	0	0	-0.92923
178	17	8	12	0.0447	0	0	0	-0.92923
179	15	10	11	0.0770	0	0	0	-0.92923
180	15	8	12	-0.2179	0	0	0	-0.92923
181	15	8	16	0.1964	40	28	30	0.66909
182	16	8	18	0.5350	20	14	18	-0.08263
183	11	6	11	-1.2455	0	0	0	-0.92923
184	15	10	18	0.8022	40	28	36	0.76397
185	16	7	13	-0.1823	20	14	15	-0.13007
186	15	7	17	0.1007	60	42	45	1.46826
187	17	10	16	0.8577	33	28	0	0.09607
188	16	10	18	0.9335	60	42	54	1.61057
189	12	9	12	-0.4127	0	0	0	-0.92923
190	13	11	15	0.4280	36	28	30	0.61272
191	13	7	14	-0.4727	60	42	45	1.46826
192	15	11	18	1.0015	41	28	33	0.73062
193	15	8	18	0.4036	18	14	15	-0.15826
194	9	6	9	-1.7154	0	0	0	-0.92923
195	16	7	18	0.3357	0	0	0	-0.92923
196	13	10	15	0.2287	36	28	30	0.61272
197	14	5	12	-0.9471	0	0	0	-0.92923
198	15	10	18	0.8022	60	42	45	1.46826
199	15	5	18	-0.1942	0	0	0	-0.92923
200	16	8	16	0.3278	36	28	32	0.64434
201	15	7	18	0.2043	21	14	18	-0.08854
202	14	5	11	-1.0507	0	0	0	-0.92923
203	15	8	13	-0.1144	41	28	34	0.74644
204	15	10	18	0.8022	40	28	36	0.76397
205	14	8	12	-0.3493	0	0	0	-0.92923
206	17	9	18	0.8656	60	42	54	1.61057
207	14	9	13	-0.0464	18	14	15	-0.15826
208	10	7	11	-1.1775	0	0	0	-0.92923
209	16	9	18	0.7342	20	14	18	-0.08263
210	14	6	12	-0.7478	0	0	0	-0.92923

SAS

----- IG=L.M -----

OBS	CFSC	SFFSC	ROFSC	HFSC1	CFFRSC	SFFRSC	ROFRSC	HFSC1
211	8	9	9	-1.2489	0	0	0	-0.92923
212	10	6	8	-1.6876	0	0	0	-0.92923
213	7	7	5	-2.1932	42	36	45	1.09452
214	6	6	5	-2.5238	42	36	45	1.09452
215	9	7	10	-1.4125	32	16	22	0.18976
216	1	0	0	-4.8941	0	0	0	-0.92923
217	13	9	13	-0.1778	38	24	34	0.62413
218	9	9	12	-0.8067	40	24	36	0.68394
219	15	8	17	0.3000	0	0	0	-0.92923
220	17	11	17	1.1606	34	22	32	0.49611
221	17	7	17	0.3634	16	10	12	-0.31391
222	9	6	10	-1.6118	32	18	24	0.26140
223	14	7	14	-0.3414	48	24	45	0.93900
224	7	8	6	-1.8903	0	0	0	-0.92923
225	16	9	12	0.1127	16	10	10	-0.34554
226	18	11	18	1.3955	20	14	18	-0.08263
227	11	10	10	-0.5520	0	0	0	-0.92923
228	10	7	13	-0.9704	0	0	0	-0.92923
229	17	10	18	1.0649	60	42	54	1.61057
230	17	10	18	1.0649	20	14	18	-0.08263
231	13	8	12	-0.4806	0	0	0	-0.92923
232	18	12	18	1.5948	60	42	54	1.61057
233	16	9	18	0.7342	60	42	54	1.61057
234	14	7	11	-0.6522	0	0	0	-0.92923
235	15	8	12	-0.2179	0	0	0	-0.92923
236	15	11	18	1.0015	60	42	54	1.61057
237	15	12	18	1.2007	0	0	0	-0.92923
238	15	11	18	1.0015	40	28	36	0.76397
239	14	11	18	0.8701	40	28	36	0.76397
240	17	8	10	-0.1624	0	0	0	-0.92923

SAS

IG=L

DEP VARIABLE: HFRSC1

ANALYSIS OF VARIANCE

SOURCE	DF	SUM OF SQUARES	MEAN SQUARE	F VALUE	PROB>F
MODEL	1	32.71735105	32.71735105	44.744	0.0001
ERROR	118	86.28264895	0.73120889		
C TOTAL	119	119.00000000			
ROOT MSE		0.8551075	R-SQUARE	0.2749	
DEP MEAN		-1.61908E-17	ADJ R-SQ	0.2688	
C.V.		.			

PARAMETER ESTIMATES

VARIABLE	DF	PARAMETER ESTIMATE	STANDARD ERROR	T FOR H0: PARAMETER=0	PROB > T
INTERCEP	1	-7.57996E-18	0.07806026	-0.000	1.0000
HFRSC1	1	0.52434313	0.07838756	6.689	0.0001

SAS

IG=L.M

DEP VARIABLE: HFRSC1

ANALYSIS OF VARIANCE

SOURCE	DF	SUM OF SQUARES	MEAN SQUARE	F VALUE	PROB>F
MODEL	1	27.61990785	27.61990785	35.666	0.0001
ERROR	118	91.38009215	0.77440756		
C TOTAL	119	119.00000000			
ROOT MSE		0.8800043	R-SQUARE	0.2321	
DEP MEAN		7.63278E-18	ADJ R-SQ	0.2256	
C.V.		.			

PARAMETER ESTIMATES

VARIABLE	DF	PARAMETER ESTIMATE	STANDARD ERROR	T FOR H0: PARAMETER=0	PROB > T
INTERCEP	1	-1.19814E-18	0.08033303	-0.000	1.0000
HFRSC1	1	0.48176765	0.08066986	5.972	0.0001

SAS

----- IG=L -----

OBS	CFSC	SFFSC	ROFSC	EFSC1	CFRSC	SFFRSC	ROFRSC	EFRSC1
1	8	6	24	1.2471	39	27	75	1.24316
2	5	5	3	-0.3257	0	0	0	-0.84581
3	7	6	22	1.0144	42	27	75	1.29473
4	4	4	7	-0.7118	1	0	0	-0.82862
5	5	5	2	-0.3708	1	0	0	-0.82862
6	6	4	4	-0.3366	0	0	0	-0.84581
7	11	7	25	1.9181	42	27	75	1.29473
8	4	3	2	-0.9103	0	0	0	-0.84581
9	4	3	4	-0.8201	42	27	75	1.29473
10	3	5	2	-0.6557	0	0	0	-0.84581
11	4	3	2	-0.9103	28	18	50	0.58121
12	5	3	2	-0.7678	0	0	0	-0.84581
13	5	7	3	0.0713	39	27	75	1.24316
14	5	3	7	-0.7678	0	0	0	-0.84581
15	3	6	2	-0.4573	0	0	0	-0.84581
16	5	3	1	-0.8129	0	0	0	-0.84581
17	4	5	7	-0.5133	39	27	75	1.24316
18	4	6	4	-0.2246	42	27	75	1.29473
19	2	3	2	-1.1952	0	0	0	-0.84581
20	5	5	4	-0.2806	39	21	75	1.08470
21	3	2	3	-1.2061	0	0	0	-0.84581
22	3	3	2	-1.0527	1	0	0	-0.82862
23	4	5	3	-0.4682	42	27	75	1.29473
24	3	6	2	-0.4573	0	0	0	-0.84581
25	3	5	5	-0.5205	40	24	75	1.18112
26	1	4	2	-1.1392	0	0	0	-0.84581
27	3	3	2	-1.0527	1	0	0	-0.82862
28	5	3	2	-0.7678	1	0	0	-0.82862
29	4	5	4	-0.4231	39	27	75	1.24316
30	3	3	2	-1.0527	0	0	0	-0.84581
31	4	6	2	-0.3148	0	0	0	-0.84581
32	10	8	25	1.9741	0	0	0	-0.84581
33	7	7	2	0.3112	0	0	0	-0.84581
34	3	7	2	-0.2588	0	0	0	-0.84581
35	5	7	2	0.0262	0	0	0	-0.84581
36	4	8	2	0.0822	0	0	0	-0.84581
37	6	8	25	1.4042	1	0	0	-0.82862
38	11	8	25	2.1166	0	0	0	-0.84581
39	8	7	5	0.5889	39	36	75	1.48086
40	6	8	3	0.4123	42	27	75	1.29473
41	6	6	2	-0.0298	0	0	0	-0.84581
42	3	8	2	-0.0603	0	0	0	-0.84581
43	5	8	1	0.1796	0	0	0	-0.84581
44	11	8	25	2.1166	0	0	0	-0.84581
45	10	8	25	1.9741	42	27	75	1.29473
46	3	7	3	-0.2137	42	27	75	1.29473
47	6	6	3	0.0153	42	27	75	1.29473
48	5	8	7	0.2247	0	0	0	-0.84581
49	7	6	24	1.1046	1	0	0	-0.82862
50	9	8	6	0.9750	0	27	75	0.57286
51	6	8	24	1.3591	42	27	75	1.29473
52	12	8	25	2.2591	0	0	0	-0.84581
53	5	6	4	0.3149	40	27	75	1.26035
54	2	5	1	-0.8433	0	0	0	-0.84581

SAS

----- IG=L -----

OBS	CFSC	SFFSC	ROFSC	EFSC1	CFFRSC	SFFRSC	ROFRSC	EFRSC1
55	10	7	1	0.6935	14	9	25	-0.13230
56	10	8	25	1.9741	1	0	0	-0.82862
57	6	8	25	1.4042	52	27	75	1.46660
58	12	8	25	2.2591	42	27	75	1.29473
59	9	7	25	1.6331	40	27	75	1.26035
60	9	8	25	1.8316	40	27	75	1.26035
61	9	5	22	1.1009	41	27	75	1.27754
62	3	3	1	-1.0978	0	0	0	-0.84581
63	7	4	1	-0.3294	1	0	0	-0.82862
64	4	4	2	-0.7118	0	0	0	-0.84581
65	2	2	2	-1.3937	0	0	0	-0.84581
66	3	3	1	-1.0978	0	0	0	-0.84581
67	1	4	1	-1.1843	1	0	0	-0.82862
68	6	6	6	0.1505	40	21	75	1.10189
69	2	6	25	0.4373	42	27	75	1.29473
70	2	4	3	-0.9516	1	0	0	-0.82862
71	2	4	3	-0.9516	0	0	0	-0.84581
72	2	5	2	-0.7982	2	0	0	-0.81144
73	2	5	2	-0.7982	0	0	0	-0.84581
74	2	5	2	-0.7982	1	0	0	-0.82862
75	2	4	2	-0.9967	1	0	0	-0.82862
76	3	4	2	-0.8542	0	0	0	-0.84581
77	6	4	2	-0.4268	0	0	0	-0.84581
78	4	4	24	0.2801	0	0	0	-0.84581
79	5	4	2	-0.5693	0	0	0	-0.84581
80	6	4	8	-0.1563	0	0	0	-0.84581
81	3	4	2	-0.8542	0	0	0	-0.84581
82	4	4	2	-0.7118	0	0	0	-0.84581
83	6	7	24	1.1606	40	24	75	1.18112
84	9	5	24	1.1910	0	0	0	-0.84581
85	5	4	2	-0.5693	14	7	25	-0.18512
86	3	5	2	-0.6557	1	0	0	-0.82862
87	3	5	2	-0.6557	0	0	0	-0.84581
88	4	4	3	-0.6667	0	0	0	-0.84581
89	2	4	2	-0.9967	1	0	0	-0.82862
90	4	7	4	-0.0261	1	24	75	0.51082
91	10	6	16	1.1713	34	21	75	0.99876
92	0	0	0	-2.1658	0	0	0	-0.84581
93	4	7	19	0.6502	13	9	25	-0.14949
94	5	6	3	-0.1272	45	24	75	1.26705
95	2	3	2	-1.1952	40	30	75	1.33958
96	8	4	1	-0.1869	39	24	75	1.16393
97	10	3	1	-0.1005	0	0	0	-0.84581
98	9	3	0	-0.2880	0	0	0	-0.84581
99	11	6	23	1.6294	45	30	75	1.42552
100	6	6	5	0.1054	45	24	75	1.26705
101	8	9	23	1.7975	35	27	75	1.17442
102	10	6	5	0.8106	42	24	75	1.21549
103	3	0	0	-1.7384	0	0	0	-0.84581
104	9	4	20	0.8122	14	8	25	-0.15871
105	5	4	2	-0.5693	1	0	0	-0.82862
106	5	6	4	-0.0821	42	27	75	1.29473
107	5	7	3	0.0713	14	9	25	-0.13230
108	6	5	4	-0.1381	14	8	25	-0.15871



SAS

IG=L

OBS	CFSC	SFFSC	ROFSC	EFSC1	CFRSC	SFFRSC	ROFRSC	EFRSC1
109	2	3	4	-1.1050	1	0	0	-0.82862
110	1	4	1	-1.1843	0	0	0	-0.84581
111	7	6	4	0.2028	42	27	75	1.29473
112	3	6	5	-0.3220	39	27	75	1.24316
113	9	5	25	1.2361	40	27	75	1.26035
114	7	6	9	0.4283	42	27	75	1.29473
115	12	7	25	2.0606	39	27	75	1.24316
116	6	6	4	0.0604	39	27	75	1.24316
117	3	4	3	-0.8092	0	0	0	-0.84581
118	3	7	4	-0.1686	39	27	75	1.24316
119	4	7	6	0.0641	42	27	75	1.29473
120	11	6	19	1.4491	42	27	72	1.26650

IG=L.M

OBS	CFSC	SFFSC	ROFSC	EFSC1	CFRSC	SFFRSC	ROFRSC	EFRSC1
121	8	4	3	0.2710	0	0	0	-0.51489
122	7	5	25	1.5473	1	0	0	-0.49409
123	4	4	6	-0.2087	0	0	0	-0.51489
124	3	4	2	-0.5920	0	0	0	-0.51489
125	3	4	3	-0.5366	1	0	0	-0.49409
126	3	5	2	-0.3741	0	0	0	-0.51489
127	3	5	4	-0.2632	39	27	75	2.02146
128	2	3	2	-0.9714	0	0	0	-0.51489
129	4	4	2	-0.4305	0	0	0	-0.51489
130	4	2	2	-0.8662	0	0	0	-0.51489
131	3	3	2	-0.8099	0	0	0	-0.51489
132	2	4	2	-0.7535	1	0	0	-0.49409
133	2	3	2	-0.9714	0	0	0	-0.51489
134	6	6	24	1.5482	40	27	75	2.04226
135	4	3	2	-0.6484	0	0	0	-0.51489
136	3	3	2	-0.8099	1	0	0	-0.49409
137	11	4	24	1.9200	1	0	0	-0.49409
138	2	4	2	-0.7535	1	0	0	-0.49409
139	3	3	3	-0.7544	0	0	0	-0.51489
140	3	5	3	-0.3187	0	0	0	-0.51489
141	5	5	3	0.0043	1	0	0	-0.49409
142	2	2	2	-1.1892	0	0	0	-0.51489
143	3	5	2	-0.3741	1	0	0	-0.49409
144	9	5	24	1.8148	42	27	75	2.08385
145	4	6	23	1.1697	42	27	75	2.08385
146	3	4	2	-0.5920	0	0	0	-0.51489
147	10	5	25	2.0318	30	18	50	1.25920
148	2	3	2	-0.9714	0	0	0	-0.51489
149	4	5	3	-0.1572	1	0	0	-0.49409
150	3	3	2	-0.8099	0	0	0	-0.51489
151	7	4	2	0.0540	1	0	0	-0.49409
152	10	8	25	2.6854	45	27	75	2.14625
153	8	8	4	1.1979	43	27	75	2.10465
154	5	8	2	0.6025	0	0	0	-0.51489
155	8	6	3	0.7067	1	0	0	-0.49409
156	8	7	2	0.8691	1	0	0	-0.49409

SAS

IG=L.M

OBS	CFSC	SFFSC	ROFSC	EFSC1	CFFRSC	SFFRSC	ROFRSC	EFRSC1
157	2	7	7	-0.09992	0	0	0	-0.51489
158	4	6	2	0.00524	0	0	0	-0.51489
159	6	7	25	1.82149	2	0	0	-0.47329
160	7	8	21	1.97907	1	0	0	-0.49409
161	6	5	3	0.16584	0	0	0	-0.51489
162	5	6	2	0.16675	0	0	0	-0.51489
163	4	6	0	-0.10567	0	0	0	-0.51489
164	12	8	25	3.00842	42	27	75	2.08385
165	7	6	8	0.82247	1	0	0	-0.49409
166	3	6	3	-0.10082	1	0	0	-0.49409
167	5	6	3	0.22220	0	0	0	-0.51489
168	6	7	3	0.60157	0	0	0	-0.51489
169	4	7	2	0.27310	13	9	25	0.33056
170	3	5	3	-0.31869	1	0	0	-0.49409
171	6	5	5	0.27674	0	0	0	-0.51489
172	2	4	2	-0.75352	1	0	0	-0.49409
173	3	5	2	-0.37414	1	0	0	-0.49409
174	6	5	24	1.33031	39	27	75	2.02146
175	5	5	3	0.00433	0	0	0	-0.51489
176	4	5	2	-0.21263	0	0	0	-0.51489
177	11	5	24	2.13786	0	0	0	-0.51489
178	3	6	6	0.06553	42	27	75	2.08385
179	2	4	3	-0.69807	0	0	0	-0.51489
180	2	4	2	-0.75352	0	0	0	-0.51489
181	2	4	2	-0.75352	0	0	0	-0.51489
182	2	4	2	-0.75352	1	0	0	-0.49409
183	2	4	2	-0.75352	1	0	0	-0.49409
184	2	4	2	-0.75352	1	0	0	-0.49409
185	2	4	2	-0.75352	1	0	0	-0.49409
186	3	6	5	0.01008	40	21	75	1.84641
187	2	4	3	-0.69807	2	0	0	-0.47329
188	2	4	0	-0.86442	0	0	0	-0.51489
189	5	6	6	0.38855	40	21	75	1.84641
190	5	7	9	0.77277	39	24	75	1.92354
191	8	6	13	1.26124	40	21	75	1.84641
192	2	4	2	-0.75352	1	0	0	-0.49409
193	3	4	3	-0.53656	1	0	0	-0.49409
194	3	5	4	-0.26374	39	21	75	1.82561
195	7	4	2	-0.75352	1	0	0	-0.49409
196	2	4	2	-0.75352	2	0	0	-0.47329
197	2	4	2	-0.75352	1	0	0	-0.49409
198	5	5	19	0.89154	40	21	75	1.84641
199	2	4	4	-0.64262	1	0	0	-0.49409
200	2	4	2	-0.75352	1	0	0	-0.49409
201	4	4	3	-0.37504	1	0	0	-0.49409
202	2	5	2	-0.53565	1	0	0	-0.49409
203	2	4	2	-0.75352	1	0	0	-0.49409
204	1	4	2	-0.91503	2	0	0	-0.47329
205	2	4	1	-0.80897	0	0	0	-0.51489
206	2	4	7	-0.75352	2	0	0	-0.47329
207	7	4	1	-0.80897	0	0	0	-0.51489
208	2	4	3	-0.69807	1	0	0	-0.49409
209	2	4	2	-0.75352	2	0	0	-0.47329
210	2	4	2	-0.75352	0	0	0	-0.51489

SAS

IG=L.M

OBS	CFSC	SFFSC	ROFSC	EFSC1	CFRSC	SFFRSC	ROFRSC	EFRSC1
211	5	4	2	-0.2690	0	0	0	-0.51489
212	6	2	0	-0.6541	0	0	0	-0.51489
213	3	2	2	-1.0277	0	0	0	-0.51489
214	5	3	2	-0.4868	0	0	0	-0.51489
215	9	3	4	0.2701	0	0	0	-0.51489
216	3	0	0	-1.5744	0	0	0	-0.51489
217	6	7	7	0.8234	40	27	75	2.04226
218	8	7	8	1.2019	37	27	75	1.97986
219	5	5	3	0.0043	2	0	0	-0.47329
220	11	4	20	1.6982	41	27	69	1.99554
221	5	4	2	-0.2690	2	0	0	-0.47329
222	0	0	0	-2.0589	0	0	0	-0.51489
223	4	5	1	-0.2681	0	0	0	-0.51489
224	1	0	6	-1.5647	0	0	0	-0.51489
225	6	3	5	-0.1590	1	0	0	-0.49409
226	9	4	22	1.4861	1	0	0	-0.49409
227	2	6	1	-0.3732	0	0	0	-0.51489
228	3	4	2	-0.5920	0	0	0	-0.51489
229	12	5	24	2.2994	42	27	75	2.08385
230	5	6	3	0.2222	0	0	0	-0.51489
231	4	4	1	-0.4859	0	0	0	-0.51489
232	11	7	24	2.5736	42	27	75	2.08385
233	8	6	2	0.6513	0	0	0	-0.51489
234	4	2	2	-0.8662	0	0	0	-0.51489
235	6	4	3	-0.0520	1	0	0	-0.49409
236	6	6	4	0.4392	42	27	75	2.08385
237	11	6	25	2.4112	42	27	75	2.08385
238	5	5	4	0.0598	42	27	75	2.08385
239	2	5	2	-0.5357	0	0	0	-0.51489
240	4	5	2	-0.2126	1	0	0	-0.49409

SAS

IG=L

DEP VARIABLE: EFRSC1

## ANALYSIS OF VARIANCE

SOURCE	DF	SUM OF SQUARES	MEAN SQUARE	F VALUE	PROB>F
MODEL	1	23.30580681	23.30580681	28.738	0.0001
ERROR	118	95.69419319	0.81096774		
C TOTAL	119	119.00000000			
ROOT MSE		0.9005375	R-SQUARE	0.1958	
DEP MEAN		2.31296E-19	ADJ R-SQ	0.1890	
C.V.		.			

## PARAMETER ESTIMATES

VARIABLE	DF	PARAMETER ESTIMATE	STANDARD ERROR	T FOR H0: PARAMETER=0	PROB > T
INTERCEP	1	3.50680E-18	0.08220745	0.000	1.0000
FFSC1	1	0.44254617	0.08255213	5.361	0.0001

SAS

IG=L,M

DEP VARIABLE: EFRSC1

## ANALYSIS OF VARIANCE

SOURCE	DF	SUM OF SQUARES	MEAN SQUARE	F VALUE	PROB>F
MODEL	1	44.98034334	44.98034334	71.706	0.0001
ERROR	118	74.01965666	0.62728523		
C TOTAL	119	119.00000000			
ROOT MSE		0.7920134	R-SQUARE	0.3780	
DEP MEAN		-1.99493E-17	ADJ R-SQ	0.3727	
C.V.		.			

## PARAMETER ESTIMATES

VARIABLE	DF	PARAMETER ESTIMATE	STANDARD ERROR	T FOR H0: PARAMETER=0	PROB > T
INTERCEP	1	-2.35399E-17	0.0723006	-0.000	1.0000
FFSC1	1	0.61480572	0.07260375	8.468	0.0001

SAS

IG=L

OBS	CFSC	SFFSC	ROFSC	RFSC1	CFRSC	SFFRSC	ROFRSC	RFRSC1
1	19	3	10	0.1690	0	0	0	-0.76858
2	20	4	10	0.4329	0	0	0	-0.76858
3	19	4	10	0.2467	0	0	0	-0.76858
4	19	4	10	0.2467	22	10	10	0.92193
5	19	3	10	0.1690	22	10	10	0.92193
6	19	3	10	0.1690	0	0	0	-0.76858
7	19	4	10	0.2467	0	0	0	-0.76858
8	19	2	10	0.0912	0	0	0	-0.76858
9	19	2	10	0.0912	28	10	10	1.07776
10	19	3	10	0.1690	0	0	0	-0.76858
11	19	4	10	0.2467	0	0	0	-0.76858
12	19	2	10	0.0912	0	0	0	-0.76858
13	19	4	10	0.2467	0	0	0	-0.76858
14	18	3	10	-0.0171	22	10	10	0.92193
15	19	2	10	0.0912	0	0	0	-0.76858
16	19	2	10	0.0912	0	0	0	-0.76858
17	19	2	10	0.0912	0	0	0	-0.76858
18	19	1	10	0.0135	0	0	0	-0.76858
19	19	3	10	0.1690	0	0	0	-0.76858
20	19	3	10	0.1690	0	0	0	-0.76858
21	19	3	10	0.1690	0	0	0	-0.76858
22	19	4	10	0.2467	22	10	10	0.92193
23	19	3	10	0.1690	0	0	0	-0.76858
24	19	3	10	0.1690	0	0	0	-0.76858
25	19	3	10	0.1690	0	0	0	-0.76858
26	19	3	10	0.1690	0	0	0	-0.76858
27	19	5	10	0.3245	22	10	10	0.92193
28	19	4	10	0.2467	22	10	10	0.92193
29	19	2	10	0.0912	0	0	0	-0.76858
30	19	3	10	0.1690	0	0	0	-0.76858
31	19	3	10	0.1690	0	0	0	-0.76858
32	21	5	10	0.6967	22	10	10	0.92193
33	18	4	10	0.0606	0	0	0	-0.76858
34	19	5	10	0.3245	22	10	10	0.92193
35	19	3	10	0.1690	0	0	0	-0.76858
36	22	5	10	0.8829	22	10	10	0.92193
37	19	4	10	0.2467	0	0	0	-0.76858
38	19	6	10	0.4023	0	0	0	-0.76858
39	19	4	10	0.2467	22	10	10	0.92193
40	19	4	10	0.2467	0	0	0	-0.76858
41	19	4	10	0.2467	22	10	10	0.92193
42	19	3	10	0.1690	0	0	0	-0.76858
43	19	5	10	0.3245	0	0	0	-0.76858
44	20	4	10	0.4329	0	0	0	-0.76858
45	18	5	10	0.1384	0	0	0	-0.76858
46	18	4	10	0.0606	0	0	0	-0.76858
47	19	5	10	0.3245	0	0	0	-0.76858
48	19	4	10	0.2467	22	10	10	0.92193
49	5	1	7	-3.7970	0	0	0	-0.76858
50	18	6	10	0.2161	22	9	10	0.80738
51	19	3	10	0.1690	0	0	3	-0.57647
52	19	3	10	0.1690	0	0	0	-0.76858
53	19	3	10	0.1690	0	0	0	-0.76858
54	20	4	10	0.4329	26	10	10	1.02581

SAS

IG=L

OBS	CFSC	SFFSC	ROFSC	RFSC1	CFRSC	SFFRSC	ROFRSC	RFRSC1
55	19	10	10	0.7133	22	10	10	0.92193
56	24	10	10	1.6439	28	10	10	1.07776
57	21	6	10	0.7745	22	10	10	0.92193
58	18	5	10	0.1384	0	0	0	-0.76858
59	21	5	9	0.2951	22	10	10	0.92193
60	19	10	10	0.7133	22	10	10	0.92193
61	20	5	9	0.1090	22	10	10	0.92193
62	19	2	10	0.0912	22	9	10	0.86738
63	19	2	10	0.0912	22	10	10	0.92193
64	19	3	10	0.1690	0	0	0	-0.76858
65	18	2	10	-0.0949	0	0	0	-0.76858
66	19	4	10	0.2467	22	10	10	0.92193
67	19	5	10	0.3245	22	10	10	0.92193
68	19	6	10	0.4023	22	10	10	0.92193
69	19	5	10	0.3245	0	0	0	-0.76858
70	19	4	10	0.2467	22	10	10	0.92193
71	19	4	9	-0.1549	0	0	0	-0.76858
72	20	3	8	-0.4481	44	18	20	2.50334
73	19	3	9	-0.2326	0	0	0	-0.76858
74	19	5	10	0.3245	0	0	0	-0.76858
75	19	4	10	0.2467	22	10	10	0.92193
76	19	4	10	0.2467	0	0	0	-0.76858
77	19	5	10	0.3245	0	0	0	-0.76858
78	19	3	10	0.1690	0	0	0	-0.76858
79	19	5	10	0.3245	0	0	0	-0.76858
80	19	3	9	-0.2326	0	0	0	-0.76858
81	19	3	10	0.1690	0	0	0	-0.76858
82	19	5	10	0.3245	0	0	0	-0.76858
83	19	6	10	0.4023	22	10	10	0.92193
84	19	4	10	0.2467	0	0	0	-0.76858
85	19	6	10	0.4023	22	10	10	0.92193
86	19	6	10	0.4023	22	10	10	0.92193
87	19	5	9	-0.0771	0	0	0	-0.76858
88	19	4	10	0.2467	22	10	10	0.92193
89	19	4	10	0.2467	3	0	0	-0.69066
90	19	4	10	0.2467	0	0	0	-0.76858
91	22	7	9	0.6368	42	27	16	2.71283
92	11	2	6	-3.0042	0	0	0	-0.76858
93	15	6	7	-1.5470	0	0	0	-0.76858
94	12	5	9	-1.3799	16	5	0	-0.06031
95	16	0	10	-0.6227	0	0	0	-0.76858
96	17	5	10	-0.0477	15	9	10	0.68558
97	14	0	8	-1.7981	5	0	0	-0.63872
98	18	0	6	-1.8568	0	0	0	-0.76858
99	18	5	10	0.1384	0	0	0	-0.76858
100	18	7	8	-0.5093	13	27	19	2.13176
101	20	7	10	0.6663	28	27	30	3.15239
102	7	8	4	-4.0853	0	0	0	-0.76858
103	0	3	0	-7.3834	0	0	0	-0.76858
104	18	7	10	0.2939	21	8	10	0.78687
105	19	4	9	-0.1549	38	16	8	1.55000
106	16	6	10	-0.1561	0	0	0	-0.76858
107	19	5	10	0.3245	0	0	0	-0.76858
108	19	4	10	0.2467	22	9	10	0.86738

SAS

----- IG=L -----

OBS	CFSC	SFFSC	ROFSC	RFSC1	CFRSC	SFFRSC	ROFRSC	RFRSC1
109	18	2	10	-0.094902	44	18	20	2.50334
110	18	5	10	0.138385	0	0	0	-0.76858
111	18	3	10	-0.017140	22	9	10	0.86738
112	19	5	10	0.324506	22	10	10	0.92193
113	20	5	10	0.510626	22	10	10	0.92193
114	19	4	10	0.246743	22	10	10	0.92193
115	19	5	10	0.324506	0	0	0	-0.76858
116	19	4	10	0.246743	0	0	0	-0.76858
117	19	4	10	0.246743	44	20	20	2.61243
118	19	4	10	0.246743	0	0	0	-0.76858
119	19	4	10	0.246743	22	10	10	0.92193
120	19	8	10	0.557793	45	0	0	0.40013

----- IG=L,M -----

OBS	CFSC	SFFSC	ROFSC	RFSC1	CFRSC	SFFRSC	ROFRSC	RFRSC1
121	22	3	10	1.4896	5	0	0	-1.0557
122	19	3	10	0.6765	15	10	10	0.1536
123	19	4	10	0.3682	0	0	0	-1.1614
124	19	3	10	0.6765	0	0	0	-1.1614
125	19	3	10	0.6765	22	10	10	0.3016
126	19	3	10	0.6765	22	10	10	0.3016
127	19	3	10	0.6765	0	0	0	-1.1614
128	17	4	10	-0.1739	0	0	0	-1.1614
129	19	3	10	0.6765	0	0	0	-1.1614
130	19	3	10	0.6765	0	0	10	-0.6585
131	19	3	10	0.6765	0	0	0	-1.1614
132	19	3	10	0.6765	22	10	10	0.3016
133	18	4	10	0.0972	22	10	10	0.3016
134	19	3	10	0.6765	7	0	0	-1.0134
135	19	3	10	0.6765	22	10	10	0.3016
136	18	2	7	-1.7467	22	10	10	0.3016
137	19	3	10	0.6765	0	0	0	-1.1614
138	19	5	10	0.0598	22	0	10	-0.1935
139	10	4	9	-2.8919	22	10	10	0.3016
140	19	4	10	0.3682	22	10	10	0.3016
141	18	3	10	0.4055	22	10	10	0.3016
142	19	4	10	0.3682	0	0	10	-0.6585
143	19	4	10	0.3682	22	10	10	0.3016
144	19	4	10	0.3682	0	0	10	-0.6585
145	19	2	10	0.9849	22	10	10	0.3016
146	19	4	10	0.3682	22	10	10	0.3016
147	19	3	10	0.6765	22	10	10	0.3016
148	19	3	10	0.6765	0	0	0	-1.1614
149	19	3	10	0.6765	0	0	0	-1.1614
150	18	3	10	0.4055	22	10	10	0.3016
151	19	4	10	0.3682	21	10	10	0.2804
152	20	8	10	-0.5942	0	0	0	-1.1614
153	19	3	10	0.6765	22	9	10	0.2521
154	19	3	10	0.6765	0	0	4	-0.9802
155	19	6	10	-0.8652	22	10	10	0.3016
156	20	4	10	0.6392	44	20	20	1.7645

SAS

----- IG=L,M -----

OBS	CFSC	SFFSC	ROFSC	RFSC1	CFFRSC	SFFRSC	ROFRSC	RFRSC1
157	19	3	10	0.6765	0	0	0	-1.1614
158	19	3	10	0.6765	0	0	4	-0.9602
159	20	8	10	-0.5942	22	10	10	0.3016
160	19	5	10	0.0598	22	10	10	0.3016
161	16	8	10	-1.6783	0	0	0	-1.1614
162	14	6	10	-1.6037	36	16	20	1.3974
163	19	5	10	0.0598	22	10	10	0.3016
164	19	5	10	0.0598	0	0	0	-1.1614
165	23	8	10	0.2188	56	20	20	2.0182
166	19	7	10	-0.5569	22	10	10	0.3016
167	19	7	10	-0.5569	22	10	10	0.3016
168	19	4	10	0.3682	0	0	0	-1.1614
169	19	5	10	0.0598	22	10	10	0.3016
170	19	9	10	-1.1736	22	10	10	0.3016
171	23	3	10	1.7606	56	20	20	2.0182
172	19	3	10	0.6765	22	10	10	0.3016
173	18	5	10	-0.2112	22	10	10	0.3016
174	19	4	10	0.3682	0	0	0	-1.1614
175	18	3	10	0.4055	0	0	0	-1.1614
176	19	3	10	0.6765	0	0	0	-1.1614
177	19	3	10	0.6765	0	0	0	-1.1614
178	19	3	10	0.6765	0	0	0	-1.1614
179	19	3	10	0.6765	0	0	0	-1.1614
180	18	4	10	0.0972	22	10	10	0.3016
181	19	3	10	0.6765	0	0	0	-1.1614
182	18	4	7	-2.3654	22	10	10	0.3016
183	19	3	10	0.6765	22	10	10	0.3016
184	19	3	10	0.6765	0	0	0	-1.1614
185	19	3	10	0.6765	0	0	0	-1.1614
186	19	4	10	0.3682	22	10	10	0.3016
187	19	4	8	-1.2735	44	20	20	1.7645
188	19	3	10	0.6765	0	0	0	-1.1614
189	18	6	10	-0.5196	22	10	10	0.3016
190	19	5	10	0.0598	0	0	0	-1.1614
191	19	4	10	0.3682	41	20	20	1.7011
192	19	5	10	0.0598	0	0	0	-1.1614
193	19	4	10	0.3682	22	10	10	0.3016
194	19	3	10	0.6765	0	0	0	-1.1614
195	19	4	10	0.3682	22	10	10	0.3016
196	19	4	10	0.3682	22	10	10	0.3016
197	19	3	10	0.6765	22	9	10	0.2521
198	19	4	10	0.3682	22	10	10	0.3016
199	19	4	10	0.3682	22	10	10	0.3016
200	19	3	10	0.6765	22	9	10	0.2521
201	19	4	10	0.3682	22	10	10	0.3016
202	19	4	10	0.3682	22	10	10	0.3016
203	19	3	10	0.6765	0	0	0	-1.1614
204	19	5	9	-0.7610	44	20	20	1.7645
205	19	4	10	0.3682	0	0	0	-1.1614
206	19	3	10	0.6765	0	0	0	-1.1614
207	17	4	10	-0.1739	22	10	10	0.3016
208	19	5	10	0.0598	22	10	10	0.3016
209	19	5	8	-1.5819	22	10	10	0.3016
210	19	3	9	-0.1443	0	0	0	-1.1614



SAS

----- IG=L.M -----

OBS	CFSC	SFFSC	ROFSC	RFSC1	CFFRSC	SFFRSC	ROFRSC	RFRSC1
211	18	6	10	-0.5196	28	8	10	0.3294
212	20	5	9	-0.4900	44	18	18	1.5650
213	18	4	10	0.0972	54	16	20	1.7779
214	16	4	10	-0.4449	52	16	20	1.7356
215	20	3	10	0.9476	56	16	20	1.8202
216	18	5	10	-0.2112	44	16	20	1.5665
217	19	8	5	-4.9695	41	27	19	1.9974
218	20	8	7	-3.0566	43	27	26	2.3917
219	19	8	9	-1.6861	32	16	16	1.1117
220	20	5	9	-0.4900	42	16	18	1.4237
221	19	6	9	-1.0694	36	18	16	1.2953
222	14	4	6	-4.2703	0	2	0	-1.0624
223	21	5	9	-0.2190	56	16	20	1.8202
224	15	4	9	-1.5368	0	0	0	-1.1614
225	21	6	9	-0.5273	36	16	12	0.9951
226	19	4	10	0.3682	22	10	10	0.3016
227	19	5	10	0.0598	22	10	10	0.3016
228	19	6	10	-0.2485	22	10	10	0.3016
229	18	4	10	0.0972	0	0	10	-0.6585
230	19	5	10	0.0598	22	10	10	0.3016
231	19	5	10	0.0598	22	10	10	0.3016
232	19	5	10	0.0598	0	0	0	-1.1614
233	19	4	10	0.3682	0	0	0	-1.1614
234	19	5	10	0.0598	0	0	0	-1.1614
235	19	5	10	0.0598	44	20	20	1.7645
236	19	8	10	-0.8652	22	10	10	0.3016
237	19	6	10	-0.2485	22	10	10	0.3016
238	19	3	10	0.6765	0	0	0	-1.1614
239	19	4	10	0.3682	22	10	10	0.3016
240	19	5	10	0.0598	22	10	10	0.3016

SAS

IG=I.

DEP VARIABLE: RFRSCI

## ANALYSIS OF VARIANCE

SOURCE	DF	SUM OF SQUARES	MEAN SQUARE	F VALUE	PROB>F
MODEL	1	5.28674856	5.28674856	5.480	0.0208
ERROR	118	113.71325144	0.96367162		
C TOTAL	119	119.00000000			

ROOT MSE	0.9816678	R-SQUARE	0.0444
DEP MEAN	3.12250E-18	ADJ R-SQ	0.0363
C.V.	.		

## PARAMETER ESTIMATES

VARIABLE	DF	PARAMETER ESTIMATE	STANDARD ERROR	T FOR H0: PARAMETER=0	PROB > T
INTERCEP	1	1.10447E-17	0.0896130	0.000	1.0000
RFRSCI	1	0.21077585	0.08996934	2.342	0.0208

SAS

IG=L.M

DEP VARIABLE: RFRSCI

## ANALYSIS OF VARIANCE

SOURCE	DF	SUM OF SQUARES	MEAN SQUARE	F VALUE	PROB>F
MODEL	1	11.01770554	11.01770554	12.040	0.0007
ERROR	118	107.98229446	0.91510419		
C TOTAL	119	119.00000000			

ROOT MSE	0.9566108	R-SQUARE	0.0926
DEP MEAN	-2.26671E-17	ADJ R-SQ	0.0849
C.V.	.		

## PARAMETER ESTIMATES

VARIABLE	DF	PARAMETER ESTIMATE	STANDARD ERROR	T FOR H0: PARAMETER=0	PROB > T
INTERCEP	1	-2.25879E-17	0.08732622	-0.000	1.0000
RFRSCI	1	-0.304279	0.08769237	-3.470	0.0007