

8. REFERENCES

- Adams, J.P. Greenwood, R. Pollitt and T. Yonow, 1984. Loading constraints and sexual size dimorphism in *Asellus aquaticus*. *Behaviour*, 92:277-287.
- Adiyodi, K.G and G. Anilkumar, 1988. Accessory Sex Glands In: Adiyodi, K.G and Adiyodi, R.G. (Eds). Reproductive biology of Invertebrates Vol. 3, John Wiley and Sons, Kerala, 261-318.
- Almeida, A.O and L. Buckup, 1999. Caracteres sexuais primaries secundários do lagostim *Parastacus defossus* Faxon 1898 (Crustacea, Parastacidae). *Náuplius*, 7:113–126.
- Amsler, M.O. and R.Y. George, 1984. Seasonal variation in the biochemical composition of the embryos of *Callinectes sapidus* Rathbun. *J. Crust. Biol.*, 4: 546 – 553.
- Anand, T., 2012. Reproductive strategies, electrejaculation and sea ranching of commercially important blue swimming crab *Portunus pelagicus* (Linnaeus). Ph.D thesis, Annamalai University, India, Pp1-152.

Anger, K., 1985. Influence of salinity on larval development of the spider crab *Hyas araneus*, reared in the laboratory. In: *Marine biology of Polar Regions and effects of stress on marine organisms*. Eds. J.S. Gray and M.E. Christiansen, John Wiley & Sons Ltd., Pp. 463-474.

Anger, K., 1995. The conquest of freshwater and land by marine crabs: adaptations in life history patterns and larval bioenergetics. *J. Exp. Mar. Biol. Ecol.*, 193: 119-145.

Anger, K., 1995a. Developmental biology of *Armases miersii* (Grapsidae), a crab breeding in supratidal rock pools. I. Facultative lecithotrophy of larval stages. *Mar. Ecol. Prog. Ser.*, 117: 75-81.

Anger, K., 1996. Salinity tolerance of the larvae and the first juveniles of a semi terrestrial grapsid crab, *Armases miersii* (Rathbun). *J. Exp. Mar. Biol. Ecol.*, 202: 205-223.

Anger, K. and K. Schultze, 1995. Elemental composition (CHN), growth, and exuvial loss in the larval stages of two semi terrestrial crabs, *Sesarma curacaoense* and *Armases miersii* (Decapoda: Grapsidae). *Comp. Biochem. Physiol.*, 111A: 615-623.

Anger, K., E. Spivak and T. Luppi, 1998. Effects of reduced salinities on development and bioenergetics of early larval shore crab, *Carcinus maenas*. *J. Exp. Mar. Biol. Ecol.*, 220: 287-304.

Anger, K., K. Riesebeck and C. Puschel, 2000. Effects of salinity on larval and early juvenile growth of an extremely euryhaline crab species *Armases miersii* (Decapoda: Grapsidae). *Hydrobiologia*, 426: 161-168.

Anger, K., R.R. Dawris, V. Anger and J.D. Costlow, Jr., 1981. Effects of early starvation periods on zoeal development of Brachyuran crabs. *Biol. Bull. Mar. Biol. Lab., Woods Hole*, 161: 199-212.

Anil, M.K., 1997. Studies on the fishery and culture prospects of mud crabs (genus *Scylla* De Haan) along the Kerala coast. *Ph.D. Thesis*, Cochin University of Science and Technology, Pp1-213.

Anil, M.K. and C. Suseelan, 1999. Laboratory rearing and seed production of the mud crab *Scylla oceanica* (Dana). *J. mar. Biol. Ass. India*. 41(1&2): 38-45.

- Anilkumar, G., K. Sudha and T. Subramoniam, 1999. Spermatophorettransfer and sperm structure in the Brachyuran carb *Metopograpsus messor* (Decapoda: Grapsidae). *J. Crust. Biol.*, 19:2361–370.
- Baeza, J.A. and M. Fernandez, 2002. Active brood care in *Cancer setosus* (Crustacea: Decapoda): The relationship between female behaviour, embryo oxygen consumption and the cost of brooding. *Functional Ecology*, 16(2): 241-251.
- Balagurunathan, R., 1987. Effects of salinity and biochemical changes during larval development of the mangrove crab *Metaplx elegans* de Man 1888. M.Phil. Dissertation, Annamalai University, Pp1-48.
- Balagurunathan, R. and T. Kannupandi, 1993. Effect of salinity on larval survival and development of the mangrove crab *Metaplx elegans*. *J. mar. biol. Ass. India*, 35(1&2): 193-197.
- Bas, C. and E. Spivak, 2000. Effect of salinity on embryos of two south-western Atlantic estuarine grapsid crab species cultured in vitro. *J. Crustacean Biol.*, 20: 647-656.

- Batoy, C.B., J.F Sarmago and B.C. Pilapil, 1980. Breeding season, sexual maturity and fecundity of blue crab, *Portunus pelagicus* (L.) in selected coastal waters in Leyte and Vicinity, Philippines. *Ann. Trop. Res.* 9:157–177.
- Baylon, J.C. and A.N. Failaman, 1999. Larval rearing of the mud crab (*Scylla serrata*) in the Philippines. Pp 141-146 in Keenan, C.P.; Blackshaw, A. (Ed.): Mud crab aquaculture and biology: Proceedings of an international scientific forum held in Darwin, Australia 21-24 April 1997. ACIAR Proceedings, 78. Australian Centre for International Agriculture Research: Canberra, Australia.
- Becker, C., D. Brandis and V. Storch, 2011. Morphology of the female reproductive system of European pea crabs (Crustacea, Decapoda, Brachyura, Pinnotheridae). *J. Morphol.*, 72(1):12-26.
- Bell, M.V., R.J. Henderson and J.R. Sargent, 1986. The role of polyunsaturated fatty acids in fish. *Comp. Biochem. Physiol.*, 83B: 711-719.

- Benhalima, K and M. Moriyasu, 2000. Structure and function of the posterior vas deferens of the snow crab, *Chionoecetes opilio* (Branchyura, Majidae) *Invert. Reprod. Dev.*, 37(1):11-23.
- Beninger, P., C.Lanteigne and R. Elner, 1993. Reproductive processes revealed by spermatophore dehiscence experiments and by histology, ultrastructure, and the histochemistry of the female reproductive system in the snow crab *Chionoecetes opilio* (O. Fabricius). *J. Crust. Biol.*, 13:1–16.
- Beninger, P., R.Elner,T. Foyle and P. Odense, 1988. Functional anatomy of the male reproductive system and the female spermatheca in the snow crab *Chionoecetes opilio* (O. Fabricius) (Decapoda: Majidae) and a hypothesis for fertilization. *J. Crust. Biol.*, 8:322–332.
- Berrill, M and M. Arsenault, 1982. Mating behaviour of the green shore crab *Carcinus maenas*, *Bull. Mari. Sci.*, 32:632-638.
- Binford, R. 1913. The germ-cells and the process of fertilization in the crab, *Menippe mercenaria*. *J. Morph.*, 24(2):147-201.

- Blackshaw, A.W., 2001. Larval culture of *Scylla serrata*: maintenance of hygiene and concepts of experimental design. *Asian Fisheries Science*, 14 (2): 239-242.
- Bookhout, C.G. and J.D. Costlow, Jr., 1974. Larval development of *Portunus spinicarpus* reared in the laboratory. *Bull. Mar. Sci.*, 24: 20-51.
- Booolotian, S.S., R.A. Gies, A. Farmanfaraian and J.Trucker,1959. Reproductive cycles of five west coast crabs. *Physiol. Zoo.*, 6:32-213.
- Boopathi, A., 2011. Reproductive biology of the commercially important portunud crab *Portunus sanguinolentus* (Herbst). M.Sc. Dissertation, Annamalai University, India, Pp. 1-44.
- Brante, A., M. Fernandez, L. Eckerle, F. Mark, H.O. Portner and W. Arntz, 2003. Reproductive investment in the crab, *Cancer setosus*, along a latitudinal cline: egg production, egg losses and egg ventilation. *Mar. Ecol. Prog. Ser.*, 251-221-232.

- Brick, R.W., 1974. Effects of water quality, antibiotics, phytoplankton and food in survival development of larvae of *Scylla serrata* (Crustacea: Portunidae). *Aquaculture*, 3: 231-244.
- Brockrohoff, A.M. and C.L. McLay, 2005. Mating behaviour female receptivity and male-male competition in the intertidal crab *Hemigrapsus sexdentatus* (Brachyura: Grapsidae). *Mari. Ecol. Prog. Ser.*, 290:179-197
- Brosnan, D.M. 1981. Studies on the biology, ecology and fishery of the spider crab *Maria squinado* Herbst (1768) off the west coast of Ireland. M.Sc. Thesis, Department of Zoology, University College Galway, Ireland, 133.
- Brown, R.B. and G.C. Powell, 1972. Size at maturity in male Alaskan Tanner crab, *Chionoecetes bairdii*, as determined by chela allometry, reproductive tract weights, and size of precopulatory males. *J. Fish. Res. Bd. Can.*, 29: 423-427.
- Burton, T.E., 1995. The spermatid pathway and associated reproductive structures of squat lobster *Thenus orientalis* (Lund, 1793). *Invert. Reprod. Develop.*, 28(1):53-61.

Calado, R., L. Narciso, S. Morais, A.L. Rhyne and J. Lin, 2003. A rearing system for the culture of ornamental decapod crustacean larvae. *Aquaculture*, 218: 329-339.

Campbell, G.R., 1984. A comparative study of adult sexual behaviour and larval ecology of three commercially important portunid crabs from the Moreton Bay region of Queensland, Australia. Ph.D. Thesis, University of Queensland, Brisbane, Queensland, Australia, Pp.1-253.

Campbell, A and M.D. Eagles, 1983. Size at maturity and fecundity of rockcrabs, *Cancer irroratus*, from the Bay of Fundy and southwestern Nova Scotia. *Fish Bull.*, (Wash. DC), 81: 357-362.

Campbell, G.R. and D.R. Fielder, 1986. Fielder, Size at sexual maturity and occurrence of ovigerous females in three species of commercially exploited portunid crabs in SE Queensland. *Proceedings of the Royal Society of Queensland*, 97: 79-87.

- Campbell, G.R. and D.R. Fielder, 1987. Occurrence of a prezoaea in two species of commercially exploited portunid crabs (Decapoda, Brachyura). *Crustaceana*, 52(2): 202-206.
- Capuzzo, J.M. and B.A. Lancaster, 1979. Some physiological and biochemical considerations of larval development in the American lobster, *Homarus americanus* Milne Edwards. *J. Exp. Mar. Biol. Ecol.*, 40: 53-62.
- Castiglioni, D.S and S.Santos, 2000. Population structure of *Cyrtograpsus angulatus* Dana, 1851 (Brachyura: Grapsidae) in the Lagoa do peixe, Rio Grande do sul, Brazil Nauplius., 8: 173-178.
- Castiglioni, D.S. and M.L.Negreiros-Fransozo, 2006. Ciclo reproductivo d'arangujo violinista *Uca rapax* (Smith) (Crustacea, Branchyura, ocypodidae) abitante de um estuario degradado em Paraty, Rio de Janeiro, Brasil. *Revista Brasileira de Zoologia.*, 23(2): 331-339.
- Castilho, G.,A. Ostrensky, M. Pie and W. Boeger, 2008. Morphology and histology of the male reproductive system of the mangrove land crab *Ucides cordatus* (L) (Crustacea, Brachyura ocypodidae). *Acta Zoologica*, 89:157-161.

- Charmantier, G., 1998. Ontogeny of osmoregulation in crustaceans: a review. *Inv. Reprod. Develop.*, 33: 177-190.
- Charmantier, G., D.M. Charmantier and D.E. Aiken, 1981. Controle neuroendocrine de la regulation osmotique et ionique chez les juveniles et les larves de *Homarus americanus* H. Milne Edwards, 1837. *C.r. hebd. Seanc. Acad. Sci., Paris.* 293: 831-834.
- Charmantier, G., D.M. Charmantier, N. Bouaricha, P. Thuet, D.E. Aiken and J.P. Trilles, 1988. Ontogeny of osmoregulation and salinity tolerance in two decapod crustaceans: *Homarus americanus* and *Penaeus japonicus*. *Biol. Bull. Mar. biol. Lab., Woods Hole*, 175: 102-110.
- Charmantier, G., L. Gimenez, D.M. Charmantier and K. Anger, 2002. Ontogeny of osmoregulation, physiological plasticity and larval export strategy in the grapsid crab *Chasmagnathus granulata* (Crustacea, Decapoda). *Mar. Ecol. Prog. Ser.*, 229: 185-194.
- Chen, H.Y. and H.F. Lin, 1992. Effects of different Artemia diets on the growth and digestive enzyme activities of early post-larval *Penaeus monodon*. *Asian Fish. Sci.*, 5: 73-81.

- Chiba, A and Y.Honma, 1972. Studies on the maturity of the gonad in some marine invertebrates-IV: seasonal changes in the testes of the lined shored crab. *Nippon Suisan Gakkai Shi*, 38:317-329.
- Chiba, A.,T. Kon and Y.Honma,1992. Ultrastructure of the spermatozoa and spermatophores of the zuwai crab, *Chionoecetes opilio* (Majidae: Branchyura), *Acta Zoologica*, 73:103-108.
- Childchester,E.E. 1911. The mating of four species of brachyuran. *Bio.Bull.*, 21:235-248
- Christiansen, M.E. and J.D. Costlow, Jr., 1975. The effect of salinity and cyclic temperature on larval development of the mud-crab *Rithropanopeus harrisii* (Brachyura: Xanthidae) reared in the laboratory. *Mar. Biol.*, 32: 215-221.
- Christy, J.H., 1987. Competitive mating, mate choice and mating associations of brachyuran crabs. *Bull. Mar. Sci.*, 41:177-191.

- Cobo, V.J and A. Fransozo, 2003. External factors determining breeding season in the red mangrove crab *Goniopsis cruentata* (Latreille) Crustacea, Branchyura, Grapsidae) on the Sao Paulo State Nothern coast, Brazil. *Revista Brasileira de Zoologia*, 20(2): 213-217.
- Conan, G.Y. and M. Comeau, 1986. Functional maturity and terminal molt of male snow crab, *Chionoecetes opillio*. *Can. J. Fish. Aquat. Sci.*, 43: 1710- 719.
- Corgos, A and J. Freire, 2006. Morphometric and gonad maturity in the spider crab *Maja branchyductyla*: a comparison of methods for estimating size at maturity in species with determinate growth. *J. Mar. Sci.*, 63: 851-859.
- Costlow, J.D. Jr., 1967. The effect of salinity and temperature on survival and metamorphosis of megalops of the blue crab, *Callinectes sapidus*. *Helgolander wiss. Meeresunters*, 15: 85-97.
- Costlow, J.D. Jr. and C.G. Bookhout, 1959. The larval development of *Callinectes sapidus* Rathbun reared in the laboratory. *Biol. Bull. Mar. biol. Lab.*, Woods Hole, 116: 373-396.

- Costlow, J.D. Jr. and C.G. Bookhout, 1960. A method for developing brachyuran eggs in vitro. *Limnology and Oceanography*, 5: 212-215.
- Costlow, J.D. Jr. and C.G. Bookhout, 1962. The larval development of *Hepatus epheliticus* (L.) under laboratory conditions. *J. Elisha Mitchell scient. Soc.*, 78: 113-125.
- Costlow, J.D. Jr. and C.G. Bookhout, 1962a. The effect of environmental factors on larval development of crabs. In: *Biological Problems in water pollution*. Third Seminar, 77-86.
- Costlow, J.D. Jr. and C.G. Bookhout, 1968. The effects of environmental factors on larval development of the land crab, *Cardisoma guanhumi* Latreille. *Amer. Zool.*, 8: 399-410.
- Costlow, J.D., Jr. and E. Fagetti, 1967. The larval development of the crab, *Cyclograpsus cinereus* Dana, under laboratory conditions. *Pacif. Sci.*, 21: 166-177.
- Costlow, J.D. Jr., and C.G. Bookhout, 1971. The effect of cyclic temperatures on larval development in the mud crab

Rithropanopeus harrisi. In: Crisp, J.D., D.J. (Ed.). *Fourth European Marine Biology Symposium*, Cambridge University Press. pp. 211-220.

Costlow, J.D. Jr., C.G. Bookhout and R. Monroe, 1962. Salinity-temperature effects on the larval development of the crab, *Panopeus herbstii* Milne Edwards, reared in the laboratory. *Physiol. Zool.*, 35: 79-93.

Costlow, J.D. Jr., C.G. Bookhout and R. Monroe, 1966. Studies on the larval development of the crab, *Rithropanopeus harrisi* (Gould). 1. The effect of salinity and temperature on larval development. *Physiol. Zool.*, 39: 81-100.

Creswell, R.L., B.G. Tunberg and R.A. Winfree, 1989. Mariculture of the king crab, *Mithrax spinosissimus* (Lamarck) in the Caribbean region. Progress and constraints. *Proc. Gifl – Caribb. Fish. Inst.*, 39: 469-475.

Crisp, D. and J. Costlow, 1963. The tolerance of developing cirripede embryos to salinity and temperature. *Oikos*, 14: 22-34.

- Cronin, L.E., 1947. Anatomy and histology of the male reproductive system of *Callinectes sapidus* Rathbun. *J. Morphol.*, 81:209-239.
- Davis, C.C., 1965. A study of the hatching process in aquatic invertebrates: XX. The blue crabs, *Callinectes sapidus*, Rathbun. *Chesapeake Sci.*, 6 (4): 201-208.
- Dhas, M.A., T.Subramoniam, S. Varadarajan and P. Govindharajulu, 1980. Germinal zone activity and oocyte differentiation in the marine crab *Portunus pelagicus*. *Proceedings of the Indian National Science Academy*, 46B: 287-292.
- Dhawan, R.M., S.N. Dwivedi and G.V. Rajamanickam, 1976. Ecology of the blue crab *Portunus pelagicus* (Linnaeus) and its potential fishery in Zuari estuary. *Indian J. Fish.*, 23(1/2): 57-64.
- Diesel, R. 1989. Structure and function of the reproductive system of the symbiotic spider crab, *Inachus phalangium* (Decapoda: Majidae): observations on sperm transfer, sperm storage, and spawning. *J. Crust. Biol.*, 9:266-277.

- Diesel, R.1991. Sperm competition and the evolution of behavior in Brachyura, with special reference to spider crabs (Decapoda: Majidae), Bauer, R.T and Martin, J.W. (Eds.) Columbia University Press, New York. *J. Crustacean Sexual Biol.*, 145-163.
- Dinakaran, G.K and P.Soundarapandian, 2009. Mating behaviour and broodstock development of commercially important blue swimming crab, *Portunus sanguinolentus* (Herbst). *Indian J. Sci. and Tech.*, 2(4):71-75.
- Dudenhause, E.E and P. Talbot, 1983. An ultrastructural comparison of soft and hard spermatophores from the crayfish *Pacifastacus peninseula* (Dana). *Canadian J. Zool.*, 61:182-194.
- Du Plessis, A., 1971. A preliminary investigation into the morphological characteristics, feeding, growth, reproduction and larval rearing of *Scylla serrata* Forskal, held in captivity. Unpublished report of the Fisheries Development Corporation of South Africa. pp. 24.
- Duran Munoz, P., S. Junquera and M.S.Alvarez, 2000. Yellowtail flounder length at maturity in the Grand Bank (1995-1998). *NAFO Sci.Coun. Stud.*, 34:1-6.

- Edwards, E. 1966. Mating behaviour in the European edible crab (*Cancer pagarus*). *Crust.*, 10:23-30.
- Edwards, E. 1979. The edible crab and its fishery in British waters. Farnham, Surrey: Fishing News Books Ltd., 142.
- Elnor, R.W., C.A. Gass and A. Campbell 1985. Mating behaviour of the Jonah Crab, *Cancer borealis* Stimpson (Decapoda, Brachyura). *Crust.*, 48:35-39.
- El-Sherief, S.S., 1991. Fine structure of the sperm and spermatophores of *Portunus pelagicus* (L.) (Decapoda, Brachyura). *Crust*, 61:272-279.
- Elwood, R., J. Gibson and S. Neil, 1987. The *amorous Gammarus*: Size assortative mating in *G. Pulex*, *Anim. Behav.*, 35:1-6.
- Emerson, D.N., 1969. Influence of salinity on ammonia excretion rates and tissue constituents of euryhaline invertebrates. *Comp. Biochem. Physiol.*, 29: 1115-1133.

- Emmerson, W.D., 1984. Predation and energetics of *Penaeus indicus* (Decapoda, Penaeidae) larvae feeding on *Brachionus plicatilis* and *Artemia* nauplii. *Aquaculture*, 38: 201-209.
- Emmerson, W.D., 1994. Seasonal breeding cycles and sex ratios of eight species of crabs from Mgazana, a mangrove estuary in Transkei, South Africa. *J. Crust. Biol.*, 14:158-168.
- Erdman, R.B. and N.J. Blake, 1988. Reproductive ecology of female golden crab, *Geryon fenneri* Manning and Holthuis, from South Eastern Florida. *J. Crusta. Biol.*, 8(3): 392-400.
- Erkan, M., Y.Tunali and S.Sancar-Bas, 2009. Male Reproductive System Morphology and Spermatophore Formation in *Astacus leptodactylus* (Eschscholtz, 1823) (Decapoda: Astacidae). *J. Crust. Biol.*, 29(1):42-50.
- Eshky Ali, A., 2003. Reproductive Biology of the commercial blue crab *Portunus pelagicus* (L.) from the east coast of the red sea. JK AU: *Met., Env. & Arid Land Agric. Sci.*, 14:147-157.

- Estampador, E.P., 1949. *Scylla* II. Comparative studies on spermatogenesis and oogenesis. *Phil. J. Sci.*, 78(3): 301-353.
- Eyster, L., 1979. Reproduction and developmental variability in the opisthobranch *Tenellia pallida*. *Mar. Biol.*, 51: 133-140.
- Fastan, N., 1915. The male reproductive organs of decapoda, with special reference to Puget Sound, *Puget Sound Mar. Sta. Pub.* 1:285-307.
- Fasten, N., 1918. Spermatogenesis of the pacific coast edible crab *Cancer magister* Dana. *Bio. Bull.*, 34: 277-306.
- Fernandez-Vergaz, V, L.J. Lopez Abellan and E. Balguerias, 2000. Morphometric, functional and sexual maturity of the deep-sea red crab *Chaceon affinis* inhabiting Canary Island waters: chronology of maturation. *Mar. Ecol. Prog. Ser.*, 204: 169-178.
- Fielder, D.R and A.J.Eales, 1972. Observations on courtship, mating and sexual maturity in *Portunus pelagicus* (Crustacea, Portunidae). *J. Nat. Hist.*, 6:273-277.

- Fielder, D.R., J.G. Greenwood and G. Campbell, 1984. The megalopa of *Charybdis feriata* (Linnaeus) with additions of the zoeal larvae descriptions (Decapoda, Portunidae). *Crustaceana*, 46: 160-165.
- Fisher, M.R., 1999. Effect of temperature and salinity on size at maturity of female blue crabs. *T. Am. Fisher. Soci.*, 128:499-506.
- Flores, A.A.V. and J. Paula, 2002. Sexual maturity, larval release and reproductive output of two branchyuran crabs from a rocky intertidal area in central Portugal. *Invert. Reprod. Develop.* 42: 21-34.
- Foskett, J.K., 1977. Osmoregulation in the larvae and adults of the grapsid crab *Sesarma reticulatum* Say. *Biol. Bull. Mar. biol. Lab., Woods Hole*, 153: 505-526.
- Frank, J.R., S.D. Sulkin and R.P. Morgan, 1975. Biochemical changes during larval development of the Xanthid crab *Rithropanopeus harrisi*. 1. Protein, total lipid, alkaline phosphatase and glutamic oxaloacetic transaminase. *Mar. Biol.*, 32: 105-111.

- Garcia, T. and J. Silva, 2006. Testis and vas deferens morphology of the red-clawed mangrove tree crab *Goniopsis cruentata* (Latreille, 1803). *Braz. Arch. Biol. Tech.*, 49:339–345.
- George, M.J., 1963. Biology of the edible crab *Neptunus sanguinolentus* Herbst. University of Madras, Madras, India. M.Sc. Thesis., 199.
- Giles Churchill, 2003. Selecting criteria to evaluate the quality of mud crab, *Scylla serrata* eggs in South Africa. In: *Workshop on mud crab culture, ecology and fisheries*, Can Tho University, Vietnam, 8-10th January 2001.
- Gimenez, L., 2002. Effects of prehatching salinity and initial larval biomass on survival and duration of development in the zoea I of the estuarine crab, *Chasmognathus granulata*, under nutritional stress. *J. Exp. Mar. Biol. Ecol.*, 270: 93-110.
- Gimenez, L. and K. Anger, 2001. Relationship among salinity, egg size, embryonic development, and larval biomass in the estuarine crab, *Chasmognathus granulata* Dana, 1851. *J. Exp. Mar. Biol. Ecol.*, 260: 241-257.

Gimenez, L. and G. Torres, 2002. Larval growth in the estuarine crab *Chasmagnathus granulata*: the importance of salinity experienced during embryonic development, and the initial larval biomass. *Mar. Biol.*, 141: 877-885.

Glazier, D., 1992. Effects of food, genotype, and maternal size and age on offspring investment in *Daphnia magna*. *Ecology*, 73: 910-926.

Glesson, R.A., 1980. Pheromone communication in the reproductive behavior of the blue crab. *Callinectes sapidus*. *Mar. behav. Physiol.*, 7:119-134.

Glesson, R.A., 1982. Morphological and behavioral identification of the sensory structures mediating, pheromone reception in the blue crab, *Callinectes sapidus*. *Biol. Bull.*, 163:162-171.

Godfred, J., A. Veera Ravi and T. Kannupandi, 1995. Seed production of the edible estuarine portunid crab *Thalamita crenata* (Latreille). *J. Aquacult. Trop.*, 10: 213-219.

- Greenwood, J.G. and D.R. Fielder, 1983. Description of the later zoeal stages and megalopa of *Charybdis truncata* (Fabricius, 1798) (Crustacea : Portunidae). *J. Nat. Hist.*, 17: 15-30.
- Gupta, R.S. and N.B. Chatterjee, 1976. Anatomical observations of the internal male reproductive organs of *Scylla serrata* (Forsk.) (Ind. N. *Physiol. Allied Sci.* 30:34-42.
- Haddon, M., 1994. Size-fecundity relationships, mating behavior, and larval release in the New Zealand paddle crab, *Ovalipes catharus* (White 1843) (Brachyura: Portunidae), *New Zeal. J. Mar. Fresh.*, 28:329-334.
- Haefner, P.A., 1976. Distribution, reproduction and molting of the rock crab, *Cancer irroratus* say 1917 in the Mid-Atlantic Bight. *J. Natl. Hist.*, 10: 377-397.
- Hagerman, L., 1973. Ionic regulation in relation to the moult cycle of *Crangon vulgaris* (Fabr.) (Crustacea: Natantia) from brackishwater. *Ophelia*, 12: 141-149.

- Halawa, J. and N. Efrizal, 2006. Reproductive biology and larval rearing of blue swimming crab, *Portunus pelagicus* (Linnaeus, 1758). Ph.D. Thesis, University Putra Malaysia.
- Hamasaki, K., T. Takeuchi and S. Sekiya, 1998. Dietary value for larval swimming crab *Portunus trituberculatus* of marine rotifer *Brachionus rotundiformis* cultured with several feeds. *Nippon Suisan Gakkaishi*, 64 (5): 841-846. (In Chinese)
- Hamasaki, K., M.A. Suprayudi and T. Takeuchi, 2002. Effect of dietary n-3 HUFA on larval morphogenesis and metamorphosis to megalops in the seed production of mud crab, *Scylla serrata*. (Brachyura, Portunidae). *Suisan Zoshoku*, 50: 333-340.
- Hamasaki, K., K. Fukuanga and K. Maruyama, 2003. Egg development and incubation period of the swimming crab *Portunus trituberculatus* (Decapoda: Portunidae) reared in the laboratory. *Crust. Res.* 32, 45– 54.
- Hamasaki, K., K. Fukunaga and S. Kitada, 2006. Batch fecundity of the swimming crab *Portunus trituberculatus* (Brachyura: Portunidae). *Aquacul.*, 253: 359-365.

- Hamasaki, K., K. Fukunaga, K. Nogami and K. Maruyama, 1991. Egg-laying and process of egg attachment to the pleopods in the swimming crab *Portunus trituberculatus*. *Saibai Giken* 19, 85– 92 (in Japanese).
- Hard, W.L. 1942. Ovarian growth and ovulation in the mature blue crab, *Callinectes sapidus* Rathbun. *Chesapeake Biol. Lab. Publ.*, 46:1-17.
- Harlioglu, M.M., O.Barim, I.Turkgulu and G Harlioglu, 2004. Potential fecundity of and introduced population, Keban Dam Lake, Elazig Turkey, of freshwater crayfish, *Astacus leptodactylus leptodactylus* (Esch., 1852), *Aquacult.*, 230: 189-195.
- Harrison, K., 1990. The role of nutrition in maturation, reproduction and embryonic development of decapod crustaceans: a review. *J. Shellfish Res.*, 9: 1-28.
- Harrison, K.E., P.L. Lutz and L. Farmer, 1981. The ontogeny of osmoregulatory ability of *Macrobrachium rosenbergii*. *Amer. Zool.*, 21: 10-15.

- Hartnoll, R.G. 1968. Morphology of the genital ducts in female crabs. *J. Linn. Soc. Lond. Zool.*, 47:279-300.
- Hartnoll, R.G., 1969. Mating in the Brachyura. *Crust.*, 16:161-181.
- Hartnoll, R.G., 1974. Variation in growth pattern between some secondary sexual characters in crabs (Decapoda, Brachyura). *Crustaceana*. 27(2): 131-136.
- Hartnoll, R. G. 1978. The determination of relative growth in crustacea. *Crust.*, 34(3): 281-293.
- Hartnoll, R.G and S.M.Smith, 1979. Pair formation in the edible crab *Cancer pagurus*, (Decapoda, Brachyura). *Crustaceana*, 36:23-28.
- Hartnoll, R.G. and R.K.G. Paul, 1982. The embryonic development of attached and isolated eggs of *Carcinus maenas*. *Int. J. Invert. Reprod.*, 5: 247-252.
- Hartnoll, R.G. and H. Mohamedeen, 1987. Laboratory growth of the larvae of six British crabs. *J. Exp. Mar. Biol. Ecol.*, 107: 155-170.

- Hartnoll, R.G and P.Gould,1989. Brachyuran life history strategies and the optimization of egg production. *Proc. Zool. Symp.*, 59: 1-9.
- Heasman, M.P. and D.E. Fielder, 1983. Laboratory spawning and mass rearing of the mangrove crab *Scylla serrata* (Forsk.) from first zoea to first crab stage. *Aquaculture*, 34: 303-316.
- Heasman, M.P., D.R. Fielder and R.K. Shepherd, 1985. Mating and spawning in the mud crab, *Scylla serrata* (Forsk.) (Decapoda: Portunidae), in Moreton Bay, Queensland. *Aust. J. Mar. Fresh. Res.*, 36:773-783.
- Heegaard, P., 1971. Larval stages and growth in the decapods. *Vidensk.Medr dansk naturth. Foren.*, 134: 111-126.
- Henmi, Y. 1989. Reproductive ecology of three ocypodid crabs II. Incubation sites and egg mortality. *Ecol. Res.*, 4:261-269.
- Hill, B.J., 1974. Salinity and temperature tolerance of zoeae of the portunid crab *Scylla serrata*. *Mar. Biol.*, 25: 21-24.

- Hill, B.J. 1975. Abundance breeding and growth of the crab, *Scylla serrata*, in two South African Estuaries. *Mar. Biol.*, 32:119-126.
- Hines, A.H., 1982. Allometric constraints and variables of reproductive effort in brachyuran crabs. *Mar. Biol.*, 69: 309-320.
- Hines, A.H., 1986. Larval pattern in the life histories of Brachyuran crabs (Crustacea, Decapoda, Brachyura). *Bulletin of Marine Science*, 39(2): 444-466.
- Hines, A.H. 1988. Fecundity and reproductive output in two species of deep sea crabs, *Geryon fenneri* and *G. quinquedens* (Decapoda, Brachyura). *J. Crust. Biol.*, 8:557-562.
- Hines, A. H., 1989. Geographic variation in size at maturity in Brachyuran crabs. *Bull. Mar. Sci.*, 45 (2): 356-368.
- Hines, A.H., 1991. Fecundity and reproductive output in nine species of cancer crabs (Crustacea, Brachyura, Cancridae). *Canadian J. Aquat. Sci.*, 48: 267-275.

- Hinsch, G.W. 1986. A comparison of sperm morphologies, transfer and sperm mass storage between two species of crab, *Ovalipes ocellatus* and *Libinia emarginata*. *Int. J. Invert. Reprod. Dev.*, 10:79–87.
- Hinsch, G.W., 1988. The morphology of the reproductive tract and seasonality of reproduction in the golden crab *Geryon fenneri* from the eastern Gulf of Mexico. *J. Crust. Biol.*, 8(2):254-261.
- Hinsch, G.W and M.H. Walker, 1974. The vas deferens of the spider crab, *Libinia emarginata*. *J. Morphol.* 143:1–19.
- Hinsch, G.W and C.E. Mcnight, 1988. The vas deferens of spanish lobster, *Scyllarus chacei*. *Int. J. Invert. Reprod. Dev.*, 13:267–280.
- Hoagland, K., 1979. The behavior of three sympatric species of *Crepidula* from the Atlantic, with implications for evolutionary ecology. *Nautilus* 93:143–149.
- Hoestlandt, H., 1948. Recherches sur la biologie de l' *Eriochier sinensis* en France, *Ann. Ins. Oceanogr.* 24:1-116.

- Holland, D.L., 1978. Lipid reserves and energy metabolism in the larvae of benthic marine invertebrates. In: *Biochemical and biophysical perspectives in marine biology*. (Eds.) J.R. Sargent and D.C. Malins. Vol. 4. Academic Press. Inc. London. Pp. 85-123.
- Hu, S.H., J.H. Chern and S.B. Jung, 1983. Development of the larval stages of the swimming crab of Peghu II. The zoeal stages and megalopa of *Charbdis feriata* (Linnaeus). Annual collected reports of Peghu Branch Taiwan fisheries research Institute, 3: 83-92.
- Hue, J.S., K.S. Bang and Y.K. Rho, 1972. Studies on growth and artificial rearing of the larval blue crab, *Portunus trituberculatus*. *Bull. Korean Fish. Res. Dev. Agency*, 9: 55-70.
- Iin S.D., M. Wille, E.K. Kontara and P. Sorgeloos, 2003. Reproductive performance and offspring quality in mud crab (*Scylla paramamosain*) broodstock fed different diets. *Aquacult. Internat.*, 11 (1-2): 3-15.
- Ingles, J. and E. Braum, 1989. Reproduction and larval ecology of the blue swimmer crab *Portunus pelagicus* in Ragay Gulf, Philippines. *Int. Rev. Hydrobiol.*, 74, 471-490.

- Ito, K., 1997. Egg-size and number variations related to maternal size and age, and the relationship between egg size and larval characteristics in an annual marine gastropod, *Haloa japonica* (Opisthobranchia; Cephalaspidae). *Mar. Ecol. Prog. Ser.*, 152: 187-195.
- Jaeckle, W., 1995. Variation in the size, energy content, and biochemical composition of invertebrate eggs: correlates to the mode of larval development. In: McEdward, L. (Ed.), *Ecology of Marine Invertebrate Larvae*. CRC Press, Boca Raton, pp. 49-77.
- Jamari, Z.B., 1992. Preliminary studies on rearing the larvae of the mudcrab (*Scylla serrata*) in Malaysia. In: *Proc. Seminar on Mudcrab in Surat Thani, Thailand*. pp.143-147.
- Jaroensatasinee, M and K.Jaroensatasinee, 2003. Male body size influence female choice and male- male competition in the fiddler crab *Uca paradussumieri* Bott, 1973 (Decapoda, Brachyura, Ocypodidae). *Crust.*, 76:177-186.

- Jensen, P.C., J.M. Orensanz and D.A. Armstrong, 1996. Structure of the female reproductive tract in the Dungeness crab (*Cancer magister*) and implications for the mating system. *Biol. Bull.*, 190: 336-349.
- Joel, D. R and P.S. Raj, 1980. Ecological distribution of some edible Portunid crabs from Pulicat Lake. In: Symposium on Coastal Aquaculture, Cochin, India, 12-18 Jan. 1980. Abstracts. Cochin, *Mar. Biol. Assoc. India*. pp. 1-16.
- Johns, D.M., 1981. Physiological studies on *Cancer irroratus* larvae. I. Effects of temperature and salinity on survival, development rate and size. *Mar. Ecol. Prog. Ser.*, 5: 75-83.
- Johns, D.M., 1982. Physiological studies on *Cancer irroratus* larvae. III. Effects of temperature and salinity on the partitioning of energy resources during development. *Mar. Ecol. Prog. Ser.*, 8: 75-85.
- John Samuel, N and P. Soundarapandian, 2009. Embryonic development of commercially important portunid crab *Portunus sanguinolentus* (Herbst). *Internat. J. Ani. Vet. Adv.*, 1(2): 32-38.

John Samuel, N. and P. Soundarapandian, 2010. Embryology of commercially important portunid crab *Scylla serrata* (Forsk.)
Cur. Res. J. Bio.l Sci., 2(1): 38-41

John Samuel, M. and P.Soundarapandian 2010a.Effect of salinity on the growth, survival and development of commercially important portunid crab larvae of *Portuns sanguinolentus*(Herbst). *Cur. Res. J. Bio.l Sci.* 2(4)

John Samuel, N, N. Thirunavukkarasu, P. Soundarapandian, A. Shanmugam and T. Kannupandi, 2004. Fishery potential of commercially important portunid crabs along Parangipettai coast. In: *Proceedings of Ocean Life Food & Medicine Expo, 2004.* pp. 165 – 173.

Johnson, P.T., 1980. History of the blue crab, *Callinectes sapidus*, a model for the decapoda. Praeger Publishers, New York, 440.

Jones, D.R and R.G. Hartnoll, 1997. Mate selection and mating behaviour in spider crabs. *Estuar. Coast. Shelf Sci.*, 44:185–193.

Josileen, J., 2002. Studies on reproductive biology and larval culture of blue crab *Portunus pelagicus* (Linnaeus). Ph.D. Thesis, Cochin University of Science and Technology, India. Pp. 260.

Josileen, J., 2011. Captive spawning, hatching and larval development of crucifex crab, *Charybdis feriatus* (Linnaeus, 1758). *J. Mar. Biol. Ass. India*. 53(1): 35-40.

Josileen, J. and N.G. Menon, 2004. Larval stages of the blue swimmer crab, *Portunus pelagicus* (Linnaeus, 1758) (Decapoda, Brachyura). *Crustaceana*, 77 (7): 785-803.

Jivoff, P.R., 1997. The advantages of large body size in sexual competition among males in the blue crab, *Callinectes sapidus*, *Biol. Bull.*, 193: 368-380.

Kailola, P.J., M.J. Williams, P.C. Stewart, R.E. Riechelt, A. McNee and C. Grieve, 1993. Editors, Australian Fisheries Resources, Bureau of Resource Sciences, Canberra, 422.

Kannupandi, T., T. Krishnan and A. Shanmugam, 1997. Effect on salinity on the larva of an edible estuarine crab, *Thalamita crenata* (Crustacea: Decapoda: Portunidae). *Indian J. Mar. Sci.*, 26: 315-318.

Kannupandi, T., A. Veera Ravi and P. Soundarapandian, 2003. Efficacy of enriched diets on the larval development and survival of an edible crab, *Charybdis lucifera* (Fabricius). *Indian J. Fish.*, 50: 21-23.

Kannupandi, T, P. Murugadasu, P. Soundarapandian and A. Shanmugam, 2000. Biochemical changes in the larval stages of an edible estuarine crab *Thalamita crenata* (Latreille) fed with different diets. *Indian J. Fish*, 47 (1): 77-80.

Kannupandi, T., M. Krishnamurthy, P. Soundarapandian and N. John Samuel, 2005. Effect of initial starvation on the larval survival and development of the inshore water crab, *Philyra corallicola* Alcock. *J. mar. biol. Ass. India*, 47 (1): 97-100.

- Kasry, A., 1986. Effects of antibiotics and food on survival and development on larvae of mangrove crab (*Scylla serrata* (Forsk.)). *J. mar. Fish. Res.*, 37: 11-22.
- Kinne, O., 1976. Cultivation of marine organisms: water quality management and technology. In: Kinne, O. (ed.) *Marine ecology*, Vol. III, Cultivation, Part I. Wiley, Chichester. Pp 19-300.
- Kobayashi, S. and S. Matsuura, 1995. Egg development and variation of egg sizes in the Japanese mitten crab *Eriocheir japonica* (de Hann). *Benthos Res.* 48, 29– 39.
- Kobayashi, T., T. Takeuchi, D. Arai and S. Sekiya, 2000. Suitable dietary levels of EPA and DHA for larval mud crab during *Artemia* feeding period. *Nippon Suisan Gakkaishi*, 66 (6): 1006-1013. (In Chinese).
- Kobayashi, T., T. Takeuchi, T. Shimizu, D. Arai, S. Sekiya and K. Maruyama, 2001. The effect of EPA-enriched *Artemia* on survival and development of larval mud crab. *Suisanzoshoku*, 49 (3): 363-368.

- Koga, T., 1994. Alternative mating behaviors in the sand-bubbler crab *Scopimera globosa* (De Haan) (Decapoda: Ocypodidae). Ph.D. Thesis, Kyushu University, Fukuoka, 71.
- Koga, T., Y.Henmi and M.Murai, 1993. Sperm competition and the assurance of underground copulation in the sand-bubbler crab, *Scopimera globosa* (Brachyura: Ocypodidae). *J. Crust. Biol.*, 13: 134–137.
- Koksal, G., 1988. *Astacus leptodactylus* in Europe. In: Freshwater Crayfish: Biology, management and exploitation (eds. Holdich, D.M. and A. Kuris). *Crustacean Issues*, 117-141.
- Kon, T and Honma, Y. 1970. Studies on the maturity of the gonad in some marine invertebrates-IV: seasonal changes in the testes of the Tanner crab, *Nippon Suisan Gakkai Shi.*, 36:1028-1031.
- Krishnan, T., 1988. Yolk utilization, larval development and effects of salinity and starvation on the edible estuarine crab, *Thalamita crenata* (Latreille) reared in the laboratory. Ph.D. Thesis, Annamalai University, India. pp. 134.

- Krishnan, T. and T. Kannupandi, 1987. Influence of salinity on larval survival and development of the mangrove crab, *Metaplex distincta* H. Milne Edwards, 1852 (Decapoda: Grapsidae). *Proc. Natn. Sem. Estuarine Management*. (Ed.). N. Balakrishna Nair., Trivandrum. pp 373-376.
- Krol, R.M., W.E. Hawkins and R.M. Overstreet, 1992. Reproductive components. In Harrison, F.W and Humes, A.G. (Eds.). *Microscopic anatomy of invertebrates. Decapod Crustacea*: Wiley-Liss. Inc.
- Kumar, M.S., Y. XIAO, S. G. Venema and Hooper, 2003. Reproductive cycle of the blue swimmer crab, *Portunus pelagicus*, off southern Australia. *J. Marine Biol. Asso., UK*, 83: 983-994.
- Kumar, M.S., G. Ferguson, Y. Xiao, G. Hooper and S. Venema, 2000. Studies on reproductive biology and distribution of the blue swimmer crab (*Portunus pelagicus*) in South Australian waters. SARDI Research Report Series No.47.
- Lagler, K.F., 1949. *Studies of freshwater biology*. Ann. Arbor. Michigan, USA, 119.

Lagoc, J., 1990. Disease prevention in shrimp hatcheries. SEAFDEC, Aqua Farm News, VIII (5): p 2.

Laughlin, R. and W. French, 1989. Interactions between temperature and salinity during brooding on subsequent zoeal development of the mud crab, *Rithropanopeus harrisi*. *Mar. Biol.*, 102: 377-386.

Lawal-Are, A. O., 2010. Biofouling of the Barnacle, *Chelonibita Patula* (Ranzani) on Two Portunid Crabs, *Callinectes Amnicola* (De Rocheburne) and *Portunus Validus* (Herklots) off Lagos Coast, Nigeria. *European J. Sci. Res.* 44 (3):520-526.

Lee, C.L. and D.R. Fielder, 1981. The effect of salinity and temperature on the larval development of the freshwater prawn, *Macrobrachium australiense* Holthuis, 1950 from south eastern Queensland, Australia. *Aquaculture*, 26: 167-172.

Leger, Ph., G.F. Bleber and P. Sorgeloos, 1985. International study on Artemia. XXXIII. Promising results in larval rearing of *Penaeus stylirostris* using a prepared diet as algal substitute and for *Artemia* enrichment. *J. World Maricult. Soc.*, 16: 354-367.

- Lestang, S.D., N.G. Hall and I.C. Potter, 2003. Reproductive biology of the blue swimming crab (*Portunus pelagicus*, Decapods: Portunidae) in five bodies of water on the west coast of Australia, *Fish Bull.*, 101:745-757
- Levine, D.M. and S.D. Sulkin, 1984. Nutritional significance of long-chain polyunsaturated fatty acids to the zoeal development of the brachyuran crab, *Eurypanopeus depressus* (Smith). *J. Exp. Mar. Biol. Ecol.*, 81: 211-223.
- Liang, G.Y., 1987. The research of artificial incubation of Chinese horse crab. *Mar. Sci. Haiyang – Hexue*, 1: 40-47.
- Lim, B.K. and K. Hirayama, 1990. Nitrogen and phosphorous budgets in larval rearing tanks for mass seed production of swimming crab, *Portunus trituberculatus*. In: Hirano, R. and I. Hanyu (Eds.), Proceedings of The Second Asian Fisheries Forum, Tokyo, Japan, 17-22 April 1989. The Asian Fisheries Society, Manila, p. 177-180.
- Lim, B.K. and K. Hirayama, 1991. Growth and elemental composition (C, N, P) during larval developmental stages of mass cultured

swimming crab *Portunus trituberculatus*. *Mar. Ecol. Prog. Ser.*, 78: 131-137.

Lima, A.V.P. 1995. Estudo do Sistema Reprodutivo de machos da lagosta verde *Panulirus laevicauda* (Latreille, 1817) (Decapoda: Palinuridae). Paraíba: Universidade Federal da Paraíba. Dissertação de Mestrado, 200.

Lin, S., S. Li and G.Z. Wang, 1994. Studies on the biochemical composition during ovarian development of mud crab, *Scylla serrata*. *J. Xiamen Univ.*, 33: 116-120.

Liplius, R.N., 1985. Size-dependent reproduction and moulting in spiny lobsters and other long-lived decapods. In: *Crustacean Issues 3: Factors in Adult Growth* (Eds. By Wenner, A.M.), Boaton: Balkema, A.A., 1:29-148.

Litulo, C., 2004. Fecundity of the pantropical fiddler crab *Uca annulipes* (H.Milne Edwards, 1837) (Branchyura: Ocypodidae) at costa do sol mangrove, Maputo bay, southern Mozambique. *Western Indian Ocean J. Mar. Sci.*, 3: 87 – 91.

- Litulo, C. 2005. Population biology of the fiddler crab *Uca annulipes* (Brachyura: Ocypodidae) in a tropical East African mangrove (Mozambique). *Estuarine, Coastal and Shelf Science*, 62: 283-290.
- Lopez Greco, L.S and E.M. Rodriguez, 1998. Size at the onset of sexual maturity in *Chasmagnathus granulata* Dana, 1851 (Grapsidae: Sesarminae) a critical overall view about the usual criteria for its determination. *Proc. Fourth Int. Crust. Cong.*, 675-689.
- LopezGreco, L.S., J.E.Hemandez, J.E. Bolanos, E.M. Rodriguez and Hernandez, 2000. Population features of *Microphrys bicomutus* Latreille, 1825 (Brachyura: Maiidae) from Isla Margarita Verezuela. *Hydrobiol.*, 439:151-159.
- Lopez, S., X. Turon, E. Montero, C. Palacín, C. Durate and I. Tarjuelo, 1998. Larval abundance, recruitment and early mortality in *Paracentrotus lividus* (Echinoidea). Interannual variability and plankton-benthos coupling. *Mar. Ecol. Prog. Ser.*, 172: 239- 251.
- Lovett, D.L and D.L. Fielder, 1988. Evaluation of the rotifer, *Brachionus plicatilis* as a substitute for *Artemia* in feeding larvae of *Macrobrachium rosenbergii* larvae. *Aquaculture*, 71: 331-338.

- Lucas, J.S. 1980. Spider crab of the family Hymenosomatidae (Crustacea: Brachyura) with particular reference to Australian species: Systematics and biology. *Records of the Australian Museum*, 33:148-247.
- Manjoncabeza, M.E and J.E.G. Rosa, 2000. Morphological reproductive aspects of males of *Diogenes pugilator* (Roux, 829) (Crustacea, Decapoda, Anomura) from southern Spain. *Sarsia*, 85:195-202.
- Mann, D., 2001. The influence of microbiology on the success of mud crab larval culture. *ACIAR Proceedings*. No. 78: 153-158.
- Mann, D. Tom Asakawa, Moris Pizzuto, Clive Keenan and Ian Brock, 2000. Hatchery feeds for the mudcrab *Scylla serrata*. Towards a nutritionally complete diet. *Hatchery Feeds*. Proceeding of a Workshop held in Cairns. pp. 51-54.
- Mantelatto, F.L.M and A. Fransozo, 1997. Fecundity of the crab *Callinectes Ornatus* Ordway, 1863 (Decapoda, Brachyura, Portunidae) from the Ubatuba region, Sao Paulo, Brazil. *Crust*, 70:214-224.

Mantellato, F.L.M. and R.B. Garcia, 2001. Hermit crab fauna from the infralittoral area of Anchieta Island (Ubatuba, Brazil). In: E.E. Briones and F. Alvarez, Eds. Modern Approaches to the study of Crustacea. Pp. 137-144.

Marichamy, R. and S. Rajapackiam, 1984. Culture of larvae of *Scylla serrata*. *Mar. Fish. Inf. Serv. T&E Ser. No.* 58:13-15.

Marichamy, R. and S. Rajapackiam, 1992. Experiments on larval rearing and seed production of the mud crab, *Scylla serrata* (Forsk.) In: IN: C.A. Angell (ed.) The mud crab, Report of the seminar on the mud crab culture and trade, Suratthani Thailand 5-8, 1991:135-141.

Mashiko, K., 1992. Genetic egg and clutch size variations in freshwater prawn populations. *Oikos*, 63: 454-458.

McLaughlin, P.A., 1983. Internal anatomy. *The Biology of Crustacea*. 5: Academic Press. New York. 51-52.

- McConaughy, Jr., 1985. Nutrition and larval growth. In: Wenner, A.M. (ed.). Crustacean Issues. 2: Larval growth. A.A. Balkema, Rotterdam. p. 127-159.
- McLaren, I., C. Corkett and E. Zillioux, 1969. Temperature adaptations of copepod eggs from the arctic to the tropics. *Biol. Bull.*, 137: 486-493.
- Meagher, T.D. 1971. Ecology of the crab *Portunus pelagicus* (Crustacea: Portunidae) in South Western Australia. Ph.D. Thesis, University of Western Australia, Australia.
- Meusy, J. and G.G. Payen, 1988. Female reproduction in malacostracan Crustacea. *Zool. Sci.*, 5:217-265.
- Millikin, M.R., 1978. Blue crab larval culture: methods and management. *Marine Fisheries Review*, 40(11): 10-17.
- Minagawa, M. and M. Murano, 1993. Effects of prey density on survival, feeding rate and development of zoeas of the red frog crab, *Ranina ranina* (Crustacea: Decapoda: Raninidae). *Aquaculture*, 113: 91-100.

- Minagawa, M., J.R. Chiu, F. Kudo, F. Ito and F. Takashima, 1993. Female reproductive biology and oocyte development of the red frog crab, *Ranina ranina*, off Hachijojima, Izu Islands, Japan. *Marine Biology*, 115(4):613-623.
- Minagawa, M., J.R. Chui, M. Kudo and F. Takashima, 1994. Male reproductive biology of the red frog crab, *Ranina ranina*, off Hachijojima, Izu Island, Japan. *Mar. Biol.*, 118:393-401.
- Morita, K. and S.H. Morita, 2002. Role of age and age at maturity: individual variation in the maturation history of resident white spotted charr. *J. Fish Biol.*, 61: 1230-1238.
- Moriyasu, M and C. Lanteigne, 1998. Embryo development and reproductive cycle in the snow crab, *Chionoecetes opilio* (Crustacea: Majidae), in the southern Gulf of St. Lawrence, Canada. *Canadian J. Zool.*, 76: 2040-2048.
- Moriyasu, M., K. Benhalima, D. Duggan, P. Lawton and D. Robichaud, 2002. Reproductive biology of the male Jonah crab, *Cancer borealis* Stimpson, 1859 (Decapoda, Cancridae) on the Scotian shelf, Northwestern Atlantic, *Crustaceana*.

Motoh, H. and D. K. Villaluz, 1976. Larvae of Decapod Crustacea of the Philippines – I. The zoeal stages of a swimming crab, *Charybdis cruciata* (Herbst) reared in the laboratory. *Bull. Japanese Soc. Scient. Fish.* 42 (5):523-531.

Motoh, H., D. de la Pena and E. Tampos, 1977. Laboratory breeding of the mud crab *Scylla serrata* (Forsk.) through the zoea and megalopa stages to the crab stage. *Res. Rep. Aquicult. Dep., SEAFDEC.*, 1(4): 14-18.

Mouchet, S. 1931. Spermatophore des Crustaces Decapoda Anomurews et Brachyuras et castration parasitaire chez quelques pagures, *Ann.Stn.Oceanogr. Salammbo*, 6:1-203.

Mounton, E.M and D.L. Felder, 1995. Reproduction of the fiddler crabs *Uca longisignalis* and *Uca spinicarpa* in a Gulf of Mexico salt marsh. *Estuaries*, 18:469-481.

Muino, R., 2002. Fecundity of *Liocarcinus depurator* (Branchyura; Portunidae) in the Ria de Arousa (Galicia, north-west Spain). *J. Mar. Biol. Ass. U.K.*, 82:109-116.

- Muino, R., L. Fernandez, E. Gonzalez-Gurriaran, J. Freire and J.A. Vilar, 1999. Size at maturity of *Liocarcinus depurator* (Brachyura: Portunidae): a reproductive and morphometric study. *J. Mar. Biol. Ass. U.K.*, 79:295- 300.
- Nagao, J. and H. Munehara, 2003. Annual cycle of testicular maturation in the helmet crab *Telmessus cheiragonus*. *Fish. Sci.*, 69:1200–1208.
- Nakata, K. and S. Goshima, 2004. Fecundity of the Japanese crayfish, *Cambaroides japonicas*: Ovary formation, egg number and egg size. *Aquacult.*, 242:335-343.
- Nakanishi, T., 1987. Rearing condition of eggs, larvae and post larvae of king crab. *Bull. Japan Sea – Reg. Fish. Res. Lab.*, 37: 157-161.
- Nakanishi, T. and M. Naryu, 1981. Some aspects of large scale rearing of larvae and post larvae of the king crab (*Paralithodes camtschaticus*). *Bull. Jap. Sea. Reg. Fish. Res. Lab.*, 32: 39-47.
- Nakaoka, M., 2003. Population dynamics and life history. In: Wada, K. (Ed.), *Ecology of Marine Benthos*. Tokai University Press, Tokyo, pp. 33– 115 (in Japanese).

Naylor, J.K., E.W. Taylor and D.B. Bennett, 1999. Oxygen uptake of developing eggs of *Cancer pagurus* (Crustacea: Decapoda: Cancridae) and consequent behaviour of the ovigerous females. *Journal of the Marine Biological Association of the United Kingdom*, 79(2): 305-315.

Needham, J., 1950. *Biochemistry and morphogenesis*. University Press, Cambridge, pp 1-785.

Norman, C.P. 1996. Reproductive biology and evidence for hard – female mating in the branchyuran crab *Thalamita sima* (Portunidae). *J. Crust. Biol.*, 16:656-662.

Norman, C.P. and M.B. Jones, 1992. Influence of depth, season and moult stage on the diet of the velvet swimming crab *Necora puber* (Brachyura, Portunidae). *Est. Cstl. Shelf Sci.*, 34: 71–83.

Norman, C.P and M.B. Jones, 1993. Reproductive ecology of the velvet swimming crab, *Necora puber* (Branchyura: Portunidae), at Plymouth. *J. Mar. Biol. Asso., U.K.*, 73:379-389.

Norse, E.A., 1977. Aspects of the zoogeographic distribution of the *Callinectes* (Brachyura: Portunidae). *Bull. Mar. Sci.*, 27: 440-447.

Nunnam John Samuel, Soundarapandian Peyail and Anand Thananjayan, 2011. Seed production of commercially valuable portunid crab *Portunus sanguinolentus* (Herbst). *European J. Exp. Biol.*, 1(2); 23-32.

'O' Brien, L., 1999. Factors influencing the rate of sexual maturity and the effect on spawning stock for Georges Bank and Gulf of Maine Atlantic cod *Gadus morhua* stocks. *J. Northw. Atl. Fish. Sci.*, 25:179–203.

Oda, T., 1983. Rearing experiments of the larval blue crab *Portunus trituberculatus* with artificial diets. 1. On the effective feeding rate of the artificial diet for the zoea larvae. *Bull. Fish. Exp. Stu*, 1983 – 84. pp. 88-92.

Oda, T., 1983a. Rearing experiments of the blue crabs *Portunus trituberculatus* with the artificial diets. 2. On the effects of artificial diets supplemented (with) chitin. *Bull. Fish. Exp. Stu*, 1983 – 84. pp. 93-96.

- Ong, K.S. and J.D. Costlow, Jr., 1970. The effect of salinity and temperature on the larval development of the stone crab, *Menippe mercenaria* (Say), reared in the laboratory. *Chesapeake Sci.*, 11: 16-29.
- Ong, K.S., 1964. The early developmental stages of *Scylla serrata* Forskal (Crustacea, Portunidae), reared in the laboratory. *Proc. Indo-Pacific Fish. Coun.*, 11(2): 135-146.
- Ong, K.S., 1966. Observations on the post larval history of *Scylla serrata* Forskal reared in the laboratory. *Malay. Agric. J.*, 45: 429-443.
- Oshiro, L.M.Y., R Silva and C.M. Silveira, 1999. Rendimento de carne nos caranguejos Guaia, *Menippe nodifrons* Stimpson, 1859 e Guaiamum, *Cardisoma guanhumi* Latreille, 1825 (Crustacea, Decapoda, Branchyura) da Baia de Sepetiba/Rj. *Acta Biologica Leopoldensia*, 21(1):83-88.
- Padayatti P.S., 1990. Notes on population characteristics and reproductive biology of the portunid crab *Charybdis feriatus* (Linnaeus) at Cochin. *Indian J. Fish.* 37 (2): 155-158.

Palacios, E., A. Ibarra, J. Ramirez, G. Portillo and I. Racotta, 1998. Biochemical composition of eggs and nauplii in white pacific shrimp, *Penaeus vannamei* (Boone), in relation to the physiological condition of spawners in a commercial hatchery. *Aquacult. Res.*, 29: 183-189.

Palacios, E., C. Perez-Rostro, J. Ramirez, A. Ibarra and I. Racotta, 1999. Reproductive exhaustion in shrimp (*Penaeus vannamei*) reflected in larval biochemical composition, survival, and growth. *Aquaculture*, 171: 309-321.

Pandian, T.J., 1970. Cleidioc properties of marine demarsal eggs. *Indian J. Exp. Biol.*, 8: 340-342.

Pandian, T.J., 1975. Mechanisms of heterotrophy. In: Kinne, O. (ed.) Marine ecology, Vol.II. Physiological mechanisms, Part I. Wiley, Chichester, pp. 61-250.

Parado-Esteva, Emilia T. Qunitio, Eduard M. Rodriguez, 2002. Seed Production of the Crucifix Crab *Charybdis feriatus* Aquaculture Asia, 3: 37

- Parado-Esteba, Emilia T. Qunitio, Eduard M. Rodriguez, 2007. Seed Production of *Charybdis feriatus* (Linnaeus). *Aquac.Res.*, 38:1452-58.
- Parker, G.A., 1970. Sperm competition and its evolutionary consequences in the insects. *Biol. Rev.*, 45:525-567.
- Parimalam, K., 2001. Embryonic and larval development of the hermit crab, *Clibanarius longitarsus* (De Haan) (Crustacea: Decapoda: Anomura). M.Phil Thesis, Annamalai University, India.
- Paul, A.J. and A.E. Adams, 1984. Breeding and fertile period for female *Chionoecetes bairdi* (Decapoda, Majidae). *J. Crust. Biol.*, 4:589-594.
- Perumal, P. and P. Subramanian, 1985. Effects of salinity and copper on larval development in pistol prawn, *Alpheus malabaricus* Fabricius. *Indian J. Mar. Sci.*, 14: 35-37.
- Pearson, J., 1909. *Cancer pagurus* (The edible crab). Memories of L. pool Marine Biological Commission no. 16:262.

Pfaff, K., 1997. Einfluß der Salinität auf den Stoffbestand der Larvenstadien einer marinen Dekapodenart. Master's thesis, Universität Darmstadt, Germany.

Pillai, K.K. and N.B. Nair, 1971. Observations on the breeding biology of some crabs from the southwest coast of India. *J. mar. biol. Ass. India*, 15(2): 754-770.

Pillai, K.K. and N.B.Nair, 1973. Observation on the breeding biology of some crabs from south west coast of India. *J. mar. Biol. Ass. India*, 15 (2): 574-770.

Pillai, K. K and N.B.Nair, 1976. Observations on the breeding biology of some crabs from the southwest coast of India. *J. Mar. Biol. Ass. India*, 15(2): 754-770.

Pinheiro, M.A.A. and A. Fransozo, 1998. Sexual maturity of speckled swimming crab *Arenaeus cribrarius* (Lamarck, 1818) (Decapoda, Brachyura, Portunidae), in the Ubatuba litoral, Silo Paulo State, Brazil. *Crust.*, 71:434-452.

- Pinheiro, M.A.A and O.S.L. Terceiro, 2000. Fecundity and reproductive output of the speckled swimming crab *Arenaeus cribrarius* (Lamarck, 1818) (Brachyura: Portunidae). *Crust.*, 73:1121-1137.
- Pinheiro, M.A.A and A. Fransozo, 2002. Reproductive dynamics of the speckled swimming crab *Arenaeus cribrarius* (Lamarck, 1818) (Branchyura, Portunidae), on the north coast of Ssao Paulo State, Brazil. *J. Crust. Biol.*, 22(2):416-428.
- Potter, I.C and S.de Lestang, 2000. The biology of the blue swimmer crab *Portunus pelagicus* in the Leschenault Estuary and Koombana Bay in south-western Australia. *J. Royal Soc. West. Australia*, 83:221-236.
- Potter, I.C., P.J. Chrystal and N.R. Loneragan, 1983. The biology of the blue manna crab *Portunus pelagicus* in an Australian estuary. *Mar. Biol.* 78: 75–85.
- Prager, M.H., J.R. Mc Conaugha, C.M. Jones and P.J.Geer,1990. Fecundities of blue crab, *Callinectes sapidus*, in Chesapeake Bay; biological, statistical and management considerations, *Bull. Mar. Sci.*, 46:170-179.

Prasad, P.N. and B. Neelakantan, 1989. Maturity and breeding of the mud crab *Scylla serrata* (Forsk.) (Decapoda: Brachyura: Portunidae). *Proc. Indian. Acad. Sci., Anim.Sci.*, 98(5): 341-349.

Prasad, P.N. and B. Neelakantan, 1989a. Fecundity of the mudcrab *Scylla serrata* (Forsk.). *Mahasagar*, 22(1): 23-28.

Preez, H.H and A. Mclachlan, 1984. Biology of three spot swimming crab, *Ovalipes punctatus* (De Haan) 111, Reproduction, fecundity and egg development. *Crust.*, 47:286-297.

Qian, P. and F. Chia, 1992. Effect of aging on reproduction in a marine polychaete, *Capitella* sp. *J. Exp. Mar. Biol. Ecol.*, 156: 23-38.

Quinitio, E.T. and F.D. Parado-Estepa, 2003. Biology and hatchery of mud crabs *Scylla* spp. *SEAFDEC Aquaculture Extension Manual No. 34*, Iloilo, Philippines.

Rabalais, N.N. and J.N. Cameron, 1985. The effects of factors important in semiarid environments on the early development of *Uca subcylindrica*. *Biol. Bull. mar. biol. Lab., Woods Hole*, 168: 147-160.

- Rabalais, N.N. and R.H. Gore, 1985. Abbreviated development in decapods. In: Larval Growth. Ed. A.M. Wenner, A.A. Balkema, Rotterdam, 67-126.
- Radhakrishnan, C.K., 1979. Studies on Portunid crabs of Porto Novo (Crustacea: Decapoda: Brachyura). PhD Thesis, Annamalai University, India.
- Raja, S., 1981. The edible crab *Scylla serrata* and its fishery in Indo-Pacific- region- A Review. M.Sc. Dissertation, Annamalai University, India. pp. 113.
- Rajendran, S., 1987. Effects of salinity on development and survival of the larvae of *Sesarma (Sesarma) quadrata* (Fabricius) (Brachyura : Grapsidae : Sesarminae). M.Sc. Dissertation, Annamalai University, pp 15.
- Rajendran, K., K.R. Narayanan, S. Ajmalkhan and R. Natarajan, 1987. Effect of salinity on zoeal development of the land crab *Cardisoma carnifex* (Herbst). In: S. Palanichamy (Ed.). Proceedings of the Fifth Indian symposium on Invertebrate Reproduction, pp 138-143.

- Raman, K., S. Srinivasagam, C.P. Rangaswamy, S. Krishnan, K.O. Joseph and M. Sultana, 1987. A note on larval rearing of the edible crab, *Portunus pelagicus* Linnaeus, at Ennore hatchery Madras. *Indian J. Fish.*, 34: 128– 131.
- Ramirez Llodra, E. 2002. Fecundity and life history strategies in marine invertebrates, *Adv. Mar. Biol.*, 43:87-179.
- Rasheed, S and J.Mustaquim, 2010. Size at sexual maturity, breeding season and fecundity of three-spot swimming crab *Portunus sanguinolentus* (Herbst, 1783) (Decapoda, Brachyura, Portunidae) occurring in the coastal waters of Karachi, Pakistan Fisher. Resear. , 103 (1–3): 56–62.
- Reeby, J., P.N Prasad and N. Kusuma, 1990. Size at sexual Maturity in the Male crabs of *Portunus sanguinolentus* and *P. pelagicus*. *Fish. Technol.* 27: 115–119.
- Reigada, A.L.D and M.L. Negreiros-Fransozo, 1999. Maturidade sexual em *Hepatus pudibundus* (decapoda, Branchyura, Calappidae). *Iheringia, Setie Zoologica*, 86:159-164.

- Reed, P.H., 1969. Culture methods and effects of temperature and salinity on survival and growth of Dungeness crab, *Cancer magister* larvae in the laboratory. *Fish. Res. BD. Canada*, 26: 389-397.
- Ridley, M and Thompson, D.J. 1985. Sexual selection of population dynamics in aquatic Crustacea. In: Behavioural Ecology: Ecological consequences of Adaptive Behaviour (Ed. by R. M. Sibly and R.H. Smith), Oxford: Blackwell Scientific publications, 409-422.
- Roberts, M.H. Jr., 1971. Larval development of *Pagurus longicarpus* Say reared in the laboratory. II. Effects of reduced salinity on larval development. *Biol. Bull. Mar. biol. Lab., Woods Hole*, 140: 104-116.
- Roberts, M.H. Jr., 1974. Larval development of *Pagurus longicarpus* Say reared in the laboratory. V. Effect of diet on survival and molting. *Biol. Bull.*, 146: 67-77.
- Robertson, W.D. and A. Kruger, 1994. Size at maturity, mating and spawning in the portunid crab, *Scylla serrata* (Forsk.) in Natal, South Africa. *Estuarine, Coastal and Shelf Science*, 39: 185-200.

- Rodriguez-Serna, M., C. Carmona-Osalde, M.A. Olvera-Novoa and J.L. Arredondo-Figuero, 2000. Fecundity, egg development and growth of juvenile crayfish *Procambarus* (Austrocambarus) *llamasi* (Villalobos, 1955) under laboratory conditions. *Aquaculture Research*, 30: 815-824.
- Rosenberg, R. and J.D. Costlow, Jr., 1979. Delayed response to irreversible non genetic adaptation to salinity in early development of the brachyuran crab, *Rithropanopeus harrisi* and some notes on adaptation to temperature. *Ophelia*, 18(1): 97-114.
- Ryan, E.P. 1966. Pheromone: Evidence in decapod. *Crust. Sci.*, 151:340-341.
- Ryan, E.P., 1967. Structure and function of system of the crab *Portunus sanguinolentus* (Herbst) Brachyura: Portunidae). I: The male reproductive system. In: Proceedings of a Symposium on Crustacea. *Mar. Biol. Assoc. India. Symposium Series*, 2:506-521.
- Ryan, E.P., 1984. Spermatogenesis and male reproductive system in the Hawaiian crab *Ranina ranina* (L.). In 'Advances in Invertebrate Reproduction' (Eds. W. Engels, Elsevier, New York), 629.

- Sainte-Marie, B. 1993. Reproductive cycle and fecundity of primiparous and multiparous female snow crab, *Chionoecetes opilio*, in the northwest Gulf of Saint Lawrence. *Canadien J. Fish. Aquat. Sci.*, 50(2):147-156.
- Sainte-Marie, B and C. Carriere, 1995. Fertilization of the second clutch of eggs of snow crab, *Chionoecetes opilio* from females mated once or twice after their moult to maturity. *Fish Bull.*, 93: 759–764.
- Sainte-Marie, B. and G. Lovrich, 1994. Delivery and storage of sperm at first mating of female *hionoecetes opilio* (Brachyura: Majidae) in relation to size and morphometric maturity of male parent. *J. Crust. Biol.*, 14:508–521.
- Sainte Marie, G. and B. Sainte Marie, 1999. Reproductive products in the adult snow crab (*Chionoectes opilio*). I Observations on spermiogenesis and spermatophore formation in the vas deferens. *Can. J. Zool.*, 77:440–450.
- Sampedro, M.P., E. Gonzalez-Guirrian, J. Freire and R .Muino, 1999. Morphometry and sexual maturity in the spider crab *Maja squinado* (Decapoda: Majidae) in Galicia, Spain. *J. Crust. Biol.*, 19:578-592.

- Sandoz, M. and R. Rogers, 1944. The effect of environmental factors on hatching, moulting and survival of zoea larvae of the blue crab *Callinectes sapidus* Rathbun. *Ecology*, 25: 216-228.
- Sapelkin, A.A. and V.Y. Fedoseev, 1981. Structure of male reproductive system of Tanner crabs, *Sov. J. Mar. Biol.*, 7(1981):37-43.
- Saradha, P.T. 1998. Crab fishery of the Calicut coast with some aspects of the population characteristics of *Portunus sanguinolentus*, *P. pelagicus* and *Charybdis cruciata*. *Indian J. Fish.*, 45(4): 375-386.
- Sastry, A.N. 1983. Ecological aspects of reproduction. In: Vernberg, F.J., Vernberg, W. (Eds.), the Biology of Crustacea, Environmental Adaptations Academic Press, New York, 7: 79-254.
- Sastry, A.N. and J.F. McCarthy, 1973. Diversity in metabolic adaptation of pelagic larval stages of two sympatric species of brachyuran crab. *Neth. J. Sea Res.*, 7: 434-446.
- Schoffeniels, E. and R. Gilles, 1970. Osmoregulation in aquatic arthropods. In: Florkin, M., Scheer, B. (Eds.), Chemical Zoology, Vol. 5, Academic Press, New York, pp. 255-286.

- Selvakumar, S., S. Ajmalkhan and R. Natarajan, 1987. Effect of salinity on the development of larvae and juvenile instars of *Neopisesarma (Neopisesarma) mederi* (H. Milne Edwards). *Indian J. Mar. Sci.*, 16: 243-245.
- Shakuntala, K., 1977. Yolk utilization in the freshwater prawn *Macrobrachium lamarrei*. *J. Anim. Morphol. Physiol.*, 24: 13-20.
- Shakuntala, K. and S.R. Reddy, 1982. Crustacean egg size as an indicator of egg fat/protein reserves. *Int. J. Invertebr. Reprod.*, 4: 381 – 384.
- Shokita, S., 1973. Abbreviated larval development of the freshwater prawn *Macrobrachium shokitai* Fujino et Baba (Decapoda, Palaemonidae) from Iriomote Island of the Ryukyus. *Annotnes Zool. Jap.*, 46: 111-126.
- Silva, Z.S and L.M.Y. Oshiro, 2002. Aspectos reprodutivos de *Goniopsis cruentata* (Latreille) (Crustacea, Branchyura, Grapsidae) na Baía de Sepetiba, Rio de Janeiro, Brazil. *Revista Brasileira de zoologia*, 193:907-914.

- Simeó, C.G., E. Ribes and G. Rotllant, 2009. Internal anatomy and ultrastructure of the male reproductive system of the spider crab *Maja brachydactyla* (Decapoda: Brachyura). *Tissue and Cell*, 45:345–361.
- Smith, H., 1982. Blue crabs in South Australia – their status potential and biology. South Australian Fishing Industry Council (Adelaide, Australia), 6:6-9.
- Somers, K.M., 1991. Characterizing size – specific fecundity crustaceans. In: Wenner, A., Kuris, A. (Eds.), crustacean Issues 7. Crustacean Egg Production. A.A. Balkeman, Rotterdam, 357-378.
- Somerton, D.A., 1980. A computer technique for estimating the size of sexual maturity in crabs, *Can. J. Fish. Aquat. Sci.*, 37:1488-1494.
- Somerton, D.A.1981. Regional variation in the size of maturity of two species of tanner crab (*Chionoectes bairdi* and *C. opilio*) in the eastern Bering Sea, and its use in defining management subareas. *Can. J. Fish. Aquat. Sci.*, 38:163-174.

- Sorgeloos, P. and Ph. Leger, 1992. Improved larviculture outputs of marine fish, shrimp and prawn. *J. World Aquaculturist. Soc.*, 23: 251-264.
- Soundarapandian, P. and T. Tamizhazhagan, 2009. Embryonic development of commercially important swimming crab *Portunus pelagicus* (Linnaeus). *Cur. Res. J. Biol. Sci.*, 1(3):106-108.
- Soundarapandian, P., E. Tamizhazhagan and N. John Samuel, 2007. Seed production of commercially important blue swimming crab *Portunus pelagicus* (Linnaeus). *J. Fish. Aqua. Sci.*, 2(4): 302-309.
- Soundarapandian, P., T. Kannupandi and M. John Samuel, 1998. Effects of feeds on digestive enzymes of juveniles of *Macrobrachium malcolmsonii* (H. Milne Edwards). *Ind. J. Exp. Biol.*, 36: 720-723.
- Spalding, J., 1942. The nature and formation of the spermatophore and sperm plug in *Carcinus maenas*. *Q. J. Microsc. Sci.*, 83:399-423.
- Srinivasagam, S., M. Kathirvel and S. Kulasekarapandian, 2000. Captive broodstock development induced breeding and larval stages of mud crabs (*Scylla* spp.). *CIBA Bulletin*. No.12. Pp.97.

- Steele, D. and V. Steele, 1975. Egg size and duration of embryonic development in Crustacea. *Int. Rev. Gesamten Hydrobiol.*, 60: 711-715.
- Stella, V., L. Lopez and E. Rodriguez, 1996. Fecundity and brood biomass investment in the estuarine crab, *Chasmognathus granulata* Dana, 1851. *Crustaceana*, 69: 307-312.
- Stewart, M., N. Soonklang, P. Stewart, P. Hanna, C. Wanichanon, A. Parratt, W. Duan and P. Sobhon, 2000. Histological studies of the ovaries of two tropical portunid species *Portunus pelagicus* (L.) and *Scylla serrata* (F.). *Invert. Reprod. Dev.*, 50:85-97.
- Stewart, M., N. Soonklang, P. Stewart, P. Hanna, C. Wanichanon, A. Parratt, W. Duan and P. Sobhon, 2007. Histological studies of the ovaries of two tropical portunid species *Portunus pelagicus* (L.) and *Scylla serrata* (F.). *Invert. Reprod. Dev.*, 50:85-97.
- Stewart, M.J., P. Stewart, N. Soonklang, V. Linthog, P. J. Hanna, W. Duan and P. Sobhon, 2010. Spermatogenesis in the blue swimming crab, *Portunus pelagicus* and evidence for histones in mature sperm nuclei. *Tissue and cell*, 42:137-150.

Subramoniam, T., 1991. Yolk utilization and esterase activity in the mole crab *Emerita asiatica* (Milne Edwards). In: Crustacean egg production (Eds. A. Wenner and A. Kuris). *Crustacean Issues*, 7: 19-30.

Subramoniam, T., 1993. Spermatophore and sperm transfer in Marine Crustaceans. In *Advances in Marine Biology*, Academic Press. 29:129-214.

Sukumaran, K.K and B.Neelakantan, 1996. Relative growth and sexualmaturity in the marine crabs, *Portunus* (*Portunus*) *sanguinolentus* (Herbst) and *Portunus* (*Portunus*) *pelagicus* (Linnaeus) along the south-west coast of India. *Indian J. Fish.*, 43:215-223.

Sukumaran, K.K. and B. Neelakantan, 1997. Sex ratio, fecundity and reproductive potential in two marine portunid crabs, *Portunus* (*Portunus*) *sanguinolentus* (Herbst) and *Portunus* (*Portunus*) *pelagicus* (Linnaeus) (Brachyura: Portunidae) along the Karnataka coast. *Indian J. Mar. Sci.*, 26: 43-48.

- Sukumaran, K.K., K.R. Teland, and D. Thippeswamy, 1986. On the fishery and biology of the crab *Portunus sanguinolentus* (Herbst) along the south Kanara coast. *Indian J. Fish.*, 33(1):188-200.
- Sulkin, S.D., 1975. The significance of the diet on the growth and development of larvae of the blue crab, *Callinectes sapidus* Rathbun, under laboratory conditions. *J. Exp. Mar. Biol. Ecol.*, 20: 119-135.
- Sumpton, W.D., G.S. Smith and M.A. Potter, 1989. Notes on the biology of the portunid crab *Portunus sanguinolentus* (Herbst) in subtropical Queensland waters. *Australian J. Mar. Fresh. Resear.*, 40: 711-717.
- Sumpton, W.D., M.A. Potter and G.S. Smith, 1994. Reproduction and growth of the commercial sand crab, *Portunus pelagicus* (L.) in Moreton Bay, Queensland. *Asian Fisher. Sci.*, 7:103-113.
- Sun, Y., Yu Yan, Yu. Dan and B. Wang, 1989. A preliminary study of artificial rearing of juvenile (*Charybdis japonica*). *Mar. Sci. Haiyang – Hexue*, 3: 43-47.

Sundaramoorthy, S., 1987. Taxonomical, developmental and larval bioassay studies in the mangrove crab, *Neoepisesarma (Muradium) tetragonum* Fabricius, 1798. (Grapsidae, Brachyura, Decapoda). Ph.D Thesis, Annamalai University, India.

Suprayudi, M.A., T. Takeuchi and K. Hamasaki, 2004. Essential fatty acids for larval mud crab *Scylla serrata*: implications of lack of the ability to bioconvert C 18 unsaturated fatty acids to highly unsaturated fatty acids. *Aquacul.*, 231: 403-416.

Suprayudi, M.A., T. Takeuchi, K. Hamasaki and J. Hirokawa, 2002. The effect of N-3 HUFA content in rotifers on the development and survival of mud crab, *Scylla serrata*, larvae. *Suisanzoshoku*, 50 (2): 205-212.

Suzuki, K., K. Muruga, K. Nogami and K. Maryama, 1990. Bacterial flora of cultured swimming crab (*Portunus trituberculatus*) larvae. *Fish Pathol.*, 25(1): 29-36.

Taketomi, Y., S.Nishikawa and S.Koga, 1996. Testis and androgenic gland during development of external sexual characteristics of the crayfish *Procambarus clarkii*. *J. Crust. Biol.*, 16:24-34.

Takeuchi, T., 2000. A review of studies on the effect of dietary N-3 highly unsaturated fattyacids on larval swimming crab, *Portunus trituberculatus* and mudcrab, *Scylla tranquebarica*. *Proc. The ISPS-DGHE Intl. Symp. on Fisheries Science in Tropical Area*. pp. 244-247.

Takeuchi, T., Nobukazu Satoh, Sachio Sekiya, Tomohito Shimizu and Takeshi Watanabe, 1999. Influence of the different feeding schedule of foode organisms for larval swimming crab *Portunus trituberculatus*. *Nippon Suisan Gakkaishi*, 65 (5): 804-809. (In Chinese)

Takeuchi, T., Nobukazu Satoh, Sachio Sekiya, Tomohito Shimizu and Takeshi Watanabe, 1999a. The effect of dietary EPA and DHA on the moulting rate of larval swimming crab *Portunus trituberculatus*. *Nippon Suisan Gakkaishi*, 65 (6): 998-1004. (In Chinese).

Takeuchi, T., Y. Nakamoto, K. Hamasaki, S. Sekiya and T. Watanabe, 1999b. Requirements of N-3 highly unsaturated fatty acids for larval swimming crab *Portunus trituberculatus*. *Nippon Suisan Gakkaishi*, 65 (5): 797-803. (In Chinese).

- Takeuchi, T., Takayuki Kobayashi, Tomohito Shimizu and Sachio Sekiya, 2000. The necessity and feeding schedule of *Artemia* nauplii for larval mud crab. *Nippon Suisan Gakkaishi*, 66 (6): 984-992. (In Chinese)
- Talbot, P., W. Clark and A. Lawrence, 1972. Light and electron microscopic studies of osmoregulatory tissue in the developing brown shrimp, *Penaeus azetecus*. *Tissue and Cell*, 4: 271-286.
- Teytaud, A.R., 1971. The laboratory studies of Sex Recognition in the Blue Crab. *Callinectes sapidus* Rathbun. Sea Grant Technical Bulletin. No. 15, University of Miami Sea Grant Program.
- Thirunavukkarasu, N., 2005. Biology, nutritional evaluation and utilization of mud crab *Scylla tranquebarica* (Fabricius, 1798). Ph.D. Thesis, *Annamalai University*, India. Pp.1- 127.
- Uma, K., 1978. Studies on comparative sperm morphology and spermatophores of crustaceans. M.Phil. Thesis, Madras University.

- Uma, K. and T. Subramoniam, 1979. Histochemical characteristics of spermatophore layers of *Scylla serrata* (Forsk.) (Decapoda: Portunidae). *Int. J. Invert. Reprod.* 1:31-40.
- Uma, K. and T. Subramoniam, 1984. A comparative study on the spermatophore in *Scylla serrata* (Forsskal) (Decapoda: Branchyura) *Clibanarius longitarsus* (De Haan), Decapoda: Anomura). *J. Mar. Biol. Ass., India*, 26(1&2):103-108.
- Van Engel, W.A, 1958. The blue crab and its fishery in Chesapeake Bay. Part I. Reproduction, early development, growth and migration. *Commer. Fish. Rev.*, 20 (6): 6-17.
- Veera Ravi, A., 1994. Biochemical changes during embryonic and larval development of the edible portunid crab *Charybdis lucifera* (Fabricius). Ph.D. Thesis, Annamalai University, India.
- Vernberg, W.B., 1983. Responses to estuarine stress. In: Estuaries and enclosed seas. Ed. B.H. Ketchum, Elsevier, Amsterdam, 43-63.
- Vijayakumar, G., 1992. Yolk utilization, impact of salinity, phosphomidan and cadmium on the larval development of the

mangrove crab, *Sesarma brockii* De Man. Ph.D. Thesis. Annamalai University, India. pp. 124.

Vijayakumar, G. and T. Kannupandi, 1987. Effect of salinity on laboratory reared stages of a mangrove crab *Sesarma andersoni* De man. In: Palanichamy, S. (Ed.). *Proc. of the Fifth Indian Symposium on Invertebrate Reproduction*, Pp 132-137.

Vogt, G., 2002. Functional anatomy. In Holdich, D.M. (Ed.): *Biology of Freshwater Crayfish*, 53–151. Blackwell Science, Cambridge.

Warner, G.F., 1977. *The Biology of Crabs*. Elek Science, London. Pp. 202.

Watanabe, T., C. Kitajima and S. Fujita, 1983. Nutritional values of live organisms used in Japan for mass propagation of fish: a review. *Aquacult.* 34: 115-143.

Wear, R.G., 1974. Incubation in British Decapod crustacea and the effects of temperature on the rate and success of embryonic development. *J. Mar. Biol. Ass. U.K.*, 54: 745-762.

- Wilber, D.H. 1986. The distribution and daily movement of stone crabs (*Menippe mercenaria*) in an intertidal oyster habitat on the northwest coast of Florida. *Mar. Behav. Physiol.*, 12:279-291.
- Williams, M.J. and J.H. Primavera, 2001. Choosing portunid tropical species for culture, domestication and stock enhancement in the Indo-Pacific. *Asian Fisheries Science*, 14:121-142.
- Wu, H., 1991. A preliminary study on the embryonic development of mud crab *Scylla serrata*. *J. Zhejiang Coll. Fish.*, 10 (2): 129-133.
- Xue, J.Z., S.N. Du and W. Lai, 2001. Morphology of egg-larva of swimming crab (*Portunus trituberculatus*) during embryonic development. *Acta Zoologica Sinica*, 47(4): 447-452.
- Yang, W.T. and P.A. McLaughlin, 1979. Development of the epipodite in the second maxilliped and gills in *Libinia erinacea* (Decapoda, brachyura, Oxyrhyncha). *Crustaceana, Suppl.*, 5: 47-54.
- Yone, Y., 1978. Essential fatty acids and lipid requirements of marine fish. In: Dietary lipids in aquaculture, (Ed.) Jap. Soc. Sci. Fish., Koseisha. Kaseikaku, Tokyo. *Suisangaku Ser.*, 22: 43-59.

Zainoddin, B.J., 1992. Preliminary studies on rearing the larvae of the mud crab (*Scylla serrata*) in Malaysia. In: *Report of the seminar on the mud crab culture and trade, Surat Thani, Thailand*, November 5-8, 1991. pp. 143-147.