

LIST OF TABLES

Tables	Page no.	
II.1	Light intensity and soil characteristics of the study sites.	42
III.1	Consolidated details of families, genera, species, diversity index, concentration of dominance, stand density and basal area in four forest stands experiencing different degrees of disturbance.	48
III.2	Tree families, genera, species richness and density in four forest stands experiencing different degrees of disturbance.	49
III.3	Importance value index of tree species in four forest stands experiencing different degrees of disturbance.	51
III.4	Regeneration status of tree species in four forest stands experiencing different degrees of disturbance.	54
III.5	Density of shrubs in four forest stands experiencing different degrees of disturbance.	56
III.6	Density of herbs and vines in four forest stands experiencing different degrees of disturbance.	57
IV.1	Basal area of Rudraksh in four forest stands experiencing different degrees of disturbance.	67
IV.2	Seedling survival and growth rate of seedlings in four forest stands.	67
IV.3	Characteristics of four planted stands of Rudraksh near the natural stands.	68
V.1	Yearwise variation in flower and fruit production and percentage of aborted flowers in trees of different CBH classes of Rudraksh in different forest stands experiencing different degrees of disturbance.	81
V.2	Mean fruit weight of Rudraksh in different forest stands.	82
V.3	Relationship between seed density per sq. m (Y) and dispersal distance in metre (x) in Rudraksh.	83
V.4	Fraction of dispersed/disappeared, insect damaged and undamaged fruits in the total fruit population of Rudraksh during the fruit fall period; and of disappeared, dormant/rotten and germinated nuts in the undamaged nut population during the post fruitfall period in four forest stands.	84
V.5	Dispersed, disappeared, dormant/rotten and germinated seeds expressed as fraction of the total number produced by Rudraksh in four forest stands experiencing different degrees of disturbance.	85
V.6	Nut bank in the soil (per 100 sq. m) and fraction (%) of predated and undamaged nuts in the total nut population of Rudraksh before the next fruit-fall crop in the four forest stands.	87
VI.1	Nut germination (%), period required for final germination, period required for germination to commence and period required for 50% germination in Rudraksh.	102
VI.2	Growth of one year old seedlings as affected by number of seedlings emerging from the single nut.	104
VI.3	Seedling survival (%) as affected by number of seedlings emerged from the single nut after one year of germination.	105
VII.1	Environmental parameters of the three stands where seedlings were transplanted.	114
VII.2	Survival of Rudraksh seedlings and their infestation by various agents in different forest stands.	116
VIII.1	Response of cuttings to various growth hormones in different seasons.	123