
REFERENCES

- Amrhein, N. and Zenk, M.K. 1970. Concomitant induction phenylalanine ammonia lyase and cinnamic acid 4-hydroxylase during illumination to excised buck wheat hypocotyles. Naturwissenschaften 57, 312-315.
- Arnon, D.I. 1949. Copper enzymes in isolated chloroplasts. Polyphenol oxidase in Beta vulgaris. Plant Physiol. 24, 1- 15.
- Aspinall, D. and Paley, L.G. 1982. Proline accumulation: Physiological aspects. In (eds) Paley, L.G. and Aspinall, D., The Physiology and biochemistry of drought resistance in plants. pp. 206-241. Academic Press, London.
- Begg, J.E. and Turner, N.C. 1976. Crop water deficits. Adv. Agron. 28, 161-217.
- Bhatia, D.S., Gupta, S. and Malik, C.P. 1982. Effect of some phenols on stomatal aperture and some enzymes in isolated epidermal peelings of Gaillardia pulchella. Acta Botanica Indica, 10, 1-3.
- Boyer, J.S., 1976. Water deficits and photosynthesis. In (ed). T.T. Kozlowski, Water deficits, and plant growth. Vol.4, pp. 153-190. Academic Press, New York.
- Christopher, E.P. 1939. Experience with colour development of apples after harvest. Proc. Am. Soc. Hortic. Sci. 37, 44-46.

- Cracker, L.E., Standley, L.A. and Starbuck, M.S., 1971. Ethylene control of anthocyanin synthesis in Sorghum. Plant Physiol. 48, 349-352.
- Das, V.S.R., Rao, I.M., Swamy, P.M. and Raghavendra, A.S. 1976. Suppression of the stomatal opening by morphactins in isolated epidermal strips. Plant Cell Physiol. 17, 77-82.
- Dittrich, P. and Raschke, 1977. Malate metabolism in isolated epidermis of Commelina communis L. in relation to stomata functioning. Planta, 134, 77-81.
- Ehret, D.L. and Joyer, J.S. 1979. Potassium loss from stomatal guard cells at low water potentials. J. Exp. Bot. 30, 225-234.
- Fereres, E., Acevado, E., Henderson, D.W. and Hsiao, T.C. 1978. Seasonal changes in water potential and turgor maintenance in Sorghum and maize under water stress physiol. Planta, 44, 261-267.
- Gutmann, I. and Wahlefeld, A.W. 1963. L. Malate Determinate ^{ion} with ^{malate} dehydrogenase with NAD IN: ^{and} Bergmeyer, H.U. (Ed) Methods of enzymatic analysis, Vol.3, p. 1585-1589. Verlag chemie weinheim, Academic Press, New York.
- Hason, K.R. and Havir, E.A. 1972. Mechanism and properties of phenylalanine ammonia lyase from higher plants. Recent Adv. Phytochem. 4, 45-85.

- Harborne, J.B. 1976. Functions of flavonoids in plants. In Goodwin, T.W. (ed) Chemistry and biochemistry of plant pigments, Vol. 2, pp. 736-774, Academic Press, London.
- Hastings, D.F. and Gutknecht, J. 1978. Potassium and turgor pressure in plants. J. Theor. Biol. 73, 363-66.
- Hoffman, H.B. 1937. Increasing the amount of red color of apples after harvest. Proc. Am. Soc. Hortic. Sci. 35, 212-216.
- Howard, J.A. 1966. Spectral energy relationships of isobilateral leaves. Aust. J. Biol. Sci. 19, 757-766.
- Hsiao, T.C. 1973. Plant responses to water stress. Ann. Rev. Plant Physiol. 24, 519-570.
- Hsiao, T.C. 1976. Stomatal ion transport. In : Transport in plants II. ed. U. Lüttge, M.G. Pitman, Encycl. Plant Physiol. (NS) 28, 195-221, Springer verlag, Berlin.
- Hsiao, T.C., Acevedo, E., Fereres, E. and Henderson, D.W. 1976. Water stress, growth and osmotic adjustment. Philos. Trans. Royal. Soc. London B. 273, 479-500.
- Hyodo, H. and Yang, S.F. 1971. Ethylene enhanced synthesis of phenylalanine ammonia lyase in pea seedlings. Plant Physiol. 47, 765-770.

- Kluge, M. 1982. Crassulacean acid metabolism. In (ed) Govindjee. Photosynthesis, Vol. II pp. 231-262, Academic Press, New York.
- Kluge, M. and Ting, I. 1978. Crassulacean acid metabolism: Analysis of an ecological adaptation. Ecol. Stud. 30. Springer Verlag, New York.
- Loftfield, J.V.G. 1921. The behaviour of stomata. Carnegie Institute of Washington. Pub. No. 314, Washington, D.C.
- Loveys, B.R. 1977. The intracellular location of abscisic acid in stressed and non-stressed leaf tissue. Physiologia plantarum, 40, 6-10.
- Loveys, B.R. and Kriedonann, P.E. 1973. Rapid changes in abscisic acid like inhibitors following erasions in vine leaf water potentials. Physiol. Plant. 28, 476-479.
- Ludlow, M.M. 1980. Adaptive significance of stomatal responses to water stress. In (eds) Turner, N.C. and Kramer, P.J. Adaptation of plants to water and high temperature stress, Wiley, New York, pp. 123-138.
- MacRobbie, E.A.C. 1981. In fluxes in 'isolated' guard cells of Commelina communis L. J. Exp. Bot. 32, 545-62.
- MacRobbie, E.A.C. and Lettā^U, J. 1980a. Ion content and aperture in "isolated" guard cells of Commelina communis L. J. Membr. Biol. 53, 199-205.

- MacRobbie, E.A.C. and Lettau, J. 1980b. Potassium content and aperture in 'intact' stomatal and epidermal cells of *Commelina communis* L. J. Membr. Biol. 56, 249-56.
- Magness, J.R. 1928. Observations on colour development in apples. Proc. Am. Soc. Hortic. Sci. 25, 288-92.
- Mancinelli, A.L. 1980. The photoreceptors of the high irradiance responses of plant photomorphogenesis. Photochem. Photobiol. 32, 853-857.
- Mancinelli, A.L. and Rabino, I. 1978. The high irradiance responses of plant photomorphogenesis. Bot. Rev. 44, 129-180.
- Mancinelli, A.L., Yang, C.H., Lindquist, P., Anderson, O.R., and Rabino, I. 1975. Photocontrol of anthocyanin synthesis III. Action of streptomycin on the synthesis of chlorophyll and anthocyanin. Plant Physiol. 55, 251-257.
- Mansfield, T.A. and Davies, W.J. 1981. Stomata and stomatal mechanism. In (eds) Paleg, L.G. and Aspinall, D. The physiology and biochemistry of drought resistance in plants. pp. 315-346, Academic Press, London.
- Mansfield, T.A. and Jones, R.J. 1971. Effects of abscisic acid on potassium uptake and starch content of stomatal guard cells. Planta, 101, 147-58.

- Meidner, H. and Mansfield, T.A. 1968. Physiology of stomata. McGraw Hill, London. pp. 179.
- Mengel, K. and Kirby, E.A. 1980. Potassium in crop production. Advances in Agronomy, 33, 59-10.
- Mohr, H. 1972. Lectures on photomorphogenesis, Springer Verlag, New York.
- Morgan, J.M. 1984. Osmoregulation and water stress in higher plants. Ann. Rev. Plant Physiol. 35, 299-319.
- Ogunkanmi, A.B., Wellburn, A.R., and Mansfield, T.A. 1974. Detection and preliminary identification of endogenous antitranspirants in water stressed Sorghum plants. Planta, 117, 293-302.
- Penny, M.G. and Bowling, D.J.F. 1974. A study of potassium gradients in the epidermis of intact leaves of Commelina communis L. in relation to stomatal opening. Planta, 119, 17-25.
- Piattelli, M. 1976. Betalains. In Goodwin, T.W. (ed) Chemistry and biochemistry of plant pigments. Vol. 2 pp. 560-596. Academic Press, London.
- Proctor, J.T. and Creasy, G.L. 1971. Effects of supplementary light on anthocyanin synthesis in McIntosh' apples. J. Am. Soc. Hortic. Soc. 96, 523-26.

- Raghavendra, A.S., Rao, I.M. and Das, V.S.R. 1976. Characterization of ABA inhibition of stomatal opening in isolated epidermal strips. Plant Science letters, 6, 111-115.
- Rama Das, V.S., Raja Reddy, K., Krishna, Ch.M., Samba Murthy, S. and Rao, J.V.S. 1979. Transpirational rates in relation to quality of leaf epicuticular waxes. Indian J. Exp. Biol. 17, 158-163.
- Raschke, K. 1975. Stomatal action. Ann. Rev. Plant Physiol. 26, 309-340.
- Raschke, K. 1977. The stomatal turgor mechanism and its responses to CO₂ and abscisic acid observations and a hypothesis. In : Regulation of cell membrane activities in plants, (eds.) E. Marre and O. Cifferi, Amsterdam. Elsevier/North Hollan Biomed Press, pp.173-83.
- Raschke, K. 1979. Movements of stomata. In: physiology of movements (eds) W. Haupt and M.E. Feinleib. Encycl. Plant Physiol (NS) 7, 383-441, Springer Verlag, Berlin.
- Rees, A.R. 1958. Field observations of mid day closure of stomata in the oil palm Elais guineensis Jacq. Nature, 182, 735-736.
- Rhodes, M.J.C. and Pooltorton, L.S.C. 1971. The effect of ethylene on the respiration and on the activity of phenylalanine ammonia lyase in swede and parship root tissue. Phytochemistry, 10, 1989-1997.

- Russel, D.M. 1971. Metabolism of aromatic compounds in higher plants. X. Properties of Cinnamic acid 4-hydroxylase of pea seedlings and some aspects of its metabolic and developmental control. J. Biol. Chem. 246, 3870-3878.
- Sampson, J. 1961. A method of replicating dry or moist surfaces for examination by light microscopy. Nature, 191, 932.
- Schrader, A.L. and Marth, P.C. 1931. Light intensity as a factor in the development of apple color and size. Proc. Am. Soc. Hortic. Sci. 28, 552-558.
- Shropshire, W.Jr. 1972. Phytochrome, a photochromic sensor. In (ed) Giese, A.C., photophysiology, Vol. 7, Academic Press, London, 33-72.
- Smith, H. 1972. The photocontrol of flavonoid biosynthesis. In: (eds) K. Mitrakos, and Shropshire W. Jr. Phytochrome, Academic Press, London. pp. 433-481.
- Spyropoulos, C.G. and Mavrommatis, M. 1978. Effect of water stress on pigment formation Quercus species J. Exp. Bot. 29, 473-477.
- Stewart, C.R. 1982. Proline accumulation: Biochemical aspects. In (eds.) Paleg, L.G. and Aspinall, D. The physiology and biochemistry of drought resistance in plants, pp. 243-259. Academic Press, London.

- Cunita, D. and Sheoran, I.S. 1984. Photosynthesis, respiration and stomatal conductance in two species of Brassica under water stress. Ind. J. Plant Physiol. XXVII, 177-183.
- Swain, T. 1976. Nature and properties of flavonoids. In Goodwin, T.W. (ed) Chemistry and biochemistry of plant pigments, Vol. 1. pp. 425-463. Academic Press, London.
- Tal, M. and Imber, D. 1970. Abnormal stomatal behaviour and hormonal imbalance in Flacca, a wilted mutant of tomato. II. Auxin and abscisic acid like activity. Plant physiol. 46, 373-376.
- Tal, M. and Imber, D. 1971. Abnormal stomatal behaviour and hormonal imbalance in Flacca, ^c a wilted mutant of tomato. III. Hormonal effects on the water status in the plant. Plant physiol. 47, 849-850.
- Turner, N.C. 1979. Drought resistance and adaptation to water deficits in crop plants. In (eds) H. Mussell and R.C. Staples. Stress physiology in crop plants. pp. 343-372. Wiley, New York.
- Turner, N.C. 1981. Designing crops for dryland Australia. Can the deserts help us? J. Aust. Inst. Agric. Sci. 47, 29-34.
- Turner, N.C. 1982. The role of shoot characteristics in drought resistance of crop plants. In: Drought resistance in crops with emphasis on rice, pp. 115- 34. International Rice Research Institute, Los Banos.

- Turner, N.C. 1986. Adaptation to water deficits: A changing perspective. Aust. J. Plant Physiol. 13, 175-190.
- Turner, N.C. and Jones, M.M. 1980. Turgor maintenance by osmotic adjustment. A review and evaluation. In: Adaptation of plants to water and high temperature stress (ed) N.C. Turner and P.J. Kramer, pp. 87-103. Wiley, New York.
- Van Kirk, C.A. and Raschke, K. 1973. Release of malate from epidermal strips during stomatal closure. Plant physiol. 61, 474-475.
- Veeranjaneyulu, K. and Das, V.S.R. 1982. Photoacoustic spectroscopy - Leaf absorption spectra. J. Exp. Bot. 33, 515-519.
- Veeranjaneyulu, K. and Das, V.S.R. 1984. Purple pigmentation in leaves of some tropical weed species. Biologia plantarum, 26, 215-220.
- Walter, T.E. 1966. Factors affecting fruit colors in apples: A review of world literature. RPTC Malling Sta 1966. pp. 70-82.
- Weyers, J.D.N. and Hillman, J.R. 1979. Uptake and distribution of abscisic acid in Commelina leaf epidermis. Planta, 144, 167-72.
- Weyers, J.D.B. and Hillman, J.R. 1980. Effects of abscisic acid on $^{86}\text{Rb}^+$ fluxes in Commelina communis L. leaf epidermis. J. Exp. Bot. 31, 711-20.
- Winter, K. and Troughton, J. 1978. Z. Pflanzenphysiol. 88, 153-162.

- Winter, K. and Lutge, U., Winter, E., and Troughton, J.
1978. Oecologia, 34, 225-237.
- Wong, E. 1976. Biosynthesis of flavonoids. In Goodwin,
T.W. (ed): Chemistry and biochemistry of plant
~~studies~~, Vol. 2, pp. ~~475-503~~ Academic Press,
London.
- Wright, S.T.C. 1969. An increase in the 'inhibitor'
content of detached wheat leaves following
a period of wilting. Planta, 86, 10-20.
- Wright, S.T.C. 1977. The relationship between leaf
water potential (Ψ_{leaf}) and the levels
of abscisic acid and ethylene in excised
wheat leaves. Planta, 134, 183-189.
- Wright, S.T.C. and Hiron, R.W.P. 1969. (+) - Abscisic
acid, the growth inhibitor induced in
detached wheat leaves by a period of wilting.
Nature, 224, 719-20.
- Wu, H.I. and Sharpe, P.J.H. 1979. Stomatal mechanics II.
Material properties of guard cell walls.
Plant cell Environ. 2, 325-44.
- Zabada, T.J. 1974. A water potential threshold for
the increase of abscisic acid in leaves.
Plant physiol. 53, 125-127.
- Zeiger, E. 1983. The biology of stomatal guard cells.
Ann.Rev. Plant Physiol. 34, 441-475.
- Zelitch, I. 1969. Stomatal control. Annu. Rev. Plant
Physiol. 20, 329-350.