

R E F E R E N C E S

- Altherr, E. 1950 'Les nematodes du Parc National suisse'.
(Nematodes libres du sol.) *Ergebn. wiss. Unters. schweiz. Nat Parks. n.s.* 3 (22),
1 - 46.
- Altherr, E. 1952 'Les nematodes du Parc National suisse. 2'.
Ergebn. wiss. Unters. schweiz NatParks. n.s.
3 (26), 315 - 56.
- Altherr, E. 1954 'Lessnematodes du sol du Jura vaudois'.
Bull. Soc. vaud. Sci. nat. 66, 47 - 54.
- Allen, M.W. 1955 'A review of the nematode genus
Tylenchorhynchus'. *Univ. Calif. Publ. Zool.* 61, 129 - 65.
- Allen, M.W. and
H.J. Jensen, 1951 'Pratylenchus vulnus n.sp. (Nematoda Pratylenchinae),
aparasite of trees and vines in California.
Proc. Helm. Soc. Wash. 18, 47 - 50.
- Andrássy, I. 1958b. 'Erd-und Susswassernematoden aus
Bulgarien'. *Acta Zool. Acad. Sci. Hung.*
4, 1 - 88.
- Andrássy, I. 1959a 'Neubenennungen einiger Homonymen
Nematoden - Gattungen'. *Nematologica* 4,
223 - 6.
- Andrássy, I. 1959b 'Freilebende Nematoden aus Rumanien'.
Ann. Univ. Sci. Bp. 2, 3 - 27.
- Andrássy, I. 1959c 'Taxonomische Übersicht der Dorylaimen
(Nematoda). I'. *Acta zool. Acad. Sci. Hung.* 5, 191 - 240.
- Andrássy, I. 1960 'Taxonomische Übersicht, der Dorylaimen
(Nematoda). 2'. *Acta zool. Acad. Sci. Hung.* 6, 1 - 28.

- Andrássy, I. 1961 'Zur Taxonomie der Neotylenchiden'.
Nematologica 6, 25 - 36.
- Andrássy, I. 1962 'Neue Nematodenarten aus Ungarn. I.
Zehn neue Arten der unter Klasse Sec.
ernontea (Phasmiela) Acta zool. 8, 1 - 23.
- Baker, A.D., 1962 'Check list of the Nematode Superfamilies
Dorylaimoidea, Rhabditoidea, Tylenchoidea,
and Aphelenchoidea'. Leiden, E.J. Brill.
261 pp.
- Basir, M.A., 1949 An easy method for the preparation of an
En face view of small nematodes. Trans.
Amer. micros. Soc. 68, 123 - 126.
- Bastian, H.C., 1865 'II. Monograph on the Anguillulidae, or
free Nematoids, marine, land and freshwater;
with descriptions of 100 new species'.
Trans. Linn. Soc. Lond. 25, 73 - 184.
- Baylis, H.A., and Daubney, R., 1926 A synopsis of the families and genera of
Nematoda. London, Brit. Mus. (N.H.)
277 pp.
- Butschli, O. 1876. 'Untersuchungen über freilebende Nematoden
und die Gattung Chaetonotus'. Z. wiss.
Zool. 26, 363 - 413.
- Carvalho, J.C., 1955 'Plantas Ornamentais Parasitadas Por
Especies Do Genero Xiphinema'. Revista
do Inst. Adolfo Lutz. 15, 18 - 85.
- Carvalho, J.C., 1962 'Xiphinema itanhaense n.sp. (Nematoda:
Dorylaimidae)'. Arq. do Inst. Biolog.
29, 223 - 25.
- Chitwood, B.G., 1933b 'Notes on nematode systematics and
nomenclature. J. Parasit. 19, 242 - 3.
- Chitwood, B.G., 1933c 'A revised classification of the Nematoda'.
J. Parasit. 20, 131.

- Chitwood, B.G., 1958 'The designation of official names for higher taxa of invertebrates'. Bull. zool. Nomencl. 15 (25/28), 860 - 895.
- Chitwood, B.G., and
Chitwood, M.B., 1937 An introduction to nematology. Baltimore, Maryland, Monumental Printing Co. 372 pp.
- Chitwood, B.G. and
Chitwood, M.B., 1950 An introduction to nematology. Baltimore, U.S.A. Monumental Printing Co. Revised edition. 213 pp.
- Clark, W.C., 1961 'A revised classification of the order Enoplida (Nematoda)'. N.Z.J. Sci. 4, 123 - 50.
- Cobb, N.A., 1893b 'Nematodes, mostly Australian and Fijian'. Macleay Memorial Vol., Linn. Soc. N.S.W. 1 - 59.
- Cobb, N.A., 1913 'New nematode genera found inhabiting fresh water and non-brackish soils'. J. Wash. Acad. Sci. 3, 432 - 44.
- Cobb, N.A., 1920 'On hundred new nemas'. Contrib. Sci. Nematol. (9), 217 - 343.
- Colbran, R.C., 1962 'Studies of Plant and Soil Nematodes, 5. Four new species of Tylenchoidea from Queensland pineapple fields'. Queensland Jour. of Agric. Sci., 19, 231 - 39.
- Colbran, R.C., 1963 'Studies of Plant and Soil Nematodes 6. Two new species from citrus orchards'. Queensland Jour. of Agric. Sci., 20 : 469 - 74.
- Coomans, A., 1963 'Stoma structure in members of the Dorylaimina. Nematologica 9, 587 - 601.
- Coomans, A., 1964 'Structure of the female gonads in members of the Dorylaimina'. Nematologica 10, 601 - 622.

- Coomans, A., 1964 'Xiphinema basilgoodeyi n.sp. with observations on its larval stages (Nematoda: Dorylaimina)'. Nemat. 10, 581 - 95.
- Dady, J. 1905 'Untersuchungen uber die Susswasser-Mikrofauna Paraguays'. Zoologica, Stuttgart 18, 1 - 349.
- Das, V.M., 1960 'Studies on the nematode parasites of plants in Hyderabad (Andhra Pradesh, India)'. Z. Parasitenkunde, 19, 553 - 605.
- Edward, J.C. and Misra, S.L., 1964. 'Criconemoides magnoliae n.sp. and C. juniperi n.sp. (Nematoda: Criconematidae) from Kumaon Region, Uttar Pradesh, India'. Nematologica 10, 95 - 100.
- Fassuliotis, G. and C.E. Williamson, 1959 'Criconemoidis axeste n.sp. associated with rose in commercial green house in New York State. Nematologica 4, 205 - 210.
- Filipjev, I.N., 1918 'Svobodnozhivushchiya morskaya nematody okrestnostei sevastopolya 1'. Trav. Lab. Zool. Sebastopol ser. 2 (4), 1 - 350.
- Filipjev, I.N. 1929 'The classification of free-living Nematoda and their relation to parasitic forms'. J. Parasit. 15, 281.
- Filipjev, I.N., 1934a 'The classification of the free-living nematodes' and their relation to parasitic nematodes. Smithson. misc. Coll. 89, 1 - 63.
- Filipjev, I.N. and Schuurmans Steekoven, J.H., 1941. A manual of agricultural helminthology. Leiden, Brill. 878 pp.
- Fisher, J.H., 1964 'Telotylenchus whitei n.sp. from S. Australia with observations on Telotylenchus hastulatus (Colbran, 1960) n. comb'. Nematologica 10, 563 - 69.
- Goodey, J.B., 1951 'The "Hemizonid", a hitherto unrecorded structure in members of the Tylenchoidea'. J. Helm. 25, 33 - 6.

- Goodey, J.B., 1957 'Laboratory methods for work with plant and soil nematodes'. Tech. Bull. 2, Minist. Agric., London, H.M.S.O. 3rd. edition of T. Goodey, 1949 & 1951. 47 pp.
- Goodey, J.B., 1963 'Soil and Freshwater Nematodes'. By T. Goodey (Revised Edit.). London, Methuen. 544 pp.
- Golden, A.M., 1946 'Taxonomy of the spiral nematodes (Rotylenchus and Helicotylenchus), and the developmental stages and host-parasite relationships of R. buxophilus, n.sp. attacking boxwood'. Bull. Md agric. Exp. Sta. A - 85, 1 - 28.
- De Guiran, G, 1963 'especes nouvelles du genre Criconemoides, Taylor (Nematoda Criconematidae) Rev. Path. veg. Ent. agric. Fr. 42, 1 - 11.
- De Grisse, A., 1963 'Criconemoides flandriensis n.sp. (Nematoda, criconematidae) Nematologica 9, 547 - 52.
- De Grisse, A. and Koen, H. 1964 'Criconemoides pseudohercyniensis n.sp. (Nematoda: Criconematidae)'. Nemat. 10, 197 - 200.
- De Grisse, A. and Loof, P.A.A., 1965 Revision of the genus Criconemoides (Nematoda)'. Meded. Landb. Hogesch. Opzoekstns Gent 30, 577 - 603.
- Hooper, D.J., 1961 'A redescription of Longidorus elongatus (de Man, 1876) Thorne and Swanger, 1936 (Nematoda: Dorylaimidae) and descriptions of five new species of Longidorus from Great Britain. Nematologica 6, 237 - 257.
- Hofmanner, B. and Menzel, R., 1914. 'Neue Arten freilebender Nematoden aus der Schweiz'. Zool. Anz. 44, 80 - 91.
- Husain, S.I. and Khan A.M., 1965 'A new genus and six new species of nematodes from India belonging in the family Neotylenchidae with an amendment of the subfamily Ecphyadophorinae Proc. Helm. Soc. Wash. 32, 7 - 15.

- Husain, S.I. and Khan, A.M. 1965 'A new genus and two new species of Nematodes from India Belonging to the family Dorylaimidae with an amendment of the subfamily Nordianae'. Proc. Helm. Soc. Wash. 32, 49 - 52.
- Husain, S.I. and Khan, A.M., 1965 'Two new species of Boleodorus Thorne, 1941 (Nematoda: Neotylenchidae) from India.' Prof. Helm. Soc. Wash. 32, 176 - 79.
- Jairajpuri, M.S. 1964 'Studies on Campydoridae and Leptonchidae (Nematodes: Dorylaimoidea) with Description of Basirotyleptus basiri n.g., n.sp., from India'. Proc. Helm. Soc. Wash. 31. 59 - 64.
- Jairajpuri, M.S. and Siddiqi, A.H., 1963 'On three new species of the genus Criconemoides Taylor, 1936 (Nematoda: Criconematidae) from India Z.F. Parasitenkunde 23, 340 - 347.
- Jairajpuri, M.S. and Siddiqi, A.H. 1964. 'On a new nematode genus Nordia (Dorylaimoidea: Nordianae n. subfam.) with remarks on the genus Longidorella Thorne, 1939'. Proc. Helm. Soc. Wash, 31, 1 - 9.
- Khan, E. and Basir, M.A., 1963 'Boleodorus similis n.sp. (Nematoda: Nothotylenchinae) from India'. Z.f. Parasitenk. 23, 121 - 23.
- Khan, E. and Siddiqi, M.R., 1963 'Longidorella xenura n.sp. (Nematoda: Dorylaimoidea) found around Apricot roots in Almora, North India'. Curr. Sci. 32, 363 - 64.
- Khan, E., 1964 'Longidorus afzali n.sp. and Xiphinema arcum n.sp. (Nematoda; Longidoridae) from India'. Nemat. 10, 313 - 18.
- Khan, E. 1964 'Boleodorus mirus n.sp. (Tylenchida: Boleodorinae n. sub-fam.) from Kufri, Simla (H.P.) India, with a key to the species of the genus Boleodorus, Thorne, 1941'. Zool. Anz. 173, 336 - 41.

- Khan, E., 1964 'Enchodorella a new nematode genus in the family Dorylaimidae with description of E. parveeni n.sp.'. Labd. J.S.T. 2, 1 - 3.
- Kirjanova, E.S., 1951 'Nematody pochvy khlopkovaga polya i tseliny v Golodnoi stepi (Uzbekistan)'. Trav. Inst. zool. Akad. Sci. 9, 625 - 57.
- Kirjanova, E.S., 1955a 'Pyreinaya ugritsa - Paranguina agropyri gen. et. sp. n. (Nematodes)'. Trav. Inst. zool. Akad. Sci. U.R.S.S. 18, 42 - 52.
- Lima, M.E. and M.R. Siddiqi, 1963 'Boleodorus volutus n.sp. (Nematoda: Nothotylenchinae) found in soil about grass roots in England, Nematologica 9, 19 - 23.
- Loof, P.A.A., 1958 'Some remarks on the status of the subfamily Dolichodorinae, with description of Macrotrophurus arbusticola n.g., n.sp. (Nematoda: Tylenchidae)'. Nematologica 3, 301 - 7.
- Loof, P.A.A., 1963 'Four new species of Criconemoides from the Netherlands'. Versl. Meded. plaziektenk. Dienst Wageningen, 141, 160 - 68.
- Loof, P.A.A., 1964 'Free-living and plant-parasitic nematodes from Venezuela'. Nematologica 10, 201 - 300.
- Loos, C.A., 1948 Notes on free-living and plant-parasitic nematodes of Ceylon. Ceylon J. Sci. (B) 23, 119 - 124.
- Loos, C.A., 1950 'Xiphinemella nom. nov. A change of name for Tabrobanus Loos, 1949', J. zool. Soc. India 2, 149.
- Lordello, L.E.G., 1951. 'Xiphinema brasiliense, nova especie de nematoide do Brasil, parasita de Solanum tuberosum L. Bragantia 11, 87 - 90.
- Lordello, L.E.G., and Da Costa, C.P., 1961 'A new nematode parasite of Coffee roots Brazil'. Rev. Brasil. Biol., 21, 363 - 66.

- Luc, M., 1958 Xiphinema de l'ouest africain: description de cinq nouvelles especes (Nematoda: Dorylaimidae) Nematologica. 3, 57 - 72.
- Luc, M., 1958 Nouveaux criconematidae de la zone intertropicale (Nematoda: Tylenchida). Nematologica 4, 16 - 22.
- Luc, M., 1961 Structure de la gonade femelle chez quelques especes du genre Xiphinema Cobb, 1913. (Nematoda: Dorylaimidae). Nematologica 6, 144 - 154.
- Luc, M., 1961 Xiphinema de l'ouest africain (Nematoda: Dorylaimidae). Deuxieme note. Nematologica 6, 107 - 122.
- Luc, M. and A. Dalmasso, 1963 Trois Nouveaux Xiphinema associes A la vigne (Nematoda: Dorylaimidae). Nematologica 9, 531 - 541.
- Luc, M., M.B. Lima, B. Weischer and J.J.M. Flegg, 1964 'Xiphinema vuittenezi n.sp. (Nematoda: Dorylaimidae). Nematologica 10, 151 - 163.
- Luc, M. and Tarjan, A.C., 1963 Note systematique sur le genre Xiphinema Cobb, 1913. (Nematoda: Dorylaimidae). Nematologica 9, 111 - 115.
- Luc, M and Tarjan, A.C., 1963 Redescription de Xiphinema rotundatum Schuurmans Stekhoven & Teunissen, 1938 et de Xiphinema mammillatum Schuurmans Stekhoven and Teunissen, 1938. (Nematoda: Dorylaimidae). Nematologica 9, 116 - 124.
- de Man, J.G., 1876 'Onderzoekingen over vrij in de aarde levende Nematoden'. Tijdschr. ned. dierk. Ver. 2, 78 - 196.
- de Man, J.G., 1880 'Die einheimischen frei in der reinen Erde and im sussen Wasser lebende Nematoden'. Tijdschr. ned. dierk. Ver. 5, 1 - 104.
- de Man, J.G., 1921 'Nouvelles recherches sur les nematodes libres terricoles de la Hollande'. Capit. zool. 1, 1 - 62.

- Merzheevskaya, O.I., 1951 Novye vidy nematod. Sborn. Nauchn. Trudov. Akad. Nauk Belorussk. SST Inst. Biol. 2: 112 - 20.
- Meyl, A.H., 1957 'Freeliving nematodes'. In: Exploration hydrobiologique du lac Tangenika (1946 - 1947). 3, (7), 27 - 51. Bruxelles, Inst. roy. Sci. nat. Belg.
- Meyl, A.H., 1960 'Freilebenden Nematoden'. In: Die Tierwelt Mitteleuropas, edited by Brohmer, P., Ehrmann, P., and Ulmer, G I(5a). 164 pp. Leipzig. Quelle and Meyer.
- Micoletzky, H., 1922a 'Frei Nematoden aus dem Grundschlamm norddeutscher Seen (Madii- und Plonersee)'. Arch. Hydrobiol. (Plankt.) 13, 532 - 60.
- Micoletzky, H., 1922b 'Die freilebende Erd-Nematoden'. Arch. Naturg. Abt. A. 87, 1 - 650.
- Micoletzky, H., 1925 'Die freilebenden Susswasser und Moornematoden Danemarks'. K. danske. vidensk. Selsk. Skr. ser. 8, 10, 57 - 310.
- Micoletzky, H., 1927 Neue und seltene freilebende Nematoden aus dem Wolgagebiet (Kama). Zool. Anz. 73, 113 - 123.
- Perry, V.G., Darling, H.M., and Thorne, G., 1959 'Anatomy, taxonomy, and Control of certain spiral nematodes attacking Blue Grass in Wisconsin'. Res. Bull. Wis. agric. Exp. Sta. 207, 1 - 24.
- Raski, D.J., 1952 On the morphology of Criconemoides Taylor, 1936, with descriptions of six new species (Nematoda: Criconematidae). Proc. Helm. Soc. Wash. 19: 85 - 99.
- Raski, D.J., 1958 Nomenclatorial notes on the genus Criconemoides (Nematoda: Criconematidae). With a key to the species. Proc. Helm. Soc. Wash. 25, 139 - 142.
- Schuermans Stekhoven, J.H. 1951. 'Nematodes saproocaires at libres du Congo belge'. Mem. Inst. Sci. nat. Belg. ser. 2 (39), 1 - 77.

- Schuermans Stekhoven, J.H.
and Teunissen, R.J.H. 1938 Nematodes libres terrestres. Expl. Parc.
Nat. Albert. Mission G.F. de Witte;
Inst. Parcs. nat. Congo. Belge, Bruxelles
22, 229 pp.
- Seinhorst, J.W., 1959 'A rapid method for the transfer of
nematodes from fixative to anhydrous
glycerin'. Nematologica 4, 67 - 9.
- Seinhorst, J.W., 1962 'On the killing, fixation and transferring
to glycerin of nematodes'. Nematologica 8,
29 - 32.
- Sher, S.A. and Allen, M.W.
1953. 'Revision of the genus Pratylenchus
(Nematoda: Tylenchidae)'. Univ. Calif.
Publ. Zool. 57, 441 - 70.
- Sher, S.A., 1961 'Revision of the Hoplolaiminae (Nematoda).I.
Classification of nominal genera and nominal
species'. Nemat. 6, 155 - 69.
- Sher, S.A., 1963 'Revision of the Hoplolaiminae (Nematoda).II.
Hoplolaimus Daday, 1905 and Aorolaimus n. gen.'
Nematologica 9, 267 - 95.
- Sher, S.A., 1963 'Revision of the Hoplolaiminae (Nematoda).III.
Scutellonema Andrassy, 1958'. Nemat. 9, 421 - 43.
- Sher, S.A. 1965 'Aphasmatylenchus nigeriensis n.gen., n.sp.
(Aphasmatylenchinae n.sub. fam.: Tylenchoidea:
Nematoda) from Nigerian soil'. Proc. Helm.
Soc. Wash. 32, 172 - 76.
- Sher, S.A., 1965 'Revision of the Hoplolaiminae (Nematoda)
V. Rotylenchus Filipjev, 1936'. Nematologica
11, 173 - 98.
- Siddiqi, M.R., 1959 'Basiria graminophila n.g., n. sp. (Nematoda:
Tylenchinae), found associated with grass
roots in Aligarh, India'. Nematologica 4,
217 - 22.
- Siddiqi, M.R., 1961 'Studies on Tylenchorhynchus spp. (Nematoda:
Tylenchida) from India'. Z.f. Parasitenk.
21, 46 - 64.

- Siddiqi, M.R., 1959 Studies on Xiphinema spp. (Nematoda: Dorylaimoidea) from Aligarh (North India), with comments on the genus Longidorus Micoletzky, 1922. Proc. helm. Soc. Wash. 26, 151 - 163.
- Siddiqi, M.R., 1960 'Telotylenchus, a new nematode genus from North India (Tylenchida: Telotylenchinae n. subfam.)'. Nematologica 5, 73 - 7.
- Siddiqi, M.R., 1961 'Studies on species of Criconematinae (Nematoda: Tylenchida) from India. Proc. helm. Soc. Wash. 28, 19 - 34.
- Siddiqi, M.R., 1962 Studies on the genus Longidorus Micoletzky, 1922 (Nematoda: Dorylaimoidea) with descriptions of three new species. Proc. helm. Soc. Wash. 29, 177 - 188.
- Siddiqi, M.R., 1963 Three new species of Dorylaimoides Thorne and Swanger, 1936, with a description of Xiphinema orbum n. sp. (Nematoda: Dorylaimoidea). Nematologica 9, 626 - 634.
- Siddiqi, M.R., 1964 Six new Nematode species in the Superfamily Dorylaimoidea from India. L.J. Sci. Tech. Vol. 2, No. 2, 136 - 144.
- Siddiqi, M.R., and J.B. Goodey, 1963 The status of the genera and subfamilies of the Criconematidae (Nematoda); with a comment on the position of Fergusobia. Nematologica 9, 363 - 377.
- Siddiqi, M.R. and Shahid H. Khan, 1963 Trichonchium n.g. (Nematoda: Campydoridae), with descriptions of two new species from Tea soil, Assam, India. Nematologica 9, 641 - 645.
- Siddiqi, M.R. and Brown, K.F., 1964 'Helicotylenchus retusus n. sp. (Nematoda: Hoplolaiminae) found around sugar cane roots in Negros Oriental, Philippines'. Proc. Helm. Soc. Wash. 31, 209 - 11.
- Siddiqi, M.R. and Husain, Z., 1964 'Three New Species of Nematodes in the Family Hoplolaimidae Found Attacking Citrus Trees in India'. Proc. Helm. Soc. Wash. 31, 211 - 15.

- Siddiqi, M.R. and Khan, E., 1965 'A review of the nematode genus Basirotyleptus (Dorylaimida) with descriptions of two new species'. Proc. Helm. Soc. Wash. 32, 23 - 31.
- Skarbilovich, T.S. 1959 'On the structure of systematics of the nematodes order Tylenchida Thorne, 1949'. Acta Parasit. Polonica 7, 117 - 32.
- Steiner, G., 1931 'Neotylenchus abulbosus n.g., n. sp. (Tylenchidae, Nematoda), the casual agent of a new nematosis of various crop plants'. J. Wash. Acad. Sci. 21, 536 - 8.
- Steiner, G., 1945 'Helicotylenchus, a new genus of plant-parasitic nematodes and its relationship to Rotylenchus Filipjev'. Proc. Helm. Soc. Wash. 12, 34 - 8.
- Steiner, G., 1949 'Plant nematodes the grower should know'. Proc. Soil. Soc. Fla. (1942) 4B, 72 - 117.
- Tarjan, A.C., 1953 Known and suspected plant-parasitic nematodes of Rhode Island, Proc. helm. Soc. Wash. 20, 49 - 54.
- Tarjan, A.C., 1960b Check list of plant and soil nematodes. Gainesville, Univ. Fla. Press, 200 pp.
- Tarjan, A.C., 1964 Two new American dagger nematodes (Xiphinema: Dorylaimidae) associated with citrus, with comments on the viriability of X. bakeri Williams, 1961. Proc. helm. Soc. Wash. 31, 65 - 76.
- Tarjan, A.C., 1964 'A Compendium of the Genus Tylenchorhynchus (Tylenchidae: Nematoda)'. Proc. Helm. Soc. Wash. 31, 270 - 80.
- Tarjan, A.C., 1964 'Two new mucronate-tailed spiral nematodes (Helicotylenchus: Hoplolaiminae)'. Nematologica 10, 135 - 91.
- Taylor, A.L., 1936 'The genera and species of the Criconematinae, a subfamily of the Anguillulinidae (Nematoda)'. Trans. Amer. micr. Soc. 55, 391 - 421.

- Taylor, D.P. and Jenkins, W.R., 1957 'Variations within the nematode genus Pratylenchus, with the descriptions of P. hexincisus n. sp. and P. subpenetrans n.sp. *Nematologica* 2, 159 - 74.
- Thorne, G., 1935b 'Notes on free-living and plant-parasitic nematodes, 2'. *Proc. helm. Soc. Wash* 2, 96 - 8.
- Thorne, G., 1939a 'A monograph of the nematodes of the superfamily Dorylaimoidea'. *Capit. zool.* 8 (5), 1 - 261.
- Thorne, G., 1941 'Some nematodes of the family Tylenchidae which do not possess a valvular median esophageal bulb'. *Gr. Basin Nat.* 2, 37 - 85.
- Thorne, G., 1949 'On the classification of the Tylenchida, new order (Nematoda, Phasmidia)'. *Proc. helm. Soc. Wash.* 16, 37 - 73.
- Thorne, G., and Swanger, H.H., 1936 'A monograph of the nematode genera Dorylaimus Dujardin, Aporcelaimus n.g. Dorylaimoides n.g. and Pungentus n.g.'. *Capit. zool.* 6 (4), 1 - 223.
- Thorne, G., 1961 'Principles of Nematology'. McGraw Hill Book Co., New York, N.Y., 553 pp.
- Thorne, G., 1964 'Nematodes of Puerto Rico: Belonchioidea new superfamily, Leptonchidae, Thorne, 1935 and Belonenchidae new family (Nemata, Adenophorea, Dorylaimida), *Agr. Expt. Sta., Univ. P.R., Tech. Paper* 39.
- Tulaganov, A.T., 1938 'The fauna of nematodes of cotton and surrounding soil in Katta-Kugran district of the Uzbek S.S.R. (In Russian) *Tr. Uzbek. Gos. Univ.* 12, 1 - 25.
- Waseem, M., 1961 'Two new species of the genus Helicotylenchus Steiner, 1945 (Nematoda: Hoplolaimidae)'. *Canad. J. Zool.* 39, 505 - 9.
- Williams, J.R., 1960 'Studies on the nematode soil fauna of sugar cane fields in Mauritius. 3 Dorylaimidae (Dorylaimoidea; Enoplida). *Occ. pap. Mauritius Sugar Industry. Res. Inst.* 28.

- Williams, T.D., 1961. Xiphinema bakeri n. sp. (Nematoda: Longidorinae) from Fraser River Valley, British Columbia, Canada. *Canad. J. Zool.* 29, 407 - 412.
- Yuen, P.H., 1964 'Four new species of Helicotylenchus Steiner (Hoplolaiminae: Tylenchida) and a redescription of H. Canadensis Waseem, 1961'. *Nematologica* 10, 373 - 87.