
REFERENCES

REFERENCES

- Abramowicz DA (1990) Aerobic and anaerobic biodegradation of PCBs: a review. *Crit. Rev. Biotechnol.* 10:241-251.
- Agency for Toxic Substances and Disease Registry (ATSDR) (1999). Toxicological profile for chlorophenols. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.
- Ahlborg UG, Thunberg TM (1980) Chlorinated phenols: occurrence, toxicity, metabolism, and environmental impact. *CRC Crit. Rev. Toxicol.*, 7:1-35.
- Ahn YB, Rhee SK, Fennell DE, Kerkhof LJ, Hentschel U, and Häggblom MM (2003) Reductive dehalogenation of brominated phenolic compounds by microorganisms associated with the marine sponge *Aplysina aerophoba*. *Appl. Environ. Microbiol.* 69:4159-4166.
- Akiba T, Usami R, Horikoshi K (1983) *Rhodopseudomonas vutila*, a new species of nonsulfur purple photosynthetic bacteria. *Internl J. Systematic Bacteriol.* 33:551-556.
- Andrea EK, Michael S, Hans-Joachim K, Dietmar H (1990) Purification and characterization of dichloromuconate cycloisomerase from *Alkaligenes eutrophus* JMP 134. *Biochem. J.* 266:877-883.
- APHA Standard Methods for the Examination of Water and Wastewater (1998) eds. Greenberg, A.E., Clesceri, L.S. & Eaton, A.D., 20th edn. APHA, AWWA & WEF. ISBN 0875532357.
- Backman A, Jansson JK (2004) Degradation of 4-chlorophenol at low temperature and during extreme temperature fluctuations by *Arthrobacter chlorophenolicus* A6. *Microbiol. Ecol.* 48:246-253.

- Bae HS, Lee JM, Lee ST (1996) Biodegradation of 4-chlorophenol *via* a hydroquinone pathway by *Arthrobacter ureafaciens* CPR706. *FEMS Microbiol. Lett.* 145:125-129.
- Bae HS, Yamagishi T, Suwa Y (2002) Evidence for degradation of 2-chlorophenol by enrichment cultures under denitrifying conditions. *Microbiol.* 148:221-227.
- Balfanz J, Rehm HJ (1991) Biodegradation of 4-chlorophenol by adsorptive immobilized *Alcaligenes sp.* A 7-2. *Applied Microbiol. Biotechnol.* 35: 662-668.
- Barnhart EL, Campbell GR (1972) The effect of chlorination on selected organic chemicals. U.S. Government Printing Office, Washington, D.C.
- Battmann H, Rehm HJ (1984) Degradation of phenol by polymer entrapped microorganisms. *Appl. Microbiol. Biotechnol.* 20:285-290.
- Berry DF, Francis AJ, Bollag JM (1987) Microbial metabolism of homocyclic and heterocyclic aromatic compounds under anaerobic conditions *Microbiological Reviews.* 51:43-59.
- Bhatt P, Kumar MS, Mudliar S, Chakrabarti T (2007) Biodegradation of chlorinated compounds—A review. *Critical Rev. in Environl. Science and Technol,* 37:165-198.
- Boersma MG, Solyanikova IP, van Berkel WJH, Vervoort J, Golovleva LA, Rietjens IMCM (2001) ¹⁹F NMR metabolomics for the elucidation of microbial degradation pathways of fluorophenols. A review of previously and newly identified resonances and intermediates. *J. Ind. Microbiol. Biotechnol.* 26:22-34.
- Boyd SA, Shelton DR (1984) Anaerobic biodegradation of chlorophenols in fresh and acclimated sludge. *Applied Environl. Microbiol.* 47:272-277.

- Brown JF, Bedard DL, Brennan MJ, Carnahan JC, Feng H, Wagner RE (1987) Polychlorinated biphenyl dechlorination in aquatic sediments. *Science*. 236:709-712.
- Buikema AL, Jr, McGinniss MJ, Car-ins J Jr. (1979) Phenolics in aquatic ecosystems: A selected review of recent literature. *Mar. Environ. Res.* 2:87-181.
- Castro CE (2003) The natural destruction of organohalogen compounds. Environmental Dehalogenation. *The Handbook of Environmental Chemistry* 3:235-264.
- Chandrashekhar N, Karigar CS (2009) Biodegradation of naphthalene by immobilized *Pseudomonas fluorescens* KCP1. *The Bioscan*. 4:387-393.
- Chaudhry GR, Chapalamadugu S (1991) Biodegradation of halogenated organic compounds. *Microbiol. Reviews*. 55:59-79.
- Chen F, Cui M, Fu J, Sheng G, Sun G, Xu M (2003) Biodegradation of quinoline by freely suspended and immobilized cells of *Comamonas* sp. strain Q10. *J. Gen. Appl. Microbiol.* 49:123-128.
- Chibata I (1983) In A. Hollaender, A. Laskin, and P. Rogers (ed.), Basic biology of new developments in biotechnology, p. 465-496. Plenum Press, New York.
- Chiou CT, Freed VH, Peters LJ, Kohnert RL (1980) Evaporation of solutes from water. *Environ Inter.* 3:231-236.
- Choi SH, Seung-Hyeon Moon, Man Bock Gu (2002) Biodegradation of chlorophenols using the cell-free culture broth of *Phanerochaete chrysosporium* immobilized in polyurethane foam. *J. Chemical Tech. and Biotech.* 77:999-1004.
- Clayton GD, Clayton FE (1981) *Patty's Industrial Hygiene and Toxicology* Eds. (Wiley-Interscience, New York, 3rd Ed., Vol. 2A- 2612-2615.

- Clayton GD, Clayton FE (1994) Patty's industrial hygiene and toxicology. Toxicology, 4th Edn, vol. II, parts A - F. John Wiley & Sons, New York, Part A, 1993; Parts B -; F, 1994; 5045.
- Commandeur LCM, Parsons JR (1990) Degradation of halogenated aromatic compounds. *Biodegradation*. 1:207-220.
- Cozza CL, Woods SL (1992) Reductive dechlorination pathways for substituted benzenes: a correlation with electronic properties. *Biodegradation*. 2:265-278.
- Deng-Yu L, Eberschpa" cher J, Wagner B, Kuntzer J, Lingens F (1991) Degradation of 2,4,6-trichlorophenol by *Azotobacter sp.* Strain GP1. *Appl. Environ. Microbiol.* 57:1920-1928.
- Department of National Health and Welfare (1986) Chlorophenols and their impurities: a health hazard evaluation. Draft report, Bureau of Chemical Hazards.
- DeWeerd KA, Suflita JM (1990) Anaerobic aryl dehalogenation of halobenzoates by cell extracts of "*Desulfomonile tiedjei*". *Appl. Environ. Microbiol.* 56:2999-3005.
- Ding Cheng, Li Zhoxia, Yan Jinlong, Jin Jiexiang (2008) Adsorption behavior of *p*-chlorophenol on the Reed wetland soils. *J. Environml. Science Tech.* 1:169-174.
- Ehlers GA, Rose PD (2006) The potential for reductive dehalogenation of chlorinated phenol in a sulphidogenic environment in *in situ* enhanced Biodegradation website <http://www.wrc.org.za>. 32: 243-248.
- Enviromental Biotechnology: Pollutants included in the black list EEC - European Economic Community (2011). WWW.Molecular-Plant-Biotechnology.info

- Farrell A, Quilty B (2002) The enhancement of 2-chlorophenol degradation by a mixed microbial community when augmented with *Pseudomonas putida* CP1. *Water Res.* 36:2443-2450.
- Fathepure BZ, Tiedje JM, Boyd SA (1988) Reductive dechlorination of hexachlorobenzene to tri and dichlorobenzenes in anaerobic sewage sludge, *Appl. Environ. Microbiol.* 54:327-330.
- Fetzner S, Lingens F (1994) Bacterial dehalogenases: biochemistry, genetics, and biotechnological applications. *Microbiol. Reviews.* 58:641-685.
- Fiege H, Voges HM, Hamamoto T, Umemura S, Iwata T, Miki H, Fujita Y, Buysch HJ, Garbe D, Paulus W (2000) "Phenol Derivatives". *Ullmann's Encyclopedia of Industrial Chemistry* (Weinheim: Wiley-VCH).
- Field JA (2001) Review of scientific literature on microbial dechlorination/chlorination of key chlorinated compounds. 1st Quarter – Year. Report prepared for EUROCHLOR.
- Freiter ER (1979) Chlorophenols. In: Kirk-Othmer Encyclopedia of chemical technology, 3rd Ed., New York, John Wiley & Sons.
- Garrec GML, Artaud I, Capeillere-Blandin C (2001) Purification and properties of the chlorophenol 4-monooxygenase from *Burkholderia cepacia* strain AC1100. *Biochem. Biophys. Acta.* 1547:288-301.
- Genthner BRS, Price WA, II, Pritchard PH (1989a) Anaerobic degradation of chloroaromatic compounds in aquatic sediments under a variety of enrichment conditions. *Appl. Environ. Microbiol.* 55:1466-1471.
- Genthner BRS, Price II WA, Pritchard PH (1989b) Characterization of anaerobic dechlorinating consortia derived from aquatic sediments. *Appl. Environ. Microbiol.* 55:1472-1476.

- Hagblom MM (1992) Microbial breakdown of halogenated aromatic pesticides and related compounds. *FEMS Microbiol. Rev.* 103:28-72.
- Hagblom MM, Bossert IG (2003) Dehalogenation: Microbial processes and environmental applications. Cluwer Academic Publishers. Pp. 3-29
- Hagblom MM, Rivera MD, Young LY (1993) Influence of alternative electron acceptors on anaerobic biodegradability of chlorinated phenols and benzoic acids. *Appl. Environ. Microbiol.* 59:1162-1167.
- Hagblom MM, Young LY (1995) Anaerobic degradation of halogenated phenols by sulfate reducing consortia. *Appl. Environ. Microbiol.* 61:1546-1550.
- Hans GT, Charles SY (1967) Use of glass fiber filters for the rapid preparation of in vivo absorption spectra of photosynthetic bacteria. *J. Bacteriol.* 94:1255-1256.
- Harlow E, Lane O (1988) Antibodies: A Laboratory Manual. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY. 519-551.
- Hawrot M, Nowak A (2006) Effects of different soil treatments on diesel fuel biodegradation. *Polish J. Environ. Stud.* 15: 643-646.
- Heider J, Rabus R (2008) "Genomic insights in the anaerobic biodegradation of organic pollutants". Microbial Biodegradation: Genomics and Molecular Biology. Caister Academic Press. ISBN 978-1-904455-17-2.
- Hodin F, Boren H, Grimvall A, Karlsson S (1991) Formation of chlorophenols and related compounds in natural and technical chlorination processes. *Water Scien. Technol.* 24:403-410.
- Hollender J, Dott W, Hopp J (1994) Regulation of chloro- and methylphenol degradation in *Comamonas testosteroni* JH5. *Appl. Environ. Microbiol.* 60:2330-2338.

- Hollender J, Hopp J, Dott W (1997) Degradation of 4-Chlorophenol via the *meta* cleavage pathway by *Comamonas testosteroni* JH5. *Appl. Environ. Microbiol.* 63:4567-4572.
- Holliger C, Regard C, Diekert G (2003) Dehalogenation by anaerobic bacteria. Kluwer Academic Publishers; Boston: 41a:115-157.
- Holt JG, Kreg NR, Sneath PHA, Staley JT, Williams ST (1994) Bergey's Manual of Determinative Bacteriology, Ninth edition. Williams and Wilkins, Baltimore.
- Hougardy A, Tindall BJ, Klemme JH (2000) *Rhodopseudomonas rhenobacensis* sp. nov. a new nitrate-reducing purple non-sulfur bacterium *Int. J. Systematic Evolutionary Microbiol.* 50:985-992.
- Howard P (1990) Handbook of Environmental Fate and Exposure Data for Organic Chemicals, vol. II, Solvents, Lewis, Boca Raton, Florida.
- IARC (1987) IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Supplement 6, Genetic and Related effects. An updating of selected IARC monographs from volumes 1-42, Lyon, IARC press.
- Jain RK, Manisha K, Sumeet L, Banwari Lal, Priyangshu MS, Dhruva B, Thakur IS (2005) Microbial diversity: Application of microorganisms for the biodegradation of xenobiotics. *Current Science.* 89:101-112.
- Janssen DB, Pries F, Van der Ploeg JR (1994) Genetics and biochemistry of dehalogenating enzymes. *Annu. Rev. Microbiol.* 48:163-91.
- Jing NH, Sulaiman FH, Wahab RA, Pakinging Jr RV, Rashid NAA, Huyop F (2008) Purification and properties of a non-stereospecific dehalogenase enzyme E (DehE) from *Methylobacterium* sp. HJ1. *African J. Microbiol. Research.* 2:187-191.

- Jones PA (1981) Chlorophenols and their impurities in the Canadian environment, Ottawa, Environmental Protection Service, Environment Canada, 434 pp (Report No. EPS-3-EC-81-2).
- Kalliokoski P, Kauppinen T (1990) Complex chlorinated hydrocarbons: Occupational exposure in the sawmill industry. In: Vainio H, Sorsa M, McMichael AL, eds. Complex mixtures and cancer risk, Lyon: IARC. 104: 390-396.
- Kamal VS, Wyndham RC (1990) Anaerobic phototrophic metabolism of 3-chlorobenzoate by *Rhodospseudomonas palustris* WS17. *Appl. Environ. Microbiol.* 56:3871-3873.
- Kargi F, Konya I (2006) COD, *para*-chlorophenol and toxicity removal from *para*-chlorophenol containing synthetic wastewater in an activated sludge unit. *J. Hazard Mater. B.* 132:226-231.
- Khan MZ, Mondal PK, Sabir S (2011) Bioremediation of 2-chlorophenol containing wastewater by aerobic granules-kinetics and toxicity. *J. Hazard. Mater.* [Epub]
- King GM (1988) Dehalogenation in marine sediments containing natural sources of halophenols. *Appl. Environ. Microbiol.* 54:3079-3085.
- Knoll G, Winter J (1987) Anaerobic degradation of phenol in sewage sludge: benzoate formation from phenol in the presence of hydrogen. *Appl. Microbiol. Biotechnol.* 25:384-391.
- Kozak VP, Simsiman GV, Chesters G, Stensby D, Harkin J (1979) Reviews of the environmental effects of pollutants: XI. Chlorophenols. Washington, DC, US Environmental Protection Agency, 492 pp (EPA 600/1-79-0/z).
- Krautler B, Fieber W, Ostermann S, Fasching M, Ongania KH, Gruber K, Kratky C, Mikl C, Siebert A, Diekert G (2003) The cofactor of tetrachloroethene

- reductive dehalogenase of *Dehalospirillum multivorans* is norpseudob12, a new type of a natural corrinoid. *Helv. Chim. Acta.* 86:3698-3716.
- Krooneman J, Akker SVD, Pedro Gomes TM, Forney LJ, Gottschal JC (1999) Degradation of 3-chlorobenzoate under low-oxygen conditions in pure and mixed cultures of the anoxygenic photoheterotroph *Rhodopseudomonas palustris* DCP3 and an aerobic *Alcaligenes* species. *Appl. Environ. Microbiol.* 65:131-137.
- Krumme ML, Boyd SA (1988) Reductive dechlorination of chlorinated phenols in anaerobic upflow reactors. *Water Res.* 22:171-177.
- Kuhn EP, Suflita JM (1989a). Dehalogenation of pesticides by anaerobic microorganisms in soils and groundwater: A review. In: Sawhney BL, and Brown K. (eds.) *Reactions and Movement of Organic Chemicals in Soils.* Special Publication 22. Madison, WI: *Soil Sci. Soc. America*, pp. 111-180.
- Kushalatha M, Vidya G, Karigar C (2011). Biodegradation of 2-chlorophenol by *Bacillus subtilis* isolated from industrial sludge. *The Bioscan.* 6:305-309
- Kushalatha M, Vidya G, Karigar CS (2010) Photobiodegradation of halogenated aromatic pollutants. *Adv. Biosci. Biotechnol.* 1: 238-240.
- Larimer FW, Chain P, Hauser L, Lamerdin J, Malfatti S, Do L, Land ML, Pelletier D A, Beatty JT, Lang AS, Tabita FR, Gibson JL, Hanson TE, Bobst C, Torres y, Torres JL, Peres C, Harrison FH, Gibson J, Harwood CS (2004) "Complete genome sequence of the metabolically versatile photosynthetic bacterium *Rhodopseudomonas palustris* . *Natu. Biotechnol.* 22:55-61.
- Li Y, Hu HY (2007) Enhancement of biodegradation of 4-chlorophenol during co-metabolic process by immobilized-cells of *Pseudomonas putida*. *Huan Jing Ke xue*; 28: 2112-2116.

- Löffler FE, Cole JR, Ritalahti K M, Tiedje JM (2003) Diversity of dechlorinating bacteria. In "Dehalogenation: Microbial processes and environmental applications" (M.M. Haggblom and I. D. Bossert, eds.) pp. 53-87. Kluwer Academic Press, New York.
- Loos MA, Roberts RN, Alexander M (1967). Formation of 2, 4-dichlorophenol and 2,4-dichlorooxyacetate by *Arthrobacter* sp. *Can. Jour. Microbiol.* 13: 691-699.
- Lowry OH, Rosebrough NJ, Farr AL, Randall RJ (1951) Protein measurement with the Folin-phenol reagents. *J. Biol. Chem.* 193:265-275.
- Madigan MT (2008) "Brock Biology of Microorganisms (12th Edition)" Publisher: Benjamin Cummings.
- Madsen T, Licht D (1992) Isolation and characterization of an anaerobic chlorophenol-transforming bacterium. *Appl. Environ. Microbiol.* 58:2874-2878.
- Maillard J, Schumacher W, Vazquez F, Regeard C, Hagen WR, Holliger C (2003) Characterization of the corrinoid iron-sulfur protein tetrachloroethene reductive dehalogenase of *Dehalobacter restrictus*. *Appl. Environ. Microbiol.* 69:4628-4638.
- Marcin S, Stanisław K (1999) Habitat conditions of nymphaeid associations in Poland. *Hydrobiologia* 415:177-185.
- Margesin R, Schinner F, (1999) Biological decontamination of oil spills in cold environments. *J. Chem. Technol. Biotechnol.*, 74:1-9.
- Marks TS, Smith ARW, Quirk AV (1984) Degradation of 4-chlorobenzoic acid by an *Arthrobacter* sp. *Appl. Environ. Microbiol.* 48:1020-1025.

- Massey V (1994) Activation of molecular oxygen by flavins and flavoproteins. *J. Biol. Chem.* 269:22459-22462.
- McCarty PL (1987) Bioengineering issues related to in-situ remediation of contaminated soils and groundwater. In: *Environmental Biotechnology*, Omenn, G.S.Eds., New York: Plenum Press 143-162.
- Middeldorp PJM, DeWolf A, Zehnder JB, Schraa G (1997) Enrichment and properties of a 1,2,4-trichlorobenzene dechlorinating methanogenic microbial consortium. *Appl. Environ. Microbiol.* 63:1225-1229.
- Miksel MD, Boyd SA (1986) Complete reductive dechlorination and mineralization of pentachlorophenol by anaerobic microorganisms. *Appl. Environ. Microbiol.* 52:861-865.
- Montgomery L, Vogel TM (1992) Dechlorination of 2,3,5,6-tetrachlorobiphenyl by a phototrophic enrichment culture. *FEMS Microbiol. Lett.* 73:247-250.
- Muller F, Caillard L (1986) Chlorophenols. In: Gerhartz W (ed) *Ullmann's encyclopedia of industrial chemistry*, Vol A7. VCH Weinheim, pp 1-8.
- Murugesan K., (2003) Bioremediation of paper and pulp mill effluents. *Indian J. Exp. Biol.* 441:1239-1248.
- Nachtigall H, Butler RG (1974) Metabolism of phenols and chlorophenols by activated sludge microorganisms. *Abstr. Annu. Meet. Am. Soc. Microbiol.* 74:184.
- Neumann A, Wohlfarth G, Diekert G (1996) Purification and Characterization of Tetrachloroethene Reductive Dehalogenase from *Dehalospirillum multivorans*. *J. Biol. Chem.* 271:16515-16519.

- Nishino SF, Paoli GC, Spain JC (2000) Aerobic degradation of dinitrotoluenes and the pathway for bacterial degradation of 2,6-dinitrotoluene. *Appl. Environ. Microbiol.* 66:2139-2147.
- NOES (1990) National Occupational Exposure Survey (1981-1983). U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, OH. July 1, 1990.
- Nordin K, Unell M, Jansson JK (2005) Novel 4-chlorophenol degradation gene cluster and degradation route via hydroxyquinol in *Arthrobacter chlorophenolicus* A6. *Appl. Environ. Microbiol.* 71:6538-6544.
- Nordlund I, Powlowski J, Shingler V (1990) Complete nucleotide sequence and polypeptide analysis of multicomponent phenol hydroxylase from *Pseudomonas* sp. strain CF600. *J. Bacteriol.* 172:6826-6833.
- Oberg T, Warman K, Bergstrom J (1989) Production of chlorinated aromatics in the post-combustion zone and boiler. *Chemosphere* 19:317-322.
- Premkumar JR, Rosen R, Belkin S, Lev O (2002) Sol gel luminescence biosensors: Encapsulation of recombinant *E. coli* reporters in thick silicate films *Analytica. Chimica. Acta.* 462:11-23.
- Puyana M, Fenical W, Pawlik JR (2003) Are there activated chemical defenses in sponges of the genus *Aplysina* from the Caribbean? *Mar. Ecol. Prog. Ser.* 246:127-135.
- Sambrook J, Russell WD (2001) Molecular cloning: a laboratory manual. Cold Spring Harbor Laboratory Press.
- Sayler GS, Hooper SW, Layton AC, Henry King JM (1990) Catabolic plasmids of environmental and ecological significance. *Microb. Ecol.* 19:1-20.

- Schirmer F, Hillen W (1998) The *Acinetobacter calcoaceticus* NCIB8250 mop operon mRNA is differentially degraded, resulting in a higher level of the 30 CatA-encoding segment than of the 50 phenolhydroxylase-encoding portion. *Mol. Gen. Genet.* 257:330-337.
- Schlomann M (1994) Evolution of chlorocatechol catabolic pathways. *Biodegradation.* 5:301-321.
- Shieh WK, Puhakka JA, Melin E, Tuhkanen T (1990) Immobilized-cell degradation of chlorophenols. *J. Envir. Engg.* 116:683-697.
- Sikdar SK, Irvine RL (1997) Bioremediation Vol 2. Principles and Practice: Biodegradation Technology Developments. Technomic Publ. Co. Lancaster PA.
- Sithole BB, Williams DT (1986) Halogenated phenols in water at forty Canadian potable water treatment facilities. *J. Assoc. Anal. Chem.* 69:807-810.
- Sittig M (2002) Handbook of toxic and hazardous chemicals and carcinogens, 4th Ed. Vol. 1 A-H Norwich, NY: Noyes Publications, p. 584.
- Slater JH, Bull AT, Hardman DJ (1997) Microbial dehalogenation of halogenated alcanoic acids, alcohols and alkanes. *Adv. Microbiol. Physiol.*, 38:133-176.
- Smeds KA, Grinstaff MW (2001) Photo cross linkable polysaccharides for *in situ* hydrogel formation. *J. Biomedical Materials Research.* 54:115-121.
- Smidsrod O, Skjak-Braek G (1990) Alginate as immobilization matrix for cells. *Trends in Biotechnol.* 8:71-78.

- Smidt H, Akkermans ADL, Van der Oost J, de Vos WM (2002) Molecular characterization of key enzymes in halorespiration. In *Biotechnology for the Environment: Strategy and Fundamentals*, ed. SN Agathos, W Reineke, pp. 23-46. Dordrecht: Kluwer.
- Smidt H, de Vos WM (2004) Anaerobic microbial dehalogenation. *Annu. Rev. Microbiol.* 58:43-73.
- Sofer Gordon SS, Lewandowski A, Lodaya MP, Lakhwala FS, Yang KC, Manjari singh (1990) Biodegradation of 2-chlorophenol using immobilized activated sludge *Research J. Water Pollu.* 62:73-80.
- Solyanikova IP, Golovleva LA (2004) Bacterial degradation of chlorophenols: Pathways, Biochemica, and Genetic Aspects *J. Environl. Science and Health Part B—Pesticides, Food Contaminants, and Agricultural Wastes Vol. B39:* 333-351.
- Song BK, Palleroni NJ, Haggblom MM (2000). Isolation and characterization of diverse halobenzoate-degrading denitrifying bacteria from soils and sediments. *Appl. Environ. Microbiol.* 66:3446-3453.
- Steiert JG, Crawford RL (1985) Microbial degradation of chlorinated phenols. *Trends in Biotech.* 3:300-305.
- Suflita JM, Horowitz A, Shelton DR, Tiedje JM (1982) Dehalogenation: A novel pathway for anaerobic biodegradation of haloaromatic compounds. *Science* 218:1115-1117.
- Sun B, Cole J, Sanford RA, Tiedje JM (2000) Isolation and characterization of *Desulfovibrio dechloracetivorans* sp. nov., a marine dechlorinating bacterium growing by coupling the oxidation of acetate to the reductive dechlorination of 2-chlorophenol. *Appl. Environ. Microbiol.* 66:2408-2413.

- Sun Xiaoran and Shan Zhongjian (2007) Removal of Di-*n*-butyl Phthalate Using Immobilized Microbial Cells. *Chin. J. Chem. Eng*, 15:167-171.
- Suneetha P, Manjunath NH, Karigar CS (2008) Degradation of ethylbenzene by free and immobilized *Pseudomonas fluorescens*-CS2. *Biodegradation*.19:137-144.
- Tanaka H., Matsumura M & Veliky I. A., (1984) Diffusion characteristics of substrates in Ca-alginate gel beads. *Biotechnol. Bioeng*. 53-58.
- Thakur IS (2007) Environmental microbiology xenobiotics: Pollutants and their degradation-methane, benzene, pesticides, bioabsorption of metals. <http://hdl.handle.net/123456789/664>.
- Themel K., Sparling R, Oleszkiewicz J (1996) Anaerobic dehalogenation of 2-chlorophenol by mixed bacterial cultures in absence methanogenesis. *Environ. Technol*. 17:869-875.
- US EPA (1978). In-depth studies on health and environmental impacts of selected water pollutants. EPA Contract No. 68-010-4646. U.S. Environ. Prot. Agency, Cincinnati, Ohio.
- US EPA (1980) Ambient water quality criteria for 2-chlorophenol. EPA-440/5-80-034, NTIS Publ. No. PB81-117459, Office of Water Regulations and Standards.
- US EPA (1986) Quality criteria for water. US Environmental Protection Agency, Washington, DC, USA.
- US EPA (1995a) Generic quality assurance project plan guidance for programs using community-level biological assessment in streams and wadeable rivers. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. EPA 841-B-95-004.
- US EPA, Environmental Goals for America, December 1996.

- Utkin I, Dalton DD, Wiegel J (1995) Specificity of reductive dechlorination of substituted *ortho*-chlorophenols by *Desulfitobacterium dehalogenans* JW/IU-DC1. *Appl. Environ. Microbiol.* 61:346-351.
- Van der Meer JR, Eggen RIL, Zehnder AJB, de Vos WM (1991) Sequence analysis of the *Pseudomonas* sp. strain P51 tcb gene cluster, which encodes metabolism of chlorinated catechols: evidence for specialization of catechol 1,2-dioxygenases for chlorinated substrates. *J. Bacteriol.* 173:2425-2434.
- Van der Woude BJ, De Boer M, Van der Put NM, Van der Geld JFM, Prins RA, Gottschal JC (1994) Anaerobic degradation of halogenated benzoic acids by photoheterotrophic bacteria. *FEMS Microbiology Lett.* 119:199-208.
- Van schie PM, Young LY (2000) Biodegradation of phenol: Mechanisms and applications *Biorem J.* 4:1-18.
- Wang CC, Lee CM, Kuan CH (2000) Removal of 2, 4-dichlorophenol by suspended and immobilized *Bacillus insolitus*. *Chemosphere.* 41:447-452.
- Wang J, Qian Y (1999) Microbial degradation of 4-chlorophenol by microorganisms entrapped in carrageenan-chitosan gels. *Chemosphere.* 38:3109-3117.
- Westerberg K, Elvang AM, Stackebrandt E, Jansson JK (2000) *Arthrobacter chlorophenolicus* sp. nov., a new species capable of degrading high concentrations of 4-chlorophenol. *Int. J. Syst. Evol. Microbiol.* 50:2083-2092.
- Westmeier F, Rehm HJ (1985) degradation of 4-chlorophenol in municipal waste water by adsorptive immobilized *Alkaligenes* sp. A7-2. *Appl. Microbiol. Biotechnol.* 26:78-83.
- Wiegel J, Wu Q (2000) Microbial reductive dehalogenation of polychlorinated biphenyls. *FEMS Microbiology Ecol.* 32:1-15.

- World Health Organization. (1986) Environmental health criteria for chlorophenols other than pentachlorophenol. Supplement. Draft, July 31.
- World Health Organization. (1989) Environmental Health Criteria 93. Chlorophenols other than pentachlorophenol. World Health Organization, Geneva, Switzerland.
- Wu Gaofeng , Xu Hong, Jiang Mei (2004) Biodegradation of chlorophenols: a review <http://www.chemistrymag.org/cji/2004/06a067re.htm>, 6:67.
- Xia Wang, Zhonghui Gai, Bo Yu, Jinhui Feng, Changyong Xu, Yong Yuan, Zhixin Lin, Ping Xu (2007) Degradation of carbazole by microbial cells immobilized in magnetic gellan gum gel beads. *Appl. Environ. Microbiol.* 73: 6421-6428.
- Xun L, Topp E, Orser CS (1992) Diverse substrate range of a *Flavobacterium* pentachlorophenol hydroxylase and reaction stoichiometries. *J. Bacteriol.* 174:2898-2902.
- Yum, Kyu-Jin, Jeffrey PJ (1998) Biodegradation kinetics of chlorophenols in immobilized-cell reactors using a white-rot fungus on wood chips. *Water Environment Research.* 70: 205-213.
- Yurkov V, Beatty TJ (1998) Isolation of aerobic anoxygenic photosynthetic bacteria from Black smoker plume waters of the Juan de Fuca Ridge in the Pacific ocean. *Appl. Environ. Microbiol.* 64:337-341.
- Zaborina O, Latus M, Eberspa"cher J, Golovleva LA, Lingens F (1995) Purification and characterization of 6-chlorohydroxyquinol 1,2-dioxygenase from *Streptomyces rochei* 303: comparison with an analogous enzyme from *Azotobacter* sp. strain GP1. *J. Bacteriol.* 177:229-234.
- Zang X, Wiegel J (1990) Sequential anaerobic degradation of 2, 4-dichlorophenol in freshwater sediments. *Appl. Environ., Microbiol.* 56:1119-1127.

- Zhang X, wiegel J (1992) The anaerobic degradation of 3-chloro-4-hydroxybenzoate in freshwater sediment proceeds *via* either chlorophenol or hydroxybenzoate to phenol and subsequently to benzoate. *Appl. Environl. Microbiol.* 58:3580-3585.
- Zouari H, Labat M, Sayadi S (2002) Degradation of 4-chlorophenol by the white rot fungus *Phanerochaete chrysosporium* in free and immobilized cultures. *Biores. Technol.* 84:145-150.