

References

- [1] D. O'Brien, M.S. Weaver, D.G. Lidzey, D.D.C. Bradley, Use of poly(phenyl quinoxaline) as an electron transport material in polymer light-emitting diodes, *Applied Physics Letters* 69 (1996) 881-883.
- [2] M. Marafi, A. Stanislaus, E. Furimsky, *Handbook of spent hydroprocessing catalysts: regeneration, rejuvenation and reclamation*, 1st ed., Elsevier Netherlands, 2010.
- [3] EPA, Federal Register Rules and Regulations, No. 89 /Wednesday, May 8, 30811. EPA 40 CFR Part 261, vol. 67; 2002 [SWH-FRL-7208-6].
- [4] EPA, <http://www.epa.gov/>.
- [5] P.T. Anastas, Warner C. John, R. More, *Green Chemistry Theory and Practice*, Oxford University Press, New York, (1998).
- [6] T. Kletz, http://en.wikipedia.org/wiki/Trevor_Kletz.
- [7] M. Hartmann, L. Kevan, Transition-Metal Ions in Aluminophosphate and Silicoaluminophosphate Molecular Sieves: Location, Interaction with Adsorbates and Catalytic Properties, *Chemical Review* 99 (1999) 635-664.
- [8] J.J. Berzelius, *Annls. Chim. Phys.* 61 (1836) 146.
- [9] H. Davy, The discovery of a new and curious series of phenomena, *Phil. Trans. Roy. Soc.* 107 (1817) 77
- [10] J. Wisniak, The History of Catalysis From the Beginning to Nobel Prizes, *Educación química* 21 (2010) 60-69.
- [11] B. Lindström, L. Pettersson, A Brief History of Catalysis, *CATTECH* 7 (2003) 130-138.
- [12] J.N. Armor, A history of industrial catalysis, *Catalysis Today* 163 (2011) 3-9.
- [13] V. Meille, Review on methods to deposit catalysts on structured surfaces, *Applied Catalysis A: General* 315 (2006) 1-17.
- [14] M. Bazzar, M. Ghaemy, R. Alizadeh, Novel fluorescent light-emitting polymer composites bearing 1,2,4-triazole and quinoxaline moieties: Reinforcement and thermal stabilization with silicon carbide nanoparticles by epoxide functionalization, *Polymer Degradation and Stability* 97 (2012) 1690-1703.
- [15] P. Selvam, S.K. Mohapatra, Synthesis and characterization of divalent cobalt-substituted mesoporous aluminophosphate molecular sieves and their application as novel heterogeneous catalysts for the oxidation of cycloalkanes, *Journal of Catalysis* 233 (2005) 276-287.
- [16] R. Gounder, E. Iglesia, The catalytic diversity of zeolites: confinement and solvation effects within voids of molecular dimensions, *Chemical Communications* 49 (2013) 3491-3509.
- [17] P.-S.E. Dai, R.H. Petty, C.W. Ingram, R. Szostak, Metal substituted aluminophosphate molecular sieves as phenol hydroxylation catalysts, *Applied Catalysis A: General* 143 (1996) 101-110.
- [18] A.F. Cronstedt, *Akad. Handl. Stockholm* 17 (1756) 120.
- [19] S.T. Wilson, B.M. Lok, C.A. Messina, T.R. Cannan, E.M. Flanigen, Aluminophosphate molecular sieves: a new class of microporous crystalline inorganic solids, *Journal of the American Chemical Society* 104 (1982) 1146-1147.
- [20] B.M. Lok, C.A. Messina, R.L. Patton, R.T. Gajek, T.R. Cannan, E.M. Flanigen, *J. Am. Chem. Soc.* 106 (1984) 6092.
- [21] C.A. Messina, B.M. Lok, E.M. Flanigen, U.S. Patent-4,544,143 (1985).

References

- [22] S.T. Wilson, E. M. Flanigen, U.S. Patent-4,567,029 (1986).
- [23] W. Loewenstein, The distribution of aluminum in the tetrahedral of silicates and aluminates, *American Mineralogist* 39 (1954) 92-96.
- [24] G. Mali, A. Ristić, V. Kaučič, ^{31}P NMR as a Tool for Studying Incorporation of Ni, Co, Fe, and Mn into Aluminophosphate Zeotypes, *The Journal of Physical Chemistry B* 109 (2005) 10711-10716.
- [25] J. Yu, R. Xu, Insight into the construction of open-framework aluminophosphates, *Chemical Society Review* 35 (2006) 593-604.
- [26] E.M. Flanigen, B.M. Lok, R.L. Patton, S.T. Wilson, Aluminophosphate molecular sieves and the periodic table, *Pure and Applied Chemistry* 58 (1986) 1351.
- [27] E.M. Flanigen, R.L. Patton, S.T. Wilson, Structural, Synthetic and Physicochemical Concepts in Aluminophosphate-Based Molecular Sieves, in: W.J. Grobet, G. Schulz-Ekloff, (Eds.), *Studies in Surface Science and Catalysis*, Elsevier, 1988, pp. 13-27.
- [28] T. Wilson Stephen, M. Flanigen, Synthesis and Characterization of Metal Aluminophosphate Molecular Sieves, *Zeolite Synthesis*, American Chemical Society, 1989, pp. 329-345.
- [29] S.T. Wilson, B. Synthesis of AlPO_4 -Based Molecular Sieves, in: E.M.F. H. van Bekkum, J.C. Jansen, (Eds.), *Studies in Surface Science and Catalysis*, Elsevier, 1991, pp. 137-151.
- [30] J. Li, J. Yu, R. Xu, Progress in heteroatom containing aluminophosphate molecular sieves, *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Science* (2012).
- [31] J.A. Martens, P.A. Jacobs, Crystalline Microporous Phosphates: a Family of Versatile Catalysts and Adsorbents, in: J.C. Jansen, M. Stöcker, H.G. Karge, J. Weitkamp, (Eds.), *Studies in Surface Science and Catalysis*, Elsevier, 1994, pp. 653-685.
- [32] M. Elanany, M. Koyama, M. Kubo, P. Selvam, A. Miyamoto, Periodic density functional investigation of Brønsted acidity in isomorphously substituted chabazite and AlPO_4 -34 molecular sieves, *Microporous and Mesoporous Materials* 71 (2004) 51-56.
- [33] D. Arieli, A. Delabie, D.E.W. Vaughan, K.G. Strohmaier, D. Goldfarb, Isomorphous Substitution of Mn(II) into Aluminophosphate Zeotypes: A Combined High-Field ENDOR and DFT Study, *The Journal of Physical Chemistry B* 106 (2002) 7509-7519.
- [34] Y. Wang, G. Yang, D. Zhou, X. Bao, Density Functional Theory Study of Chemical Composition Influence on the Acidity of H-MCM-22 Zeolite, *The Journal of Physical Chemistry B* 108 (2004) 18228-18233.
- [35] F. Tielens, W. Langenaeker, P. Geerlings, Ab-initio study of the bridging hydroxyl acidity and stability in the 12-membered ring of zeolites, *Journal of Molecular Structure: THEOCHEM* 496 (2000) 153-162.
- [36] U.S. Thakur, R. Tomar, Synthesis variables and behaviour of VPI-5: A review, *Microporous and Mesoporous Materials* 201 (2015) 258-270.
- [37] J.L. Casci, P.A. Cox, R.P.G. Henney, S. Maberly, M.D. Shannon, Template design for high-silica zeotypes: A case study of zeolite synthesis using a designed template, in: I.M.C. E. van Steen, L.H. Callanan, (Eds.), *Studies in Surface Science and Catalysis*, Elsevier, 2004, pp. 110-117.

References

- [38] N. Danilina, J.A. van Bokhoven, Control of morphology and mesoporosity of SAPO using engineered surfactants, in: P.M. Antoine Gédéon, B. Florence, (Eds.), *Studies in Surface Science and Catalysis*, Elsevier, 2008, pp. 213-216.
- [39] Y. Liu, Z. Yang, C. Yu, X. Gu, N. Xu, Effect of seeding methods on growth of NaA zeolite membranes, *Microporous and Mesoporous Materials* 143 (2011) 348-356.
- [40] N.J. Tapp, N.B. Milestone, D.M. Bibby, Synthesis of AIPO₄-11, *Zeolites* 8 (1988) 183-188.
- [41] A.F. Ojo, L.B. McCusker, AIPO₄-based molecular sieves synthesized in the presence of di-n-propylamine: Are the structures related?, *Zeolites* 11 (1991) 460-465.
- [42] A.K. Sinha, S. Sainkar, S. Sivasanker, An improved method for the synthesis of the silicoaluminophosphate molecular sieves, SAPO-5, SAPO-11 and SAPO-31, *Microporous and Mesoporous Materials* 31 (1999) 321-331.
- [43] N.W. Federal Register Rules and Regulations, May 8, 30811. EPA 40 CFR Part 261, vol. 67; 2002 [SWH-FRL-7208-6].
- [44] R.M. Barrer, *Hydrothermal Chemistry of Zeolites*, Academic Press London, 1982.
- [45] C.S. Cundy, P.A. Cox, The Hydrothermal Synthesis of Zeolites: History and Development from the Earliest Days to the Present Time, *Chemical Reviews* 103 (2003) 663-702.
- [46] F. Fan, Z. Feng, K. Sun, M. Guo, Q. Guo, Y. Song, W. Li, C. Li, In Situ UV Raman Spectroscopic Study on the Synthesis Mechanism of AIPO-5, *Angewandte Chemie International Edition* 48 (2009) 8743-8747.
- [47] J. Yu, R. Xu, Insight into the construction of open-framework aluminophosphates, *Chemical Society Reviews* 35 (2006) 593-604.
- [48] D. Grandjean, A.M. Beale, A.V. Petukhov, B.M. Weckhuysen, Unraveling the Crystallization Mechanism of CoAPO-5 Molecular Sieves under Hydrothermal Conditions, *Journal of the American Chemical Society* 127 (2005) 14454-14465.
- [49] L. Vidal, C. Marichal, V. Gramlich, J. Patarin, Z. Gabelica, Mu-7, a New Layered Aluminophosphate [CH₃NH₃]₃[Al₃P₄O₁₆] with a 4 × 8 Network: Characterization, Structure, and Possible Crystallization Mechanism, *Chemistry of Materials* 11 (1999) 2728-2736.
- [50] H.-X. Li, M.E. Davis, Further studies on aluminophosphate molecular sieves. Part 2.-VPI-5 and related aluminophosphate materials, *Journal of the Chemical Society, Faraday Transactions* 89 (1993) 957-964.
- [51] S. Oliver, A. Kuperman, G.A. Ozin, A New Model for Aluminophosphate Formation: Transformation of a Linear Chain Aluminophosphate to Chain, Layer, and Framework Structures, *Angewandte Chemie International Edition* 37 (1998) 46-62.
- [52] J.M. Thomas, R. Raja, G. Sankar, R.G. Bell, Molecular Sieve Catalysts for the Regioselective and Shape Selective Oxyfunctionalization of Alkanes in Air, *Accounts of Chemical Research* 34 (2001) 191-200.
- [53] B.K. Singh, R. Tomar, R. Tomar, S.S. Tomar, Sorption of homologues of radionuclides by synthetic ion exchanger, *Microporous and Mesoporous Materials* 142 (2011) 629-640.
- [54] B.K. Singh, R. Tomar, S. Kumar, A. Jain, B.S. Tomar, V.K. Manchanda, Sorption of ¹³⁷Cs, ¹³³Ba and ¹⁵⁴Eu by synthesized sodium aluminosilicate (Na-AS), *Journal of Hazardous Materials* 178 (2010) 771-776.

References

- [55] P. Ye, E. Sjöberg, J. Hedlund, Air separation at cryogenic temperature using MFI membranes, *Microporous and Mesoporous Materials* 192 (2014) 14-17.
- [56] P. Misaelides, Application of natural zeolites in environmental remediation: A short review, *Microporous and Mesoporous Materials* 144 (2011) 15-18.
- [57] K. Kunii, K. Narahara, S. Yamanaka, Template-free synthesis of AlPO₄-H1, -H2, and -H3 by microwave heating, *Microporous and Mesoporous Materials* 52 (2002) 159-167.
- [58] A. Frache, E. Gianotti, L. Marchese, Spectroscopic characterisation of microporous aluminophosphate materials with potential application in environmental catalysis, *Catalysis Today* 77 (2003) 371-384.
- [59] L. Zhang, J. Jiang, Enantioselective adsorption and diffusion of S-/R-glycidol in homochiral zeolites: A molecular simulation study, *Journal of Membrane Science* 367 (2011) 63-70.
- [60] J.M. Campelo, F. Lafont, J.M. Marinas, Pt/SAPO-5 and Pt/SAPO-11 as catalysts for the hydroisomerization and hydrocracking of n-octane, *Journal of the Chemical Society, Faraday Transactions* 91 (1995) 1551-1555.
- [61] T. Komatsu, H. Ikenaga, Dehydroisomerization of butane into isobutene on Pt-Sn intermetallic compounds supported on H-SAPO-11, *Journal of Catalysis* 241 (2006) 426-434.
- [62] J. Meusinger, H. Vinek, G. Dworeckow, M. Goepper, J.A. Lercher, Cracking of Light Alkanes over Meapo-5 Molecular Sieves, in: N.I.J.L.K. P.A. Jacobs, B. Wichterlov', (Eds.), *Studies in Surface Science and Catalysis*, Elsevier, 1991, pp. 373-380.
- [63] J.A. Rabo, R.J. Pellet, P.K. Coughlin, E.S. Shamshoum, Skeletal Rearrangement Reactions of Olefins, Paraffins and Aromatics Over Aluminophosphate Based Molecular Sieve Catalysts, in: H.G. Karge, J. Weitkamp, (Eds.), *Studies in Surface Science and Catalysis*, Elsevier, 1989, pp. 1-17.
- [64] J.S. Vaughan, C.T. O'Connor, J.C.Q. Fletcher, Propene Oligomerization and Xylene and Methyl-Pentene Isomerization over SAPO-11 and MeAPSO-11, in: H.J. Weitkamp, W. Hölderich, (Eds.), *Studies in Surface Science and Catalysis*, Elsevier, 1994, pp. 1709-1716.
- [65] J.E. Otterstedt, Y.-M. Zhu, J. Sterte, Effects of matrix alumina-silica ratio on the performance of heavy oil cracking catalysts containing zeolite Y in matrices of amorphous silica-alumina, *Applied Catalysis* 70 (1991) 43-52.
- [66] R.H. Ibrasheva, K.A. Zhubanov, Catalytic cracking of heavy oil fractions over natural zeolite contained composites, in: F.V.M.S.M. Avelino Corma, G.F. José Luis, (Eds.), *Studies in Surface Science and Catalysis*, Elsevier, 2000, pp. 2447-2452.
- [67] M. Stöcker, Methanol-to-hydrocarbons: catalytic materials and their behavior, *Microporous and Mesoporous Materials* 29 (1999) 3-48.
- [68] D. Bhardwaj, M. Sharma, P. Sharma, R. Tomar, Synthesis and surfactant modification of clinoptilolite and montmorillonite for the removal of nitrate and preparation of slow release nitrogen fertilizer, *Journal of Hazardous Materials* 227-228 (2012) 292-300.
- [69] S.T. Wilson, B.M. Lok, E.M. Flanigen, U.S. Patent-4310440 (1982).
- [70] R.M. Barrer, D.J. Marshall, *Journal of Chemical Society* (1965) 6616-6621.
- [71] R.M. Barrer, D.J. Marshall, *Journal of Chemical Society* (1965) 6621-6628.
- [72] R.M. Barrer, M. Liquornik, *Journal of Chemical Society Dalton Transaction* (1974) 2126-2128.

References

- [73] E.M. Flanigen, R.W. Grose, American Chemical Society, Advanced Chemical Series 101 Washington D. C. (1971) 76-101.
- [74] N. Rajic, Journal of Serbian Chemical Society, 70 (2005) 371-391.
- [75] M.E. Davis, C. Saldarriaga, C. Montes, J. Garces, C. Crowder, Nature, 331 (1988) 698.
- [76] J.V. Smith, W. Dytrych, Nature 309 (1984) 607.
- [77] B.M. Weckhuysen, D. Baetens, R.A. Schoonheydt, Angew. Chem. Int. Ed. 39 (2000) 3419.
- [78] E.T.C. Vogt, J.W. Richardson Jr, The reversible transition of the molecular sieve VPI-5 into ALPO-84 and the structure of ALPO-84, Journal of Solid State Chemistry 87 (1990) 469-471.
- [79] M.J. Annen, D. Young, M.E. Davis, O.B. Cavin, C.R. Hubbard, Journal Physical Chemistry B, 95 (1991) 1380-1383.
- [80] L.B. McCusker, C. Baerlocher, E. Jahn, M. Bülow, The triple helix inside the large-pore aluminophosphate molecular sieve VPI-5, Zeolites 11 (1991) 308-313.
- [81] F. d'Yvoire, Bull. Soc. Chim. Fr. 372 (1961) 1762-1776.
- [82] M. Kang, Synthesis and catalytic performance on methanol conversion of NiAPSO-34 crystals (II): catalytic performance under various reaction conditions, Journal of Molecular Catalysis A: Chemical 150 (1999) 205-212.
- [83] B.M. Lok, B.K. Marcus, E.M. Flanigen, US Patent-4686092 (1987).
- [84] I.M. Dahl, S. Kolboe, On the Reaction Mechanism for Hydrocarbon Formation from Methanol over SAPO-34: I. Isotopic Labeling Studies of the Co-Reaction of Ethene and Methanol, Journal of Catalysis 149 (1994) 458-464.
- [85] I.M. Dahl, S. Kolboe, On the Reaction Mechanism for Hydrocarbon Formation from Methanol over SAPO-34: 2. Isotopic Labeling Studies of the Co-reaction of Propene and Methanol, Journal of Catalysis 161 (1996) 304-309.
- [86] C. Minchev, S.A. Zubkov, V. Valtchev, V. Minkov, N. Micheva, V. Kanazirev, Nature of the active sites and catalytic activity of SAPO-5 synthesized in the presence of nickel cations, Applied Catalysis A: General 119 (1994) 195-204.
- [87] M. Hartmann, N. Azuma, L. Kevan, Electron Spin Resonance and Electron Spin Echo Modulation Study of Ni(I) in Silicoaluminophosphate Type 5: Adsorbate Interactions and Evidence for the Framework Incorporation of Ni(I), The Journal of Physical Chemistry 99 (1995) 10988-10994.
- [88] W. He, M.R. Myers, B. Hanney, A.P. Spada, G. Bilder, H. Galzcinski, D. Amin, S. Needle, K. Page, Z. Jayyosi, M.H. Perrone, Potent quinoxaline-Based inhibitors of PDGF receptor tyrosine kinase activity. Part 2: the synthesis and biological activities of RPR127963 an orally bioavailable inhibitor, Bioorganic & Medicinal Chemistry Letters 13 (2003) 3097-3100.
- [89] S.M. Yang, D.H. Guo, J.S. Lin, G.T. Wang, 1-Butene Conversion Over SAPO-11 and MeAPO-11, in: H.J. Weitkamp, W. Hölderich, (Eds.), Studies in Surface Science and Catalysis, Elsevier, 1994, pp. 1677-1684.
- [90] T. Masukawa, T. Komatsu, T. Yashima, Alkylation of toluene on H-SAPO-5 with various Si concentrations, Zeolites 19 (1997) 429-433.
- [91] S.T. Wilson, W.C. Mercer, U.S. Patent-4,853,197(1989).
- [92] P. Concepción, A. Corma, J.M. López Nieto, J. Pérez-Pariente, Selective oxidation of hydrocarbons on V- and/or Co-containing aluminophosphate (MeAPO-5) using molecular oxygen, Applied Catalysis A: General 143 (1996) 17-28.

References

- [93] S.T. Wilson, *Studies Surface Science Catalysis* 137 (2001) 229-260.
- [94] L.E. Seitz, W.J. Suling, R.C. Reynolds, Synthesis and Antimycobacterial Activity of Pyrazine and Quinoxaline Derivatives, *Journal of Medicinal Chemistry* 45 (2002) 5604-5606.
- [95] R. Sarges, H.R. Howard, R.G. Browne, L.A. Lebel, P.A. Seymour, B.K. Koe, 4-Amino[1,2,4]triazolo[4,3-a]quinoxalines. A novel class of potent adenosine receptor antagonists and potential rapid-onset antidepressants, *Journal of Medicinal Chemistry* 33 (1990) 2240-2254.
- [96] Gozyo Sakata, Kenji Makino, Y. Kurasawa, Recent Progress in the Quinoline Chemistry. Synthesis and Biological Activity, *Heterocycles* 27 (1988) 2481-2515.
- [97] A. Chandra Shekhar, P. Shanthan Rao, B. Narsaiah, A.D. Allanki, P.S. Sijwali, Emergence of pyrido quinoxalines as new family of antimalarial agents, *European Journal of Medicinal Chemistry* 77 (2014) 280-287.
- [98] C.W. Lindsley, Z. Zhao, W.H. Leister, R.G. Robinson, S.F. Barnett, D. Defeo-Jones, R.E. Jones, G.D. Hartman, J.R. Huff, H.E. Huber, M.E. Duggan, Allosteric Akt (PKB) inhibitors: discovery and SAR of isozyme selective inhibitors, *Bioorganic & Medicinal Chemistry Letters* 15 (2005) 761-764.
- [99] Y.B. Kim, Y.H. Kim, J.Y. Park, S.K. Kim, Synthesis and biological activity of new quinoxaline antibiotics of echinomycin analogues, *Bioorganic & Medicinal Chemistry Letters* 14 (2004) 541-544.
- [100] D.M.L.E.D. Brock, T.I. Yousaf, H.H. Harper, (The Procter & Gamble Company USA) WO-9951688 (1999).
- [101] S. Ott, R. Faust, Quinoxalinodehydroannulenes: A novel class of carbon-rich materials, *Synlett* 9 (2004) 1509-1512.
- [102] J.L. Sessler, H. Maeda, T. Mizuno, V.M. Lynch, H. Furuta, Quinoxaline-Bridged Porphyrinoids, *Journal of the American Chemical Society* 124 (2002) 13474-13479.
- [103] P.P. Castro, G. Zhao, G.A. Masangkay, C. Hernandez, L.M. Gutierrez-Tunstad, Quinoxaline Excision: A Novel Approach to Tri- and Diquinoxaline Cavitands, *Organic Letters* 6 (2004) 333-336.
- [104] A. Dell, D.H. Williams, H.R. Morris, G.A. Smith, J. Feeney, G.C.K. Roberts, Structure revision of the antibiotic echinomycin, *Journal of the American Chemical Society* 97 (1975) 2497-2502.
- [105] Y. Lee, Y.M. Nam, W.H. Jo, Enhanced device performance of polymer solar cells by planarization of quinoxaline derivative in a low-bandgap polymer, *Journal of Materials Chemistry* 21 (2011) 8583-8590.
- [106] S. Dailey, W.J. Feast, R.J. Peace, I.C. Sage, S. Till, E.L. Wood, Synthesis and device characterisation of side-chain polymer electron transport materials for organic semiconductor applications, *Journal of Materials Chemistry* 11 (2001) 2238-2243.
- [107] N. Blouin, A. Michaud, D. Gendron, S. Wakim, E. Blair, R. Neagu-Plesu, M. Belletête, G. Durocher, Y. Tao, M. Leclerc, Toward a Rational Design of Poly(2,7-Carbazole) Derivatives for Solar Cells, *Journal of the American Chemical Society* 130 (2007) 732-742.
- [108] L. Huo, Z.A. Tan, Y. Zhou, E. Zhou, M. Han, Y. Li, Poly(quinoxaline vinylene) With Conjugated Phenylenevinylene Side Chain: A Potential Polymer Acceptor With Broad Absorption Band, *Macromolecular Chemistry and Physics*, 208 (2007) 1294-1300.

References

- [109] L. Huo, Z.a. Tan, X. Wang, Y. Zhou, M. Han, Y. Li, Novel two-dimensional donor–acceptor conjugated polymers containing quinoxaline units: Synthesis, characterization, and photovoltaic properties, *Journal of Polymer Science Part A: Polymer Chemistry* 46 (2008) 4038-4049.
- [110] Y. Huang, X. Guo, F. Liu, L. Huo, Y. Chen, T.P. Russell, C.C. Han, Y. Li, J. Hou, Improving the Ordering and Photovoltaic Properties by Extending π -Conjugated Area of Electron-Donating Units in Polymers with D-A Structure, *Advanced Materials* 24 (2012) 3383-3389.
- [111] S.V. More, M.N.V. Sastry, C.F. Yao, Cerium (iv) ammonium nitrate (CAN) as a catalyst in tap water: A simple, proficient and green approach for the synthesis of quinoxalines, *Green Chemistry* 8 (2006) 91-95.
- [112] R.S. Bhosale, S.R. Sarda, S.S. Ardhapure, W.N. Jadhav, S.R. Bhusare, R.P. Pawar, An efficient protocol for the synthesis of quinoxaline derivatives at room temperature using molecular iodine as the catalyst, *Tetrahedron Letters* 46 (2005) 7183-7186.
- [113] H.R. Darabi, S. Mohandessi, K. Aghapoor, F. Mohsenzadeh, A recyclable and highly effective sulfamic acid/MeOH catalytic system for the synthesis of quinoxalines at room temperature, *Catalysis Communications* 8 (2007) 389-392.
- [114] L. Wang, J. Liu, H. Tian, C. Qian, Ytterbium Triflate Catalyzed Heterocyclization of 1,2-Phenylenediamines and Alkyl Oxalates Under Solvent-Free Conditions via Phillips Reaction: A Facile Synthesis of Quinoxaline-2,3-diones Derivatives, *Synthetic Communications* 34 (2004) 1349-1357.
- [115] M.M. Heravi, K. Bakhtiari, F.F. Bamoharram, M.H. Tehrani, Wells-Dawson Type Heteropolyacid Catalyzed Synthesis of Quinoxaline Derivatives at Room Temperature, *Monatshefte für Chemie-Chemical Monthly* 138 (2007) 465-467.
- [116] M.M. Heravi, S. Taheri, K. Bakhtiari, H.A. Oskooie, On Water: A practical and efficient synthesis of quinoxaline derivatives catalyzed by $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$, *Catalysis Communications* 8 (2007) 211-214.
- [117] F. Shirini, S. Akbari-Dadamahaleh, A. Mohammad-Khah, A. R. Aliakbar, Rice husk: A mild, efficient, green and recyclable catalyst for the synthesis of 12-Aryl-8, 9, 10, 12-tetrahydro [a] xanthene-11-ones and quinoxaline derivatives, *Comptes Rendus Chimie* 16 (2013) 207-216.
- [118] T.K. Huang, R. Wang, L. Shi, X.-x. Lu, Montmorillonite K-10: An efficient and reusable catalyst for the synthesis of quinoxaline derivatives in water, *Catalysis Communications* 9 (2008) 1143-1147.
- [119] C. Srinivas, C.N.S.S.P. Kumar, V.J. Rao, S. Palaniappan, Efficient, convenient and reusable polyaniline-sulfate salt catalyst for the synthesis of quinoxaline derivatives, *Journal of Molecular Catalysis A: Chemical* 265 (2007) 227-230.
- [120] P. Hazarika, P. Gogoi, D. Konwar, Efficient and Green Method for the Synthesis of 1,5-Benzodiazepine and Quinoxaline Derivatives in Water, *Synthetic Communications* 37 (2007) 3447-3454.
- [121] A. Shaabani, A.H. Rezayan, M. Behnam, M. Heidary, Green chemistry approaches for the synthesis of quinoxaline derivatives: Comparison of ethanol and water in the presence of the reusable catalyst cellulose sulfuric acid, *Comptes Rendus Chimie* 12 (2009) 1249-1252.
- [122] S. Ahmad, M. Ali, An Efficient Solid Acid Promoted Synthesis of Quinoxaline Derivatives at Room Temperature, *Chinese Journal of Chemistry* 25 (2007) 818-821.

References

- [123] Z. Jin, Muscarine, imidazole, oxazole and thiazole alkaloids, *Natural Products Reports* 22 (2005) 196-229.
- [124] N. Nagarajan, G. Vanitha, D.A. Ananth, A. Rameshkumar, T. Sivasudha, R. Renganathan, Bioimaging, antibacterial and antifungal properties of imidazole-pyridine fluorophores: Synthesis, characterization and solvatochromism, *Journal of Photochemistry and Photobiology B: Biology* 127 (2013) 212-222.
- [125] N. Bhat, P. Zhang, S. Mohanty, p38 MAP Kinase Regulation of Oligodendrocyte Differentiation with CREB as a Potential Target, *Neurochemical Research* 32 (2007) 293-302.
- [126] D.E. Golan, A.W. Armstrong, *The Pathophysiologic Basis of Drug Therapy*, Wolters Kluwer Health, 2007.
- [127] J.G. Lombardino, E.H. Wiseman, Preparation and antiinflammatory activity of some nonacidic trisubstituted imidazoles, *Journal of Medicinal Chemistry* 17 (1974) 1182-1188.
- [128] Ü. Uçucu, N.G. Karaburun, İ. Işıkdag, Synthesis and analgesic activity of some 1-benzyl-2-substituted-4,5-diphenyl-1H-imidazole derivatives, *Il Farmaco* 56 (2001) 285-290.
- [129] L.L. Chang, K.L. Sidler, M.A. Cascieri, S. de Laszlo, G. Koch, B. Li, M. MacCoss, N. Mantlo, S. O'Keefe, M. Pang, A. Rolando, W.K. Hagmann, Substituted Imidazoles as Glucagon Receptor Antagonists, *Bioorganic & Medicinal Chemistry Letters* 11 (2001) 2549-2553.
- [130] S.E. de Laszlo, C. Hacker, B. Li, D. Kim, M. MacCoss, N. Mantlo, J.V. Pivnichny, L. Colwell, G.E. Koch, M.A. Cascieri, W.K. Hagmann, Potent, orally absorbed glucagon receptor antagonists, *Bioorganic & Medicinal Chemistry Letters* 9 (1999) 641-646.
- [131] P.A. Eysers, M. Craxton, N. Morricel, P. Cohen, M. Goedert, Conversion of SB 203580-insensitive MAP kinase family members to drug-sensitive forms by a single amino-acid substitution, *Chemistry & Biology* 5 (1998) 321-328.
- [132] A.K. Takle, M.J.B. Brown, S. Davies, D.K. Dean, G. Francis, A. Gaiba, A.W. Hird, F.D. King, P.J. Lovell, A. Naylor, A.D. Reith, J.G. Steadman, D.M. Wilson, The identification of potent and selective imidazole-based inhibitors of B-Raf kinase, *Bioorganic & Medicinal Chemistry Letters* 16 (2006) 378-381.
- [133] I.K. Khanna, R.M. Weier, Y. Yu, P.W. Collins, J.M. Miyashiro, C.M. Koboldt, A.W. Veenhuizen, J.L. Currie, K. Seibert, P.C. Isakson, 1,2-Diarylpyrroles as Potent and Selective Inhibitors of Cyclooxygenase-2, *Journal of Medicinal Chemistry* 40 (1997) 1619-1633.
- [134] J.H.M. Lange, H.H. van Stuivenberg, H.K.A.C. Coolen, T.J.P. Adolfs, A.C. McCreary, H.G. Keizer, H.C. Wals, W. Veerman, A.J.M. Borst, W. de Looff, P.C. Verveer, C.G. Kruse, Bioisosteric Replacements of the Pyrazole Moiety of Rimonabant: Synthesis, Biological Properties, and Molecular Modeling Investigations of Thiazoles, Triazoles, and Imidazoles as Potent and Selective CB1 Cannabinoid Receptor Antagonists, *Journal of Medicinal Chemistry* 48 (2004) 1823-1838.
- [135] T.F. Gallagher, S.M. Fier-Thompson, R.S. Garigipati, M.E. Sorenson, J.M. Smietana, D. Lee, P.E. Bender, J.C. Lee, J.T. Laydon, D.E. Griswold, M.C. Chabot-Fletcher, J.J. Breton, J.L. Adams, 2,4,5- triarylimidazole inhibitors of IL-1 biosynthesis, *Bioorganic & Medicinal Chemistry Letters* 5 (1995) 1171-1176.
- [136] Lee J.C., Laydon J.T., McDonnell P.C., Gallagher T.F., Kumar S., Green D., McNulty D., Blumenthal M. J., Keys J.R., Vatter S.W.L., Strickler J.E.,

References

- McLaughlin M.M., Siemens I.R., Fisher S.M., Livi G.P., White J.R., A. J.L., Young P.R., A protein kinase involved in the regulation of inflammatory cytokine biosynthesis, *Nature* 372, (1994) 739.
- [137] L. Wang, K.W. Woods, Q. Li, K.J. Barr, R.W. McCroskey, S.M. Hannick, L. Gherke, R.B. Credo, Y.-H. Hui, K. Marsh, R. Warner, J.Y. Lee, N. Zielinski-Mozng, D. Frost, S.H. Rosenberg, H.L. Sham, Potent, Orally Active Heterocycle-Based Combretastatin A-4 Analogues: Synthesis, Structure–Activity Relationship, Pharmacokinetics, and In Vivo Antitumor Activity Evaluation, *Journal of Medicinal Chemistry* 45 (2002) 1697-1711.
- [138] S.R. Maier, K.Bauer, H. Bieringer, H.Burstell, B. Sachse, 1-Substituted imidazole-5—carboxylic acid derivatives, their preparation and their use as biocides, 1989.
- [139] A. Wauquier, W.A.E. Van Den Broeck, J.L. Verheyen, P.A.J. Janssen, Electroencephalographic study of the short-acting hypnotics etomidate and methohexital in dogs, *European Journal of Pharmacology* 47 (1978) 367-377.
- [140] N. Fridman, M. Kaftory, S. Speiser, Structures and photophysics of lophine and double lophine derivatives, *Sensors and Actuators B: Chemical* 126 (2007) 107-115.
- [141] H.J. Zhu, J.-S. Wang, K.S. Patrick, J.L. Donovan, C.L. DeVane, J.S. Markowitz, A novel HPLC fluorescence method for the quantification of methylphenidate in human plasma, *Journal of Chromatography B* 858 (2007) 91-95.
- [142] C. Baleizao, B. Gigante, H. Garcia, A. Corma, Ionic liquids as green solvents for the asymmetric synthesis of cyanohydrins catalysed by VO(salen) complexes, *Green Chemistry* 4 (2002) 272-274.
- [143] A.R. Karimi, Z. Alimohammadi, J. Azizian, A.A. Mohammadi, M.R. Mohammadzadeh, Solvent-free synthesis of tetrasubstituted imidazoles on silica gel/NaHSO₄ support, *Catalysis Communications* 7 (2006) 728-732.
- [144] M. Kidwai, P. Mothra, V. Bansal, R.K. Somvanshi, A.S. Ethayathulla, S. Dey, T.P. Singh, One-pot synthesis of highly substituted imidazoles using molecular iodine: A versatile catalyst, *Journal of Molecular Catalysis A: Chemical* 265 (2007) 177-182.
- [145] L. Nagarapu, S. Apuri, S. Kantevari, Potassium dodecatungstocobaltate trihydrate (K₅CoW₁₂O₄₀·3H₂O): A mild and efficient reusable catalyst for the one-pot synthesis of 1,2,4,5-tetrasubstituted imidazoles under conventional heating and microwave irradiation, *Journal of Molecular Catalysis A: Chemical* 266 (2007) 104-108.
- [146] M.M. Heravi, F. Derikvand, F.F. Bamoharram, Highly efficient, four-component one-pot synthesis of tetrasubstituted imidazoles using Keggin-type heteropolyacids as green and reusable catalysts, *Journal of Molecular Catalysis A: Chemical* 263 (2007) 112-114.
- [147] S. Kantevari, S.V.N. Vuppalapati, D.O. Biradar, L. Nagarapu, Highly efficient, one-pot, solvent-free synthesis of tetrasubstituted imidazoles using HClO₄–SiO₂ as novel heterogeneous catalyst, *Journal of Molecular Catalysis A: Chemical* 266 (2007) 109-113.
- [148] M.G. Shen, C. Cai, W.B. Yi, Ytterbium perfluorooctanesulfonate as an efficient and recoverable catalyst for the synthesis of trisubstituted imidazoles, *Journal of Fluorine Chemistry* 129 (2008) 541-544.

References

- [149] S. Samai, G.C. Nandi, P. Singh, M.S. Singh, 1-Proline: an efficient catalyst for the one-pot synthesis of 2,4,5-trisubstituted and 1,2,4,5-tetrasubstituted imidazoles, *Tetrahedron* 65 (2009) 10155-10161.
- [150] B. Sadeghi, B.B.F. Mirjalili, M.M. Hashemi, $\text{BF}_3 \cdot \text{SiO}_2$: an efficient reagent system for the one-pot synthesis of 1,2,4,5-tetrasubstituted imidazoles, *Tetrahedron Letters* 49 (2008) 2575-2577.
- [151] A. Karimi, Z. Alimohammadi, M. Amini, Wells–Dawson heteropolyacid supported on silica: a highly efficient catalyst for synthesis of 2,4,5-trisubstituted and 1,2,4,5-tetrasubstituted imidazoles, *Molecular Diversity* 14 (2010) 635-641.
- [152] H.A. Oskooie, Z. Alimohammadi, M.M. Heravi, Microwave-assisted solid-phase synthesis of 2,4,5-triaryl imidazoles in solventless system: An improved protocol, *Heteroatom Chemistry* 17 (2006) 699-702.
- [153] S. Balalaie, M.M. Hashemi, M. Akhbari, A novel one-pot synthesis of tetrasubstituted imidazoles under solvent-free conditions and microwave irradiation, *Tetrahedron Letters* 44 (2003) 1709-1711.
- [154] E. Chauveau, C. Marestin, F. Schiets, R. Mercier, Synthesis of 2,4,5-triarylimidazoles in aqueous solution, under microwave irradiation, *Green Chemistry* 12 (2010) 1018-1022.
- [155] J. Wang, R. Mason, D. VanDerveer, K. Feng, X.R. Bu, Convenient Preparation of a Novel Class of Imidazo[1,5-a]pyridines: Decisive Role by Ammonium Acetate in Chemoselectivity, *The Journal of Organic Chemistry* 68 (2003) 5415-5418.
- [156] A. Shaabani, A. Rahmati, E. Farhangi, Z. Badri, Silica sulfuric acid promoted the one-pot synthesis of trisubstituted imidazoles under conventional heating conditions or using microwave irradiation, *Catalysis Communications* 8 (2007) 1149-1152.
- [157] M.M. Heravi, K. Bakhtiari, H.A. Oskooie, S. Taheri, Synthesis of 2,4,5-triaryl-imidazoles catalyzed by $\text{NiCl}_2 \cdot 6\text{H}_2\text{O}$ under heterogeneous system, *Journal of Molecular Catalysis A: Chemical* 263 (2007) 279-281.
- [158] G.V.M. Sharma, Y. Jyothi, P.S. Lakshmi, *Synthetic Communications* 36 (2006) 2991-3000.
- [159] H. Zang, Q. Su, Y. Mo, B.-W. Cheng, S. Jun, Ionic liquid [EMIM]OAc under ultrasonic irradiation towards the first synthesis of trisubstituted imidazoles, *Ultrasonics Sonochemistry* 17 (2010) 749-751.
- [160] S.A. Siddiqui, U.C. Narkhede, S.S. Palimkar, T. Daniel, R.J. Lahoti, K.V. Srinivasan, Room temperature ionic liquid promoted improved and rapid synthesis of 2,4,5-triaryl imidazoles from aryl aldehydes and 1,2-diketones or α -hydroxyketone, *Tetrahedron* 61 (2005) 3539-3546.
- [161] J. Sangshetti, N. Kokare, S. Kotharkara, D. Shinde, Ceric ammonium nitrate catalysed three component one-pot efficient synthesis of 2,4,5-triaryl-1H-imidazoles, *Journal of Chemical Sciences* 120 (2008) 463-467.
- [162] K. Sivakumar, A. Kathirvel, A. Lalitha, Simple and efficient method for the synthesis of highly substituted imidazoles using zeolite-supported reagents, *Tetrahedron Letters* 51 (2010) 3018-3021.
- [163] D. Kumar, D.N. Kommi, N. Bollineni, A.R. Patel, A.K. Chakraborti, Catalytic procedures for multicomponent synthesis of imidazoles: selectivity control during the competitive formation of tri- and tetrasubstituted imidazoles, *Green Chemistry* 14 (2012) 2038-2049.

References

- [164] A. Zaidi, J.L. Gainer, G. Carta, Fatty acid esterification using nylon-immobilized lipase, *Biotechnology and Bioengineering* 48 (1995) 601-605.
- [165] D.P. Sawant, A. Vinu, J. Justus, P. Srinivasu, S.B. Halligudi, Catalytic performances of silicotungstic acid/zirconia supported SBA-15 in an esterification of benzyl alcohol with acetic acid, *Journal of Molecular Catalysis A: Chemical* 276 (2007) 150-157.
- [166] Y. Mansoori, F.S. Tataroglu, M. Sadaghian, Esterification of carboxylic acids by tributyl borate under solvent- and catalyst-free conditions, *Green Chemistry* 7 (2005) 870-873.
- [167] R. Ballini, G. Bosica, R. Maggi, M. Ricciutelli, P. Righi, G. Sartori, R. Sartorio, Clay-catalysed solventless synthesis of -chalcones, *Green Chemistry* 3 (2001) 178-180.
- [168] L.P. Ramos, C.S. Cordeiro, M.A.F. Cesar-Oliveira, F. Wypych, S. Nakagaki, Chapter 16; Applications of Heterogeneous Catalysts in the Production of Biodiesel by Esterification and Transesterification, in: V.K. Gupta, M.G.T.P. Kubicek, J.S. Xu, (Eds.), *Bioenergy Research: Advances and Applications*, Elsevier, Amsterdam, 2014, pp. 255-276.
- [169] M. Arabi, M.M. Amini, M. Abedini, A. Nemati, M. Alizadeh, Esterification of phthalic anhydride with 1-butanol and 2-ethylhexanol catalyzed by heteropolyacids, *Journal of Molecular Catalysis A: Chemical* 200 (2003) 105-110.
- [170] Z.H. Zhao, Studies on esterification reaction over aluminophosphate and silicoaluminophosphate molecular sieves, *Journal of Molecular Catalysis A: Chemical* 168 (2001) 147-152.
- [171] Z. Zhao, R. Zhao, Synthesis and properties of novel aluminophosphate molecular sieves produced with ethylenediamine, *Zeolites* 13 (1993) 634-639.
- [172] F.T. Sejidov, Y. Mansoori, N. Goodarzi, Esterification reaction using solid heterogeneous acid catalysts under solvent-less condition, *Journal of Molecular Catalysis A: Chemical* 240 (2005) 186-190.
- [173] A. M. Prakash, M. Hartmann, Zhidong Zhu, L. Kevan, *Journal of Physical Chemistry B* 104 (2000) 1610-1616.
- [174] A.C. Oliveira, N. Essayem, Alain Tuel b, J.-M. Clacens, Y.B. Taarit, *Catalysis Today* 133-135 (2008) 56-62.
- [175] D.R. Dubois, D.L. Obrzut, J. Liu, J. Thundimadathil, P.M. Adekkanattu, J.A. Guin, A. Punnoose, M.S. Seehra, *Fuel Processing Technology* 83 (2003) 203-218.
- [176] T. Kodaira, K. Miyazawa, T. Ikeda, Y. Kiyozumi, *Microporous and Mesoporous Materials* 29 (1999) 329-337.
- [177] R.A. Schoonheydt, R. De Vos, J. Pelgrims, H. Leeman, Spectroscopy of Cobalt in CoAPO-5, in: P.A. Jacobs, R.A.v. Santen, (Eds.), *Studies in Surface Science and Catalysis*, Elsevier, 1989, pp. 559-568.
- [178] A.A. Verberckmoes, B.M. Weckhuysen, R.A. Schoonheydt, Spectroscopy and coordination chemistry of cobalt in molecular sieves, *Microporous and Mesoporous Materials* 22 (1998) 165-178.
- [179] P.A. Barrett, G. Sankar, C.R.A. Catlow, J.M. Thomas, X-ray Absorption Spectroscopic Study of Brønsted, Lewis, and Redox Centers in Cobalt-Substituted Aluminum Phosphate Catalysts, *The Journal of Physical Chemistry* 100 (1996) 8977-8985.
- [180] M. Vishnuvarthan, V. Murugesan, E. Gianotti, L. Bertinetti, S. Coluccia, G. Berlier, *Microporous and Mesoporous Materials* 123 (2009) 91-99.

References

- [181] W. Fan, R.A. Schoonheydt, B.M. Weckhuysen, Hydrothermal synthesis of Co-rich CoAPO-5 molecular sieves, *Physical Chemistry Chemical Physics* 3 (2001) 3240-3246.
- [182] C. Borges, M.F. Ribeiro, C. Henriques, J.P. Lourenço, D.M. Murphy, A. Louati, Z. Gabelica, Structural State and Redox Behavior of Framework Co(II) in CoIST-2: A Novel Cobalt-Substituted Aluminophosphate with AEN Topology, *The Journal of Physical Chemistry B* 108 (2004) 8344-8354.
- [183] J.Y. Wu, S.H. Chien, B.Z. Wan, Characterization of MnAPO-5 for Ethane Oxide Hydrogenation, *Industrial & Engineering Chemistry Research* 40 (2000) 94-100.
- [184] L. Frunza, J. Pelgrims, H. Leeman, P. Van Der Voort, E.F. Vansant, R.A. Schoonheydt, B.M. Weckhuysen, Incorporation of Transition Metal Ions in Aluminophosphate Molecular Sieves with AST Structure, *The Journal of Physical Chemistry B* 105 (2001) 2677-2686.
- [185] B. Modén, L. Oliviero, J. Dakka, J.G. Santiesteban, E. Iglesia, Structural and Functional Characterization of Redox Mn and Co Sites in AlPO Materials and Their Role in Alkane Oxidation Catalysis, *The Journal of Physical Chemistry B* 108 (2004) 5552-5563.
- [186] N. Ulagappan, V. Krishnasamy, *Journal of Chemical Society Chemical Communication*. (1995) 373.
- [187] M.K. Dongare, D.P. Sabde, R.A. Shaikh, K.R. Kamble, S.G. Hegde, Synthesis, characterization and catalytic properties of ZrAPO-5, *Catalysis Today* 49 (1999) 267-276.
- [188] J.B. Peri, Surface chemistry of AlPO₄-a mixed oxide of Al and P, *Discussions of the Faraday Society* 52 (1971) 55-65.
- [189] J. Chen, J.M. Thomas, *Journal of Chemical Society Chemical Communication* 4 (1994) 75.
- [190] J.P. Lourenço, M.F. Ribeiro, F. Ramôa Ribeiro, J. Rocha, B. Onida, E. Garrone, Z. Gabelica, Synthesis, characterization, and catalytic properties of AlPO-40, CoAPO-40, and ZnAPO-40, *Zeolites* 18 (1997) 398-407.
- [191] S. Gopalakrishnan, K.R. Viswanathan, S. Vishnu Priya, J. Herbert Mabel, M. Palanichamy, V. Murugesan, Synthesis of 7-hydroxy-4-methyl coumarin over Lewis acid metal ion-exchanged ZAPO-5 molecular sieves, *Microporous and Mesoporous Materials* 118 (2009) 523-530.
- [192] T.-Z. Ren, Z.-Y. Yuan, B.-L. Su, Surfactant-assisted preparation of hollow microspheres of mesoporous TiO₂, *Chemical Physics Letters* 374 (2003) 170-175.