

## LIST OF FIGURES

FIGURE NO.	CAPTION
3.01	Average nitrate concentration in the different sampling stations of river Tamirabarani during 2001 – 2004
3.02	Average phosphate concentration in the different sampling stations of river Tamirabarani during 2002 – 2004
4.01	Effect of different pH on growth of water hyacinth
4.02	Effect of salinity on growth of water hyacinth
4.03	Effect of nitrate on growth of water hyacinth
4.04	Effect of phosphate on growth of water hyacinth
5.01	Survival percentage of water hyacinth weevil eggs at different temperatures
5.02	Number of scrapings made by water hyacinth weevils on water hyacinth leaves
5.03	Number of scrapings made by male and female weevils on water hyacinth leaves in 24 hours
5.04	Change in biomass of water hyacinth plants damaged by different densities of adult water hyacinth weevils during summer
5.05	Change in biomass of water hyacinth plants damaged by different densities of adult water hyacinth weevils during winter
5.06	Change in biomass of water hyacinth plants damaged by different densities of mature adult weevils during summer
5.07	Change in biomass of water hyacinth plants damaged by different densities of mature adult weevils during winter
6.01	Change in biomass of water hyacinth plants damaged by adult male <i>N. eichhorniae</i> and <i>N. bruchi</i>

FIGURE NO.	CAPTION
6.02	Change in biomass of water hyacinth plants damaged by adult female <i>N. eichhorniae</i> and <i>N. bruchi</i>
6.03	Change in biomass of water hyacinth plants damaged by larvae of <i>N. eichhorniae</i> and <i>N. bruchi</i>
6.04	Change in biomass of water hyacinth plants damaged by water hyacinth mite, <i>Orthogalumna terebrantis</i>
6.05	Change in biomass of water hyacinth plants damaged by <i>N. eichhorniae</i> , <i>N. bruchi</i> and <i>O. terebrantis</i>
6.06	Percent plant biomass reduction of plants by pond snail, <i>Pila globosa</i>
6.07	Feeding rate of grasshopper on water hyacinth leaves
6.08	Feeding rate of <i>Neochetina</i> weevils on water hyacinth leaves at different temperatures
6.09	Excess Proportion Index (EPI) values of <i>Neochetina eichhorniae</i> on eighteen agricultural and horticultural crops
6.10	Excess Proportion Index (EPI) values of <i>Neochetina bruchi</i> on eighteen agricultural and horticultural crops
7.01	Correlation of water hyacinth growth parameters versus time in Pond I at Alwarkurichi during 2001 – 2003
7.02	Decrease in plant biomass with increasing weevil population in pond I at Alwarkurichi during 2001 – 2003
7.03	Decrease in number of mother plants with increasing weevil population in pond I at Alwarkurichi during 2001 – 2003
7.04	Decrease in number of daughter plants with increasing weevil population in pond I at Alwarkurichi during 2001 – 2003
7.05	Decrease in root length of plants with increasing weevil population in pond I at Alwarkurichi during 2001 – 2003
7.06	Decrease in number of leaves per plant with increasing weevil population in pond I at Alwarkurichi during 2001 – 2003
7.07	Decrease in leaf length of plants with increasing weevil population in pond I at Alwarkurichi during 2001 – 2003

FIGURE NO.	CAPTION
7.08	Decrease in leaf width of plants with increasing weevil population in pond I at Alwarkurichi during 2001 – 2003
7.09	Decrease in petiole lengths of plants with increasing weevil population in pond I at Alwarkurichi during 2001 – 2003
7.10	Correlation of water hyacinth growth parameters versus time in Pond II at Alwarkurichi during 2001 – 2003
7.11	Decrease in plant biomass with increasing weevil population in pond II at Alwarkurichi during 2001 – 2003
7.12	Decrease in number of mother plants with increasing weevil population in pond II at Alwarkurichi during 2001 – 2003
7.13	Decrease in number of daughter plants with increasing weevil population in pond II at Alwarkurichi during 2001 – 2003
7.14	Decrease in root length of plants with increasing weevil population in pond II at Alwarkurichi during 2001 – 2003
7.15	Decrease in number of leaves per plant with increasing weevil population in pond II at Alwarkurichi during 2001 – 2003
7.16	Decrease in leaf length of plants with increasing weevil population in pond II at Alwarkurichi during 2001 – 2003
7.17	Decrease in leaf width of plants with increasing weevil population in pond II at Alwarkurichi during 2001 – 2003
7.18	Decrease in petiole lengths of plants with increasing weevil population in pond II at Alwarkurichi during 2001 – 2003
7.19	Correlation of water hyacinth growth parameters versus time in control pond at Pottalputhur during 2001 – 2003
7.20	Seasonal variation in growth parameters of water hyacinth plants in control pond at Pottalputhur during 2001 – 2003
7.21	Correlation of water hyacinth growth parameters versus time in Nainarkulam pond during 2001 – 2002
7.22	Correlation of water hyacinth growth parameters versus time in Nainarkulam pond during 2002 – 2003

FIGURE NO.	CAPTION
7.23	Decrease in plant biomass with increasing weevil population in Nainarkulam pond at Keelacheval during 2001 – 2003
7.24	Decrease in number of mother plants with increasing weevil population in Nainarkulam pond at Keelacheval during 2001 – 2003
7.25	Decrease in number of daughter plants with increasing weevil population in Nainarkulam pond at Keelacheval during 2001 – 2003
7.26	Decrease in root length of with increasing weevil population in Nainarkulam pond at Keelacheval during 2001 – 2003
7.27	Decrease in number of leaves per plant with increasing weevil population in Nainarkulam pond at Keelacheval during 2001 – 2003
7.28	Decrease in leaf length of plants with increasing weevil population in Nainarkulam pond at Keelacheval during 2001 – 2003
7.29	Decrease in leaf width of plants with increasing weevil population in Nainarkulam pond at Keelacheval during 2001 – 2003
7.30	Decrease in petiole length of plants with increasing weevil population in Nainarkulam pond at Keelacheval during 2001 – 2003
7.31	Correlation of water hyacinth growth parameters versus time in Keelathachankulam pond during 2001 – 2002
7.32	Correlation of water hyacinth growth parameters versus time in Keelathachankulam pond during 2002 – 2003
7.33	Seasonal variations in growth parameters of water hyacinth plants in control pond – Keelathachankulam at Keelacheval during 2001 – 2003