

CHAPTER – 6

REFERENCES

- **Aeppli, G. et. al.** (1999). Neutron scattering and the search for mechanisms of Superconductivity. **Physica C**, **9**: 317 – 318.
- **Ahalawat, P. et. al.** (2007). Interplay of single particle and Josephson Cooper pair tunnelings on the electronic spectra of bilayer cuprate superconductors. **Physica C**, **455**: 46–51.
- **Ajay, et. al.** (1995). Effect of Interlayer Coupling on Neel Temperature in Copper Oxide Based Antiferromagnets. **Physica Status Solidi (b)**, **188**: 785.
- **Awana, V. P. S. et. al.** (2005). High pressure high temperature synthesis and magnetization of magnetosuperconducting, $\text{RuSr}_2(\text{LnCe}(2))\text{Cu}_2\text{O}_{12.25}$ (Ru-1232) compounds with Ln=Y and Dy. **J. Appl. Phys**, **97**: 111 – 113.
- **Bardeen, J. et. al.** (1957). Theory of superconductivity. **Phys. Rev.**, **108**: 1175.
- **Bednorz, J. M. and Muller, K. A.** (1986). Possible high T_C superconductivity in the Ba-La-Cu-O system. **Z. Phys.**, **64**: 189.
- **Blatt, J. M. and Benjamin, J. M.** (1964). Theory of superconductivity. **Academic Press, New York.**
- **Boeri, L. et. al.** (2008). Is $\text{LaFeAsO}_{1-x}\text{F}_x$ an Electron-Phonon Superconductor?. **Phys. Review Letters**, **101**: 026403.
- **Calderón, M. J. et. al.** (2009). Effect of tetrahedral distortion on the electronic properties of iron pnictides. **New Journal of Physics**, **11**: 013051.

- **Cao, C. et. al.** (2008). Proximity of antiferromagnetism and superconductivity in $\text{LaO}_{1-x}\text{F}_x\text{FeAs}$: effective Hamiltonian from ab initio studies. **arxiv:0803.3236V2.**
- **Emery, V. J. et. al.** (1997). Spin-gap proximity effect mechanism of high-temperature superconductivity. **Phys. Rev. B, 56: 6120.**
- **Fusayoshi, J.** (2009). Strong-coupling Superconductivity in the Cuprate Oxide. **J. Phys. Soc. Jpn., 78: 084712.**
- **Garland, J. W.** (1963). Isotope Effect in Superconductivity. **Phys. Rev. Letters, 11: 114.**
- **Govind, et. al.** (2001). Magnetic properties of undoped $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$ system. **Eur. Phys. J. B., 23: 153 – 158.**
- **Haule, K. and Kotliar, G.** (2009). Coherence-incoherence crossover in the normal state of iron-oxypnictides and importance of the Hund's rule coupling. **arxiv:0805.0722V2.**
- **Hirsch, J. E. and Marsiglio, F.** (1989). Superconducting state in an oxygen hole metal. **Phys. Rev. B, 39: 11515.**
- **Hott Roland et al.** (2004); SUPERCONDUCTING MATERIALS – A TOPICAL OVERVIEW; A. Narlikar (Ed.), “Frontiers in Superconducting Materials”, Springer Verlag, Berlin.

- **Ishida, S. et. al.** (2010). Strong carrier-scattering in iron-pnictide superconductors with highest T_C obtained from charge transport experiments. **arxiv:1003.5039V1**.
- **Kamihara, Y.** (2008). Iron-Based Layered Superconductor $\text{La}[\text{O}_{1-x}\text{F}_x]\text{FeAs}$ ($x = 0.05\text{--}0.12$) with $T_C = 26\text{K}$. **J. Am. Chem. Soc., 130: 3296**.
- **Kasowski, R. V. and Hsu, W. Y.** (1988). Electronic structure of the new high- T_C superconductors $\text{Tl}_2\text{Ba}_2\text{CuO}_6$, $\text{Tl}_2\text{Ba}_2\text{CaCu}_2\text{O}_8$, $\text{Tl}_2\text{Ba}_2\text{Ca}_2\text{Cu}_3\text{O}_{10}$, and $\text{Tl}_2\text{Ba}_2\text{Ca}_3\text{Cu}_4\text{O}_{12}$. **Phys. Rev. B, 38: 6470**.
- **Kenzelmann, M. et al.** (2008). Coupled Superconducting and Magnetic Order in CeCoIn_5 . **Science, 321: 1652-1654**.
- **Keren, A. and Kanigel, A.** (2003). Common energy scale for magnetism and superconductivity in cuprates. **Phys. Rev. B, 68: 012507**.
- **Kohsaka, Y. et. al.** (2008). How Cooper pairs vanish approaching the Mott insulator in BSCCO. **Nature, 454: 1072 – 1078**.
- **Koike, Y. et. al.** (2005). μSR and thermal conductivity studies on inhomogeneity of the impurity- and field-induced magnetism and superconductivity in high- T_C cuprates. **Physica C, 426: 189 – 195**.
- **Krasnov, V. M. et. al.** (2001). Magnetic Field Dependence of the Superconducting Gap and the Pseudogap in Bi2212 and $\text{HgBr}_2\text{-Bi2212}$, Studied by Intrinsic Tunneling Spectroscopy. **Physics Rev. Lett., 86: 2657**.

- **Lake, B. et. al.** (2004). Effects of magnetic field on the cuprate high- T_c superconductor $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$. **Physica Status Solidi (b)**, **241**: 1223 – 1228.
- **London, F. and London, H.** (1935). The electromagnetic Equations of Superconductor. **Proc. Roy. Soc. (London)**, **149**: 72.
- **Lynn, J. W. and Dai, P.** (2009). Neutron studies of the iron-based family of high TC magnetic superconductors. **Physica C**, **469**: 469-476.
- **Lynn, J. W.** (1990). High Temperature Superconductivity. **Springer – Verlag, Berlin / Heidelberg / New York**: p. 268.
- **Matteo, T. et. al.** (1996). Local Pairing in the Attractive Hubbard Model. **Condensed Matter Physics**, **8**: 109-117.
- **McQueeney, R. J. et. al.** (2008). Anisotropic Three-Dimensional Magnetism in CaFe_2As_2 . **Phys. Rev. Lett.**, **101**: 227205.
- **Meghwal, R. S. et. al.** (2009). Theoretical Study of Interplay of Superconductivity and Ferromagnetism in Hybrid Rutheno–Cuprate Superconductors $\text{RuSr}_2\text{RCu}_2\text{O}_8$. **J Supercond Nov Magn.**, **22**: 659 – 665.
- **Meissner, W. and Ochsenfeld, B.** (1933). Ein neuer Effekt bei Eintritt der Supraleitfähigkeit. **Naturwissenschaften**, **21**: 787.
- **Nakamura, H. et. al.** (2008). LDA + Negative U Solves a Puzzle of too Large Calculated Magnetic Moment in Iron-based Superconductor $\text{LaFeAsO}_{1-x}\text{F}_x$. **arxiv:0806.4804V1**.

- **Niestemski, F. C. et. al.** (2007). A distinct bosonic mode in an electron-doped high-transition-temperature superconductor. **Nature Physics**, **450**: 1058 – 1061.
- **Nomura, T. et. al.** (2008). Crystallographic phase transition and high-T_c superconductivity in LaFeAsO:F. **Superconductor Science and Technology**, **21**: 125028.
- **Onnes, H. Kamerlingh** (1911). **Akad. Van Wetenschappen (Amsterdam)** **14**, **113**: 818.
- **Osborn, R. et. al.** (2009). Inelastic Neutron Scattering Studies of the Spin and Lattice Dynamics in Iron Arsenide Compounds. **arxiv:0902.3760V1**.
- **Pippard, B.** (1965). Dynamics of conduction electrons. **Gordon and breach**, **New York**.
- **Pratap, A. et. al.** (1996). Magnetic Properties of Quasi – 2D Antiferromagnets. **Physica Status Solidi (b)**, **197**: 453.
- **Sahoo, B. K. and Panda, B. N.** (2010). Phase diagram of superconductivity and antiferromagnetism in high-T_c hole-doped cuprates. **Physica C**, **470**: 547 – 552.
- **Sefat, A. S. et. al.** (2008). Electronic correlations in the superconductor LaFeAsO_{0.89}F_{0.11} with low carrier density. **Phys. Review B**, **77**: 174503.
- **Shein, I. R. and Ivanovskii, A. L.** (2009). Chemical bonding in LaFeAsO, SrFe₂As₂, and LiFeAs: Basic phases of new 18–56 K superconductors. **Journal of Structural Chemistry**, **50**: 552 – 555.

- **Shengelaya, A. et. al.** (2004). Co-existence of magnetism and superconductivity in $\text{Eu}_{1.4}\text{Ce}_{0.6}\text{RuSr}_2\text{Cu}_2\text{O}_{10}$: A Moun spin rotation and Magnetization study, **Phys. Rev. B**, **69**: 024517.
- **Shimizu, S. et. al.** (2007). Antiferromagnetism and high-T superconductivity in F-substituted four-layered cuprates probed by Cu-NMR. **Journal of Magnetism and Magnetic Materials**, **310**: 507 – 508.
- **Singh, A. and Tesanovic, Z.** (1991). Magnetic dynamics in La_2CuO_4 with interlayer coupling and anisotropy gaps. **Phys. Rev. B**, **43**: 11445.
- **Singh, R. P. et. al.** (1992). Role of antiferromagnetic interlayer coupling on magnetic properties of $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$. **Phys. Rev. B**, **46**: 1244 – 1247.
- **Singh, P., et. al.** (1995). Possible coexistence of superconductivity and Antiferromagnetism in high Tc superconductors. **India J.Cryog**, **19**: 1.
- **Takahashi, H. et. al.** (2008). Superconductivity at 43K in an iron-based layered compound $\text{LaO}_{1-x}\text{F}_x\text{FeAs}$. **Nature**, **453**: 376 – 378.
- **Tallon, et. al.** (2002). Co-existing ferromagnetism and superconductivity in hybrid rutenocuprates superconductors. **Applied Superconductors**, **9**: 1696 – 1699.
- **Timusk, T. and Statt, B.** (1999). The pseudogap in high-temperature superconductors: an experimental survey. **Reports on Progress in Physics**, **62**: 61.

- **Tranquada, J. M. et. al.** (1988). Antiferromagnetism in $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$. **Phys. Rev. B**, **38**: 2477.
- **Tranquada, J. M. et. al.** (1988). Neutron-Diffraction Determination of Antiferromagnetic Structure of Cu Ions in $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$ with $x=0.0$ and 0.15 . **Phys. Rev. Letters**, **60**: 156.
- **Vignolle, B. et. al.** (2007). Two energy scales in the spin excitations of the high-temperature superconductor $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$. **Nature Physics**, **450**: 160 – 164.
- **Wu, M. K. et. al.** (1987). Superconductivity at 93 K in a new mixed-phase Y-Ba-Cu-O compound system at ambient pressure. **Phys. Rev. Letters**, **58**: 908.
- **Xu, Z. A. et. al.** (2000). Vortex-like excitations and the onset of superconducting phase fluctuation in underdoped $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$. **Nature**, **406**: 486.
- **Yao, D. and Carlson, E. W.** (2010). Magnetic excitations of undoped iron oxypnictides. **Frontiers of Physics in China**, **5**: 166 – 170.
- **Yao, Z. et. al.** (2008). Spin Fluctuations, Interband Coupling, and Unconventional Pairing in Iron-based Superconductors. **arxiv:0804.4166V3**.
- **Yildirim, T.** (2009). Strong Coupling of the Fe-Spin State and the As-As Hybridization in Iron-Pnictide Superconductors from First-Principle Calculations. **Phys. Review letters**, **102**: 037003.

- **Yildirim, T.** (2008). Origin of the 150-K Anomaly in LaFeAsO: Competing Antiferromagnetic Interactions, Frustration, and a Structural Phase Transition. **Phys. Rev. Lett., 101: 057010.**
- **Yildirim, T.** (2008). The Unprecedented Giant Coupling of Fe-spin State and the As-As Hybridization in Iron-Pnictide superconductors. **arxiv:0807.3936V2.**
- **Zhao, J. et. al.** (2008). Low Energy Spin Waves and Magnetic Interactions in SrFe₂As₂. **Phys. Rev. Lett., 101: 167203.**
- **Zubarev, D. N.** (1960). Double time Green function in statistical physics. **Soviet Phys. – Uspekhi, 3: 320 – 345.**