

ACKNOWLEDGMENT

I avail this opportunity to express my deep sense of gratitude to Dr. T.D.Goswami, M.Sc.(Gau), D.Phil.(Gau), Reader in Physics, Gauhati University for his valuable guidance and suggestions from time to time throughout the whole period of my work. No word is too high to express my thanks to him for the encouragement and constant keen interest he has shown to my work. This work would not have been possible but for the hospitability and facilities extended to me by the Department of Physics, Gauhati University. In this regard, I am grateful to Dr. P.C.Mahanta (Ex. Head of the Department) and to Dr. B. Chaudhuri, present Head of the Department of Physics, Gauhati University. I also offer my sincere thanks to Sri G.C.Sarma, M.A., Vyakaransastri, Ex-Principal, Arya Vidyapith College, for kindly permitting me to carry out the work in the Physics Department of Gauhati University.

My sincere thanks are also due to Professor A. Hertz of CERN and Dr. G.C.Deka of Cotton College, Gauhati for their gracious lending of K5 emulsion stack exposed to 1.8 GeV/c k^- and G5 emulsion stack exposed to 5 GeV/c \bar{p} beams respectively. I am also grateful to Dr. D.H.Davis of University College of London for sending information regarding exposure details of k^- stack.

My thanks are also due to Mr. A.Choudhury, my colleague and a co-worker in the emulsion section for valuable discussions

relating to the present work.

I wish to thank Mr. T.Deka for labourious scanning with precision and to one's satisfaction.

I also thank Mr. P.Bora for helping me in drawing the curves and to Mr. Ranen Das for his help in taking photographs of the events. The photos would not have been possible but for his help as he repaired the camera after it was partly damaged by some unknown hands during my work in 1972.

Last but not the least, I thank Mr. A.Medhi for taking the trouble of typing this thesis.

October, 1977

Kalyan Bhattacharya
Lecturer, Department of Physics,
Arya Vidyapith College,
Gauhati- 16.

.o.