

REFERENCES

- Abdel Rahman, A.A. 1973. Effects of moisture stress on plants. *Phyton*. 15: 67-86.
- Aide, T.M. 1987. Limbfalls: a major cause of sapling mortality for tropical forest plants. *Biotropica*. 19: 284-285.
- Aide, T.M. & J.S. Zimmerman. 1990. Patterns of insect herbivory, growth and survivorship in juveniles in a neotropical liana. *Ecology*. 71: 1412-1421.
- Alexandre, D.Y. 1982. Aspects de la regeneration naturelle en foret dense de cote-D'Ivoire. *Caendollea*. 32: 579-588.
- Alliende, M.C. 1988. Demographic studies of a dioecious tree.II. The distribution of leaf predation within and between trees. *J.Ecol.* 77: 1048-1058.
- Anaya, L.A.L. 1976. Consideraciones sobre el potencial alelopatico de la vegetacion secundaria. In: *Regeneracion des Selvas*. pp. 428-446.
- Ashton, P.S., Y.Y. Gan & F.W. Robertson. 1984. Electrophoretic and morphological comparisons in ten rain forests species of Shorea (Dipterocarpaceae). *Bot.J.Linn.Soc.* 89: 293-304.
- Augspurger, C.K. 1984a. Light requirements of neotropical tree seedlings: a comparative study of growth and survival. *J.Ecol.* 72: 777-796.
- Augspurger, C.K. 1984b. Pathogen mortality of tropical tree seedlings: experimental studies of the effects of dispersal distance, seedling density and light conditions. *Oecologia*. 61: 211-217.
- Augspurger, C.K. 1984c. Seedling survival of tropical tree species: interactions of dispersal distance, light gaps and pathogens. *Ecology* 65: 1705-1712.
- Bach, C. 1990. Plant successional stage and insect herbivory: flea beetles on sand-dunes willow. *Ecology*. 71: 598-609.
- Barden, L.N. 1989. Repeatability in forest gap research: studies in Great Smoky Mountains. *Ecology*. 70: 558-559.
- Bazzaz, F.A. 1984. Demographic consequences of plant physiological traits: some case studies. In: R. Dirzo and J. Sarukhan, (Editors)

- Perspectives in Plant Population Ecology. Sinauer Associates Inc., Sunderland, MA. pp. 324-346.
- Bazzaz, F.A. & S.T.A. Pickett. 1980. The physiological ecology of tropical succession: a comparative review. *Ann.Rev.Ecol.Syst.* 11: 287-310.
- Beatty, S.W. 1984. Influence of microtopography and canopy species on spatial pattern of forest understorey plants. *Ecology.* 65: 1406-1419.
- Beatty, S.W. & O.D.V. Sholes. 1988. Leaf litter effect on plant species composition of deciduous forest treefall pits. *Can.J.For.Res.* 18: 553-559.
- Beatty, S.W. & E.L. Stone. 1986. The variety of soil microsites created by treefalls. *Can.J.For.Res.* 16: 539-548.
- Becker, P., P.E. Rabenold, J.R. Idol & A.P. Smith. 1988. Water potential gradients for gaps and slopes in a Panamanian tropical moist forest's dry season. *J.Trop.Ecol.* 4: 173-184.
- Bentley, S. and J.B. Whittaker. 1979. Effects of grazing by chrysomelid beetle, Gastrophysa viridula, on competition between Rumex obtusifolia and R. crispus. *J.Ecol.* 67: 79-90.
- Benton, A.H. & W.E. Werner Jr. 1976. *Field Biology and Ecology.* McGraw-Hill New York. pp. 564.
- Bigger, M. 1981. Observations on the insect fauna of shaded and unshaded Amelonado cocoa. *Bull.Entom.Res.* 71: 107-119.
- Bjorkman, O., S.B. Powles, D.C. Fork & G.Oquist. 1981. Interactions between high irradiance and water stress on photosynthetic reactions. *Year Book, Carnegie Inst.Wash.* 80: 57-59.
- Bonner, F.T. 1968. Water uptake and germination of red oak acorns. *Bot.Gaz.(Chicago).* 129: 83-85.
- Borger, G.A. & T.T. Kozlowski. 1972. Effects of water deficits on first periderms and xylem development in Fraxinus pennsylvanica. *Can. J.For.Res.* 2: 144-151.

- Bormann, F.H. & G.E. Likens. 1979. Pattern and process in a forested ecosystem. Springer-Verlag, New York, USA.
- Brawley, S.H. and W.H. Adey. 1981. The effect of micrograzers on algal community structure in a coral reef microcosm. *Marine Biology*. 61: 167-177.
- Bray, W.L. 1956. Gap phase replacement in a maple-basswood forest. *Ecology*. 37: 598-600.
- Brewer, R. & P.G. Merritt. 1978. Windthrow and tree replacement in a climax beech-maple forest. *Oikos*. 30: 149-152.
- Brokaw, N.V.L. 1982a. The definition of treefall gap and its effect on measures of forest dynamics. *Biotropica*. 11: 158-160.
- Brokaw, N.V.L. 1982b. Treefalls: frequency, timing, and consequence In: E.G. Leigh, Jr., A.S. Rand and D.W. Windsor, (Editors), *The Ecology of a tropical forest: seasonal rhythms and long term changes*. Smithsonian Institution Press, Washington, D.C., USA. pp. 101-108.
- Brokaw, N.V.L. 1985a. Treefalls, regrowth and community structure in tropical forests. In: S.T.A. Pickett and P.S. White, (Editors), *The ecology of natural disturbance and patch dynamics*. Academic Press, New York, pp.53-69.
- Brokaw, N.V.L. 1985b. Gap-phase regeneration in a tropical forest. *Ecology*. 66: 682-687.
- Brokaw, N.V.L. 1987. Gap-phase regeneration of three pioneer tree species in a tropical forest. *J.Ecol.* 75: 9-19.
- Brokaw, N.V.L. & S.M. Scheiner. 1989. Species composition in gaps and structure of a tropical forest. *Ecology*. 70: 538-541.
- Brown, J.L. 1976. Etude de la perturbation des horizons du sol par un arbre qui se renverse et de son impact sur la pedogenese. *Can.J. Soil Sci.* 57: 173-186.
- Brown, V.K. 1984. Secondary succession insect-plant relationships. *Bioscience*. 34: 710-716.

- Brown, V.K. 1985. Insect herbivores and plant succession. *Oikos*. 44: 17-22.
- Brues, C.T. 1946. *Insect Dietary*. Harvard University Press, Cambridge, Mass.
- Bullock, S.H. 1984. Biomass and nutrient allocation in a neotropical dioecious palm. *Oecologia*. 63: 426-428.
- Burdon, J.J. 1987. *Diseases and Plant Population Biology*. Cambridge University Press, Cambridge.
- Burton, P.J. & D. Mueller-Dombois. 1984. Response of Metrosidros polymorpha seedlings to experimental canopy. *Ecology*. 65: 779-791.
- Caldwell, M.M., J.H. Richards, D.A. Johnson, R.S. Noveak & R.S. Dzurec. 1981. Coping with herbivory: photosynthetic capacity and resource allocation in two semiarid Agropyron bunch grasses. *Oecologia*. 50: 14-24.
- Campbell, T.E. 1982. Imbibition, desiccation and reimbibition effects on light requirements for germinating southern pine seeds. *For. Sci.* 28: 539-543.
- Canham, C.D. 1984. Canopy recruitment in shade tolerant trees: the response of Acer saccharum and Fagus grandiflora to canopy openings. Ph.D. thesis, Cornell University, Ithaca, NY.
- Canham, C.D. & P.L.Marks. 1985. The response of woody plants to disturbance: patterns of establishment and growth. In: S.T.A. Pickett and P. White, *The ecology of natural disturbance and patch dynamics*. Academic Press, Orlando. pp.197-216.
- Canham, C.D. 1988. Growth and canopy architecture of shade tolerant trees: the response to canopy gaps. *Ecology*. 69(3): 786-795.
- Canham, C.D., J.S. Denslow, W.J. Platt, J.R. Runkle, T.A. Spies & P.S. White. 1990. Light regimes beneath closed canopies and tree-fall gaps in temperate and tropical forests. *Can.J.For.Res.* 20: 620-631.
- Cates, R.G. & G.H. Orians. 1975. Successional status and the palatability of plants to generalized herbivores. *Ecology*. 56: 410-418.

- Cates, R.G. & H. Alexander. 1982. Host resistance and susceptibility. In: J.B. Mitton and K.B. Sturgeon, (Editors), Bark beetles of North America and conifers, ecology and evolution. Univ. Texas Press, Austin.
- Champion, H.G. & S.K. Seth. 1968. A revised survey of the forest types of India. Govt. India Publ. Delhi. pp.251-267.
- Chaugley, G. 1977. Analysis of vertebrate populations. John Wiley and Sons, New York, New York, USA.
- Chazdon, R.L. 1986. Light variations and carbon gain in rain forest understorey plants. *Adv.Ecol.Res.* 18: 1-63.
- Chazdon, R.L. & N. Fetcher. 1984a. Light environments of tropical forests. In: E. Medina, H.A. Mooney and C. Vasquez-Yanes, (Editors), Physiological ecology of plants in the wet tropics. Dr. W. Junk, Boston, Massachusetts, USA, pp.27-36.
- Chazdon, R.L. & N. Fetcher. 1984b. Photosynthetic light environments in a lowland tropical rain forest in Costa Rica. *J.Ecol.* 72: 553-564.
- Chazdon, R.L. & R.W. Pearcy. 1986a. Photosynthetic responses to light variation in rainforest understorey species. I. Induction under constant and fluctuating light conditions. *Oecologia.* 69: 524-531.
- Chazdon, R.L. & R.W. Pearcy. 1986b. Photosynthetic responses to light variation in rainforest understorey species. II. Carbon gain and photosynthetic efficiency during sunflecks. *Oecologia.* 69: 524-531.
- Chesson, P.L. & R.R. Warner. 1981. Environmental variation promotes coexistence in lottery competitive systems. *Am.Nat.* 117: 923-943.
- Christensen, N.L. & J.F. Franklin. 1987. Small scale disturbance in forest ecosystems: a review of a workshop on forest gaps. *Bull. Eco.Soc.Am.* 68: 51-53.
- Christy, E.J. & R.N. Mack. 1984. Variation in demography of juvenile Tsuga heterophylla across the substratum mosaic. *J.Ecol.* 72: 75-91.

- Clark, D.A. & D.B. Clark. 1987a. Temporal and environmental patterns of reproduction in Zamia skinneri a tropical rain forest cycad. *J.Ecol.* 75: 135-150.
- Clark, D.A. & D.B. Clark. 1987b. Analisis de la regeneracion de árboles del dosel en bosque muy humedo tropical: aspectos teoreticos y practicos. In: D.A. Clark, R. Dirzo and N. Fetcher, (Editors), *Ecologia y ecophysologia de plantas en los bosques mesoamericanos*. *Revista de Biologia Tropical*. 35 (Suplemento), pp.41-54.
- Clark, D.B. & D.A. Clark. 1985. Seedling dynamics of a tropical tree: Impacts of herbivory and meristem damage. *Ecology*. 66: 1884-1892.
- Clements, F.E. 1936. Nature and structure of the climax. *J. Ecol.* 24: 252-284.
- Coley, P.D. 1980. Effects of leaf age and plant life history patterns on herbivory. *Nature (Lond.)* 284: 545-546.
- Coley, P.D. 1983a. Intraspecific variation in herbivory on two tropical tree species. *Ecology*. 64: 426-433.
- Coley, P.D. 1983b. Herbivory and defensive characteristics of tree species in a lowland tropical forest. *Ecol.Monog.* 53: 209-233.
- Coley, P.D. & T.M. Aide. 1991. A comparison of herbivory and plant defenses in temperate and tropical broadleaved forests. In: P.W. Price, T.M. Lewinsohn, W.W. Benson and G.W. Fernandes, (Editors), *Herbivory: tropical and temperate perspectives*. John Wiley & Sons, New York, New York, USA.
- Collins, S.L. & R.E. Good. 1987. The seedling regeneration niche: habitat structure of tree seedlings in an oak-pine forest. *Oikos*. 48: 89-98.
- Collins, S.L. 1989. Habitat relationships and survivorships of tree seedlings in hemlock-hardwood forest. *Can.J.Bot.* 68: 790-797.
- Cook, R.E. 1979. Patterns of juvenile mortality and recruitment in plants. In: O.T. Solbrig, S. Jain, G.B. Johnson and R.H. Raven, (Editors), *Topics in Plant Population Biology*. Columbia University

- Press, New York. pp. 207-231.
- Connell, J.H. 1971. On the role of natural enemies in preventing competitive exclusion in some marine animals and in rain forest trees. In: P.J. den Boer and G.R. Gradwell, (Editors), Dynamics of Populations. PUDOC, Wageningen, The Netherlands. pp. 289-312.
- Connell, J.H. 1987. Diversity in tropical rain forest and coral reefs. *Science*. 199: 1302-1310.
- Connell, J.H., J.H. Tracey & L.J. Webb. 1984. Compensatory recruitment, growth and mortality as factors maintaining rain forest tree diversity. *Ecol.Monog.* 54: 141-164.
- Corre, W.J. 1983. Growth and morphogenesis of sun and shade plants. I. The influence of light intensity. *Acta.Bot.Neer.* 32: 49-62.
- Coombs, J., D.U. Hall, S.P. Long & J.M.O. Scurlock (Editors). 1985. Techniques in Bioproductivity and Photosynthesis. Pergamon Press.
- Cousen, J.E. 1974. An introduction to woodland ecology. Oliver and Boyd, Edinburgh, Scotland.
- Cox, C.S. & P.B. McEvoy. 1983. Effect of summer moisture stress on the capacity of tansy ragwort (Senecio jacobaea) to compensate for defoliation by the cinnabar moth (Tyria jacobaeae). *J.Appl. Ecol.* 20: 225-234.
- Crawley, M.J. 1983. Herbivory: the dynamics of animal-plant interactions. University of California Press, Berkley, California, USA.
- Curtis, J.T. 1959. Vegetation of Wisconsin. University of Wisconsin Press, Madison.
- Dale, V.H., M.Hemstrom & J. Franklin. 1986. Modeling the long term effects of disturbances on forest succession, Olympic Peninsula, Washington. *Can.J.For.Res.* 16: 56-67.
- Denslow, J.S. 1980. Gap partitioning among tropical rain forest trees. *Biotropica*. 12 (Supplement): 47-55.
- Denslow, J.S. 1987. Tropical rainforest gaps and tree species diversity. *Ann.Rev.Ecol.Syst.* 18: 431-451.

- Denslow, J.S. & A.E. Gomez Diaz. 1990. Seed rain to treefall gaps in a neotropical rain forest. *Can.J.For.Res.* 20: 642-648.
- Denslow, J.S. & T. Spies. 1990. Canopy gaps in forest ecosystems: an introduction. *Can.J.For.Res.* 20: 619.
- Denslow, J.S., J.C. Schultz & P.M. Vitousek. 1990. Growth response of tropical shrubs to treefall gap environments. *Ecology*. 71: 165-179.
- Desteven, D. 1981. Abundance and survival of a seed infesting weevil, Pseudanthonomus hamamelidis (Coleoptera: Curculimidae), on its variable-fruiting host plant, witch-hazel (Hamamelis virginiana). *Ecol.Entom.* 6: 387-391.
- Desteven, D. 1988. Light-gaps and long-term seedling performance of a neotropical canopy tree (Dipteryx panamensis, Leguminosae). *J.Trop.Ecol.* 4: 407-411.
- Doyle, T.W. 1981. The role of disturbance in the gap dynamics of a montane rainforest: an application of a tropical forest succession model. In: D.C. West, H.H. Shugart and D.B. Bolkin, (Editors), *Forest Succession: Concepts and Applications*. Springer-Verlag, New York. pp.56-73.
- Dunn, C.P., G.R. Guntenspergen & J.R. Dorney. 1983. Catastrophic wind disturbance in an old-growth hemlock-hardwood forest, Wisconsin. *Can.J.Bot.* 61: 211-217.
- Dirzo, R. 1984. Herbivory: a phytocentric overview. In: R. Dirzo and J. Sarukhan, (Editors), *Perspectives on plant population ecology*. Sinauer, Sunderland, Massachusetts, USA. pp.141-165.
- Ed Vander Meijden, M. Wijn & H.J. Verkar. 1988. Defense and regrowth, alternative plant strategies in the struggle against herbivores. *Oikos*. 51: 355-363.
- Ehrlich, P.R. & P.H. Raven. 1965. Butterflies and plants: a study in coevolution. *Evolution*. 18: 586-608.
- Ehrlich, P.R. & P.H. Raven. 1967. Butterflies and plants. *Scientific American*. 216: 105-113.
- Evert, F. 1964. Components of stand volume and its increment. *J.For.* 62: 810-813.

- Falinski, J.B. 1978. Uprooted trees, their distribution and influence in the primeval forest biotope. *Vegetatio*. 38: 175-183.
- Feeny, P. 1976. Plant apparency and chemical defence. *Recent Adv. Phytochem.* 10: 1-40.
- Fennah, R.O. 1965. The influence of environmental stress on the Cacao tree in determining feeding sites of Cacao thrips, Selenothrips rubricinetus (Giard), on leaves and pods. *Bull. Entomol. Res.* 56: 333-349.
- Fetcher, N., B.R. Strain & S.F. Oberbauer. 1983. Effects of light regime on the growth, leaf morphology and water relations of seedlings of two species of tropical trees. *Oecologia*. 58: 314-319.
- Fetcher, N., S.F. Oberbauer, G. Roja & B.R. Strain. 1987. Effects of light regime on photosynthesis and growth in seedlings of tropical rain forest trees. *Rev. Biol. Trop.* 35: 97-110.
- Fetcher, N., S.F. Oberbauer & B.R. Strain. 1985. Vegetation effects on microclimate in lowland tropical forest in Costa Rica. *Int. J. Biometeor.* 29: 145-155.
- Florence, J. 1981. Chablis et sylirgenese dans une foret dense humide sempervirente du Gabon. Ph.D. Thesis, Universite Louis Pasteur de Strasbourg, France.
- Forcier, R.T.T. 1975. Reproductive strategies and the cooccurrence of climax tree species. *Science*. 189: 808-810.
- Foster, R.B. & N.V.L. Brokaw. 1982. Structure and history of the vegetation of Barro Colorado Island. In: E.G. Leigh, Jr., A.S. Rand and D.M. Windsor, (Editors), *The Ecology of a Tropical Forest*. Smithsonian Institution Press, Washington, D.C. pp. 67-81.
- Fox, J.F. 1977. Alteration and coexistence of tree species. *Am. Nat.* 111: 69-89.
- Fujita, T.T. 1978. Manual of down-burst identification for Project NIMROD. SMRP Research Paper No.156. University of Chicago, Chicago.

- Gartner, B.L. 1989. Breakage and regrowth of Piper species in rain forest understorey. *Biotropica*. 21: 303-307.
- Ghent, A.W. 1958. Studies of regeneration in forest stands devastated by the spruce budworms. II. Age, height, growth and related studies of balsam fir seedlings. *For.Sci.* 4: 135-146.
- Gibson, C.W.D., V.K. Brown & M. Jepsen. 1987. Relationships between the effects of insect herbivory and sheep grazing on seasonal changes in an early successional plant community. *Oecologia*. 71: 245-253.
- Gansser, A. 1964. Geology of the Himalayas. A volume in the regional geographical series edited by L.U. de Sitter. Inter Science Publishers - a division of John Wiley & Sons. Inc.
- Goff, F.G. & D.C. West. 1975. Canopy-understorey interaction effects on forest population structure. *For.Sci.* 21: 98-108.
- Grubb, P.J. 1977. The maintenance of species richness in plant communities: the importance of regeneration niche. *Biol.Rev.Cambridge Philos.Soc.* 52: 312-335.
- Handel, S.N. 1976. Population ecology of three woodland Carex species. Dissertation. Cornell University. Ithaca, New York, USA.
- Harper, J.L. 1969. The role of predation in vegetation diversity. *Brookhaven Symposium in Biology*. 22: 48-62.
- Harper, J.L. 1977. The population biology of plants. Academic Press, New York, New York, USA.
- Harper, J.L. & J. White. 1974. The demography of plants. *Ann.Rev.Ecol. Syst.* 5: 419-463.
- Harper, J.L., J.N. Clatworthy, I.H. McNaughton & G.R. Sagar. 1961. Evolution and Ecology of closely related species living in the same area. *Evolution (Lawrence, Kans)*. 15: 209-227.
- Harrison, S. 1987. Treefall gaps versus forest understorey as environments for a defoliating moth on a tropical forest shrub. *Oecologia*. 72: 65-68.

- Hart, G.E., Jr., R.E. Leonard & R.S. Pierce. 1962. Leaf fall, humus depth and soil frost in a northern hardwood forest. USDA For.Serv. Northeast.For.Exp.Stn.Res. Note No.1131.
- Hartshorn, G.S. 1978. Treefalls and tropical forest dynamics. In: P.B. Tomlinson and M.H. Zimmermann, (Editors), Tropical trees as living systems. Cambridge University Press, New York, New York, USA. pp. 617-638.
- Hartshorn, G.S. 1980. Neotropical forest dynamics. Biotropica. 12: 23-30.
- Hibbs, D.E. 1982. Gap dynamics in a hemlock-hardwood forest. Can.J.For. Res. 12: 522-527.
- Hladik, A. & P. Blanc. 1987. Croissance des plantes en Sous-Bois de foret dense humide (Makokou, Gabon). La Terre et La Vie. 42: 209-234.
- Howe, H.F. & J. Smallwood. 1982. Ecology of seed dispersal. Am.Rev. Ecol.Syst. 13: 201-228.
- Howe, H.F. 1990. Habitat implications of gap geometry in tropical forests. Oikos. 59(1): 141-144.
- Howe, H.F., E.W. Schupp & L.C. Westley. 1985. Early consequences of seed dispersal for a neotropical tree (Virola surinamensis). Ecology. 66: 781-789.
- Hubbell, S.P. 1979. Tree dispersion, abundance and diversity in a tropical dry forest. Science. 203: 1299-1309.
- Hubbell, S.P. 1984. Methodologies for the study of the origin and maintenance of tree diversity in tropical rain forest. In: G. Maury-Lechou, G.M. Hadley and Y. Younes, (Editors), The significance of species diversity in tropical forest ecosystems. Biology International (IUBS), pp. 8-13.
- Hubbell, S.P. & R.B. Foster. 1986. Canopy gaps and the dynamics of a neotropical forest. In: M.J. Crawley, (Editors), Plant Ecology. Blackwell Scientific Publications, Oxford, pp. 77-96.

- Huffaker, C.B. & C.E. Kennett. 1959. A ten-year study of vegetational changes associated with biological control of Klamath weed. *J. Range Manage.* 12: 69-82.
- Huston, M. 1979. A general hypothesis of species diversity. *Am. Nat.* 113: 81-101.
- Hutchinson, G.E. 1978. An introduction to population ecology. Yale University Press. New Haven. CT.
- IUCN. 1980. World conservation strategy, IUCN, Gland, Switzerland.
- Janos, D.P. 1980. Vesicular-arbuscular mycorrhizae affects lowland tropical rain forest plant growth. *Ecology.* 61: 151-162.
- Janzen, D.H. 1969. Seed eaters versus seed size, number, toxicity and dispersal. *Evolution.* 23: 1-27.
- Janzen, D.H. 1970. Herbivores and the number of tree species in tropical forest. *Am. Nat.* 104: 501-528.
- Janzen, D.H. 1971. Seed predation by animals. *Ann. Rev. Ecol. Syst.* 2: 465-492.
- Janzen, D.H. 1975. Intra- and interhabitat variations in Guazuma ulmi-
folia (Sterculiaceae) seed predation by Amblycerus cistelinus (Bruchidae) in Costa Rica. *Ecology.* 56: 1009-1013.
- Jones, E.W. 1945. The structure and reproduction of the virgin forest of the north temperate zone. *New Phytologist.* 44: 130-138.
- Khan, M.L. & R.S. Tripathi. 1986. Tree regeneration in a disturbed subtropical wet hill forest of north-east India: Effect of stump diameter and height on sprouting of four tree species. *For. Ecol. Manage.* 17: 199-209.
- Khan, M.L., J.P.N. Rai & R.S. Tripathi. 1986. Regeneration and survival of tree seedlings and sprouts in tropical deciduous and subtropical forests of Meghalaya, India. *For. Ecol. Manage.* 14: 293-304.
- Khan, M.L., J.P.N. Rai & R.S. Tripathi. 1987. Population structure of

- some tree species on disturbed and protected subtropical forests of north-east India. *Acta Oecol./Oecol.Appl.* 8: 247-255.
- Khan, M.L. & R.S. Tripathi. 1991. Seedling survival and growth of early and late successional tree species as affected by insect herbivory and pathogen attack in sub-tropical humid forest stands of north-east India. *Acta Oecologica.* 12: 569-579.
- Kira, T. 1977. Forest vegetation of Japan. Shidei & Kira, 1-9. Univ. Tokyo Press, Tokyo.
- Kira, T. 1978. Introduction. Kira et al. (1978), 1-7.
- Kira, T. 1991. Forest ecosystems of East and Southeast Asia in a Global Perspective. *Ecol.Res.* 6: 185-200.
- Kohyama, T. & N. Fujita. 1981. Studies on the Abies population of Mt. Shimagare. I. Survivorship curve. *Botanical Magazine of Tokyo.* 94: 55-68.
- Lang, A. 1965. Effects of some internal and external conditions on seed germination. In: W. Ruhland, (Editor), *Encyclopedia of Plant Physiology*; Vol. 15/2, Springer-Verlag, Berlin, Heidelberg and New York. pp. 848-893.
- Lang, G.E. & D.H. Knight. 1983. Tree growth, mortality, recruitment and canopy gap formation during a 10-year period in a tropical moist forest. *Ecology.* 64: 1075-1080.
- Lawton R.O. 1982. Wind stress and elfin stature in a montane rain forest tree: an adaptive explanation. *Am.J.Bot.* 69: 1204-1230.
- Lawton, R.O. & F.F. Putz. 1988. Natural disturbance and gap-phase regeneration in a wind-exposed tropical cloud forest. *Ecology.* 69: 764-777.
- Lawton, J.H. & S. McNeill. 1979. Between the devil and the deep sea: On the problem of being a herbivore. In: R.M. Anderson, B.O. Tuner and L.R. Taylor, (Editors), *Population dynamics.* Blackwell, Oxford. pp. 223-244.
- Lawton, R.O., R.O. Lawton & V. Dryer. 1980. The vegetation of the Monte-verde cloud forest reserve. *Brenesia.* 18: 31-46.

- ment of a shrub, Haplopappus venetus (Asteraceae), along a climatic gradient. *Ecology*. 64: 511-521.
- Louda, S.M. & J.E. Rodman. 1983a. Ecological patterns in the glucosinolate content of a native crucifer under field conditions. *Acta Oecologica, Oecologica generalis*. 7: 37-53.
- Louda, S.M. & J.E. Rodman. 1983b. Variation in glucosinolate concentration in relation to habitat and insect herbivory for the native crucifer, Cardamine cordifolia (bitter cress). *Biochem.Syst.Ecol.* 11: 199-208.
- Louda, S.M. 1984. Herbivore effect on stature, fruiting and leaf dynamics of a native crucifer. *Ecology*. 65: 1379-1386.
- Louda, S.M., N. Huntly & P.M. Dixon. 1987. Insect herbivory across a sun/shade gradient: response to experimentally-induced in situ plant stress. *Acta Oecologica, Oecologica generalis*. 8: 357-363.
- Lubchenco, J. & S.D. Gaines. 1981. A unified approach to marine plant herbivore interactions. I. Populations and communities. *Ann.Rev. Ecol.Syst.* 12: 405-437.
- Lutz, H.J. 1940. Disturbance of forest soil resulting from the uprooting of trees. *Bull.Yale Univ.Sch.of Forestry*. No.45.
- Lutz, H.J. 1960. Movement of rocks by uprooting of forest trees. *Am.J. Sci.* 258: 752-756.
- Lyford, W.H. & D.W. Maclean. 1966. Mound and pit microrelief in relation to soil disturbance and tree distribution in New Brunswick, Canada. *Harvard Forest Paper No.15*.
- Mack, R.N. & J.L. Harper. 1977. Interference in dune annuals: spatial pattern and neighbourhood effects. *J.Ecol.* 65: 345-363.
- Maiorana, V.C. 1981. Herbivory in sun and shade. *Biol.J.Linn.Soc.* 15: 151-156.
- Marks, P.L. 1975. On the relation between extension growth and successional status of deciduous trees on the north-eastern United States. *Bull.Tor.Bot.Club.* 102: 172-177.

- Lawton, R.O. 1990. Canopy gaps and light penetration into a wind-exposed tropical lower montane rain forest. *Can.J.For.Res.* 20: 659-667.
- Lee, R. 1978. Forest microclimatology. Columbia University Press, New York.
- Leigh, E.G. 1975. Structure and climate in tropical rain forest. *Ann. Rev.Ecol.Syst.* 6: 67-86.
- Leigh, E.G., Jr., A.S. Rand & D.M. Windsor. 1982. The ecology of a tropical forest: seasonal rhythms and long term changes, Smithsonian Institute Press, Washington, D.C., USA.
- Lieberman, D., M. Lieberman, G. Hartshorn and R. Peratta. 1985. Growth rates and age-size relationships of lowland tropical wet forest trees in Costa Rica. *J.Trop.Ecol.* 1: 97-109.
- Lincoln, D.E. & H.A. Mooney. 1984. Herbivory on Diplacus aurantiacus shrubs in sun and shade. *Oecologia.* 64: 173-176.
- Lloyd, D.G. & C.J. Webb. 1977. Secondary sex characters in seed plants. *Bot.Rev.* 43: 177-216.
- Lorimer, C.G. 1989. Survival and growth of understorey trees in oak forests of the Hudson Highlands, New York. *Can.J.For.Res.* 11: 689-695.
- Lorimer, C.G. 1989. Relative effects of small and large disturbances on temperate hardwood forest structure. *Ecology.* 70: 565-567.
- Loucks, O.L. 1970. Evolution of diversity, efficiency and community stability. *Am.Zool.* 10: 17-25.
- Louda, S.M. 1978. A test of predispersal seed predation in the population dynamics of Haplopappus (Asteraceae). Ph.D. thesis. The University of California, Riverside, California and San Diego State University, San Diego, California.
- Louda, S.M. 1982. Limitation of the recruitment of the shrub Haplopappus squarrosus (Asteraceae) by flower-feeding and insect-feeding insects. *J.Ecol.* 70: 43-54.
- Louda, S.M. 1983. Seed predation and seedling mortality in the recruit-

- March, W.J. & J.N. Skeen. 1976. Global radiation beneath the canopy and in a clearing of a suburban hardwood forest. *Agric.Meteor.* 16: 321-327.
- Marquis, R.J. 1984. Leaf herbivores decrease fitness of a tropical plant. *Science.* 226: 537-539.
- Marquis, D.A. & J.C. Bjorkbom. 1982. Guidelines for evaluating regeneration before and after clearcutting Allegheny hardwoods. U.S. For.Ser.Res. Note NE-307.
- Marshall, R. 1927. The growth of hemlock before and after release from suppression. Harvard For.Bulletin Number 11. Petersham, Massachusetts, USA.
- Martinez-Ramos, M. 1985. Claros, historia de vida de los arboles tropicales y la regeneracion natural de las selvas atlas perennifolias. *Regeneracion de Selvas II* (Ed. by A. Gomez-Popma & S.del Amo). Compania Editorial, Mexico City.
- Martinez-Ramos, M.R., E. Alvarez-Buylla and J. Sarukhan. 1989. Tree demography and gap dynamics in a tropical rain forest. *Ecology.* 70: 555-558.
- Martinez-Ramos, M., E. Alvarez-Buylla, J. Sarukhan & D. Pinero. 1988. Treefall age determination and gap dynamics in a tropical forest. *J.Ecol.* 76: 700-716.
- Mattson, W.J., Jr. 1980. Herbivory in relation to plant nitrogen content. *Ann.Rev.Ecol.Syst.* 11: 119-161.
- McCarthy, B.C. & J.M. Facelli. 1990. Microdisturbances in oldfields and forests: implications for woody seedling establishment. *Oikos.* 58:55-60.
- McLeod, K.W. & P.G. Murphy. 1977. Establishment of Ptelea trifoliata on lake Michigan sand dunes. *Am.Mid.Nat.* 97: 350-362.
- McNaughton, S.J. 1983. Compensatory plant growth as a response to herbivory. *Oikos.* 40: 329-336.
- McQuilkin, R.A. 1975. Growth of four types of white oak reproduction after clearcutting in the Missouri Ozarks. U.S.For.Ser.Res.Pap. NC-116.

- Miles, J. 1974. Effects of experimental interference with stand structure on establishment of seedlings in callunetum. *J.Ecol.* 62: 675-687.
- Milthrope, F.L. 1961. Mechanisms in biological competition, SEB Symposium 15, Cambridge University Press, Cambridge.
- Milton, K. 1979. Factors influencing leaf choice by howler monkeys: a test of some hypotheses of food selection by generalist herbivores. *Am.Nat.* 114: 362-378.
- Minckler, L.S., J.D. Woerheide & R.C. Schlesinger. 1973. Light, soil moisture and tree reproduction in hardwood forest openings. U.S. For.Serv.Res.Pap. NC-89.
- Misra, R. 1968. Ecology work book. Oxford Publishing Company, Calcutta.
- Moore, R., S. Warrington & J.B. Whittaker. 1991. Herbivory by insects on oak trees in pure stands compared with paired mixtures. *J.Appl. Ecol.* 28: 290-304.
- Moran, N. & W.D. Hamilton. 1980. Low Nutritive Quality as Defense against herbivores. *J.Theor.Biol.* 86: 247-254.
- Mueller-Dombois, D. & H. Ellenberg. 1974. Aims and methods of vegetation ecology. John Wiley and Sons, Inc., New York.
- Mueller-Dombois, D., J.D. Jacobi, R.G. Cooray & N. Balakrishnan. 1980. Ohia rainforest study: Ecological investigations of the Ohia die-back problem in Hawaii. Miscellaneous Publications, 183. Hawaii Institute of Tropical Agriculture and Human Resources, Honolulu, Hawaii, USA.
- Murray, K.G. 1988. Avian seed dispersal of three neotropical gap-dependent plants. *Ecol.Monogr.* 58: 271-298.
- Myers, N. 1987. The extinction spasm impending: Synergisms at work. *Cons.Biol.* 1: 14-21.
- Nakashizuka, T. & M. Numata. 1982. Regeneration process of climax beech forests. I. Structure of the beech forest with the undergrowth of *Sasa*. *Jap.J.Ecol.* 32: 57-67.

- Newbery, D.M. & H. de Foresta. 1985. Herbivory and defense in pioneer, gap and understorey trees of tropical rain forests in French Guiana. *Biotropica*. 17: 238-244.
- Newton, P.F. & V.G. Smith. 1988. Diameter distributional trends within mixed Black-spruce/Balsam-fir and pure Black-spruce stand types. *For.Ecol.Manage.* 25: 123-138.
- Nunez-Farfan, J. & R. Dirzo. 1988. Within-gap heterogeneity and seedling performance in a Mexican tropical forest. *Oikos*. 51: 274-284.
- Oldeman, R.A.A. 1972. L'architecture de la vegetation ripicole forestiere des fleuves et criques guyanais. *Adansonia (New Series)* 12: 253-265.
- Oldeman, R.A.A. 1978. Architecture and energy exchange of dicotyledonous trees in the forest. In: P.B. Tomlinson and M.H. Zimmerman. (Editors), *Tropical trees as living systems*. Cambridge University Press, Cambridge, England.
- Oliver, C.D. & E.P. Stephens. 1977. Reconstruction of a mixed species forest in central New York. *Soil Sci.* 88: 107-111.
- Orians, G.H. 1982. The influence of treefalls in tropical forests on tree species richness. *Trop.Ecol.* 23: 255-279.
- Paine, R.T. 1966. Food web complexity and species diversity. *Am.Nat.* 100: 65-75.
- Pandey, A.M. & J.S. Singh. 1985. Mechanism of ecosystem recovery. A case study from Kumaun Himalaya. *Recr.Revege.Res.* 3: 271-292.
- Parker, M.A. & R.B. Root. 1981. Insect herbivores limit the habitat distribution of a native composite Machaeranthera canescens. *Ecology*. 62: 1390-1391.
- Pascoe, E.H. 1950. A manual of the geology of India and Burma. G.S.I., New Delhi.
- Pearcy, R.H. 1983. The light environment and growth of C₃ and C₄ tree species in the understorey of a Hawaiian forest. *Oecologia*. 58: 19-25.

- Pickett, S.T.A. 1983. Differential adaptation of tropical species to canopy gaps and its role in community dynamics. *Trop.Ecol.* 24: 68-84.
- Pickett, S.T.A. & F.A. Bazzaz. 1978. Organization of an assemblage of early successional species on a soil moisture gradient. *Ecology.* 59: 1248-1255.
- Pickett, S.T.A. & P.S. White, (Editors). 1985. *The Ecology of Natural Disturbance and Patch Dynamics.* Academic Press, New York.
- Pielou, E.C. 1966. The measurement of diversity in different types of biological collections. *J.Theo.Biol.* 13: 131-144.
- Platt, W.J. & S.M. Hermann. 1986. Relationships between dispersal syndrome and characteristics of populations of trees in a mixed-species forest. pp. 309-321. In: A. Estrada and T.H. Flemings, (Editors). *Frugivores and seed dispersal.* Dr. W. Junk, Dordrecht, The Netherlands.
- Poore, M.E.D. 1968. Studies in Malaysian rain forest. I. The forest on triassic sediments on Jengka Forest Reserve. *J.Ecol.* 56: 143-196.
- Popma, J. & F. Bongers. The effect of canopy gaps on growth and morphology of seedlings of rain forest species. *Oecologia.* 75: 625-632.
- Poulson, J.L. & W.J. Platt. 1989. Gap light regimes influence canopy tree diversity. *Ecology.* 70: 553-555.
- Price, P.W., C.E. Bouton, P. Gross, B.A. McPherson, J.N. Thompson & A.E. Weis. 1980. Interactions among three trophic levels: influence of plants on interactions between insect herbivores and natural enemies. *Ann. Rev. Ecol. Syst.* 11: 41-65.

- Prins, A.H. & H.W. Nell. 1990. Positive and negative effects of herbivory on the population dynamics of Senecio jacobaea L. and Cynoglossum officinale L. *Oecologia*. 83: 325-332.
- Putz, F.E. & K. Milton. 1982. Tree mortality rates on Barro Colorado Island. In: E.G. Leigh, Jr., A.S. Rand and D.M. Windsor, (Editors) *The Ecology of a Neotropical Forest: Seasonal Rhythms and Long-term changes*. Washington, DC: Smithsonian Inst.
- Putz, F.E. 1983. Treefall pits and mounds, buried seeds and the importance of soil disturbance to pioneer trees on Barro Colorado Island, Panama. *Ecology*. 64: 1069-1074.
- Putz, F.E. 1984. How trees avoid and shed lianas. *Biotropica*. 16: 19-23.
- Rand, A.S. 1976. Number of treefalls per month. In: D.M. Windsor (Editor), *Environmental Monitoring and Baseline Data from the Isthmus of Panama*. Smithsonian Institution, Vol.IV. pp.134.
- Rao, P., S.K. Barik, H.N. Pandey & R.S. Tripathi. 1990. Community composition and tree population structure in a sub-tropical broad-leaved forest along a disturbance gradient. *Vegetatio*. 88: 151-162.
- Rao, P.B. & S.P. Singh. 1985. Response breadths on environmental gradients of germination and seedling growth in two dominant forest tree species of Central Himalaya. *Ann.Bot.* 56: 783-794.
- Rausher, M.D. 1981. Host plant selection by Battus philenor butterflies: the roles of predation, nutrition and plant chemistry. *Ecol. Monogr.* 5: 1-20.
- Rausher, M.D. & P. Feeny. 1980. Herbivory, plant density and plant reproductive success: the effect of Battus philenor on Aristolochia reticulata. *Ecology*. 61: 905-917.
- Reichle, D.E. (Editor). 1974. *Forest Ecosystem*. McGraw-Hill Year book Science and Technology. pp. 196-201.
- Rhoades, D.F. 1985. Offensive-defensive interactions between herbivores and plants: their relevance in herbivore population dynamics and ecological theory. *Am.Nat.* 125: 205-238.

- Rhodes, D.F. & R.G. Cates. 1976. Towards a general theory of plant antiherbivore chemistry. *Rec.Adv.Phytochem.* 10: 168-213.
- Rice, R.L., D.E. Lincoln & J.H. Langenheim. 1978. Palatability of a monoterpenoid compositional types of Satureja douglassi to a generalist molluscan herbivore Ariochmax dolichophallus. *Biochem. Syst.Ecol.* 6: 45-53.
- Richards, P.W. 1952. *The Tropical Rain Forest*. Cambridge University Press, London and New York.
- Richards, P.W. 1986. The nature of tropical forest ecosystems. In: Nicholas Polunin, (Editor), *Eco.Theo.App.* John Wiley & Sons Ltd.
- Richards, P. & G.B. Williamson. 1975. Treefalls and patterns of understorey species in a wet lowland tropical forest. *Ecology.* 56: 1226-1229.
- Ricklefs, R.E. 1977. Environmental heterogeneity and plant species diversity: a hypothesis. *Am.Nat.* 111: 376-381.
- Riera, B. 1985. Importance des bultes de deracinement dans la regeneration forestiere en Guyane Francaise. *Rev.*
- Rockwood, L.L. & K.E. Glander. 1979. Howling monkeys and leaf cutting ants: comparative foraging in a tropical deciduous forest. *Biotropica.* 11: 1-10.
- Rollet, B. 1983a. La regeneration naturelle dans les trouees. *Rev.Bios. et.Forets.Trop.* 201: 3-34.
- Rollet, B. 1983b. La regeneration naturelle dans les trouees. Part II. *Rev.Bios.et.Forets.Trop.* 202: 18-34.
- Romme, W.H. & W.H. Martin. 1982. Natural disturbance by tree falls in old growth mixed mesophytic forest: Lilley Cornett Woods, Kentucky. In: R.N. Mueller (Editor), *Proceedings of the Central Hardwood Conference. IV.* University of Kentucky, Lexington, Kentucky, USA.
- Rorison, I.H. 1967. A seedling bioassay on some soils in the Sheffield area. *J.Ecol.* 55: 725-741.

- Runkle, J.R. 1981. Gap regeneration in some old growth forests of the Eastern United States. *Ecology*. 62: 1041-1051.
- Runkle, J.R. 1982. Pattern of disturbance in some old-growth mesic forests of eastern North America. *Ecology*. 63: 1533-1546.
- Runkle, J.R. 1985. Disturbance regime in temperate forests. In: S.T.A. Pickett and P.S. White, (Editors). *The ecology of natural disturbance and patch dynamics*. S.T.A. Pickett and P.S. White. Academic Press, New York. pp.17-33.
- Runkle, J.R. 1989. Synchrony of regeneration, gaps and latitudinal differences in tree species diversity. *Ecology*. 70: 546-547.
- Runkle, J.R. 1990. Gap dynamics in a Ohio Acer-Fagus forest and speculations on the geography of disturbance. *Can.J.For.Res.* 20: 632-641.
- Salisbury, E. 1942. ^R ^C ^P The reproductive capacity of plants. Bell, London.
- Sanford, R.I. Jr, H.E. Braker & G.S. Hartshorn. 1986. Canopy openings in a primary neotropical forest. *J.Trop.Ecol.* 2: 277-282.
- Sarukhan, J. 1978. Studies on the demography of tropical trees. In: P.B. Tomlinson and M. Zimmerman, (Editors). *Tropical Trees as Living Systems*. Cambridge University Press, Cambridge, England. pp.163-184.
- Saxena, A.K., S.P. Singh & J.S. Singh. 1984. Population structure of forests of Kumaun Himalaya: implications for management. *J.Environ.Manage.* 19: 307-324.
- Schmeiz, D.A. & A.A. Lindsey. 1965. Size-class structure of old-growth forests in Indiana. *For.Sci.* 11: 258-264.
- Schmid, B., G.M. Puttick, K.H. Burgess & F.A. Bazzaz. 1988. Clonal integration and effects of simulated herbivory in old-field perennials.
- Schulte, P.J. & P.E. Marshall. 1983. Growth and water relations of black locust and pine seedlings exposed to controlled water stress. *Can.J.For.Res.* 13: 334-338.

- Schulz, J.P. 1960. Ecological studies on Rain Forest in Northern Suriname. *Verhandelingen der koninklijke Nederlandse Akademie van Wetenschappen, Afd. Natuurkunde, Tweed Reeks, Deel 53(1)*, Amsterdam.
- Schupp, E.W. 1988. Seed and early seedling predation in the forest understorey and in treefall gaps. *Oikos*. 51: 71-78.
- Schupp, E.W., H.F. Howe, C.K. Augspurger & D.J. Levey. 1989. Arrival and survival in tropical treefall gaps. *Ecology*. 70: 562-564.
- Silverton, J.W. 1981. Micro-spatial heterogeneity and seedling demography in species-rich grasslands. *New Phytol.* 88: 117-128.
- Scriber, J.M. & F. Slansky. 1981. The nutritional ecology of immature insects. *Ann.Rev.Entom.* 26: 183-211.
- Sørensen, T. 1948. A method of establishing groups of equal amplitude in plant sociology based on similarity of species content. *Det.Kong.Danske Vidensk, Selsk Biology Skr.(Copenhagen)* 5: 1-34.
- Sorensen, F.C. & W.K. Ferrell. 1973. Photosynthesis and growth of Douglas fir seedlings when grown in different environments. *Can.J. Bot.* 51: 1689-1698.
- Sousa, W.P. 1979. Experimental investigations of disturbance and ecological succession in a rocky intertidal algal community. *Ecol. Monogr.* 49: 227-254.
- Spatz, G. 1970. Pflanzengesellschaften, Leistungen und Leistungspotential von Allgauer Alpweiden in Abhängigkeit von Standort und Bewirtschaftung. Dissertation (Dr.Agr.) Tech.Univ. Munich.
- Spies, T.A., J.F. Franklin & M. Klopsch. 1990. Canopy gaps in Douglas-fir forests of the Cascade Mountains. *Can.J.For.Res.* 20: 649-658.
- Stanton, N.L. 1975. Herbivore pressure on two types of tropical forests. *Biotropica*. 7: 8-11.
- Stearns, F.W. 1949. Ninety years change in a northern hardwood forest in Wisconsin. *Ecology*. 30: 350-358.

- Stephens, E.P. 1956. The uprooting of trees: a forest process. *Soil Sci.Soc.Am.Proc.* 20: 113-116.
- Stoeckeler, J.H. & G. Arbogast. 1955. Forest management lessons from a 1949 windstorm in northern Wisconsin and Upper Michigan. U.S.Dep. Agric.For.Serv. Lake States for Exp.Stn. Paper No.34.
- Stokes, P. 1965. Temperature and seed dormancy. In: W. Ruhland (Editor). *Encyclopedia of Plant Physiology*. Vol.15/2, Springer-Verlag, Berlin, Heidelberg and New York. pp. 746-803.
- Stone, E.L. 1975. Windthrow influences on spatial heterogeneity in a forest soil. *Fidg.Anst.Forstl.Versuchswes.Mutt.* 51: 176-184.
- Streng, D.R. 1986. Patterns of seedfall and seedling establishment in an East Texas river flood plain forest: the contribution of seedling dynamics to species coexistence. Dissertation, Rice University, Houston, Texas, USA.
- Streng, D.R., J.S. Glitzenstein & P.A. Harcombe. 1989. Woody seedling dynamics of an east Texas flood plain forest. *Ecol.Monogr.* 59: 177-204.
- Strobeck, C. 1974. Sufficient conditions for polymorphism with niches and mating groups. *Am.Nat.* 108: 152-156.
- Strong, D.R. 1977. Epiphyte loads, treefalls and perennial forest disruption: a mechanism for maintaining higher tree species richness in tropics without animals. *J.Biogeogr.* 4: 215-218.
- Struick, G.J. & J.T. Curtis. 1962. Herb distribution in an Acer-Saccharum forest. *Am.Midl.Nat.* 68: 285-296.
- Swain, M.D. & J.B. Hall. 1986. Forest structure and dynamics. In: G.W. Lawson (Editor), *Plant Ecology in West Africa*. Wiley, New York. pp.47-93.
- Torquebian, E. 1981. Analyse architecturale de la foret de les Tuxtlas (Veracruz). Mexique. Ph.D. thesis, Universite des Sciences.
- Tripathi, R.S. & M.L. Khan. 1990. Effects of seed weight and micro-site characteristics on germination and seedling fitness in two

- species of Quercus in a subtropical wet hill forest. *Oikos*. 57: 289-296.
- Troedsson, T. & W.H. Lyford. 1973. Biological disturbance and small-scale spatial variation in a forested soil near Garpenberg, Sweden. *Stud.For.Suec.* No.109.
- Turkington, R. & L.W. Aarsen. 1984. Local-scale differentiation as a result of competitive interactions. In: R. Dirzo and J. Sarukhan, (Editors), *Perspectives on plant population ecology*. Sinauer, Sunderland, MA. pp.107-127.
- Uhl, C. 1982. Tree dynamics in a species rich Tierra Firme forest in Amazonia, Venezuela. *Acta.Cienc.Ven.* 33: 72-77.
- Uhl, C., K. Clark, N. Dezzeo & P. Maquirino. 1988. Vegetation dynamics in Amazonian treefall gaps. *Ecology*. 69(3): 751-763.
- Uhl, C. & P.G. Murphy. 1981. Composition, structure and regeneration of tierra firme forest in the Amazon Basin of Venezuela. *Trop. Ecol.* 22: 219-237.
- UNESCO/UNEP/FAO. 1978. Tropical forest ecosystem: A state-of-knowledge report. Paris: UNESCO.
- Vazquez-Yanes, C. & A. Orozco-Seguí. 1984. Ecophysiology of seed germination in the tropical humid tropics of the world: a review. In: E. Medina, H.A. Mooney and C. Vazquez-Yanes, (Editors), *Physiological ecology of plants in the wet tropics*. Dr.W. Junk, Dordrecht, The Netherlands.
- Vazquez-Yanes, C. & H. Smith. 1982. Phytochrome control of seed germination in the tropical rain forest pioneer Cecropia obtusifolia and Piper auritum and its ecological significance. *New Phytol.* 92: 477-485.
- Veblen, T.T. 1985. Forest development in tree-fall gaps in the temperate rain forests of Chile. *Nat.Geogr.Res.* 1: 162-183.
- Vegis, A. 1965. Ruhezustände bei höheren Pflanzen, Induktion, Verlauf und Beendigung: Übersicht Terminologie, allgemeine Probleme. In: W. Ruhland (Editor), *Handbuch der Pflanzen-physiologie*, Vol.15/2.

- Springer-Verlag, Berlin, Heidelberg and New York.
- Vitousek, P.M. & J.S. Denslow. 1987. Nitrogen and phosphorus availability in treefall gaps. *J.Ecol.* 74: 1167-1178.
- Vooren, A.P. 1985. Patterns in Tree and Branchfall in West African Rain Forest Wageningen: Wageningen Agric.Univ.Dept. Silviculture.
- Wadsworth, F. & G.Englerth. 1959. Effects of the 1956 hurricane on forests in Puerto Rico. *Carib. Forest.* 20: 38-50.
- Wardle, P. 1959. The regeneration of Fraxinus excelsior in woods with a field layer of Mercurialis perennis. *J.Ecol.* 47: 483-497.
- Warner, R.R. & P.L. Chesson. 1985. Coexistence mediated by recruitment fluctuations: a field guide to storage effect. *Am.Nat.* 125: 769-787.
- Watt, A.S. 1947. Pattern and process in the plant community. *J.Ecol.* 35: 1-22.
- Webb, L.J. 1958. Cyclones as an ecological factor in tropical lowland rain forest, North Queensland. *Aust.J.Bot.* 6: 220-228.
- Webb, L.J. 1968. Environmental relationships of the structural types of Australian rain forest vegetation. *Ecology.* 49: 296-311.
- Welden, C.W., S.W. Hewett, S.P. Hubbell & R.B. Foster. 1991. Sapling survival, growth and recruitment: Relationship to canopy height in a neotropical forest. *Ecology.* 72(1): 35-90.
- Werner, P.A. & W.J. Platt. 1976. Ecological relationships of co-occurring golden rods (Solidago: Compositae). *Am.Nat.* 110: 959-971.
- West, D.C., H.H. Shugart, Jr. & J.W. Ranney. 1981. Population structure of forest over a large area. *For.Sci.* 27: 701-710.
- White, P.S. 1979. Pattern, process and natural disturbance in vegetation. *Bot.Rev.* 45: 229-299.
- White, T.C.R. 1974. A hypothesis to explain outbreaks of looper caterpillars, with special reference to populations of Selidosema sauvis in a plantation of Pinus radiata in New Zealand. *Oecologia.* 16: 279-301.

- White, T.C.R. 1976. Weather, food and plagues of locusts. *Oecologia*. 22: 119-134.
- White, T.C.R. 1978. The importance of a relative shortage of food in animal ecology. *Oecologia*. 33: 71-86.
- Whitmore, T.C. 1974. Change with time and the role of cyclones in tropical rain forest on Kelom bangara, Solomon Islands. Commonwealth Forestry Institute Paper No.46. University of Oxford, Oxford, England.
- Whitmore, T.C. 1975. Tropical Rainforests of the Far East. Clarendon Press, Oxford, England.
- Whitmore, T.C. 1978. Gaps in the forest canopy. In: P.B. Tomlinson and M.H. Zimmerman (Editors), *Tropical Trees as Living Systems*. Cambridge Univ. Press, Cambridge, England. pp.639-655.
- Whitmore, T.C. 1982. On pattern and process in forests. In: E.J. Newman (Editor), *The Plant Community as a Working Mechanism*. Blackwell, Oxford, England. pp. 45-57.
- Whitmore, T.C. 1989. Canopy gaps and the two major groups of forest trees. *Ecology*. 70: 536-538.
- Whittaker, R.H. 1972. Evolution and measurement of species diversity. *Taxon*. 21: 213-251.
- Whittaker, R.H. 1977. Evolution of species diversity in land communities. *Evol.Biol.* 10: 1-67.
- Williamson, G.B. 1975. Pattern and seral composition in an old growth beech-maple forest. *Ecology*. 56: 727-731.
- Wilson, D.S. 1980. *The natural selection of population and communities*. The Benjamin/Cummings Publ.Co. California.
- Wilson, M.V. & A. Shmida. 1984. Measuring α -diversity with presence-absence data. *J.Ecol.* 72: 1055-1064.
- Windle, P.N. & E.H. Franz. 1979. Effects of insect parasitism on plant competition: green bugs and barley. *Ecology*. 60: 521-529.
- Zar, J.H. 1974. *Biostatistical analysis*. Prentice Hall, Inc., Engelwood Cliff, NJ.

Zimba, D.T. 1977. Geography of Meghalaya. Standard Printing Press,
Gauhati.

102492
Acc. No. 102492
Acc. by 208
Date 31/5/97
Class by
Subscribed by
Author by
Published by