Contents

| | | Page |
|-------|-----------------------------------------------------------------------------------|------------|
| Chap | | |
| Intro | duction and Review | 1 |
| 1.1 | Introduction | 1 |
| 1.2 | A brief survey of polymer-supported strategy | 3 |
| | 1.2.1 Polymer metal complexes | 4 |
| | 1.2.2 Formation and stability of polymer chelates | 8 |
| | 1.2.3 Polymer effect in catalytic rate | 10 |
| | 1.2.4 Polymer-supported chromium(VI) compounds | 11 |
| | 1.2.5 Polymer-supported permanganate reagents | 1 1 |
| 1.3 | Ion-exchange resins | 12 |
| | 1.3.1 Historical developments | 13 |
| | 1.3.2 Criteria for a compound to act as a selective ion-exchangers | 13 |
| | 1.3.3 Theoretical aspects | 14 |
| | 1.3.4 Nature of polymeric matrices | 15 |
| | 1.3.5 Characterisation of chelating ion-exchange resins and their metal compléxes | 16 |
| 1.4 | Dioxygen complexes | 19 |
| • • • | 1.4.1 Synthetic dioxygen carriers | 19 |
| | References | 21 |
| Chap | oter 2 | |
| | pe of the Work | 25 |
| 2.1 | Introduction | 25 |
| 2.2 | Brief survey of the present work | 26 |
| | References | 29 |
| Chap | | |
| Mate | rials and Methods | 30 |
| 3.1 | Reagents | 30 |
| 3.2 | Spectral methods | 30 |
| 3.3 | Experimental | 31 |
| | 3.3.1 Polymer supports | 31 |
| 2 4 | Dobrac supports and metallated energies. Abbraviations used | 3/ |

| Chapter 4 Covalently Linked 4-Coordinate Copper(II) Complexes on Polymer Supports 42 | | | | | |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------------|--|--|--|
| 4.1 | Introduction | 42 | | | |
| 4.2 | Mono-Schiff-base complexes of copper(II) bearing anionic function— Schiff-bases with varying C-substituents | | | | |
| | 4.2.1 Experimental | 44 | | | |
| | 4.2.2 Results and discussion | 4 5 | | | |
| 4.3 | Polymer-supported asymmetric Bis SB complexes of copper(II) | 53 | | | |
| • | 4.3.1 Experimental | 54 | | | |
| | 4.3.2 Results and discussion | 54 | | | |
| 4.4 | Generating Bi copper(II) complexes of SB derived from diamines | 6 3 | | | |
| | 4.4.1 Experimental | 64 | | | |
| | 4.4.2 Results and discussion | 6 5 | | | |
| | References | 70 | | | |
| | oter 5 rdinatively Bound Five-Coordinate Schiff-base Complexes on mer Supports—Cu(II) Systems | 72 | | | |
| | | יי <i>יי</i> י | | | |
| 5.1 | Introduction | 72 | | | |
| 5.2 | Copper(II) salicylaldehyde SB complexes on polymer supports (D and | U) /0 | | | |
| | 5.2.1 Experimental | 77 90 | | | |
| | 5.2.2 Results and discussion | 80 90 | | | |
| 5.3 | 2,4-Dihydroxy benzaldehyde SB copper complex on C | 99 | | | |
| | 5.3.1 Experimental | 9 9 | | | |
| | 5.3.2 Results and discussion | 100 | | | |
| 5.4 | Copper(ii) SB complexes on polymer supports (D and C) | 106 106 | | | |
| | 5.4.1 Experimental | 108 | | | |
| <i>-</i> - | 5.4.2 Results and discussion | 115 | | | |
| 5.5 | Cu(II) SB complex on ethylene diamine bound polymer support (E) | 115 | | | |
| | 5.5.1 Experimental | 116 | | | |
| | 5.5.2 Results and discussion | | | | |
| | References | 120 | | | |
| | oter 6 dinatively-bound Six-coordinate Schiff-base Complex on mer Supports—Copper(II) system | 122 | | | |
| 6.1 | Introduction | 122 | | | |
| 6.2 | Bis-bidentate Schiff-base complexes of copper(II) | 12 3 | | | |
| | 6.2.1 Experimental | 123 | | | |
| | 6.2.2 Results and discussion | 124 | | | |
| 6.3 | Six-coordinate complexes on polymer support: 2-hydroxy naphthalene-1-carbaldehyde SBs | 130 | | | |
| | 6.3.1 Experimental | 130 | | | |
| | 6.3.2 Results and discussion | 132 | | | |
| | References | 137 | | | |

| Chapter 7 Covalently Linked Five-Coordinate Schiff-base Complexes on Polymer SupportsVO(IV) Systems | | | |
|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|------------|--|
| 7.1 | Introduction | 136 | |
| 7.2 | Mono-Schiff-base complexes of oxovanadium (IV) bearing anionic | 141 | |
| 7 .2- | functions | | |
| | 7.2.1 Experimental | 142 | |
| | 7.2.2 Results and discussion | 142 | |
| 7.3 | Mono-Schiff-base complexes of oxovanadium(IV) bearing | 146 | |
| | anionic functions 7.3.1 Experimental | 147 | |
| | 7.3.2 Results and discussion | 147 | |
| 7.4 | Polymer supported asymmetric Bis-SB complexes of oxovanadium | 149 | |
| / . | 7.4.1 Experimental | 150 | |
| | 7.4.2 Results and discussion | 151 | |
| 7.5 | Bivanadyl complexes of SBs derived from diamines | 158 | |
| , | 7.5.1 Experimental | 156 | |
| | 7.5.2 Results and discussion | 156 | |
| 7.6 | Bis-bidentate Schiff-base and other five-coordinated complexes of VO(IV) | 160 | |
| | 7.6.1 Experimental | 161 | |
| | 7.6.2 Results and discussion | 162 | |
| | References | 172 | |
| | tural and Electronic Modification of Co(II) Complexes by her Appending—Related Properties | 174 | |
| 8.1 | Introduction | 174 | |
| 8.2 | Cobalt(II) bidentate Schiff-base complexes | 175 | |
| | 8.2.1 Experimental | 176 | |
| | 8.2.2 Results and discussion | 179 | |
| 8.3 | Tetra dentate SB cobalt(II) complexes | 187 | |
| | 8.3.1 Experimental | 188 | |
| | 8.3.2 Results and discussion | 191 | |
| 8.4 | Bidentate mercapto azolate complexes | 199 | |
| | 8.4.1 Experimental | 199 | |
| | 8.4.2. Results and discussion | 201 | |
| 8.5 | Study of complex uptake on D and C | 21 | |
| | 8.5.1 Experimental | 211 | |
| | 8.5.2 Results and discussion | 217 | |
| 8.6 | Polymer supported Co(III) SB complexes | 214 | |
| | 8.6.1 Experimental 8.6.2. Results and discussion | 219 219 | |
| | | | |
| | References | 219 | |
| Chapte | er 9 | 22. | |