

REFERENCES

- Anderson, F.S., 1937. Über die Metamorphose der Ceratopogoniden und Chironomiden Nordost-Groenlands. Meddr. Grønland, 116 : 1-95.
- Dates, Marston, 1949. *The Natural History of Mosquitoes*, New York. The Macmillan Company, pp. 1-379.
- Banerjee, S.N. 1956. The Chinsurah light-trap. Proc. Zool. Soc., Calcutta, 2 : 27-32.
- Beales, D.S. and H.Henson, 1956. The larval stage of Hydroneura schineri (Kief.) (Diptera, Chironomidae). Proc. Soc. Lond. Phil. Nat. Sci. Sect. 6 : 317-324.
- Beck, W.M. Jr. and E.C.Beck, 1959. A Check-list of Chironomidae (Insecta) of Florida (Expt. Chironomidae). Bull. Fla. St. Mus., 4(3) : 84-97.
- , 1966. The Chironomidae of Florida. A Problem of International Taxonomy. Genesee and Abasco, 41/42 : 129-135.

- _____, 1968. The concept of genus in the family Chironomidae. Ann. Zool. Fennici, 5 : 14-16.
- _____, 1969. Chironomidae of Florida III. The Harnischia complex (Chironomidae). Bull. Fla. St. Mus., 13(5) : 277-313.
- _____, 1970. Immature stages of some chironomidae. Q. J. Fla. Acad. Sci., 33(1) : 39-42.
- Brundin, Lars, 1947. Zur Kenntnis der schwedischen chironomiden, Art. Zool., 39(3) : 1-95.
- _____, 1956. Zur systematik der Orthocladiinae (Diptera, Chironomidae). Rec. Inst. Fresenius Res., Drottningholm, 37 : 5-85.
- Brunetti, E., 1912. New Oriental Diptera I. Rec. Inst. Mus., 7 : 445-46.
- _____, 1917. Diptera of Siala District, Ibid., 13 : 59-101.

- , 1920. Catalog of Oriental and South East Asiatic Neatoceræ, Family Chironomidae, Ibid., 17 : 43-58.
- Carter, H.F., A. 1920a. Observations on the ceratopogonine midges of the Gold Coast with descriptions of new species I. Ann. Trop. Med. Parasit., 14 : 187-210.
- Ingram and J.W.S. Macfie,
- Chaudhuri, P.K. 1971. A Taxonomic study on Neostilgomyia species of biting species of biting midges (Diptera, Ceratopogonidae) of Darjeeling, West Bengal. Oriental Insa., 5(3) : 435-60.
- and S.K.Das Gupta,
- , 1972. Biting midges of genus Allanorkia Kieffer (Diptera, Ceratopogonidae) from India., Ibid., 6(1) : 83-110.
- Cook, E.F., 1944. On the morphology of larval head of a species of Chironomids (Diptera, Chironomidae), Microentomology, 2(2) : 1-57.

- _____, 1949. The evolution in the head of larvae of Diptera, Ibid., 14(1) : 1-57.
- _____, 1956. The Nearctic Chaoborinae (Diptera, Culicidae). Tech. Bull. Univ. Minn. Agric. Exp. Sta., 218 : 1-102.
- Coe, R.L., 1950. Family Chironomidae, p.121-206. In R.L.Coe, P.Fresman and P.F.Mattingly, Diptera, 2. Nematocera : Families Tipulidae to Chironomidae. Handbook Identification Brit. Insecta, 2(2) : 1-216.
- _____, 1956. The Nearctic Chaoborinae (Diptera, Culicidae). Tech. Bull. Univ. Minn. Agric. Exp. Sta. 218 : 1-202.
- Coquillett, D.W., 1901. New Diptera in the U.S. National Museum, Proc. U.S. Nat. Mus. 29: 593-618.
- _____, 1908. New genera and species of Diptera. Proc. Entomol. Soc. Wash. 2 : 127-148.

- Crampton, G.C., 1942. The External morphology of the Diptera. In Guide to the insects of Connecticut VI. The Diptera of true-flies of Connecticut. First Fascicle Bull. Conn. St. Geol. Nat. Hist. Surv. 64 : 10-145.
- Danks, H.V., and 1972. Seasonal emergence of some high arctic
D.R. Oliver, Chironomidae (Diptera). Can. Ent.
104(5) : 661-86
- Darlington P.J., 1957. Zoogeography : Geographical distribu-
tion of animals. John Wiley and Sons,
Inc., New York; Chapman & Hall. Ltd.
London, pp. 673.
- Das Gupta, J.K., 1964. Studies on the taxonomy and biology
of the Indian Species of biting midges
(Diptera, Ceratopogonidae). D. Sc.
thesis in Zoology, Calcutta University,
pp. 329.

- Das Gupta, S.K. and U.W. March. 1960. Revision of Oriental species of Stilobezzia Kieffer (Diptera, Ceratopogonidae). Bull. U.S. Nat. Mus., 283 : 1-164.
- Dandy, J.S. and J.E. Sublette. 1959. The Chironomidae (Diptera) of Alabama with descriptions of six new species. Ann. Entomol. Soc. Amer., 52 : 506-509.
- Eaton, A.E., 1875. Drosophilae Uniusque Lepidopterarum Insulae Kerguelensi indigenarum diagnoses. Ent. Monthly Mag., 12 : 58-61.
- Edwards, F.W., 1929. British non-biting midges (Diptera, Chironomidae). Trans. R. Ent. Soc. Lond., 77(2) : 279-430.
- , 1931. Diptera of Patagonia and South Chile II. Chironomidae. Transactions of the British Museum, London, 233-331.
- , 1932. Some Chironomidae (Diptera) from Baruta Is., Chilka Lake. Rec. Ind. Mus., 24 : 177-183.

- _____, 1935. Diptera Nematocera from East Greenland.
Ann.Maz.Nat.Hist.Surv. 10.15 : 467-473.
- _____, 1939. The genitalia of the British Culicoides
with notes on synonymy (In Edwards, F.W.,
Oldroyd, H. and Smart, J., British Blood
sucking Flies, pp.129-148) Brit.Mus.
Lond.
- Elgork, K., and 1970. Distribution of Invertebrates in a high
O.A.Saethor, mountain brook in the Colorado Rocky
mountain. Univ.Colo.Stud,Ser.Biol.
31 : 1-55.
- Fittkau, E.J., 1954. Trichocleptus nivalis Coet. Chironomi-
denstudien III. Ber.Limol. Flusation
Freudenthal 6 : 17-27.
1962. Die Tanypodinae (Diptera, Chironomidae).
Abhandl.Larvensystematik Insekten
6 : 1-453.

- _____, D.
Schleo and
P.Reiss,
1967. Chironomidae, p.346-381. In J.Lillies
(ed.) Lirnofana Europea. Gustav
Fischer Verlag Stuttgart.
- _____, and
J.Lohman,
1970. Revision der Gattung Microchironomus
Theis. and Har.(Diptera, Chironomidae).
Int. Rev. Gesamten Hydrobiol. 55/3: 391-408.
- Froeman, P.,
1953-54. Chironomidae (Diptera, Chironomidae)
from Western Cape Province I-IV. Proc.
R.Ent.Soc.Lond., (B) 22 : 127-135.
- _____,
1955a. A study of Chironomidae of Africa
south of the Sahara I. Bull. Brit. Mus.
(Hist. Nat.) Ent. 4 : 1-67.
- _____,
1956. A study of chironomidae of Africa
south of the Sahara II. Ibid., 4(4) :
285-366.
- _____,
1957. A study of Chironomidae of Africa south
of the Sahara III. Ibid., 5 : 321-486.

- _____, 1958. A Study of Chironomidae of Africa south of the Sahara IV. Ibid., 6 : 261-263.
- _____, 1959. A Study of the New Zealand Chironomidae Ibid., 7(9) : 397-437.
- _____, 1961. The Chironomidae (Diptera) of Australia. Australian Jour.Zool. 9 : 611-734.
- Fronner, S., 1967. Review of the anatomy of adult Chironomidae. Calif. Mosquito control Assoc. Tech series Bull. 1 : 1-39.
- Coetghebuer, H., 1921. Chironomides de Belgique et spécialement de la zone des Flandres. Mém.R. Hist.Nat.Belg. 8(4). Mém. 31 : 1-204.
- _____, 1932. Dipteres Chironomidae IV (Orthocladiinae, Corynecurinae, Clinioninae, Disnequinae). Faune de France 23 : 1-204.
- _____, 1935. Catalog des Chironomides de Belgique. Bull. Ann. Soc. Entomol. Belg. 75 : 63-72.

- , 1940-50. Tendipodidae (Chironomidae). Subfamily Orthocladiinae. A. Die Imagines. In Linder Die : Fliegen Paläarktischen Reg. 3 : 1-208.
- , 1942. Ceratopogonidae et Chironomidae nouveaux en partie connus d' Europe. Bull. Inst. R. Sci. Nat. Belg. 18(46) : 1-16.
- Gouin, F., and A. Thionemann, 1942. Zwei neue Orthocladiinen-Arten aus Iran. Zool. Anz. 140 : 101-109.
- Gouin, F., 1943. Orthocladiinen aus Lunzer Fließgewässern II. Arch. Hydrobiol. 40 : 114-122.
- Hill, H., 1947. The life cycle and habits of Calicoidea inunctatus Coet and C. obscurus Meig. together with some observations on the life cycle of C. edibilis Aust., C. pallidicornis Kief. C. cubitalis Edw. and C. ciliatarius Meig. Ann. Trop. Med. Parasit. 41 : 55-115.

- Holmgren, A.E., 1889. Bidrag till Kannedomen om Boeren Kilands och Dpetsbergens Insekt Fama K. Sv. Vet. Ak. Handl. S. 5 : 1-55.
- Hansen, H., 1957. The larvae and pupae and imago of Hydrobaenus schizomeres Kief. Hydrobiologia 9 : 25-37.
- Kärvinen, H., 1973. Revision der Gattung Cricotopus v.d. Wulp and ihrer verwandten (Diptera, Chironomidae). Ann. Zool. Fenn. 10 : 1-363.
- Johannsen, O.A., 1903. Aquatic insects of New York VI. Aquatic Hemipterous Diptera. New York St. Mus. Bull. 68 : 323-441.
- , 1905. May flies and midges of New York II. Ibid. 66 : 76-331.
- , 1908. New North American Chironomidae. Ibid. 124 : 264-285.

- 1926b. Notes on the synonymy of some New York State Chironomidae. J. New York Entomol. Soc. 3½ : 273-277.
- 1932. Orthocladinae of the Malayan subregion of the Dutch East Indies. Arch. Hydrobiol. Suppl. 2 : 725-732.
- 1937. Aquatic Diptera. Part III. Cornell Univ. Agr. Exp. Sta. Puerto Rico, 22(2) : 219-226.
- 1938. New species of Nematocera from Puerto Rico, J. Agric. Univ. Puerto Rico, 22(2) : 219-226.
- 1942. Immature and adult stages of new species of Chironomidae (Diptera) Natrol. News, 52 : 70-77.
- 1943. Adult and immature stages of Cricotopus elegans n. sp. (Diptera, Chironomidae), Ibid., 54 : 77-79.

- _____, 1951. Revision of the species of the subgenus Trichocladina Kieff. from north eastern states. Bull. Brooklyn Entomol. Soc. 46(1): 24-27.
- _____ and H.K. Townes, 1952. Guide to the insects of Connecticut. Part VI. The Diptera of true-flies of Connecticut. V. Midges and gnats. Tenthredinidae (Chironomidae). Connecticut State Geol. Nat. Surv. Bull. 80: 3-147.
- Kaul, B.K., 1970. Torrenticolle insects of Himalaya II. Oriental Ina. 4(3) : 293-297.
- Kieffer, J.J., 1906. Genera Insectorum Chironomidae. Mem. Soc. Sci. Brux. 30 : 356.
- _____, 1910. Etude sur les Chironomides Indes Orientales, avec description de quelques nouvelles especes d'Egypte. Mem. Ind. Mus. 2 : 181-210.

- , 1911. Nouveaux Tendipedides du groupe Ortho-
cladius. Bull. Soc. Ent. Fr. 1911 : 181-187,
199-202.
- , 1911a. Description de nouveaux Chironomides de
I' Indian Museum de Calcutta. Rec. Ind.
Mus., 6 : 113-117.
- , 1911b. Les Chironomides de I' Himalaya et d'
Assam. Ibid., 6 : 319-349.
- , 1911c. Bemerkungen zur Arbeit des Herrn Dr.
Speiser über die Dipteren-Gruppe der
sogenannten Halesinas, Zool. Jähr.
2 : 119-197.
- , 1912. Nouveaux Chironomides (Tendipedides)
de Ceylon. Synopsis Zeylon, 8 : 1-24.
- , 1913. Nouvelle étude sur les Chironomides de
I' Indian Museum de Calcutta.
Rec. Ind. Mus., 2 : 119-197.

- _____, 1913. Nouveaux Chironomides D'Allemagne.
Bull.Soc.Hist.Nat.Metz. 28 : 7-35.
- _____, 1914. Quelques nouveaux Chironomides des Indes.
Rec.Ind.Mus. 10 : 313-15.
- _____, 1918. Chironomides d'Afrique et d'Asie
conservés au Muséum National Hongrois
de Budapest. Ann.Mus.Nat.Bud. 16:31-136.
- _____, 1921a. Chironomides des Philippines et de
Formosa. Formosa. Philipp.J.Sci.
18 : 557-593.
- _____, 1921d. Notes synonymiques (Dipt.). Bull.Soc.
Ent.Fr. 24.7.
- _____, 1921e. Chironomides de l'Afrique équatoriale.
Ire partie. Ann.Soc.Ent.Fr. 20: 1-56.
- _____, 1923. Nouvelle contribution à l'étude des
chironomides de la Nouvelle Zélande.
Rept.Sci.Rep.Honour.Exp.nov.Zealand.
1921 : (1,2) : 1-24.

- , 1925. Nouveaux genres et nouvelles espèces
de chironomides piqueurs. Arch.Inst.
Pasteur d'Algerie 3 : 405-430.
- , 1925. Dipteres : Chironomides Ceratopogonidae.
Annales de France 11 : 1-138.
- , 1926. Chironomides d'Egypte (Diptera). Bull.
Soc.R.Ent.Egypte 8 : 244-314.
- and 1919. Chironomiden, gesammelt von Dr. A.Koch
A.Thienemann, auf den Lofoten, der Bareninsel and
Spitsbergen. Ent.Mitt. 8 : 38-48.
- Kruger, F. and A. 1941. Terrestrische Chironomiden. XI. Die
Thienemann, Gattung Cyanostricorus Coet. Zool. Anz.
135 : 185-195.
- Lehmann, V.J., 1969. The European species of the genus
Rheocricotopus. Thien. and Harn. and
three new species of this genus from the
Orientalis (Diptera, Chironomidae). Arch.
Hydrobiol. 66(2) : 348-381.

- Lenz, F. 1936-62. Tendipedidae (Chironomidae). Die Metamorphose. Fliessen Palaarkt. reg. 2 (12b-12h).
- , 1939. Tendipedidae (Chironomidae). e. Subfamilie Corynoneurinae. B. Die Metamorphose der Corynoneurinae. Ibid., (13f): 14-18.
- Linderberg, B., 1964. Nomenclature of wing venation of the chironomidae and some other families of the nonatocerous diptera. Ann. Zool. Fennici 1 : 147-152.
- , 1966. Das Flügelskelet der chironomiden. Gewässer Abwasser 41/42 : 44-47.
- Malloch, J.R., 1915. The chironomidae or midges of Illinois with particular reference to the species occurring in the Illinois river. Bull. Ill. Lab. Nat. Hist., 10 : 274-343.

- , 1917. A preliminary classification of Diptera exclusive of Pupipara based on larval and pupal characters with keys to imagines in certain families. Ibid., 12 : 161-209.
- , 1918. A new species of *Orthocladus* (Chironomidae, Diptera). Bull. Brooklyn Ent. Soc. 13(2) : 48.
- , 1923. Diptera of the Pribilof Islands, Alaska. In : A Biological Survey of the Pribilof Islands, Alaska, H. Amer. Fauna 46 : 170-237.
- Matsumi, 1965. Morphology and evolution of the insect head. Mem. Amer. Ent. Soc. 4 : 334 pp.
- , 1970. Morphology and evolution of the insect thorax. Mem. Ent. Soc. Can. 76 : 413 pp.
- Mayr, E., Linsley 1953. Methods of Principles of Systematic Zoology. A No. Crow-Hill Publication (New York).
- E.G. and R.L.
- Usinger,

- Meigen, J.W., 1830a. Systematische Beschreibung der bekannten europäischen Zweiflügeligen Insekten. Hann. Teil VI.
- Mitra, A., 1968. A light-trap survey of the Haloid midges of Darjeeling M.Sc. thesis in Zoology of North Bengal University, India.
- Mundie, J.H., 1957. The Ecology of Chironomidae in storage reservoirs. Trans.R.Ent.Soc.Lond. 109(5) : 9-232.
- Morgan, H.C. and A.D. Maddal, 1963. A comparison of the catches of emerging aquatic insects in floating box and submerged funnel-traps. J.Asia.Ecol. 32 : 203-219.
- Odm, H.F., 1953. Dissolved Phosphorus in Florida water. Fla.Geol.Surv.Rep.investigations 9 : 1-40.
- Oliver, D.R., 1959. Some Diamesinae (Chironomidae) from Nearctic and Palearctic. Ent.Tidskr. 80 : 48-64.

- _____, 1960. The macroscopic bottom-fauna of Lac La
Ronge, Saskatchewan. J. Fish. Res. Bd.
Can. 17 : 607-624.
- _____, 1962. A review of subfamily Orthoclatiinae
(Chironomidae, Diptera) of Bear Islands.
Antarct. J. 20 : 1-19.
- _____, 1971. Life history of Chironomidae. Ann. Ent.
Mol. 16 : 211-230.
- Packratova, V.Y., 1970. Nidge larvae and pupae of the subfamily
Orthoclatiinae of the USSR fauna. Insh.
Akad.Nauk : USSR, 102 : 1-345.
- _____, 1971. On the systematic and ecology of sub-
family Orthoclatiinae (Diptera, Chirono-
midae). Linnologiae (Berlin) 2 : 15-17.
- Pegust, F., 1947. Systematik und Verbreitung der um die
Gattung Dixa gruppierten Chironomiden.
Arch. Hydrobiol., 41 : 435-596.

- Peterson, M., 1916. The head capsule and mouth parts of Diptera.
Illinois Biol. Monograph, 3(2) 1-112.
- Potthast, A., 1914. Über die metamorphose der Orthocladina
Gruppe. Arch. Hydrobiol. Suppl., II :
243-376.
- Petr, T., 1970. Chironomidae (Diptera) from light catches
in the man-made Volta lake in Ghana.
Hydrobiologia 25(31/2): 449-458.
- Reiss, F., 1968. New Chironomidae-Arten (Diptera) aus
Nepal. Kontu Bismal, 3(1) : 55-83.
- , 1971. Zum Kopulationsmechanismus bei chironomi-
den (Dipt.) II. Limnologia 8(1) : 35-48.
- Roback, S.S., 1957a. The immature Tondipodidae of the Phila-
delphia area (Diptera, Tondipodidae).
Monogr. Acad. Natur. Sci. Philadelphia.
9 : 1-152.

- , 1957b. Some Tendipedidae from Utah, Ibid.,
109 : 1-24.
- , 1962. Some new Tendipedidae from the Great zone.
Not. Nat., 255 : 1-10.
- Rosenberg, D.M., 1977. Life histories of Oricotopus hirsutus
A.P.Wiens and and C. mackenziesi in the Fort of Simpson
O.A.Sæther, area. J. Fish. Res. Bd. Can., 34 : 247-53.
- Sæther, O.A., 1967a. Notes on the bottom fauna of two small
lakes in northern Norway. Brit. Mus. Zool.
14 : 96-124.
- , 1968. Chironomids of the Fines area, Norway,
with special reference to their distribu-
tion in a glacial brook. Arch. Hydrobiol.
64 : 426-483.
- , 1969. Some Nearctic Pedoneminae, Diapriinae and
Orthocladinae (Diptera, Chironomidae).
Bull. Fish. Res. Bd., Can. 170 : 1-154.

- , 1971. Notes on general morphology and terminology of the Chironomidae (Diptera). Can. Ent. 103 : 1237-1260.
- , 1974. Morphology and terminology of female genitalia in Chironomidae (Diptera). Ent. Tidsskr. Suppl. 25 : 216-23.
- , 1975. Twelve new species of Limnoria Ent. with keys to Nearctic males of the genus (Diptera, Chironomidae). Can. Ent. 107 : 1009-56.
- , 1975. Nearctic and Palearctic Heterotrialepidinae (Diptera, Chironomidae). Bull. Fish. Res. Board. Can. 193 : 1-67.
- Schlee, D., 1966. Preparation und Ermittlung von Messwerten an Chironomidae (Diptera). Gesamz. Abstrakt. 41/42 : 169-193.
- , 1968. Vergleichende Merkmalsanalyse zur Morphologie und Phylogenie der Cosmonomina (Diptera, Chironomidae) - Gruppe. Stuttgarter Beitr. Naturkunde, 180 : 1-150.

- Singh, S., 1958. On a collection of nival chironomidae (Diptera) from north-west Himalaya. Proc. Nat. Acad. Sci. (B), 25(A) : 306-312.
- and
A.K.Kulrestha, 1975. Three new species of *Tanytarsus*. Oriental Ina., 9(A) : 417-24.
- SinhaRay, D.C., 1969. A survey of Darjeeling insects by periodic
D.P.Hazra and light trappings. J. Rural. Nat. Hist. Soc.,
S.K.Das Gupta, 35 : 76-85.
- Smith, E.L., 1969. Evolutionary morphology of external insect genitalia. Ann. Ent. Soc. Amer. 62 : 1051-1079.
- Sparck, R., 1922-23 Beitrage zur Kenntnis der Chironomiden-
metamorphose I-IV. Erh. Natur., 14 :
32-109.
- Sublette, J.E., 1960. Chironomid midges of California.
Proc. U.S. Nat. Mus., 112 : 197-226.
- , 1964a. Chironomidae (Diptera) of Louisiana I.
Systematics and immature stages of some
lentic chironomids of West-Central Louisia-
na. Tulane Stud. Zool., 11(A) : 109-50.

- _____, 1966a. Type specimens of Chironomidae (Diptera)
in the American Museum of Natural His-
tory, J. Kansas Ent. Soc. 39(1) : 1-32.
- _____, 1966b. Type specimens of Chironomidae (Diptera)
in U.S. National Museum, Ibid., 39(4) :
580-607.
- _____, 1967a. Type specimens of Chironomidae (Diptera)
in the Canadian National Collection,
Ottawa. Ibid., 40(3) : 290-331.
- _____, 1967b. Type specimens of Chironomidae (Diptera)
in the Cornell University collections.
Ibid., 40(4) : 477-564.
- _____ and 1965. Family Chironomidae : (Tendipedidae).
H.S. Sublotto, In Stone, A, et al. A Catalog of Diptera
of North America. U.S. Dept. Agr.
Handbook, 276 : 142-131.
- _____, 1973. Family Chironomidae : In Delfinado and
D.E. Hardy A Catalog of the Diptera of
the Oriental region, I: Univ. of Hawai;
339-422.

- Stewart, H.W.A., 1970. A modified DC light-trap. Neositta
News. 30(2) : 188-91.
- Strenske, K., 1950. Systematik, Morphologie and Ökologie
der terrestrischen Chironomiden. Arch.
Hydrobiol., 12 : 207-214.
- Steno, A., and 1947. On the larval ridges of genus Guno
U.W.Wirth, Haliday (Diptera, Taniptopidae). Ent.
Soc. Wash., 49 : 201-24.
- Thienemann, A., 1921. Die Metamorphose der Chironomiden-
gattungen Ceratomydus Dicranota-
cladius and Phaenocladus. Arch. Hydrobiol.,
2 : 809-850.
- , 1926. Hydrobiologische Untersuchungen an
Quellen. VII. Insekten aus norddeut-
schen Quellen mit besonderer Berücksichti-
gung der Dipteren. Deutsch. Ent. Zeitsch.
1926 : 1-50.

- , 1926a. Hydrobiologische Untersuchungen an der kalten quellen und Becken der Halbinsel Jasmund auf Rugen. Arch. Hydrobiol. 17 : 221-336.
- , 1926b. Insekten aus norddeutschen quellen mit besonderer Berücksichtigung der Dipteren. Ibid., 1926 : 1-50.
- , 1935. Chironomiden-Metamorphosen X : orthocladius-Daclylocladius. Statt. Ent. Zeit. 96 : 301-74.
- , 1936a. Chironomiden-Metamorphosen. XI. Die Gattung Eukiefferiella. Statt. Ent. Zeit. 97 : 43-65.
- , 1936b. Chironomiden Metamorphosen. XIV. Die Orthocladinengattungen Euricostoma, Trichocladus Heorthocladus. Festschr. gem. 60 : Geburtstag v. Prof. Dr. E. Strand. 1 : 531-53.

- , 1937c. Chironomiden aus Lapland. XII.
Beschreibung neuer Metamorphosen mit
einer Bestimmungstabelle der bisher
bekannten Metriocnemus-larven und
puppen. Stett. Ent. Zeit., 98 : 165-85.
- , 1942. Trichocladius-Arten aus den Innsen-
Seen. Arch. Hydrobiol., 39 : 294-315.
- , 1944. Bestimmungstabellen für die bis jetzt
bekannten Larven und Puppen der Ortho-
cladinien. Ibid., 39 : 551-664.
- , 1939. Chironomiden-Metamorphosen XVII. Neue
Orthocladinen-Metamorphosen. Deutsch.
Ent. Zeit., 1939 : 1-19.
- and 1932. Chironomiden-Metamorphosen. IV. Die
O. Hamisch, Gattung Cricotopus v. d. Wulp., Zool.
Ann. 92 : 135-143.
- Townes, H.K., 1945. The Nearctic species of Tendipedini.
Ann. Ent. Soc. Am. 3(1) : 1-206.

- Tokunaga, H., 1938. Morphological and biological studies on a new marine Chironomid fly, Pentameria pacifica from Japan. Part I. Morphology and Taxonomy. Memo. Coll. Agric., Kyoto Imp. Univ. 19 : 1-56.
- , 1940. Chironomidae from Japan. Philipp. J. Sci. 72 : 287.
- Wensler, R.J.D. 1962. The morphology of the male and female reproductive systems of midges, Chironomus plumosus L. Can. J. Zool. 40 : 199-229.
- and J.G. Respal.
- Wirth, W.H., 1947. Notes on genus Thalassomyia Schiner with description of two new species (Diptera, Taniptericidae). Proc. Ent. Soc., 13(1) : 117-139.
- , 1949. A revision of the cluniceus Midges with Description of a new genus and four new species. Univ. Cal. Publ. Ent. 4(4) : 151-182.