
BIBLIOGRAPHY

- Alam MI, Gomes A (1998) An experimental study on evaluation of chemical antagonists induced snake venom neutralization. *Indian J Med Res* 107:142-6.
- Alam MI, Gomes A (1998) Viper venom-induced inflammation and inhibition of free radical formation by pure compound (2-hydroxy-4-methoxy benzoic acid) isolated and purified from anantamul (*Hemidesmus indicus R*) root extract. *Toxicon* 36(1):207-15.
- Amiconi G, Amoresano A, Boumis G, Brancaccio A, De Cristofaro R, De Pascalis A, Di Girolamo S, Maras B, Scaloni A (2000) A novel venombin B from *Agkistrodon contortrix contortrix*: evidence for recognition properties in the surface around the primary specificity pocket different from thrombin. *Biochemistry* 39:10294-10308.
- Andrews RK and Berndt MC (2004) Platelet physiology and thrombosis. *Thrombosis Res* 114:447-453.
- Arocas V, Zingali RB, Guillin MC, Bon C, Jandrot-Perrus M (1996) Bothrojaracin: a potent two-site-directed thrombin inhibitor. *Biochemistry* 35:9083-9089.
- Audebert F, Grosselet O, Sabouraud A, Bon C (1993) Quantitation of venom antigens from European vipers in human serum or urine by ELISA. *J. Anal. Toxicol.* 17, 236-240.
- Banerjee Y, Lakshminarayanan R, Vivekanandan S, Anand GS, Valiyaveetil S, Kini RM (2007) Biophysical characterization of anticoagulant hemextin AB complex from the venom of snake *Hemachatus haemachatus*. *Biophys J* 93:3963-3976.
- Banerjee Y, Mizuguchi J, Iwanaga S, Kini RM (2005) Hemextin AB complex, a unique anticoagulant protein complex from *Hemachatus haemachatus* (African

-
- Ringhals cobra) venom that inhibits clot initiation and factor VIIa activity. *J Biol Chem* 280:42601-42611.
- Belisario MA, Tafuri S, Di Domenico C, Squillacioti C, Della Morte R, Lucisano A, Staiano N (2000) H₂O₂ activity on platelet adhesion to fibrinogen and protein tyrosine phosphorylation. *Biochem Biophys Acta* 1495:183-193.
 - Bhaskaran R, Huang CC, Chang DK, Yu C (1994) Cardiotoxin III from Taiwan cobra (*Naja naja atra*). Determination of structure in solution and comparison with short neurotoxins. *J Mol Biol* 235:1291-1301.
 - Bilgrami S, Tomar S, Yadav S, Kaur P, Kumar J, Jabeen T, Sharma S, Singh TP (2004) Crystal structure of schistatin, a disintegrin homodimer from saw-scaled viper (*Echis carinatus*) at 2.5 Å resolution. *J Mol Biol.* 341(3):829-37.
 - Bjarnason JB, Barish A, Dizenzo GS, Cambell R, Fox JW (1983) Kallikrein-like enzyme from *Crotulus atrox* venom. *J Biol Chem* 238:12566-12573.
 - Bjarnason JB, Fox JW (1994) Hemorrhagic metalloproteinases from snake venoms. *Pharmacol Ther* 62:325-372.
 - Blaylock RS (1983) Time of onset of clinical envenomation following snakebite. *S. Afr. Med. J.* 64, 357-360.
 - Bloom AL (1990) Physiology of blood coagulation *Hemostasis* 1:14-29.
 - Bode W, Gomis-Ruth FX, Stockler W (1993) Astacins, serralysins, snake venom and matrix metalloproteinases exhibit identical zinc-binding environments (HEXXHXXGXXH and Met-turn) and topologies and should be grouped into a common family, the 'metzincins'. *FEBS Lett* 331:134-140.
 - Boman HG and Kaletta U (1957) Chromatography of rattlesnake venom: A separation of three phosphodiesterases. *Biochim Biophys Acta* 24:619-624.
 - Born GV, Cross MJ (1963) Effect of adenosine diphosphate on the concentration of platelets in circulating blood. *Nature.* 197:974-976.

-
- Broad AJ, Sutherland SK, Coulter AR (1979) The lethality in mice of dangerous Australian and other Snake venoms. *Toxicon* 17: 664.
 - Brunda G, Sashidhar RB (2007) Epidemiological profile of snake-bite cases from Andhra Pradesh using immunoanalytical approach. *Indian. J. Med. Res.* 125 (5), 661-668.
 - Calvete JJ, Marcinkiewicz C, Monleon D, Esteve V, Celda B, Juarez P, Sanz L (2005) Snake venom disintegrins: evolution of structure and function. *Toxicon* 45:1063-1074.
 - Cevallos MA, Navarro – Duque C, Varela – Julia MA, Iagon AC (1992) Molecular mass determination and assay of venom hyaluronidases by sodium dodecyl sulfate – polyacrylamide gel electrophoresis. *Toxicon* 30, 925 – 930.
 - Chakrabarty D, Bhattacharya D, Sarkar HS and Lahiri SC (1993) Hemorrhagic protein of *Russell's viper* venom with fibrinolytic and esterolytic activities, *Toxicon*, 31: 1475-1614.
 - Chakrabarty D, Datta K, Gomes A, Bhattacharyya D (2000) Haemorrhagic protein of Russell's viper venom with fibrinolytic and esterolytic activities. *Toxicon* 38:1475-1490.
 - Chang WC, Lee ML, Lo TB (1983) Phospholipase A₂ activity of long-chain cardiotoxins in the venom of banded krait (*Bungarus fasciatus*). *Toxicon* 21:163-165.
 - Chang LS, Chung HB, Huang SR, Lin (2001) Purification and characterization of a chymotrypsin inhibitor from the venom of *Ophiophagus hannah* (king cobra). *Biochemical and Biophysical Research Communications*, 283(4): 862–867.
 - Chang LS, Liou SR, Lin HB, Huang (2002) Purification and characterization of a neurotoxin from the venom of *Ophiophagus hannah* (king cobra). *Biochemical and Biophysical Research Communications*, 294(3): 574–578.
-

-
- Chang LS, Chen KC, Lin SR, Huang HB (2006) Purification and characterization of *Ophiophagus hannah* cytotoxin-like proteins. *Toxicon*, 48(4): 429–436.
 - Cher CD, Armugam A, Zhu YH, Jeyaseelan K (2005) Molecular basis of cardiotoxicity upon cobra envenomation. *Cell Mol Life Sci* 62:105-118.
 - Chiappinelli V (1985) Actions of snake venom toxins on neuronal nicotinic receptors and other neuronal receptors. *Pharmacol Ther* 31:1-32.
 - Chiou JY, Chang LS, Chen LN, Chang CC (1995) Purification and characterization of a novel phospholipase A2 from king cobra (*Ophiophagus hannah*) venom. *Journal of Protein Chemistry*, 14(6): 451–456.
 - Chippaux JP, Williams V, White J (1991) Snake venom variability: methods of study, results and interpretation. *Toxicon* 29:1279-1303.
 - Chippaux JP. Snakebites: appraisal of the global situation. *Bull WHO*. 76,515-524, 1998.
 - Chotwiwatthanakun C, Pratanaphon R, Akesowan S, Sriprapat S, Ratanabanangkoon K (2001) Production of potent polyvalent antivenom against three elapid venoms using a low dose, low volume, multi-site immunization protocol. *Toxicon* 39:1487-1494.
 - Clemestson KJ, Lu Q, Clemestson JM (2007) Snake venom proteins affecting platelets and their applications to anti-thrombotic research. *Curr Pharm Des* 13:2887-2892.
 - Conolly S, Trevett AJ, Nwokolo NC, Lalloo DG, Naraqi S, Mantle D, Schofield IS, Fawcett PR, Harris JB, Warrell DA (1995) Neuro-muscular effects of Papuan Taipan snake venom. *Ann Neurol* 38:916-920.
 - Coughlin SR, Vu T-KH, Hung DT, Wheaton VI (1992) Characterization of a functional thrombin receptor. Issues and opportunities. *J Clin Invest* 89:351-355.

-
- Coulter AR, Harris RD, Sutherland SK (1980) Enzyme immunoassay for the rapid clinical identification of snake venom. *Med. J. Austr.* 1: 433-435.
 - Cousin X, Bon C (1999) Acetylcholinesterase from snake venom as a model for its nerve and muscle counterpart. *J Nat Toxins* 8:285-294.
 - Cousin X, Bon C (1999) Acetylcholinesterase from snake venom as a model for its nerve and muscle counterpart. *J Nat Toxins* 8:285-294.
 - Covic L, Gresser AL, Kuliopulos A (2000) Biphasic kinetics of activation and signaling for PAR1 and PAR4 thrombin receptors in platelets. *Biochemistry* 39:5458-5467.
 - Daltry JC, Ponnudurai G, Shin CK, Tan NH, Thorpe RS, Wuster W (1996) Electrophoretic profiles and biological activities: intraspecific variation in the venom of the Malayan pit viper (*Calloselasma rhodostoma*) *Toxicon* 34:67-79.
 - Daniel JL, Dangelmaier C, Jin J, Ashby B, Smith JB, Kunapuli SP (1998) Molecular basis for ADP-induced platelet aggregation. 1. Evidence for three distinct ADP-receptors on human platelets. *J Biol Chem* 273:2024-2029.
 - Davie EW, Fujikawa K, Kisiel W (1991) The coagulation cascade: initiation, maintenance and regulation. *Biochemistry* 30:10363-10370.
 - Deitcher SR, Toombs CF (2006) Non-clinical and clinical characterization of a novel acting thrombolytic: alfineprase. *Pathophysiol Haemost Thromb* 34:215-220.
 - Denis C, Methia N, Frenette PS (1998) A mouse model of severe von Willebrand disease: defects in hemostasis and thrombosis. *Proc Natl Acad Sci USA.* 95, 9524–9529.
 - Dhananjaya BL, D'Souza CJ (2010a) The pharmacological role of nucleotidases in snake venoms. *Cell Biochem Funct* 28:171-177.

-
- Dhananjaya BL, D'Souza CJ (2010b) An overview on nucleases (DNase, RNase, and phosphodiesterase) in snake venoms. *Biochemistry (Mosc)* 75:1-6.
 - Dhananjaya BL, Nataraju A, Rajesh R, Raghvendra Gowda CD, Sharath BK, Vishwanath BS, D'Souza CJ (2006) Anticoagulant effect of *Naja naja* venom 5' nucleotidase: demonstration through the use of novel specific inhibitor, vallic acid. *Toxicon* 48:411-421.
 - Doley R, Mukherjee AK (2003) Purification and characterization of an anticoagulant phospholipase A₂ from Indian monocled cobra (*Naja kaouthia*) venom. *Toxicon* 41(1):81-91.
 - Dowling HG, Duellman WE (1978) Systematic Herpetology: A Synopsis of Families and Higher Categories. New York: *Hiss Publications* 100-102.
 - Du X (2007) Signaling and regulation of the glycoprotein Ib/IX/V complex. *Curr Opin Hematol* 14:262-269.
 - Du XY, Clemetson JM, Navdaev A, Magnenat EM, Wells TNC, Clemetson KJ (2002) Ophioluxin, a convulxin-like C-type lectin from *Ophiophagus hannah* (king cobra) is a powerful platelet activator via glycoprotein VI. *The journal of Biological Chemistry* 277:35124-35132.
 - Du XY, Clemetson KJ (2002) Snake venom L-amino acid oxidases. *Toxicon* 40:659-665.
 - Duncan RE, Sarkadi-Nagy E, Jaworski K, Ahmadian M, Hei SS (2008) Identification and functional characterization of adipose-specific phospholipase A₂ (AdPLA). *J Biol Chem* 283:25428-25436.
 - Fletcher JE, Yang CC, Rosenberg P (1982) Basic phospholipase A₂ from *Naja nigricollis* snake venom: phospholipids hydrolysis and effects on electrical and contractile activity of the rat heart. *Toxicol Appl Pharmac* 66:39-54.

-
- Forsgren M, Raden B, Israelsson M (1987) Molecular cloning and characterization of a full-length cDNA clone for human plasminogen. *FEBS Lett* 213:254-260.
 - Fox JW, Serrano SM (2005) Structural considerations of the snake venom metalloproteinases, key members of the M12 reprolysin family of metalloproteinases, *Toxicon* 45:969-985.
 - Fox JW, Serrano SM (2008) Insights into and speculations about snake venom metalloproteinase (SVMP) synthesis, folding and disulfide bond formation and their contribution to venom complexity. *FEBSJ* 275:3016-3030.
 - Fox JW, Serrano SM (2009) Timeline of key events in snake venom metalloproteinase research. *J Proteomics* 72:200-209.
 - Gao R, Zhang Y, Meng QX, Lee WH, Li DS, Xiong YL, Wang WY (1998) Characterization of three fibrinogenolytic enzymes from Chinese green tree viper (*Trimeresurus stejnegeri*) venom. *Toxicon* 36(3), 457-67.
 - Gempeler-Messina PM, Müller C (2006) Diagnostic use of the protein C activator from *Agkistrodon contortrix*. *Tox Rev* 25:335-349.
 - Gene JA, Roy A, Rojas G (1989) Comparative study on coagulant, defibrinating, fibrinolytic and fibrinogenolytic activities of Costa Rican crotaline snake venoms and their neutralization by a polyvalent antivenom. *Toxicon* 27, 841–848.
 - Girish KS, Kemparaju K (2007) The magic glue hyaluronan and its eraser hyaluronidase: A biological overview. *Life Sci*, 80:1921-1943.
 - Girish KS, Shashidharamurthy R, Nagaraju S, Gowda TV, Kemparaju K (2004) Isolation and characterization of hyaluronidase a “spreading factor” from Indian cobra (*Naja naja*) venom. *Biochimie* 86(3), 193-202.

-
- Girish KS, Shashidharamurthy R, Nagaraju S, Gowda TV, Kemparaju K (2004) Isolation and characterization of hyaluronidase a “spreading factor from Indian cobra (*Naja naja*) venom. *Biochimie* 86:193-202.
 - Gomes A, De P (1999) Hannapep: A novel fibrinolytic peptide from the Indian King Cobra (*Ophiophagus hannah*) venom. *Biochem Biophys Res Commun* 266:488-491.
 - Gomes A, De P, Dasgupta SC (2001) Occurrence of a unique protein toxin from the Indian King Cobra (*Ophiophagus hannah*) venom. *Toxicon* 39:363-370.
 - Gomes A, De P (1999) Hannapep: A Novel fibrinolytic peptide from the Indian king cobra (*Ophiophagus hannah*) venom. *Biochemical and Biophysical Research Communications* 266:488-491.
 - Gutiérrez JM, Rucavado A (2000) Snake venom metalloproteinases: their role in the pathogenesis of local tissue damage *Biochimie* 82:841-850.
 - Gutiérrez JM, Rucavado A (2000) Snake venom metalloproteinases: their role in the pathogenesis of local tissue damage *Biochimie* 82:841-850.
 - Gutierrez JM, Arce V, Brenes F, Chaves F (1990) Changes in myofibrillar components after skeletal muscle necrosis induced by a myotoxin isolated from the venom of the snake *Bothrops asper*. *Exp. Mol. Pathol.* 52:25 – 37.
 - Hamako J, Matsui T, Nishida S, Nomura S, Fujimura Y, Ito M, Ozeki Y, Titani K (1998) Purification and characterization of kaouthiagin, a von Willebrand factor-binding and –cleaving metalloproteinase from *Naja kaouthia* cobra venom. *Thromb Haemost* 80:499-505.
 - Harker LA (1997) The role of platelets in the early and late vascular responses initiated by mechanical vascular injury. *Fibrinolysis proteolysis* 11:97-103.
 - Harris JB (1985) Phospholipases in snake venoms and their effects on nerve and muscle. *Pharmacol Ther* 31:79-102.

-
- Hart ML, Köhler D, Eckle T, Kloor D, Stahl GL, Eltzhig HK (2008) Direct treatment of mouse or human blood with soluble 5'-nucleotidase inhibits platelet aggregation. *Arterioscler Thromb Vasc Biol* 28:1477-1483.
 - He YY, Liu SB, Lee WH, Qian JQ, Zhang Y (2008) Isolation, expression and characterization of a novel dual serine protease inhibitor, OH-TCI, from king cobra venom. *Peptides*, 29(10): 1692–1699.
 - He YY, Lee WH, Zhang Y (2004) Cloning and purification of α -neurotoxins from king cobra (*Ophiophagus hannah*). *Toxicon*, 44(3): 295–303.
 - Heatwole H (1999) Sea snakes Malabar: Krieger: 2 edn.
 - Hermogenes AL, Richardson M, Magalhaes A, Yarleque A, Rodriguez E, Sanchez EF (2006) Interaction of a plasminogen activator proteinase, LV-PA with human α 2-macroglobulin. *Toxicon* 47:490-494.
 - Hite LA, Jia LG, Bjarnason JB, Fox JW (1994) cDNA sequences for four snake venom metalloproteinases: structure, classification, and their relationship to mammalian reproductive proteins. *Arch Biochem Biophys* 308: 182-191.
 - Hodgson WC, Wickramaratna JC (2000) In vitro neuromuscular activity of snake venoms. *Clin Exp Pharmacol Physiol* 29:807-814.
 - Hourani SM, Cusack NJ (1991) Pharmacological receptors on blood platelets *Pharmacol Rev* 43:243-298.
 - Hsu CC, Wu WB, Chang YH, Kuo HL, Huang TF (2007) Antithrombotic effect of a protein-type I class snake venom metalloproteinase, kistomin, is mediated by effecting glycoprotein Ib-von Willebrand factor interaction. *Mol Pharmacol* 72:984-002.
 - Hsu CC, Wu WB, Huang TF (2008) A snake venom metalloproteinase, kistomin, cleaves platelet glycoprotein VI and impairs platelet functions. *J Thromb Haemost* 6:1578-1585.

-
- Huang MZ, Wang QC, Liu GF (1993) Effects of an acidic phospholipase A₂ purified from *Ophiophagus hannah* (king cobra) venom on rat heart. *Toxicon* 31:627-635.
 - Huang TF, Holt JC, Lukasiweicz H, Niewiarowski S (1987) Trigramin: A low molecular weight peptide inhibiting fibrinogen interaction with platelet receptors expressed on glycoprotein IIb-IIIa complex. *J Biol Chem* 262:16157-16163.
 - Huang TF, Sheu JR, Teng CM (1991) Mechanism of action of a potent anti-platelet peptide, triflavin from *Trimeresurus flavoviridis* snake venom. *Thromb Haemost* 66:489-493.
 - Huang MZ, Gopalakrishnakone P (1996) Pathological changes induced by an acidic phospholipase A₂ from *Ophiophagus hannah* venom on heart and skeletal muscle of mice after systemic injection. *Toxicon*, 34(2): 201–211.
 - Hung DT, Vu T-KH, Wheaton VI, Ishii K, Coughlin SR (1992) Cloned platelet thrombin receptor is necessary for thrombin-induced platelet activation. *J Clin Invest* 89:1350-1353.
 - Iwanaga S, Sato T, Mizushima Y, Suzuki T (1976) Proteinases from the venom of *Agkistrodon halys blomhoxi*. *Methods Enzymol* 45:459-468.
 - Iwanaga S, Suzuki T (1979) Enzymes in snake venom. In: Handbook of Experimental Pharmacology (LEE, C.Y., Ed.), Berlin, Springer 52:61.
 - Jabeen T, Singh N, Singh RK, Ethayathulla AS, Sharma S, Srinivasan A, Singh TP (2005) Crystal structure of a novel phospholipase A₂ from *Naja naja sagittifera* with a strong anticoagulant activity. *Toxicon* 46(8):865-75.
 - Jabeen T, Singh N, Singh RK, Jasti J, Sharma S, Kaur P, Srinivasan A, Singh TP (2006) Crystal structure of a heterodimer of phospholipase A₂ from *Naja naja sagittifera* at 2.3 Å resolution reveals the presence of a new PLA₂-like protein with a novel Cys 32-Cys 49 disulphide bridge with a bound sugar at the substrate-binding site. *Proteins* 62(2):329-37.
-

-
- Jagadeesha DK, Shashidhara murthy R, Girish KS, Kemparaju K (2002) A non-toxic anticoagulant metalloprotease: purification and characterization from Indian cobra (*Naja naja naja*) venom. *Toxicon* 40:667-675.
 - Jagadeesha DK, Shashidhara murthy R, Girish KS, Kemparaju K (2002) A non-toxic anticoagulant metalloprotease: purification and characterization from Indian cobra (*Naja naja naja*) venom. *Toxicon* 40:667-675.
 - Jagadeesha DK, Shashidhara murthy R, Girish KS, Kemparaju K (2002) A non-toxic anticoagulant metalloprotease: Purification and characterization from Indian cobra (*Naja naja naja*) venom. *Toxicon* 40, 667-675.
 - Jasti J, Paramasivam M, Srinivasan A, Singh TP (2004) Crystal structure of echicetin from *Echis carinatus* (Indian saw-scaled viper) at 2.4Å resolution. *J Mol Biol.* 335(1), 167-76.
 - Jayanthi GP, Gowda TV (1988) Geographical variation in India in the composition and lethal potency of Russell's viper (*Vipera russelli*) *Toxicon* 26:257-264.
 - Jayanthi GP, Gowda TV (1990) Synergistic interaction of a protease and protease inhibitors from Russell's viper (*Vipera russellii*) venom. *Toxicon* 28(1), 65-74.
 - Jia LG, Shimokawa KI, Bjarnason JB and Fox JW (1996) Snake venom metalloproteinases: structure, function and relationship to the Adams family of proteins. *Toxicon* 34: 1269.
 - Jin J, Daniel JL, Kunapuli SP (1998) Molecular basis for ADP-induced platelet activation. II. The P2Y1 receptor mediates ADP-induced intracellular calcium mobilization and shape change in platelets. *J Biol Chem* 273:2030-2034.
 - Jin J, Kunapuli SP (1998) Co-activation of two different G protein-coupled receptors is essential for ADP-induced platelet aggregation. *Proc Natl Acad Sci USA* 95:8070-8974.

-
- Jin Y, Lee WH, Zeng L, Zhang Y (2007) Molecular characterization of L-amino acid oxidase from king cobra venom. *Toxicon* 50(4):479-89.
 - Jin Y, Lee WH, Zeng L, Zhang Y (2007) Molecular Characterization of L-amino acid oxidase from king cobra venom. *Toxicon* 50:479-489.
 - Joseph JS, Chung MC, Jeyaseelan K, Kini RM (1999) Amino acid sequence of trocarin, a prothrombin activator from *Tropidechis carinatus* venom: its structural similarity to coagulation factor Xa. *Blood* 94:621-631.
 - Kahn ML, Nakanishi-Matsui M, Shapiro MJ, Ishihara H, Coughlin SR (1999) Protease-activated receptors 1 and 4 mediate activation of human platelets by thrombin. *J Clin Invest* 103:879-887.
 - Kahn ML, Zheng YW, Huang W, Bigornia V, Zeng D, Moff S, Farese RV Jr, Tam C, Coughlin SR (1998) A dual thrombin receptor system for platelet activation. *Nature* 394:690-694.
 - Kamiguti AS, Hay CR, Theakston RD, Zuzel M (1996) Insights into the mechanism of hemorrhage caused by snake venom metalloproteinases. *Toxicon* 34:627-642.
 - Kamiguti AS, Theakston RD, Desmond H, Hutton RA (1991) Systemic hemorrhage in rats induced by a hemorrhagic fraction from *Bothrops jararaca* venom. *Toxicon* 29:1097-1105.
 - Kamiguti AS, Zuzel M, Theakston RDG (1998) Snake venom metalloproteinases and disintegrins: interactions with cells. *Brazilian Journal of Medical and Biological Research* 31, 853-862.
 - Kanaji S, Kanaji T, Gurihata K, Kato K, Ware JL, Kunicki TJ (2003) Convulxin brings to native, human glycoprotein Iba. *J Bio Chem* 278:39452-39460.
 - Kasturiratne A, Wickremasinghe AR, de Silva N, Gunawardena NK, Pathmeswaran A, Premaratna R, Savioli L, Lalloo DG, de Silva HJ (2008). The

global burden of snakebite: a literature analysis and modeling based on regional estimates of envenoming and deaths. *PLoS Med* 5:e218.

- Kauskot A, Cominetti MR, Ramos OH, Bechyne I, Renard JM, Hoylaerts MF, Crepin M, Legrand C, Selistre-de-Araujo HS, Bonnefoy A (2008) Hemostatic effects of recombinant DisBa-01, a disintegrin from *Bothrops alternatus*. *Front Biosci* 13:6604-6616.
- Kemparaju K, Krishnakanth TP, Veerabasappa Gowda T (1999) Purification and characterization of a platelet aggregation inhibitor acidic phospholipase A₂ from Indian saw-scaled viper (*Echis carinatus*) venom. *Toxicon* 37(12), 1659-71.
- Kerns RT, Kini RM, Stefansson S, Evans HJ (1999) Targeting of venom phospholipases: the strongly anticoagulant phospholipase A₂ from *Naja nigricollis* venom binds to coagulation factor Xa to inhibit the prothrombinase complex. *Arch Biochem Biophys* 369:107-113.
- Kini RM (2002) Molecular moulds with multiple missions: functional sites in three-finger toxins. *Clin Exp Pharmacol Physiol* 29:815-822.
- Kini RM (2003) Excitement ahead: structure, function and mechanism of snake venom phospholipase A₂ enzymes. *Toxicon* 42:827-840.
- Kini RM (2005) Structure-function relationships and mechanism of anticoagulant phospholipase A₂ enzymes from snake venom. *Toxicon* 45:1147-1161.
- Kini RM (2005) The intriguing world of prothrombin activators from snake venom. *Toxicon* 45:1133-1145.
- Kini RM, Doley R (2010) Structure, function and evolution of three-finger toxins: mini proteins with multiple targets. *Toxicon* 56:855-867.
- Kini RM, Evans HJ (1992) Structural domains in venom proteins: evidence that metalloproteinases and non enzymatic platelet aggregation inhibitors

-
- (disintegrins) from snake venoms are derived by proteolysis from a common precursor *Toxicon* 30:265-293.
- Kini RM, Evans HJ (1995) The role of enzymatic activity in inhibition of the extrinsic tenase complex by phospholipase A₂ isoenzymes from *Naja nigricollis* venom. *Toxicon* 33:1585-1590.
 - Kini RM, Rao VS, Joseph JS (2001) Pro-coagulant proteins from snake venoms. *Haemostasis* 31:218-224.
 - Kisiel W, Kondo S, Smith KJ, McMullen A, Smith LF (1987) Characterization of a protein C activator from *Agkistrodon contortrix contortrix* venom. *J Biol Chem* 262:12607-12613.
 - Klauber LM (1972) Rattlesnakes: Their habits, life histories and influence on mankind, Berkeley: *University of California Press*:2 edn.
 - Koh DC, Armugam A, Jeyaseelan K (2006) Snake venom components and their applications in biomedicine. *Cell Mol Life Sci* 63:3030-3041.
 - Kumar MS, Girish KS, Vishwanath BS, Kemparaju K (2011) The metalloprotease, NN-PF3 from *Naja naja* venom inhibits platelet aggregation primarily by affecting $\alpha 2\beta 1$ integrin. *Ann hematol* 90, 569-577.
 - Kumar MS, Devaraj VR, Vishwanath BS, Kemparaju K (2009) Anti-coagulant activity of a metalloprotease: further characterization from the Indian cobra (*Naja naja*) venom. *J Thromb Thrombolysis* 29, 340–348.
 - Labrousse H, Nishikawa AK, Bon C, Avrameas S (1988) Development of a rapid and sensitive enzyme-linked immunosorbent assay (ELISA) for measuring venom antigens after an experimental snakebite. *Toxicon* 26, 1157-1167.
 - Laemmli UK (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685.

-
- Lee CY (1979) Recent advances in chemistry and pharmacology of snake toxins. *adv Cytopharmacol* 3:1-16.
 - Lee W, Zhang Y, Wang W, Xiong Y, Gao R (1995) Isolation and properties of a blood coagulation factor X activator from the venom of king cobra (*Ophiophagus hannah*). *Toxicon* 33:1263-1276.
 - Lee ML, Tan NH, Fung SY, Sekaran SD (2011) Antibacterial action of a heat-stable form of L-amino acid oxidase isolated from king cobra (*Ophiophagus hannah*) venom. *Comparative Biochemistry and Physiology* 153(2): 237–242.
 - Lee, WH, Zhang Y, Wang WY, Xiong YL, Gao R (1995) Isolation and properties of a blood coagulation factor X activator from the venom of king cobra (*Ophiophagus hannah*). *Toxicon* 33(10), 1263-76.
 - Leonardi A, Fox JW, Trampus-Bakija A, Krizaj I (2007) Ammodytase, a metalloprotease from *Vipera ammodytes ammodytes* venom, possesses strong fibrinolytic activity. *Toxicon* 49:833-842.
 - Leonardi A, Fox JW, Trampus-Bakija A, Krizaj I (2008) Two coagulation factor X activators from *Vipera a. ammodytes* venom with potential to treat patients with dysfunctional factors IXa or VIIa. *Toxicon* 52:628-637.
 - Leong PK, Sim SM, Fung SY, Sumana K, Sitprija V (2012) Cross Neutralization of Afro-Asian Cobra and Asian Krait Venoms by a Thai Polyvalent Snake Antivenom (Neuro Polyvalent Snake Antivenom). *PLoS Negl Trop Dis* 6(6): 1672.
 - Li R, Zhu S, Wu J, Wang W, Lu Q, Clemetson KJ (2008) L-amino acid oxidase from *Naja atra* venom activates and binds to human platelets. *Acta Biochim Biophys Sin* 40:19-26.

-
- Li ZY, Yu TF, Lian EC (1994) Purification and characterization of L-amino acid oxidase from king cobra (*Ophiophagus hannah*) venom and its effects on human platelet aggregation. *Toxicon* 32:1349-1358.
 - Lin SR, Chang LS, Chang CC (1999) Disulfide isomers of α -neurotoxins from king cobra (*Ophiophagus hannah*) venom. *Biochem. Biophys Res. Com.* 254(1): 104–108.
 - Liu Z, Li W, Zang H, Han Y, Lai L (2001) Modeling the third loop of short-chain snake venom neurotoxins: Roles of the short-range and long-range interactions. *Proteins: Structure Function and Genetics* 42:6-16.
 - Loria GD, Rucavado A, Kamiguti AS (2003) Characterization of ‘basparin A’, a prothrombin-activating metalloproteinase, from the venom of the snake *Bothrops asper* that inhibits platelet aggregation and induces defibrination and thrombosis. *Arch Biochem Biophys* 418:13–24.
 - Lowry OH, Rosenbrough NJ, Farr AL, Randall RJ (1951) Protein measurement with the folin-phenol reagent. *J. Biol. Chem.* 193: 265-275.
 - Lu Q, Clementson KJ, Clementson JM (2007) Snake venom C-type lectins interacting with platelet receptors. *Tox Rev* 26:77-93
 - Lu Q, Clemetson JM, Clemetson KJ (2005) Snake venoms and hemostasis. *J Thromb haemost* 3:1791-1799.
 - Lu X, Deadman JJ, Salmon GP, Kakkar VV, Wilkinson JM, Baruch D, Authi KS, Rahman S (1994) Preferential antagonism of the interactions of the integrin α IIb β 3 with immobilized glycoprotein ligands by snake-venom RGD (Arg-Gly-Asp) proteins. Evidence supporting a functional role for the amino acid residues flanking the tripeptide RGD in determining the inhibitory properties of snake-venom RGD proteins. *Biochem J* 304:929-936.
 - Mahadeswaraswamy YH, Devaraja S, Kumar MS, Gowtham YNJ, Kemparaju K (2009) Inhibition of local effects of Indian *Daboia/vipera russellii* venom by the
-

-
- methanolic extract of grape (*Vitis vinifera L.*) seeds. *Indian journal of Biochemistry & Biophysics*. 46, 154-160.
- Marcinkiewicz C (2005) Functional characteristic of snake venom disintegrins: potential therapeutic implication. *Curr Pharm Des* 11:815-827.
 - Marcinkiewicz E, Vijay-Kumar S, McLane MA, Niewiarowski S (1997) Significance of RGD loop and C-terminal domain of echistatin for recognition of α IIb β 3 and α v β 3 integrins and expression of ligand induced binding site. *Blood* 90:1565-1575.
 - Marcus AJ, Broekman MJ, Drosopoulos JH, Olson KE, Islam N, Pinsky DJ, Levi R (2005) Role of CD39 (NTPDase-1) in thromboregulation, cerebroprotection and cardioprotection. *Semin Thromb Hemost* 31:234-246.
 - Markland FS (1991) Inventory of K and L fibrinogenases from snake venom. *Thromb Haemost* 65:438-443.
 - Markland FS (1998) Snake venoms and the hemostatic system. *Toxicon* 36:1749-1800.
 - Matsui T, Hamako J, Titani K (2010) Structure and function of Snake venom proteins affecting platelet plug formation. *Toxins (Basel)* 2:10-23.
 - Matsui T, Sakurai Y, Fujimura Y, Hayashi I, Oh-ishi S, Suzuki M, Hamako J, Yamamoto Y, Yamazaki J, Kinoshita M, Titani K (1998) Purification and amino acid sequence of halystase from snake venom of *Agkistrodon halys blomhoffii*, a serine protease that cleaves specifically fibrinogen and kininogen. *Eur J Biochem* 252:569-575.
 - Mazzucato M, Marco LD, Masotti A, Pradella P, Bahou WF, Ruggeri ZM (1998) Characterization of the initial α -thrombin interaction with glycoprotein Iba in relation to platelet activation. *J Biol Chem* 273:1880-1887.

-
- McDowell RS, Dennis MS, Louie A, Shuster M, Mulkerrin MG, Lazarus RA (1992) Mambin, a potent glycoprotein IIb-IIIa antagonist and platelet aggregation inhibitor structurally related to the short neurotoxins. *Biochemistry* 31:4766-4772.
 - Meenatchisundaram S, Michael A (2009) Snake bite and therapeutic measures: Indian scenario. *Indian J. Sci. Technol.* 2 (10): 69-73.
 - Meier J and Theakston RDG (1986) Approximate LD₅₀ determinations of snake venoms using eight to ten experimental animals. *Toxicon* 24:395-401.
 - Mir R, Sinha M, Sharma S, Sinng N, Kaur P, Srinivasan A, Singh TP (2008) Isolation, purification, crystallization and preliminary crystallographic studies of sagitoxin and oligomeric cardiotoxin from the venom of *Naja saggitifera*. *Acta Crystallogr Sect F Struct Biol Cryst Commun* 64:545-547.
 - Mounier CM, Bon C, Kini RM (2001) Anticoagulant venom and mammalian secreted phospholipases A₂: protein-versus phospholipids-dependent mechanism of action. *Haemostasis* 31:279-287.
 - Moura-da-Silva AM, Butera D, Tanjoni I (2007) Importance of snake venom metalloproteinases in cell biology: effects on platelets, inflammatory and endothelial cells. *Curr Pharm Des* 13:2893-2905.
 - Mukherje AK, Ghosal SK, Maity CR (2000) Some biochemical properties of Russell's viper (*Daboia russelli*) venom from Eastern India: correlation with clinico-pathological manifestation in Russell's viper bite. *Toxicon* 38(2):163-75.
 - Mukherjee AK, Maity CR (2002) Biochemical composition, lethality and pathophysiology of venom from two cobras – *Naja naja* and *Naja kaouthia*. *Comp Biochem Physiol B Biochem Mol Biol* 131:125-132.
 - Murakami MT, Arni RK (2005) Thrombomodulin-independent activation of protein C and specificity of hemostatically active snake venom serine

-
- proteinases: crystal structures of native and inhibited *Agkistrodon contortrix contortrix* protein C activator. *J Biol Chem* 280:39309-39315.
- Nakagaki T, Lin P, Kisiel W (1992) Activation of human factor VII by the prothrombin activator from the venom of *Oxyuranus scutellatus* (Taipan snake). *Thromb Res* 65:105-116.
 - Nishida S, Fujimura Y, Miura S, Ozaki Y, Usami Y, Suzuki M, Titani K, Yoshida E, Sugimoto M, Yoshioka A, Fukui H, Ozaki Y, Usami Y (1994) Purification and characterization of bothrombin, a fibrinogen clotting serine protease from the venom of *Bothrops jararaca*. *Biochemistry* 33:1843-1849.
 - Norris R (2007) Snake envenomation, cobra, Dept. of Surgery, Div. of Emergency Medicine, Stanford University Medical Center.
 - O'Leary MA, Geoffrey K. Isbister (2009) Commercial monovalent antivenoms in Australia are polyvalent. *Toxicon* 54: 192–195.
 - Okuda D, Morita T (2001) Purification and characterization of a new RGD/KGD-containing dimeric disintegrin, piscivostatin, from the venom of *Agkistrodon piscivorus piscivorus*: the unique effect of piscivostatin on platelet aggregation. *J Biochem* 130:407-415.
 - Ouyang C, Huang TF (1983) Inhibition of platelet aggregation by 5'-nucleotidase purified from *Trieresurus gramineus* snake venom. *Toxicon* 21:491-501.
 - Ownby CL, Nika T, Imai K, Sugihara H (1990) Pathogenesis of hemorrhage induced by bilitoxin, a hemorrhagic toxin isolated from the venom of the common cantil (*Agkistrodon bilineatus bilineatus*). *Toxicon* 28:837-846.
 - Ozaki Y, Asszuma N, Suzuki-Inoue, Berndt MC (2005) Platelet GPIb/IX/V dependent signalling. *J Thromb Haemost* 31:1745-1751.

-
- Paine MJ, Desmond HP, Theakston RD, Crampton JM (1992) Purification, cloning and molecular characterization of a high molecular weight hemorrhagic metalloprotease, jararhagin, from *Bothrops jararaca* venom. Insights into the disintegrin gene family. *J Biol Chem* 267:22869-22876.
 - Park D, Kim H, Chung K, Kim DS, Yun Y (1998) Expression and characterization of a novel plasminogen activator from *Agkistrodon halys* venom. *Toxicon* 36:1807-1819.
 - Paul VK (1993) Animal and insect bites. In: Singh M (Ed). Medical Emergencies in Children 2nd Ed, New Delhi, *Sagar Publications*.
 - Pawelek PD, Cheah J, Coulombe R, Macheroux P, Ghisla S, Vrieling A (2000) The structure of L-amino acid oxidase reveals the substrate trajectory into an enantiomerically conserved active site. *EMBO J* 19:4204-4215.
 - Peng M, Lu W, Beviglia L, Niewiarowski S, Kirby EP (1993) Echicetin: a snake venom protein that inhibits binding of von Willebrand factor and alphaIIb beta3 to platelet glycoprotein Ib. *Blood* 18:2321-2328.
 - Peng SS, Krishnaswamy T, Kumar S, Jayaraman G, Chang CC, Yu C (1997) Solution structure of Toxin b, a long neurotoxin from the venom of the king cobra (*Ophiophagus hannah*). *Journal of Biological Chemistry*, 272(12): 7817–7823.
 - Perera L, Foley C, Darden TA, Stafford D, Mather T, Esmon CT, Pedersen LG (2000) Modeling Zymogen Protein C. *Biophys J* 79:2925-2943.
 - Pikle H, Stocker K (1991) Thrombin-like enzymes from snake venoms: an inventory. *Thromb Haemost* 65:444-450.
 - Pinto AF, Terra RM, Guimaraes JA, Fox JW (2007) Mapping von Willebrand factor: A domain binding site on a snake venom metalloproteinase cysteine-rich domain. *Arch Biochem Biophys* 457:41-46.

-
- Pirkle H (1998) Thrombin-like enzymes from snake venoms: an updated inventory. *Thromb Haemost* 79:675-683.
 - Pirkle H, Theodor I (1990) Thrombin-like venom enzymes: structure and function. *Adv Exp Med Biol* 281:165-174.
 - Polgar J, Clemetson JM, Kehrel BE, Wiedemann M, Magnenat EM, Wells TN, Clemetson KJ (1997) Platelet activation and signal transduction by convulxin, a C-type lectin from *Crotalus durissus terrificus* (tropical rattle snake) venom via the p62/GPVI collagen receptor. *J Biol Chem* 272:13576-13583.
 - Prasad BN, Kemparaju K, Bhatt KG, Gowda TV (1996) A platelet aggregation inhibitor phospholipase A₂ from Russell's viper (*Vipera russelli*) venom: isolation and characterization. *Toxicon* 34(10), 1173-85.
 - Premawardhena AP, de-Selva CE, Fonseka MMD, de-Silva G (1999) Low dose subcutaneous adrenaline to prevent acute adverse reactions to antivenom serum in people bitten by snakes: randomized, placebo controlled trial. *Br Med J* 318:1041-3.
 - Prijatelj P, Charnay M, Ivanovski G, Jenko Z, Pungercar J, Krizaj I, Faure G (2006) The C-terminal and beta-wing regions of ammodytoxin A, a neurotoxic phospholipase A₂ from *Vipera ammodytes ammodytes*, are critical for binding to factor Xa and for anticoagulant effect. *Biochimie* 88:69-76.
 - Pung YF, Wong PT, Kumar PP, Hodgson WC, Kini RM (2005) Ohanin, a novel protein from king cobra venom, induces hypolocomotion and hyperalgesia in mice. *J Biol Chem* 280(13):13137-47.
 - Quick AJ (1935) The Prothrombin in haemophilia and in obstructive jaundice. *J Biol chem.* 107: 73-85.
 - Raghavendra Gowda CD, Nataraju A, Rajesh R, Dhananjaya BL, Sharath BK, Vishwanath BS (2006) Differential action of proteases from *Trimeresurus*

malabaricus, *Naja naja* and *Daboia russellii* venoms on hemostasis. *Comparative Biochemistry and Physiology* 143, 295–302.

- Rajagopalan N, Pung YF, Zhu YZ, Wong PT, Kumar PP, Kini RM (2007) Beta-cardiotoxin: a new three-finger toxin from *Ophiophagus hannah* (king cobra) venom with beta-blocker activity. *FASEB J.* 21(13):3685-95.
- Rajesh R, Raghavendra Gowda CD, Nataraju A (2005) Procoagulant activity of *Calotropis gigantea* latex associated with fibrin(ogen)olytic activity. *Toxicon* 46: 84–92.
- Raweerith R, Ratanabanangkoon K (2005) Immunochemical and biochemical comparisons of equine monovalent and polyvalent snake antivenoms. *Toxicon* 45:369–75.
- Reid HA and Thekaston RDG (1983) The management of snakebites. *Bull WHO* 63: 885 – 895.
- Reissig JL, Stominger JL, Lolir LF (1955) A modified colorimetric method for the estimation of N-acetylamino sugars. *J Biol Chem* 217:959-966.
- Robson SC, Wu Y, Sun X, Knosalla C, Dwyer K, Enjyoji K (2005) Ectonucleotidases of CD39 family modulate vascular inflammation and thrombosis in transplantation. *Semin Thromb Hemost* 31:217-233.
- Rong H, Li Y, Lou XH, Zhang X, Gao YX, Teng MK, Niu LW (2007) Purification, partial characterization, crystallization and preliminary X-ray diffraction of a novel cardiotoxin-like basic protein from *Naja naja atra* (South Anhui) venom. *Acta Crystallogr Sect F Struct Bio Cryst Commun* 63:130-134.
- Roy A, Zhou XD, Chong MZ, D'hoedt D, Foo CS, Rajagopalan N, Nirthanan S, Bertrand D, Sivaraman J, Kini RM (2010) Structural and functional characterization of a novel homodimeric three-finger neurotoxin from the venom of *Ophiophagus hannah* (King Cobra). *Journal of Biological Chemistry*, 285(11): 8302–8315.

-
- Rudrammaji LM, Gowda TV (1998) Purification and characterization of three acidic, cytotoxic phospholipases A₂ from Indian cobra (*Naja naja naja*) venom. *Toxicon* 36:921-932.
 - Rudrammaji LM, Machiah KD, Kantha TP, Gowda TV (2001) Role of catalytic function in the anti-platelet activity of phospholipase A₂ from cobra (*Naja naja naja*) venom. *Mol Cell Biochem* 219(1-2), 39-44.
 - Saha A, Gomes A, Chakravarty AK, Biswas AK, Giri B, Dasgupta SC (2006b) CNS and Anticonvulsant activity of a non-protein toxin (KC-MMTx) isolated from King Cobra (*Ophiophagus hannah*) venom. *Toxicon* 47:296-303.
 - Saha A, Gomes A, Giri B, Chakravarty AK, Biswas AK, Dasgupta SC (2006a) Occurrence of non-protein low molecular weight cardiotoxin in Indian King Cobra (*Ophiophagus hannah*) Cantor 1836, venom. *Ind. Journ Expt. Biol.* 44:279-285.
 - Sanchez EF, Felicori LF, Chavez-Olortegui C, Magalhaes HB, Hermogenes AL, Diniz MV, Junqueira-de-Azevedo IL, Magalhaes A, Richardson M (2006) Biochemical characterization and molecular cloning of a plasminogen activator proteinase (LV-PA) from bushmaster snake venom. *Biochim Biophys Acta* 1760:1762-1771.
 - Sanchez EF, Santos CI, Magalhaes A, Diniz CR, Figueiredo S, Gilroy J, Richardson M (2000) Isolation of a proteinase with plasminogen activating activity from *Lachesis muta muta* (bush master) snake venom. *Arch Biochem Biophys* 378:131-141.
 - Santoro ML, Vaquero TS, Leme AF, Serrano SM (2009) NPP-BJ, a nucleotide pyrophosphatase/phosphodiesterase from *Bothrops jararaca* snake venom, inhibits platelet aggregation. *Toxicon* 54:499-512.

-
- Santoro SA, Walsh JJ, Staatz WD, Baranski KJ (1991) Distinct determinants on collagen support $\alpha 2\beta 1$ -integrin-mediated platelet adhesion and platelet activation. *Cell Regul* 2:905-913.
 - Santos BF, Serrano SM, Kuliopulos A, Niewiarowski S (2000) Interaction of viper venom serine peptidases with thrombin receptors on human platelets. *FEBS Lett* 477:199-202.
 - Satake M, Murata Y, Suzuki T (1963) Studies on snake venom XIII. Chromatographic separation and properties of three proteinases from *Agkistrodon halys blomhoffii* venom. *J. Biochem* 53: 438 – 447.
 - Satish S, Tejaswini J, Krishnakantha TP, Gowda TV (2004) Purification of a Class B1 platelet aggregation inhibitor phospholipase A₂ from Indian cobra (*Naja Naja*) venom. *Biochimie* 86(3): 203-10.
 - Schaloske RH, Dennis EA (2006) The phospholipase A₂ superfamily and its group numbering system. *Biochim Biophys Acta* 1761:1246-1259.
 - Sclater WL (1981) List of snakes in the Indian Museum. *Calcutta: Trustees of the Indian Museum.*
 - Selistre-de-Araujo HS, Souza DH, Ownby CL (1997) Analysis of a cDNA sequence encoding a novel member of the snake venom metalloproteinase, disintegrin like, cysteine-rich (MDC) protein family from *Agkistrodon contortrix laticinctus*. *Biochem Biophys Acta* 1342:109-115.
 - Serrano SM, Kim J, Wang D, Dragulev B, Shannon JD, Mann HH, Veit G, Wagener R, Koch M, Fox JW (2006) The cysteine-rich domain of snake venom metalloproteinases is a ligand for von Willebrand factor A domains: role in substrate targeting. *J Biol Chem* 281:39746-39756.
 - Serrano SM, Mentele R, Sampio CA, Fink E (1995) Purification, characterization and amino acid sequence of a serine proteinase, PA-BJ, with

-
- platelet-aggregating activity from the venom of *Bothrops jararaca*. *Biochemistry* 34:7186-7193.
- Shashidharamurthy R, Jagadeesha DK, Girish KS, Kemparaju K (2002) Variation in biochemical and pharmacological properties of Indian cobra (*Naja naja naja*) venom due to geographical distribution. *Mol Cell Biochem* 229:93-101.
 - Shiu JH, Chen CY, Chang LS, Chen YC, Chen YC, Lo YH, Liu YC, Chuang WJ (2004) Solution structure of γ -bungarotoxin: the functional significance of amino acid residues flanking the RGD motif in integrin binding. *Proteins* 57:839-849.
 - Siigur E, Samel M, Tonismagi K, Subbi J, Reintamm T, Siigur J (1998) Isolation, properties and N-terminal amino acid sequence of a factor V activator from *vipera lebetina* (Levantine viper) snake venom. *Biochim Biophys Acta* 1429:239-248.
 - Siigur E, Tõnismägi K, Trummal K, Samel M, Vija H, Subbi J, Siigur J (2001) Factor X activator from *Vipera lebetina* snake venom. Molecular characterization and substrate specificity. *Biochim Biophys Acta* 1568:90-98.
 - Siigur J, Siigur E (2006) Factor X activating proteases from snake venoms. *Tox Rev* 25:235-255.
 - Sjöstrom L, Karlson-Stiber C, Persson H, Al-Abdulla IH, Smith DC (1996) Development and clinical application of immunoassays for European adder (*Vipera berus berus*) venom and antivenom. *Toxicon* 34: 91-98.
 - Söderbäck U, Sollevi A, Fredholm BB (1987) The disappearance of adenosine from blood and platelet suspension in relation to the platelet cyclic AMP content. *Acta Physiol Scand* 129:189-194.

-
- Souza DH, Iemma MR, Ferreira LL, Faria JP, Oliva ML, Zingali RB, Niewiarowski S, Selistre-de-Araujo HS (2000) The disintegrin-like domain of the snake venom metalloprotease alternagin inhibits $\alpha 2$ - $\beta 1$ integrin-mediated cell adhesion. *Arch Biochem Biophys* 384:341-350.
 - Stefansson S, Kini RM, Evans HJ (1990) The basic phospholipase A₂ from *Naja nigricollis* venom inhibits the prothrombinase complex by a novel non-enzymatic mechanism. *Biochemistry* 29:7742-7746.
 - Sundell IB, Ranby M, Zuzel M, Robinson KA, Theakston RDG (2003) *In vitro* procoagulant and anticoagulant properties of *Naja naja naja* venom. *Toxicon* 42, 239–247.
 - Swenson S, Ramu S, Markland FS Jr (2007) Anti-angiogenesis and RGD-containing snake venom disintegrins. *Curr Pharm Des* 13:2860-2871.
 - Takeda S, Igarashi T, Mori H (2007) Crystal structure of RVV-X; an example of evolutionary gain of specificity by ADAM proteinases. *FEBS Lett* 581:5859-5864.
 - Takeya H, Nishida S, Miyata T, Kawada S, Saisaka Y, Morita T, Iwanaga S (1992) Coagulation factor X activating enzyme from Russell's viper venom (RVV-X). A novel metalloproteinase with disintegrin (platelet aggregation inhibitor)-like and C-type lectin-like domains. *J Biol Chem* 267:14109-14117.
 - Tan NH, Saifuddin MN (1989) Isolation and characterization of an unusual form of L-amino acid oxidase from King cobra (*Ophiophagus hannah*) venom. *Biochem Int.* 19(4):937-44.
 - Tan NH, Saifuddin MN (1990) Isolation and characterization of a hemorrhagin from the venom of *Ophiophagus hannah* (king cobra). *Toxicon* 28(4):385-92.
 - Taniuchi Y, Kawasaki T, Fujimura Y, Suzuki M, Titani K, Sakai Y, Kaku S, Hisamichi N, Satoh N, Takenaka T (1995) Flavocetin-A and B, two high molecular mass glycoprotein Ib binding proteins with high affinity purified from

-
- Trimeresurus flavoviridis* venom, inhibit platelet aggregation at high shear stress. *Biochim Biophys Acta* 1244:331-338.
- Tans G, Rosing J (2001) Snake venom activators of factor X: an overview. *Haemostasis* 31:225-233.
 - Theakston RDG, Phillips RE, Warrell DA (1990) Envenoming by the common krait and Sri Lankan cobra: efficacy and complications of therapy with Haffkine anti-venom. *Trans Roy Soc Trop Med and Hyg* 84:301-08.
 - Theakston RDG, Warrell DA (2000) Crisis in snake antivenom supply for Africa. *Lancet* 356:2104.
 - Tin-Myint, Rai-Mra, Maung-Chit, Tun-Pe Warrell DA (1991) Bites by the king cobra (*Ophiophagus hannah*) in Myanmar: successful treatment of severe neurotoxic envenoming. *Q J Med.* 80(293):751-62.
 - Tokunage F, Nagasawa K, Tamura S, Miyata T, Iwanaga S, Kisiel W (1988) The factor V-activating enzyme (RVV-V) from Russell's viper venom. Identification of isoproteins RVV-V α , -V β , and V γ and their complete amino acid sequences. *J Biol Chem* 263:17471-17481.
 - Torii S, Naito M, Tsuruo T (1997) Apoxin I, a novel apoptosis-inducing factor with L-amino acid oxidase activity purified from Western diamondback rattlesnake venom. *J Biol Chem* 272:9539-9542.
 - Valentin E, Lambeau G (2000) Increasing molecular diversity of secreted phospholipases A₂ and their receptors and binding proteins. *Biochim Biophys Acta* 1488:59-70.
 - Vijeth SR, Dutta TK, Shahapurkar J, Sahai A (2000) Dose and frequency of anti-snake venom injection in treatment of *Echis carinatus* (saw scaled viper) bite. *JAPI* 48:187-92.

-
- Vishwanath BS and Gowda TV (1987) Interaction of aristolochic acid with *Daboia russellii* phospholipase A₂: Its effect on enzymatic and pathological activities. *Toxicon* 25: 929-937.
 - Vishwanath BS, Kini RM, Gowda TV (1987) Characterization of three edema inducing phospholipase A₂ enzymes from habu (*Trimeresurus flavoviridis*) venom and their interaction with the alkaloid aristolochic acid. *Toxicon* 25:501.
 - Wang WJ (2007) Purification and functional characterization of AAVI, a novel P-III metalloproteinase, from Formosan *Agkistrodon acutus* venom. *Biochimie* 89:105-115.
 - Wang WJ, Huang TF (2001) A novel tetrameric venom protein, agglucetin from *Agkistrodon acutus*, acts as a glycoprotein Ib agonist. *Thromb Haemost* 86:1077-1086.
 - Wang WJ, Huang TF (2002) Purification and characterization of a novel metalloproteinase, acurhagin, from *Agkistrodon acutus* venom. *Thromb Haemost* 87:641-650.
 - Wang WJ, Shih CH, Huang TF (2005) Primary structure and anti-platelet mechanism of a snake venom metalloproteinase, acurhagin, from *Agkistrodon acutus* venom. *Biochimie* 87:1065-1077.
 - Ward CM, Andrews RK, Smith AI, Bernt MC (1996) Mocarhagin, a novel cobra venom metalloproteinase, cleaves the platelet von Willebrand factor receptor glycoprotein Iba. Identification of the sulphated tyrosine/anionic sequence Tyr-276-Glu-282 of glycoprotein Iba as a binding site for von Willebrand factor and α -thrombin. *Biochemistry* 35:4929-4938.
 - Warrell DA (1999) The clinical management of snake bites in the south-east Asian region. *South-east Asian J Trop Med Public Health* 30:1-84.
 - Warrell DA (1993) Venomous bites and stings in the tropical world. *Med J Aust* 159:773-779.

-
- Watson SP, Auger JM, McCarty OJ, Pearce AC (2005) GPVI and integrin $\alpha\text{IIb}\beta\text{3}$ signalling in platelets. *J Thromb Haemost* 3:1752-1762.
 - WC, Lee ML, Lo TB (1983) Phospholipase A_2 activity of long-chain cardiotoxins in the venom of banded krait (*Bungarus fasciatus*). *Toxicon* 21:163-165.
 - Weissenberg S, Ovadia M, Kochva E (1987) Species specific sensitivity towards the hemorrhagin of *Ophiophagus hannah* (Elapidae). *Toxicon* 25(5): 475–481.
 - Williams CA, Chase SA (1971) Qualitative analysis of antigen antibody reaction in the gel. *Academic press New York* :8-179.
 - Williams J, Rucinski B, Holt J, Niewiarowski S (1990) Elegantin and albolabrin purified peptides from viper venoms: homologies with the RGDS domain of fibrinogen and von Willebrand factor. *Biochim Biophys Acta* 1039:81-89.
 - Yamakawa Y, Omori-Satoh T (1988) A protease in the venom of king cobra (*Ophiophagus hannah*): purification, characterization and substrate specificity on oxidized insulin B-chain. *Toxicon* 26(12):1145-55.
 - Yang CC, Chang LS (1999) Biochemistry and molecular biology of snake neurotoxin. *J Chin Chem Soc* 46:319-333.
 - Yeh CH, Chang MC, Peng HC, Huang TF (2001) Pharmacological characterization and antithrombotic effect of agkistin, a platelet glycoprotein Ib antagonist. *Br J Pharmacol* 132:843-850.
 - Zelensky AN, Gready JE (2005) The C-type lectin-like domain superfamily. *FEBS J* 272:6179-6217.
 - Zhang Y, Wisner A, Maroun RC, Choument V, Xiong YL, Bon C (1997) *Trimeresurus stejnegeri* snake venom plasminogen activator. Site-directed mutagenesis and molecular modelling. *J Biol Chem* 272:20531-20537.

-
- Zhang Y, Wisner A, Xiong Y, Bon C (1995) A novel plasminogen activator from snake venom: purification, characterization and molecular cloning. *J Biol Chem* 270:10246-10255.
 - Zhang HL, Xu SJ, Wang QY, Song SY, Shu YY, Lin ZJ (2002) Structure of a cardiotoxic phospholipase A₂ from *Ophiophagus hannah* with the “pancreatic loop”. *Journ Struct Biol.* 138(3): 207–215.
 - Zhou Q, Smith JB, Grossman MH (1995) Molecular cloning and expression of catrocollastatin, a snake-venom protein from *Crotalus atrox* (western diamondback rattle snake) which inhibits platelet adhesion to collagen. *Biochem J* 307:411-417.
 - Zingali RB (2007) Interaction of snake-venom proteins with blood coagulation factors: mechanisms of anticoagulant activity. *Tox Rev* 26:25-46.
 - Zingali RB, Jandrot-Perrus M, Gukllin MC, Bon C (1993) Bothrojaracin, a new thrombin inhibitor isolated from *Bothrops jararaca* venom: characterization and mechanism of thrombin inhibition. *Biochemistry* 32:10794-10802.
 - Zuliani JP, Kayano AM, Zaqueo KD, Neto AC, Sampaio SV, Soares AM, Stabeli RG (2009) Snake venom L-amino acid oxidases: some consideration about their functional characterization. *Prot Pept Lett* 16:908-912.