

REFERENCES



Abbasi, S.A., 2002. Water quality indices, state of the art report, National Institute of Hydrology, scientific contribution no. INCOH/SAR-25/2002, Roorkee: INCOH, PP. 73.

Able, K.W., Nemerson, D.M., Bush, R., and Light, P. 2001. Spatial variation in Delaware Bay (USA) Marsh Creek fish assemblages. *Estuaries*, 24(3):441-452.

Able, K.W., Fahay, M.P., Heck, K.L., Roman, C.T., Lazzari, M.A., and Kaiser, S.C. 2002. Seasonal distribution and abundance of fishes and decapods crustaceans in a Cape Cod estuary. *Northeastern Naturalist* ,9(3):85-302.

Abraham, J.C.1962. A survey of hydrobiology and fisheries of the Coolum river. *Madras J.Fish.*, 1:50-59.

Adams, S.M.1990. Biological Indicators of stress in Fish. *American Fisheries society*, Bethesda, MD, 1990, pp.1-8.

ADB (Asian Development Bank) 2000a. *Focused Initial Environmental Examination*. CEIP Report, Supplementary Appendix E.

Adger, W.N., Tompkins, E.L., and Brown, K. 2002. *Making Waves: Integrating Coastal Conservation and Development*. London: Earthscan Publications

Adhikari, B., Falco, D. S., and Lovett, J. C. 2003. Household characteristics and forest dependency: evidence from common property forest management in Nepal. *J. Ecological Economics*, 48: 245-457.

Afaq, S. and Rana, K.S. 2009. Toxicological effects of leather dyes on total leukocyte count of fresh water teleost, *Cirrhinus mrigala* (Ham). *Biology and Medicine*. 1 (2): 134-138.

Ahmed, Z. 2011. Acute toxicity and haematological changes in common carp (*Cyprinus carpio*) caused by diazinon exposure. *African Journal of Biotechnology*.10 (63):13852-13859.

Akin, S., Winemiller, K.O., and Gelwick, F.P. 2003. Seasonal and spatial variations in fish and macrocrustacean assemblage structure in Mad Island Marsh Estuary, Texas. *Estuarine, Coastal and Shelf Science*, 57:269-282.

Akinrotimi, O.A., Gabriel, U.U. and Ariweriokuma, S.V.2012. Haemato-toxicity of Cypermethrin to African Catfish *Clarias gariepinus* under laboratory conditions. *Journal of Environmental Engineering and Technology*. 1 (1): 20-25.

Alahari, S. Prasad. 1997 *Modernism, Alienation and Media Behavior*. Chennai: T.R. Publication

Alfred, J. R. B., and Thapa, M.P. 1996. Limnological investigations on Ward's Lake – A wetland in Shilong, Meghalaya, W. E. India. *Rec. Zool. Surv. India. Occa. Pap.* ,169: 1 – 125.

Almeida, D. O'Neill, J., Cleveland, J., Klein, L, Snead, A., & Crouter, A. 2007. The Penn State Hotel Initiative: An Interdisciplinary, Multi-Method Investigation of Work, Family, and Health in the Hotel Industry. Unpublished Manuscript.

Al-Akel, A.S., Alkahem-Al-Balawi, H.F., Al-Misned, F., Mahboob, S., Ahmad, Z. and Suliman, E.M. 2010. Effects of dietary copper exposure on accumulation, growth, and hematological parameters in *Cyprinus carpio*. *Toxicol. Environ. Chem.* 92: 1865-1878.

Al-Ghanim, K.A., Alkahem-Al-Balawi, H.F., Al-Akel, A.S., Al-Misned, F., Ahmad, Z. and Annazri, H. 2008. Ethological response and haematological and biochemical profile of carp (*Cyprinus carpio*) exposed to trichlorfon. *J. Food Agric. Environ.* 6: 473-479.

Ali, H.A.J. and Rani, V.J. 2009. Effect of phosalone on haematological indices in the tilapia, *Oreochromis mossambicus*. *Turk. J. Vet. Anim. Sci.* 33(5): 407-411.

Ali, S. 1933. The Hyderabad state orthinological survey. *J. Bom. Nat. Hist. Soc.*, 60: 40: 497 - 499.

Ali, S. 1958. Notes on the Sarus crane: Early 'imprinting of vital commands. *J. Bom. Nat. Hist.Soc.*, 58(1): 166 - 168.

Ali, S. 1963. Pt. Calimere as a refuge for wintering shore birds. *J. Bom. Nat. Hist. Soc.*, 60: 458 - 460.

Ph.D. Thesis
Guchhait S.

Ali, S. 1996. *The book of Indian birds*. Oxford University Press: London.

Ali, S., and Ripley, S. D. 1983b. A Pictorial Guide to the Birds of the Indian subcontinent. *Bom. Nat. Hist. Soc.*, P.177

Ali, S., and Vijayan, V. S. 1986. Keoladeo National Park Ecology Study. Summary Report 1980 - 1985. *Bom. Nat. Hist. Soc.*

Ali, S., Chowdhury, A., and Ray, A. R. 1980. Ecology and seasonal abundance of zooplankton in a pond in Tongi, Dacca. *Bangalad. J. Zool.* 8(1): 41 - 49

Alkahem, H. F., Ahmad, Z., Al-Akel, A.S.and Shamsi, M.J.K. 1998. Toxicity bioassay and changes in haematological parameters of *Oreochromis niloticus* induced by trichlorfon. *Arab Gulf J. Sci. Res.* 16: 581-593.

Alkahem, H.F. 1993. Ethological responses and changes in haemoglobin and glycogen content of the common carp, *Cyprinus carpio*, exposed to cadmium. *Asian Fish. Sci.* 6: 81-90.

Allen, L.G., Pondella II, D.J., and Horn, M.H. 2006. *The Ecology of marine fishes: California and adjacent waters*. California: University of California Press.

Allen, P. 1993. Effect of acute exposure to cadmium II chloride and lead II chloride on the haematological profile of *Oreochromis aureus* (Steindachner). *Comp. Biochem. Physiol. C.* 105: 213-217.

Allen, P. 1994. Changes in the haematological profile of the cichlid *Oreochromis aureus* (Steindachner) during acute inorganic mercury intoxication. *Comp. Biochem. Physiol. C.* 108:117-121.

Alwan, S. F., Hadi, A. A. & Shokr, A. E. 2009. Alterations in haematological parameter of fresh water fish. *Tilapia Zilli* exposed to Aluminium. *Journal of Science and Its Applications.* 3(1):12-19.

Ambedkar, G., and Muniyan, M. 2011. Accumulation of metals in the five commercially important freshwater fishes available in Vellar River, Tamil Nadu, India. *Archives of Applied Science Res.,* 3(3): 261-264.

APHA (American Public Health Association) 1998. *Standard methods for the examination of water and wastewater.* 19th edition. P.275.

Anderson, F. O., and Jenson, H. S. 1992. Regeneration of inorganic phosphorus and nitrogen from decomposition of seston in a freshwater sediment. *Hydrobiologia,* 228(1): 71 - 81.

Andrew-Essien, E., and Bisong, F. 2009. Conflicts, Conservation and Natural Resource use in Protected Area Systems: An Analysis of Recurrent Issues. *European Journal of Scientific Research,* 25(1): 118-129.

Anees, M. A. 1978. Haematological abnormalities in a freshwater teleost, *Channa punctatus* (Bloch), exposed to sublethal and chronic levels of three organophosphorus insecticides. *Int. J. Ecol. Environ. Sci.* 4: 53-60

Ph.D. Thesis
Guchhait S.

Annadale, N. 1907. The aquatic and amphibious mollusks of Manipur. *Rec. Indian Museum*, 1: 529 – 538.

Ansari, A. H., and Kumar, S. 2003. Effect of nitrate input on the release of phosphorus from a tropical lake sediment. *Dimens. Polln.* , 2: 120 -126.

Antwi, L. A. K., and Ofori-Danson, P. K. 1993. Limnology of a tropical reservoir (The Kpong Reservoir in Ghana). *Trop. Ecol.*, 34(1): 75 – 87.

Arrow, Kenneth, Robert Solow, Paul R. Portney, Edward E. Leamer, Roy Radner, and Howard Schuman,1993. Report of the NOAA (National Oceanic and Atmospheric Administration) panel on contingent valuation. National Oceanic and Atmospheric Administration. Washington D.C., Resources for the future.

Aziz , F., Amin, M. and Shakoori, A.R. 1993. Toxic effects of cadmium chloride on the haematology of fish, *Tilapia mossambica*. *Proc Pak Cong Zoology*. 13: 141-154.

Baker, F.J. and Silverton, R. E. 1982. Introduction to Medical Lab Tech., 5th Ed. Butterworth Scientific London.

Balani, M. G., and Sarkar, H. L. 1965. Some observations on the pollution of Yamuna River at Okhla water work Intake Delhi. *Ind. J. Env. Health.* , 7(2): 84 – 86.

Banerjee, B., and Roy, A. 1979. *Reclamation of the Salt lake of Calcutta in Science and Culture*, Indian Science Association, Calcutta

Ph.D. Thesis
Guchhait S.

Banerjee, S. 1999. Heavy metal in wastewater ponds in and around Calcutta and their effect on Mammalian System contaminated through fish raised in wastewater improvement, *Annual report (1998-1999)*, Department of Zoology, University of Calcutta.

Banerjee, S. K., and Mukherjee, S. 1999. Pollution Control in Calcutta Tanneries: Social Cost benefits Analysis, In Goutam Gupta and Jayashree Roy (Eds.), *Environmental Economics in India, Concepts and Problems*

Banerjee, S.M. 1967. Water quality and soil conditions of fish ponds on some states of India in relation to fish productions. *Ind. J. Fish.*, 14: 115-144

Barbier, E.B., Acreman, M., and Knowler, D. 1997. *Economic valuation of wetlands – A guide for policy makers and planners*, Ramsar Convention Bureau, Gland, Switzerland.

Barman, R., Saikia, P., Singha, H. J., Talukdar, B. K., and Bhattachajee, P. C. 1995. Study on the pollution trend of water birds at Deeper Beel Wildlife Sanctuary. *Pavo.* , 33(1 – 2): 25 – 40.

Barreto-Medeiros, J.M., Feitoza, E.G., Magalhaes, K., Da Silva, R.R., Manhaes-de-Castro, F.M., Manhaes-de-Castro, R. and De-Castro, C.M.M.B. 2005. The expression of an intraspecific aggressive reaction in the face of a stressor agent alters the immune response in rats. *Braz. J. Biol.* 65: 203–209.

Basu, I. 2003. *A Framework Management Plan on the East Kolkata Wetlands*. Centre for Environment and Development, Kolkata

Ph.D. Thesis
Guchhait S.

Bhalla, G.S., and Hazell, P. .2003. Rural Employment and Poverty: Strategies to Eliminate Rural Poverty within a Generation. *Economic and Political Weekly*, 38(33): 3473-3484.

Bhargave D.S. 1983. Use of water quality index for river classification and zoning of Ganga River, *Environmental Poll. Serv. B: Chem. Phys.* 6, 51-76

Bhatt, S.D., and Pathak, J.K. 1989. Assessment of water quality and aspects of pollution in a stretch of River Gomti (Kumaun: Lesser Himalaya). *J. Env. Biol.*, 10(4): 28 - 32.

Bhaskar, B.R. and Rao, K.S.1989. Influence of environmental variables on haematology, and compendium of normal haematological ranges of milkfish, *Chanos chanos* (Forsk.) in brackish water culture. *Aquaculture*. 83 (1-2):123-136.

Birch-Thomsen, T., Frederiksen, P., and Sano, H.O. 2001. A Livelihood Perspective on Natural Resource Management and Environmental Change in Semiarid Tanzania, *Economic Geography*, 77(1): 41-66.

Bishop, R.C. 1985. Valuation of Extra-market Goods, Potential Application of the Travel Cost and Hypothetical Method in Asia and Pacific Basin. In Maynard M. Hufschmidt, and Eric L. Hyman (Eds), *Economic Valuation of Natural Resource and Environmental Aspects of Development* (PP. 89-96). Dublin, Ireland: Tycooly International.

Biswas S. 1999. *Ecology of Macrozoobenthic Community in a Sewage Fed Wetland in East Calcutta*(An unpublished Ph D dissertation).

Biswas, K. P. 1927. Flora of the Salt Lakes, Calcutta, *Journal of Department of Science, University of Calcutta*, 8.

Blaber, S. J. M., Brewer, D.T., and Salini, J.T. 1995. Fish communities and the nursery role of the shallow inshore waters of a tropical bay in the Gulf of Carpentaria, Australia. *Estuarine, Coastal and Shelf Science*, 40:177-193.

Blaber, S.J.M., and Blaber, T.G. 1980. Factors affecting the distribution of juvenile estuarine and inshore fish. *Journal of Fish Biology*, 17:143-162.

Blaikie, P., and Jeanrenaud, S. 1997. Biodiversity and human welfare, In K. Ghimire & M.P. Pimbert, (Eds), *Social change and conservation: environmental politics and impacts of national parks and protected areas* (PP. 46-70). London: Earthscan

Blaxhall, P.C. and Daisley, K.W. 1973. Routine hematological methods for use with fish blood. *J. Fish Biol.* 5:771-781

Bolton, P.W., Currie, J. C., Tervet D. J, Welch, W. T. 1978. *An index to improve water quality classification*. *Water Pollution Control*. 77, 271-284

Bose, B.C. 1944. Calcutta sewage-fisheries culture, *Proc. Nat. Inst. Sci., India*, 10.

Bouck, G. R., and Ball, R. C. 1966. Influence of capture method on blood characteristics and mortality in the rainbow trout (*Salmo gairdnari*). *Trans. Am. Fish. Soc.* 95: 170-176.

Ph.D. Thesis
Guchhait S.

Brower J. E , and Zar, J.H. 1977. *Field and laboratory methods for General Ecology*, 2nd Edn . Dubuque: WCB publishers

Brown, K. 2002. Innovations for Conservation and Development, *Geographical Journal* , 168(1): 6-17.

Brown, L. R. 2001. *Eco-Economy-Building an Economy for the Earth*, London: Earthscan

Bruner, K.A., Fisher, S.W., and Landrum, P.F. 1994. The Role of the Zebra Mussel, *Dreissena polymorpha*, in Contaminant Cycling: I The Effect of Body Size and Lipid Content on the Bioconcentration of PCBs and PAHs. *J. Great Lakes Res.*, 20(4): 725-734.

Buckley, J. A. 1977. Heinz body haemolytic anaemia in Coho salmon (*Onchorhynchus kisutch*) exposed to chlorinated waste water. *J. Fish Res. Bd Can.* 34: 215-224.

Bunting, S.W., Kundu, N. , and Mukherjee, M. 2001. Renewable natural resource use in livelihoods at the Calcutta peri-urban interface: a literature review. University of Stirling, UK: Institute of Aquaculture [Working Paper].

Bunting, S.W., Kundu, N., and Mukherjee, M. 2002. Situation analysis: production systems and natural resource management in PU Kolkata. University of Stirling, UK: Institute of Aquaculture [Working Paper].

Bunting, S.W., Kundu, N., Punch, S., and Little, D.C. 2001. East Kolkata Wetlands and Livelihoods: Workshop Proceedings. University of Stirling, UK: Institute of Aquaculture [Working Paper].

Calcutta High Court, 1993. Ruling for matter #2851 of 1992 D/-24-9-1992, People United for Better Living in Calcutta (PUBLIC) vs. State of West Bengal, Umesh Chandra Bannerjee, Presiding Judge. *All Indian Review, Calcutta*, 215-232.

CAMP (Conservation Action Management Plan) 1998. Conservation assessment and management plan for fresh water fishes of India. Workshop report. Zoo Outreach Organization, Colmbatore /CBSG (Conservation Breeding Specialist Group) and NBFGR (National Bureau of Fish Genetic Resources), Lucknow, India, 1-158

Cantril, H. 1940. *The Invasion from Mars: A Study in the Psychology of Panic*, Princeton, N.J.: Princeton University Press.

Central and Northern California Ocean Observing System 2009.
www.cencoos.humboldt.edu.

Chako, P.I., Shrinivasan, R., and Evangeline, G. 1953. Hydrology of the Malampuzha river with reference to the development of fisheries in the Malampuzha reservoir. *Ind. Commr. J. Madras.*, 8: 118 - 124.

Chakraborty, R.D., Roy, P., and Singh, S. B. 1959. A quantitative study of plankton and physico-chemical study of the river Jamuna at Allahabad in 1954 - 55. *Ind. J. Fish.*, 6 (1): 186 - 203.

Chakraborty, S. 1970. Some consideration on the evolution of physiography of Bengal. In A. B. Chatterjee, A. Gupta, and P. K. Mukhopadhyay (Eds.), *West Bengal*, Calcutta: K. L. Mukhopadhyay ,Geographical Institute, Presidency College.

Chakravarty, S. 1998. East Calcutta Wetlands - Its Significance, Presentation, Protection and Development, *Meenbarta*, Calcutta: Department of Fishery, Government of West Bengal.

Chakravarty, S. 1992. Sustainability: The Concept and its Economic Application in the Context of India. In Anil Agarwal (Ed.), *The Price of Forests*. New Delhi: Center for Science and Environment.

Chandrasekar, S. and Jayabalan, N. 1993. Haematological responses of the common carp, *Cyprinus carpio* L. exposed to the pesticide endosulfan. *Asian Fisheries Science*. 8: 331-340.

Chatterjee, C. and Razuddin, M 2002. Determination of Water Quality Index (W.Q.I.) of a degraded river in Asanil Industrial area, Ranigunj, Burdwan, West Bengal, *Nature, Environment and Pollution Technology*, 1 (12): 181-189

Chatterjee, P.R. ,and Razi-ud-din, M. 2003. Analysis of physicochemical parameters of locotank, a reservoir in Asansol town, West Bengal. *Nat. Env. Polln. Techno.*2(2): 171 - 172.

Chattopadhyay, B., Gupta, R., Chatterjee, A., and Mukhopadhyay, S.K. 1999. Characterisation and ecotoxicity of tannery wastes envisaging environmental impact assessment, *J.Amer.Leather Chem. Assoc.*, 94 (9): 337-346.

Ph.D. Thesis
Guchhait S.

Chattopadhyay, B., Chatterjee, S., and Mukhopadhyay, S.K. 2004. Seasonality in Physico Chemical Parameters of Tannery Waste water Passing Through The East Calcutta Wetland Ecosystem. *J. Soc. Leather Technol. Chem.*, 88: 27-36.

Ciannelli, L., Brodeur, R.D., Swartzman, G.L., and Salo, S. 2002. Physical and biological factors influencing the spatial distribution of age-0 walleye Pollock (*Theragra chalcogramma*) around the Pribilof Islands, Bering Sea. *Deep-Sea Research II* 49:6109-6126.

Clair, T. A., Sayer, B.G., Kramer, J.R. , and Eaton, D.R. 1996. Seasonal variation in the composition of aquatic organic matter in some Nova Scotian brown waters : A nuclear resonance approach. *Hydrobiologia*. 317(2): 141 - 150.

Clarke, W. 1865. Report of the project of The Salt Lake Reclamation & Irrigation Company Limited. In *Selections from the Records of the Bengal Government (containing papers from 1865-1904)*, Calcutta, India.

CMDA (Calcutta Metropolitan Development Authority) 1996. *Environmental Improvement for Calcutta - A Sustaining Calcutta Present Status Report of the Urban People's Environment*.

CMDA 1992. *Calcutta Slum Improvement Project Report (1991-1992)*. Kolkata, Calcutta Metropolitan Development Authority.

CMDA 1976. *Area Development Strategy for Salt Lake Township*. Directorate of Planning, Calcutta.

CMG 1945. Some facts about Calcutta drainage. In A. Home (ed.), *The Calcutta Municipal Gazette: Official organ of the Corporation*, Central Municipal Office, Calcutta, India, 42(7).

CMWS and S.A 1996. *Sustaining Calcutta, Present Status Report of the Urban People's Environment*, Calcutta Metropolitan Water and Sanitation Authority, Kolkata.

CMWS and S.A. 1996. *Dumping Ground Agriculture in Calcutta Metropolitan Area*. Metropolitan Water and Sanitation Authority, Kolkata.

Conservation Assessment and Management Plan, CAMP. 2010. *Report Freshwater fishes of the India*, National Bureau fish Genetic Resources, Lucknow and Zoo Outreach Organization Coimbatore, 25.

Cook, C.D.K. 1996. *Aquatic and Wetlands Plants of India*. Oxford University Press.

Copsey, J.A., Rajaonarison, L.H., Randriamihamina ,R., and Rakotoniaina, L.J. 2009. Voices from the Marsh: Livelihood Concerns of Fishers and Rice Cultivators in the Alaotra Wetland, *Madagascar Conservation & Development* 4(1).

Costanza, R., d'Agre, R.,m Groot, R. de, Farber, S., Grasso, M., Hannon, B., Limbujrg, K., Naeem, S.O., Neill, R. V., Paruelo, J., Raskin, R. G., Sutton P., and Belt, M. van den 1997. The Value of the World's Ecosystem Services and Natural Capital, *Nature* 387.

Craft, C. B. 1997. Dynamics of nitrogen and phosphorus retention during wetland ecosystem succession. *Wetlan. Ecol. Manage.* , 4(3): 177 -187.

Creative Research Group 1997. *Base Line Document for Management Action Plan* (as per Ramsar Convention Guidelines)

Creed, J.T., and Martin, T.D. 1997. Determination of trace elements in marine waters by stabilized temperature graphite furnace atomic absorption. EPA 200.12 National exposure research laboratory office of research and development, Cincinnati, OH: US EPA

Cubillos, L.A., Paramo, J., Ruiz, P., Nunez, S., and Sepulveda, A. 2008. The spatial structure of the oceanic spawning of jack mackerel (*Trachurus murphyi*) off central Chile (1998-2001). *Fisheries Research*, 90:261-270.

Cude, C. G. 2001. Oregon Water Quality Index: A Tool for evaluating water quality management effectiveness. *J. of the Am. Water Resources Assco.* 37(1): 125-137

Cyriac, P.J, Anthony, and Nambisan, P.N.K. 1989. Hemoglobin and haematocrit values in the fish *Oreochromis mossambicus* (Peters) after short term exposure to copper and mercury. *Bull. Environ. Contam. Toxicol.* 43: 315-320.

D' Angelo, E. M. and Reddy, K. R. 1994. Diagenesis of organic matter in a wetland receiving hypereutrophic lake water: I. distribution of dissolved nutrients in the soil and water column. *J. Environ. Qual.* 23 (5): 928 – 936.

D'Amours, D. 1993. The distribution of cod (*Gadus morhua*) in relation to temperature and oxygen levels in the Gulf of St. Lawrence. *Fisheries Oceanography* 2:24-29.

Daniels, R. 2002. *Freshwater Fish of Peninsular India*. Hyderabad: University Press.

Das, N. K. and Sinha, R. K. 1994. Pollution status of river Ganga at Patna (Bihar), India. *J. Freshwater Biol.* 6(2): 159 – 164.

Das, P.C., Ayyappan, S. and Jena, J. K. 2006. Haematological changes in the three Indian major carps, *Catla catla* (Hamilton), *Labeo rohita* (Hamilton) and *Cirrhinus mrigala* (Hamilton) exposed to acidic and alkaline water pH. *Aquaculture*. 256: 80–87.

Dasgupta, P. 2002. *Economic Development, Environmental Degradation, and the Persistence of Deprivation in Poor Countries*, World Bank, May.

Dasgupta, R. 1973. Contribution of botany of a portion of Salt Lakes, West Bengal, *Ind.Mus. Bull.* 1.

David, A. 1959. 'Effect of Calcutta sewage upon the fisheries of the Kulti estuary and connected cultivable fisheries', *Journal of Asiatic Society (Bengal)* 1(4).

David, A. and Ray, P. 1966. Studies on the pollution of river Daha (North Bihar) by sugar and distillery water. *Environ. Hlth.* 8(1): 6 – 35.

Day, F. 1878. *The Fishes of India being a natural history of the fishes known to inhabit the sea and freshwater of India, Burma and Ceylon*. London: William Dawson.

Ph.D. Thesis
Guchhait S.

De, M., Bhunia, S., and Sengupta, T., 1989. A preliminary account of major wetland fauna of Calcutta and surroundings, *Ecology*, 3(9).

Deb, S. C., and Santra, S. C., 1996. Bio-accumulation of metals in sewage fed aquatic system - a case study from Calcutta (India), *International Journal of Environmental Studies*.

Deb, S. C., Das, K. K., and Santra, S. C., 1996. Studies on the productivity of sewage-fed ecosystem, *Journal of Environmental Protection*, 12.

Debels, P., Figueroa, R., Urrutia, R., Barra, R., and Niell, X., 2005. Evaluation of water quality in the Chilla'n River (Central Chile) using physicochemical parameters and a modified water quality index, *Environmental Monitoring and Assessment*, 110: 301-322.

DEC a 1945. History of the Gangetic Delta, Appendix 1 a, *Report of the committee to inquire into the drainage conditions of Calcutta and adjoining area*, Drainage Enquiry Committee, Government of Bengal, Calcutta, India.

DECd 1945. *Summary of the Report of Dr. S.L. Hora, Directorate of Fishery Development cum Mosquito Control Scheme for the Reclamation of Salt Lake*.

Department of Fisheries 1983. *Report on study of heavy metal in sewage-fed fisheries*, Department of Fisheries, Government of West Bengal.

Detenbeck, N. E., Taylor, D. L., Lima, A. and Hagley, C. 1996. Temporal and spatial variability in water quality of wetlands in the Minneapolis / St. Paul, MN

metropolitan area: Implications for monitoring strategies and designs. *Environ. Monit. Assess.* 40(1): 11 - 40.

Deuti, K. 2000. The Baikal Teal and its incidence in west Bengal. *Twilight.* 2(2-3): 48 - 50.

Deuti, K., Halder, A., Das, A. and Biswas, D. K. 1998. Baikal Teal at Tilpara Barrage, West Bengal. *Bird Watchers.* 38(1): 11 - 12.

Devi Prasad, A.G., Venkataramana , G. V. and Thomas, M. 2009. Fish diversity and its conservation in major wetlands of Mysore. *Journal of Environmental Biology.* 30(5) 713-718.

Dheer, J.M.S. 1988. Haematological, haemopoietic and biochemical responses to thermal stress in an air breathing fresh water fish, *Channa punctatus* Bloch. *J. Fish Biol.* 32: 197-206.

Dheer, J.M.S., Dheer, T.R. & Mahajan, C.L. 1986. Haematological and hemopoietic response to sodium chloride stress in a fresh water air breathing fish, *Channa punctatus* (Bloch). *J. Fish Biol.* 28: 119-128.

Dick, P. T. and Dixon, D. G. 1985. Changes in circulating blood cell levels of rainbow trout, *Salmo gairdneri* Richardson, following acute and chronic exposure to copper. *f. Fish Biol.* 26: 475-484.

Dixon, J. and Sherman, P. B. 1990. *Economics of Protected Areas: Approaches and Applications*, Washington D.C.: East-West Center

Dobsikova, R., Blahova, J., Modra, H., Skoric, M. and Svobodova, Z. 2011. The effect of acute exposure to herbicide Gardoprim Plus Gold 500 SC on haematological and biochemical indicators and histopathological changes in common carp (*Cyprinus carpio* L.). *ACTA VET. BRNO*. 80: 359-363.

DOE 1999. Development and Management of the Calcutta canal systems and wetlands, *Report of the committee constituted by the Department of Environment, Government of West Bengal*.

Dortch, M. S. 1996. Removal of solids, nitrogen and phosphorus in the Cache River wetland. *Wetlands*. 16(3): 358 - 365.

Douglas, J. S. 1972. *Beginner's guide to applied ecology*, London: Pelham Books.

Dutta-Mukherjee, M. 1999. An Economic Evaluation of The East Calcutta. In Goutam Gupta & Jayashree Roy(Eds.), *Allaed*, Calcutta.

Easley, W. S., Barness-Walz, L. E., Neichter, Pp. L. and Bohannon, J. A. 1994. Evaluation of water quality in Taylorsville lake, Eentucky, using the CE-Qual-W2 model. *Lake Reserv. Manage.* 9 (2): 71 - 72.

Eddy, F.B., and Morgan, R. 1969. Some effects of carbondioxide on the blood of rainbow trout (*Salmo gairdneri*). *J. Fsh Biol.* 1: 361-372.

Edmondson, W. T. 1966. Changes in the oxygen deficit of Lake Washington. *Verh. Int. Verein. Limnol.* 16: 153 - 158.

Edmondson, W. T. 1970. Phosphorus, nitrogen and algae in Lake Washington after diversion of sewage. *Science*. 169: 690 – 691.

Ekins, P. 1972. *Beginner's guide to applied ecology*, London: Pelham Books.

Ekins, P. 1992. *A New World Order, Grassroot Movement for global change*, London: Routledge.

Ellis-k. E. 1981. Stress and the modulation of defence mechanisms in fish. In *Stress and Fish* (Edited by Pickering A. D.), pp.147-169. *Academic Press, London*.

England, J. M. and Walford, D. M. 1972. Reassessment of the reliability of haematocrit Brit. *J. Haematol.* 23: 247-253.

Enomato, Y. 1969. Some notes on the fluctuations of the immature leucocyte number in the blood of the cultured fish. *Bull. Tokai reg. Fish. Res. Lab.* 58: 191-201.

Environmental Systems Research Institute Ltd. 2004. ArcGIS version 9.3 ESRI Redlands, California.

Ergonul, M.B., Atasagun, S. and Kocaturk, K. 2012. Alterations in the hematological and biochemical parameters and plasma ion concentrations of common carp, (*Cyprinus carpio* L., 1758) after short term exposure to sub-lethal concentrations of lead. *Kafkas Univ Vet Fak Derg.* **18** (2): 297-302.

Ph.D. Thesis
Guchhait S.

Farber, S., and Costanza, R. 1987. The economic value of wetland systems, *Journal of Environmental Management*, 24.

Fink, N.E. and Salibian, A. 2005. Toxicological studies in adult amphibians: effects of lead. *Appl. Herpetol.* 2 (3): 311-333.

Finlayson, C. and Rea, N. 1999. Reasons for the Loss and Degradation of Australian Wetlands, *Wetlands Ecology and Management* 7(1): 1-11.

Forbes, S. A. 1887. The lake as a microcosm. *Bull Peoria (III) Sc. Assoc. Reprinted in Bull. III. Nat. Hist. Surv.* 15: 537 – 550(1925).

Forel, F. A. 1904. Le Lemane: Monographie Limnologique. Tom III. *Biologie, Historie, Navigation, Peche*, p.715., F. Rouge, (Reprinted Geneve, Slatkine Reprints, 1969).

Franco, A., Malavasi, S., Zucchetta, M., Franzoi, P. and Torricelli, P. 2006. Environmental influences on fish assemblage in the Venice Lagoon, Italy. *Chemistry and Ecology* 22:S105-S118.

Freeman, C., Lock, M. A. and Reynolds, B. 1993. Climatic change and the release of immobilized nutrients from Welsh riparian wetland soils. *Ecol. Eng.* 2(4): 367 – 373.

Furedy, C. 1987. From waste land to waste - not land: the role of the Salt Lakes, East Calcutta, in waste treatment and recycling, 1845-1930. *The Urban Experience*. Calcutta, India: Riddhi. pp. 145-153

Ganapati, S. V. 1940. The ecology of the temple tank containing a permanent bloom of algae. *J. Bom. Nat. Hist. Soc.* 42: 65 – 77.

Ganapati, S. V. 1957. Limnological studies of two upland waters in Madras State. *Arch. Hydrobiologia.* 56: 30 – 61.

Ganapati, S.V. and Sreenivasan 1970. Aspects of Limnobiology, Primary production and fisheries in the Stanley reservoir, Madras city. *Hydrobiologia*, 32(3&4): 551-559

Garcia-Lopez, V., RosasVazquez, C. and BritoPerez, R. 2006. Effects of salinity on physiological conditions in juvenile common snook, *Centropomus undecimalis*. *Comparative Biochemistry and Physiology. Part A: Molecular and Integrative Physiology* 145(3):340-345.

Garibaldi, L. and Caddy , J.F. 1998. Biogeographic characterization of Mediterranean and Black Seas faunal provinces using GIS procedures. *Ocean and Coastal Management* 39:211-227.

George, M. G. 1962. Diurnal variations in two shallow ponds in Delhi, India. *Hydrobiologia.* 18: 265 – 273.

Ghosh, D. and Sen, S. 1987. Ecological history of Calcutta's wetland conversion. *Environmental Conservation* 14: 219-226.

Ghosh, A. K. and Chattopadhyay, S. 1990. Biological resources of Brace Bridge wetlands. *Ind. J. Landsc. Syst. Ecol. Stud.* 13(2): 189 – 207.

Ph.D. Thesis
Guchhait S.

Ghosh, A. K. and Chattopadhyay, S. 1994. Biological resources of peri urban wetlands: Santragachi Jheel, Howrah district, West Bengal. *Ind. J. Landsc. Syst. Ecol. Stud.* 17(1): 1 - 7.

Ghosh, A.K. 1990. Biological Resources of Wetlands of East Calcutta, *Indian Journal, Landscape and Ecological Studies*, 13: 10-23.

Ghosh, A. 1997. *Management of East Calcutta Wetlands and Canal System*, Dept. of Environment, Govt. of West Bengal (Unpublished).

Ghosh, D. 1978. *Ecological Study of Some selected Urban and Semi-urban Centers of West Bengal and suggesting certain controls of the Ecosystem* (Ph. D. thesis, University of Calcutta).

Ghosh, D. 1985. *Dhapa Report: From Disposal Ground to WAR (Waste Area Resource) Field East Calcutta Wetland Project*, Department of Fisheries, Govt. of West Bengal.

Ghosh, D. and Sen, S. 1987. Ecological History of Calcutta's Wetland Conversion, *Environmental Conservation*, 17:270-279.

Ghosh, D., and Furedy, C. 1984. Resource Conserving Traditions and Waste Disposal: The Garbage Farms and Sewage-fed Fisheries of Calcutta, *Conservation and Recycling*, 7(2-4).

Ghosh, D., and Sen, S. 1987. Ecological History of Calcutta's Wetland Conservation, *Environmental Conservation*, 14(3).

Ph.D. Thesis
Guchhait S.

Ghosh, M. K. and Banerjee, S. 1996. Macrobenthic faunal diversity of two freshwater pisciculture ponds of West Bengal. *Proc. Zool. Soc. Calcutta*. 49(2): 171 – 192.

Ghosh, S. K. 2002. Reclamation and enhancement of biodiversity of the East Calcutta Wetlands, Project report prepared for British Council, Calcutta, implemented through WWF- India, West Bengal State Office.

Ghosh, S. K. 1994. Studies in the ecology of aquatic plant communities of West Bengal, India. (Ph.D. Thesis, Kalyani University, India).

Ghosh, S. K., and Ghosh, D. 2003. Community based rehabilitation of wetlands in WestBengal, India. In S. B. Ray et al. (ed.), *Contemporary Studies in Natural resource Management in India, Forest Studies Series*, New Delhi: Inter-India Publication.

Ghosh, S. K., and Ghosh, D. 2003. Rehabilitating Biodiversity: A community-based initiative in the East Calcutta Wetlands, A Communiqué published through WWF-India (W.B.S.O.), in collaboration with British Council Division, Kolkata.

Ghosh, S. K., and Santra, S.C. 1996. Domestic and Municipal Wastewater Treatment by Some Common Tropical Aquatic Macrophytes, *Indian Biologist*. 28 (1).

Ghosh, S.K., and Mitra, A. 1997. Flora and Fauna of East Calcutta Wetlands, Project report of Creative Research Group, East Calcutta Wetlands and Waste Recycling (Primary data), Environmental Improvement Programme, Calcutta Metropolitan Water and Sanitation Authority.

Ph.D. Thesis
Guchhait S.

Goel, P. K., Gopal, B. and Trivedi, R. 1980. Impact of sewage on freshwater ecosystems. II. Physico-chemical characteristics of water and their seasonal changes. *Int. J. ecol. Environ. Sci.* 6: 97 - 116.

Goldman, C. R. and Wetzel, R. G. 1963. A study of the primary productivity of Clear Lake, Lake County, California. *Ecology*. 44: 283 - 294.

Golovina, N.A. 1996. Morpho-functional characteristics of the blood of fish as objects of aquaculture. *Doctoral thesis*. Moscow: University of Moscow.

Golterman, H. L. and Qude, N. T. 1991. Eutrophication of lakes, rivers and coastal seas. In O. Hutzinger(Ed.), *The handbook of environmental chemistry* (5(A): 70 - 124). Berlin Heidelberg: Springer-Verlag.

Good R.E., Whigham, D. F., and Simpson, R.L.1978. *Freshwater Wetlands, Ecological Processes and Management Potential*, New York: Academic Press.

GoogleEarth. 2009. www.earth.google.com

Grafen, A. and Hails, R. 2002. *Modern statistics for the life sciences*. Oxford, NY : Oxford University Press.

Green H., Hunder, C. and Moore, B. 1990. Application of the Delphi Technique in Tourism, *Annals of Tourism Research*, 17:270-279

Gregory, P. and Mattingly, M. 2009. Goodbye to Natural Resource-Based Livelihoods? Crossing the rural/urban Divide, *Local Environment* 14(9): 879-890.

Griffiths, M. N. and Southey, C. 1995. The Opportunity Costs of Bio diversity in Kenya, *Ecological Economics* 12(2):125-139

Gulati, R. C. 1964. *Lakes and reservoirs of Northern India* (Doctoral thesis, Delhi University, India) pp. 64 - 87.

Gupta, M. C. and Sharma, L. L. 1994. Seasonal variation in selected limnology-chemical parameters of Amarchand reservoir, Southern Rajasthan. *Poll.Res.* 13(2): 217 - 226.

Guruprasad, B. 2003. Evaluation of water quality in Tadepalli mandal of Guntur district, A.P. *Natur. Env. Poll Techno.* 2(3): 273 - 276.

Gutierrez, N. and Defeo, O. 2003. Development of a new scallop *Zygochlamys patagonica* fishery in Uruguay: latitudinal and bathymetric patterns in biomass and population structure. *Fisheries Research* 52:21-36.

Hagen, E. F. 1962. *On the Theory of Social Change*, Chicago: Dorsey

Hamilton, B. 1822. An account of fishes found in river Ganges and its beaches. A. Constable and Co., *Edinburgh*. PP 405.

Hardker, N., Sharma, S., David, A., Murlidharan, T.R., Geetha, S. and Babu, P.G. 1995. *Are People in Developing Countries Willing to Pay for Natural Reserve Preservation? Evidence from a CV of the Borivli National Park, Bombay*, Discussion Paper No. 121, IGIDR.

Ph.D. Thesis
Guchhait S.

Hargrave, B.T. 1972. A comparison of sediment oxygen uptake, hypolimnetic oxygen deficit and primary production, Lake Esrom, Denmark. *Verh. Int.Ver. Limnol.* 18: 134 - 139.

Harrison, J.D. 2004. Physico-chemical characteristics of South African estuaries in relation to the zoogeography of the region. *Estuarine, Coastal and Shelf Science.* 61:73-87.

Hasler, A. D. 1947. Eutrophication of lake by domestic drainage. *Ecology.* 28: 288 - 295.

Heath, A.G.1995. Water pollution and Fish Physiology. CRC Press, NC. Florida, USA. PP.270.

Hemasundaram, A., Dhanalakshmi, K., Prasad, B. and Naidu, N.V.S. 2003. Assessment of water quality with regard to surfactants in pilgrim town - a case study of Tirupati. *Ultr. Scient. Phyl. Sci.* 15(2): 189 - 194.

Heywood, V. 1995. *Global Biodiversity Assessment*, Cambridge: Cambridge University Press.

Holling, C. S., Schindler, D.W., Walker, B.W., and Roughgarden, J.1955. Biodiversity in the functioning of the ecosystem, an ecological synthesis In Parings et al (Eds.), *Biodiversity Loss, Economic and Ecological issues*, Cambridge: Cambridge University Press.

Ph.D. Thesis
Guchhait S.

House, M. A. 1989. A Water quality index for river management. *J. Inst. Water Environ. Manage.* 3, 336-344.

Hrubec, T.C., Robertson, J.L. and Smith, S.A. 1997. Effect of temperature haematologic and serum biochemical profiles of hybrid striped bass. *Am. J Vet. Res.* 58 (2): 126-130.

Hussain, S. A., Mohapatra, K. K. and Ali, S. 1984. Avifaunal profile of Chilka Lake: A case for conservation. *Tech. Rep. Bom. Nat. Hist. Soc.* PP 46.

Hutchinson, G. E. 1937a. Limnological studies in Indian Tibet. *Int. Rev. ges. Hydrobiologia.* 35: 134 – 177.

Indian Statistical Institute 1992. Level of Learning among School Children.

Institute for Wetland Management and Ecological Design 1997. *A study on the status of sewage of Calcutta as carrier of pollutants, nutrients and sediments*, Report submitted to the West Bengal Pollution Control Board, Calcutta.

Irrigation and Waterways Directorate 1959. *Final Report of the West Bengal Flood Enquiry Committee*, Government of West Bengal, Irrigation and Waterways Department, Calcutta.

ISI 2001. *Report on Environmental Conservation and Valuation of East Calcutta Wetlands 999-2000*, World Bank aided 'India Environmental Capacity Building' Technical Assistance Project.

Ph.D. Thesis
Guchhait S.

IWMED, 1984. Waste Recycling Region for Calcutta, November 1984.

IWMED, 1986. Growing Vegetables on Garbage: A Village based Experience of City Waste Recycling: IWMED, Calcutta.

IWMED, 1995. Integrated Study on Wetlands Conservation and Urban Growth: A Case of Calcutta Wetlands.

IWMED, 1997. A Study on the Status of the Sewage of Calcutta as Carrier of Pollutants, Nutrients and Sediments

Jakher, G. R. and Rawat, M. 2003. Correlation of nitrate and most probable number for sewage-fed pond, Gulab Sagar at Jodhpur city. *Oikoassay*. 16(1): 13 - 14.

James, A.J. and Murty, M.N. 1999. Measuring Non-User Benefits from Cleaning Ganges, *Institute of Economic Growth*, Delhi University (Working Series No. E/202/99).

Jana, B. B., Banerjee, R. D., Guterstam, B., and Heeb, J. 2000. *Waste recycling and resource management in the developing world*, Kalyani, University of Kalyani, and Wolhusen, International Ecological Engineering Society, PP. 71-77.

Jayaram, K.C. 1999. *The Freshwater fishes of the Indian region*. New Delhi : Narendra Publishing House. PP. 475.

Jayaram, K.C. 1981. *The freshwater Fishes of India, A Handbook*. Calcutta: Zoological Survey of India, PP. 116-131.

Johansson-Sjoberg, M. L., Clem, L. W. and Ezzat, A. A. 1978. Haematological effects of cortisol in the European eel, (*Anguilla Anguilla*). *Comparative Biochemistry and Physiology*. 60: 165 – 168.

Johansson-Sjoberg, M.L. and Larsson, A. 1978. The effect of cadmium on the hematology and on the activity of delta-amino levulinic acid dehydratase (ALA-D) in blood and hematopoietic tissues of the flounder, *Platichthys flesus* (L.). *Environ. Res.* 17: 191-204.

Jonawitz, M. 1968. (ed.)The Study of Mass Communication. In D.E. Sills (Ed.), *International Encyclopedia of the Social Sciences*, 3(41), New York: Macmillan and Free Press

Jothimani, P. and Bhaskaran, A. 2003. Effects of dilution and dynamics of physical factors during factory effluent irrigation. *J. Ecotoxicol. Environ. Monit.* 12(4): 255 – 261.

Kajak, Z. 1979. Eutrofizacja jezior (Eutrophication of lakes). *Warszawa*, PWN. PP.233.

Kannel, P. R., Lee, S., Lee, Y. S., Kanel, S. R., and Khan, S. P., (2007), Application of water quality indices and dissolved oxygen as indicators for river water classification and urban impact assessment, *Environmental Monitoring and Assessment*, 132:93–110.

Kaplowitz, M.D. 2000. Identifying Ecosystem Services using Multiple Methods: Lessons from the Mangrove Wetlands of Yucatan, Mexico, *Agriculture and Human Values* 17(2): 169-179.

Kartha, K. V. and Rao, K. S. 1992. Environmental status of Gandhisagar reservoir. *Fish. Technol.* 29 (1): 14 - 20.

Kazee, T.A. 1981. Television Exposure and Attitude Change: The Impact of Political Interest, *Public Opinion Quarterly*, 45, 4, pp. 507-518

Kennish, M.J. 1990 *Ecology of Estuaries Volume II Biological Aspects*. Florida: CRC Press, Inc., Boca Raton.

Khan, A. A., Paterson, R. & Khan, H., 2003. Modification and Application of the CCME WQI for the Communication of Drinking Water Quality Data in Newfoundland and Labrador, Presented at 38th, Central Symposium on Water Quality Research, Canadian Association on Water Quality 10-11 February 2003, Burlington, Canada.

Khatavkar, S.D., Kulkarni, A. Y. and Goel, P. K. 1989. Limnological study on two benthic freshwater bodies at kolhpur with special references to pollution. *Ind. J. Environ. Prot.* 9(3): 198 - 203.

Khedkar, K. K. and Dixit, A. J. 2003. Physico-chemical analysis of domestic wastewater of Amaravati (Maharashtra). *J. Aquat. Biol.* 18(1): 69 - 72.

King, D. L. 1970. The role of carbon in eutrophication. *J. Wat. Pollu. Cont. Fed.* 42: 2035 - 2051.

Kolkata Metropolitan Development Authority (KMDA) 2005. *Vision-2025*, Rep. Ch II 11, 15, 18-22

Koenigsberger, O.H. 1976. The Absorption of Newcomers in the Cities of the Third World, ODI Review

Kolstad, C. D., and Guzman, R. 1999. Information and the divergence between willingness- to-pay, *Environ.Econ.Mgmt.*

Kormondy, E.J.1974. *Concepts of Ecology*, New Delhi: Prentice Hall of India.

Krishnaya, C. G. H. and Laal, A. K. 1990. Eutrophication, its causes and consequences with particular reference to Kolleru Lake. In V.P. Agarwal and P. Das (Eds.) *Recent Trends in Limnology*. PP. 145 - 149.

Krutilla, J.V. 1967. Conservation Reconsideration, *American Economic Review*, 57(40), 777-86.

Kumar, A. 1995. Some limnological aspect of the fresh water tropical wetlands of Santhal Pargana (Bihar) India. *J. Environ. Poll.* 2(3): 137 - 141.

Kumar, D. 2001. Fish productivity of ecologically different ponds with reference to carps and air breathing fishes. *J. Inland Fish. Soc. India*, 33, 8-16

Kumar, S., Lata, S. and Gopal, K. 1999. Deltamethrin Induced Physiological Changes in Freshwater Cat Fish *Heteropneustes fossilis*. *Bull. Environ. Contam. Toxicol.* 62: 254-258

Kumar, V. V. and Choudhury, B. C. 1994. A report on waterfowl study in Manjira Wildlife Sanctuary, Andhra Pradesh, India and its implication in long-term management of this sanctuary. *Pavo*. 32(1-2): 47 – 57.

Kundu, N., 1994. *Planning the Metropolis, a Public Policy Perspective*. Calcutta, India: Minerva Associates Ltd.

Kundu, N., Pal, M. and Saha, S. 2008. East Kolkata Wetlands: A resource Recovery system through productive activities. *Proceedings of Taal 2007: The 12th world Lake Conference*: 868-881.

Kundu, N.C. 1991. *Urban Development and Public Policy: A Study of East Calcutta* (Doctoral Thesis, Department of Political Science, University of Calcutta).

Kusler, J. 1999. Climate Change in Wetland Areas Part 11: Carbon Cycle Implications, Acclimations, Newsletter of the US National Assessment of the Potential Consequences of Climate Variability and Change

Larmoyeux, J. D., and Piper, R.G. 1973. Effects of water reuse on rainbow trout in hatcheries. *Progve. Fish Cult.* 35: 2-8.

Larson, J.S. 1976. *Models for Assessment of Freshwater Wetlands, USA*: Water Resources Research Centre, University of Massachusetts, Amherst. Publication no. 32, completion report FY 76-5.

Ph.D. Thesis
Guchhait S.

Lerner, D. 1958. *The Passing of Traditional Society: Modernizing the Middle East*, Glencoe: Illinois: Free Press

Leslie, J. 1838. *Treatise on various subjects of natural and chemical philosophy*. Edinburgh: Adam and Charles Black

Lewis, W.A. 1954. Economic Development with Unlimited Supply of Labour. *The Manchester School*, 28.

Likens, G. E. and Bormann, F. H. 1972. Nutrient cycling in ecosystems. In J. Wines (Ed.) *Ecosystem Structure and Function*. New Zealand: Oregon State Univ. Press. PP. 25 - 67.

Liou, S., Lo, S., Wang S. 2004. A generalized water quality index for Taiwan. *Environ. Monitor. Assess.* 96, 35-52

Lloyd, C.D. and Atkinson, P.M. 2004. Increased accuracy of geostatistical prediction of nitrogen dioxide in the United Kingdom with secondary data. *International Journal of Applied Earth Observation and Geoinformation* 5:293-305.

Lookman, R., Vandeweert, N., Merckx, R., and Vlassak, K. 1995. Geostatistical assessment of the regional distribution of phosphate sorption capacity parameters (Fe ox and Al ox) in northern Belgium. *Geoderma* 66:285-296.

Lowery, S.A. , DeFleur, M.L. 1988. *Milestones in Mass Communication Research: Media Effects*, New York and London: Longman

Ph.D. Thesis
Guchhait S.

Lumb, A., Halliwell, D. and Sharma, T., (2002), Canadian Water Quality Index to Monitor the Changes in Water Quality in the Mackenzie River–Great Bear. In: Proceedings of the 29th Annual Aquatic Toxicity Workshop, (Oct. 21–23), Whistler, B.C., Canada.

Luskova, V. 1997. Animal cycles and normal values of haematological parameters in fishes. *Acta.Sci. Nat.Brno*.31 (5):70

Maes, J., van Damme, P.A., Taillieu, A. and Ollevier, F. 1998. Fish communities along an oxygen-poor salinity gradient (Zeeschelde Estuary, Belgium). *Journal of Fish Biology* 52:534:546.

Maes, J., van Damme, P.A., Meire, P., and Ollevier, F. 2004. Statistical modeling of seasonal and environmental influences on the population dynamics of an estuarine fish community. *Marine Biology* 145:1033-1042.

Magnussen, E. 2002. Demersal fish assemblages of Faroe Bank: species composition, distribution, biomass spectrum and diversity. *Marine Ecology Progress Series* 238:211-225.

Magurran A E., McGill, B J 2011. *Biological Diversity: Frontiers in Measurement and Assessment*, USA: Oxford University Press, PP. 368

Ahmed, M. and Bhattacharya, N. 1972. Size Distribution of Per Capita Personal Income in India: 1956-57, 1960-61 and 1963-64, *Economic and Political Weekly*, Special Number, Vol. VII.

Maltby, E. 1986. *Waterlogged Wealth, International Institute of Environment and Development*, London: Earthscan.

Marshall, S. and Elliott, M. 1998. Environmental influences on the fish assemblage of the Humber Estuary, U.K. *Estuarine, Coastal and Shelf Science* 46:175-184.

Martinez, C.B.R. and Souza, M.M. 2002. Acute effects of nitrite on ion regulation in to neotropical fish species. *Comp Biochem Physiol* 133: 151-160.

Martinez, F.J., Garcia-Riera, M.P., Ganteras, M., De-Costa, J. and Zamora, S. 1994. Blood parameters in rainbow trout (*Oncorhynchus mykiss*): Simultaneous influence of various factors. *Comparative Biochemistry and Physiology Part A :Physiology*.107(1) : 95-100.

Martino, E.J. and Able, K.W. 2003. Fish assemblages across the marine to low salinity transition zone of a temperate estuary. *Estuarine, Coastal and Shelf Science* 56:969-987.

Mathew, P.M., Singh, B.K. and Chakraborty, D.P. 1979: Stocking of fry in composite fish culture. *Symposium on Inland Aquaculture*, CIFRI, Barrackpore. PP. 1-44.

Matkovics, B., Witas, H.O. *et al.*, 1981. Paraquat as an agent affecting antioxidant enzymes of Common carp erythrocytes. *Comp. Biochem. Physiol.* 87C: 217-219.

Matthews, K.R. 1990. An experimental study of the habitat preferences and movement patterns of Copper, quillback, and brown rockfish (*Sebastes* spp.). *Environmental Biology Fishes* 29:161-178.

Mazur, O.E., Pronin, N. M. and Garmaeva, S. G. 2008. Heavy Metal Content and Response of the Blood System of Siberian Dace *Leuciscus leuciscus baicalensis*(Cypriniformes, Cyprinidae) under Anthropogenic Impact. *Journal of Ichthyology*. 48 (6): 469–475.

McDonald, R. 2004. Television, Materialism and Culture: An Exploration of Imported Media and its Implications for GNH, *Journal of Bhutan Studies*, 11: 68-88

McLuhan, M. 1964. *Understanding Media - The Extension of Man*, London and New York: Ark Paperbacks

Mehra, N. K. 1986. Studies on primary productivity in a subtropical lake: Comparison between experimental and periodicity values. *Indian J. Exp. Biol.* 24: 189 - 192.

Menon A.G.K. 1991. Checklist- Freshwater fishes of the India. *Record of Zoological Survey of India Occasional*.175:1-135.

Michael, P. 1984. *Ecological methods for field and laboratory investigations*. New Delhi: Tata - McGraw Hill Pub. Com. Ltd., PP 1 - 404.

Mikryakov, V. R. and Lapirova, T. B. 1997. Influence of Salts of Some Heavy Metals on the Differential Blood Count in Juvenile *Acipenser baeri* Brandt," *Vopr. Ikhtiol.* 37 (4): 538–542.

Ph.D. Thesis
Guchhait S.

Milwain, M., Little, D.C., Kundu, N. and Immink, A.J., 2002. Overview of fish seed production and distribution in West Bengal, India. Stirling, UK: Institute of Aquaculture, University of Stirling and Kolkata. *India: Institute of Wetland Management and Ecological Design [Working Paper]*.

Mishra, A.1993. *Aj Bhi Khare Hai Talab*, New Delhi: Paryavayaran Kaksh, Gandhi Santi Pratisthan.

Mishra, S. and Srivastava, A. K. 1979. Hematology as Index of Sublethal Toxicity of Zinc in a Freshwater Teleost. *Bull. Environ. Contam. Toxicol.* 22: 695–698

Mishra, S. and Srivastava, A. K. 1980. The acute toxic effects of copper on the blood of a teleost. *Ecotoxicol. Environ. Safety.* 4: 191-194.

Mitchell, B.1979. *Geography and Resource Analysis*, London:Longman.

Mitchell, M. K. and Stapp, W.B. 1996. Field Manual for Water Quality Monitoring: An Environmental Educational Program for Schools, *Thomson-Shore, Inc., Dextor, MI*, PP. 277

Mitsch. W.J., and Gosselink, J. G. 1986. *Wetlands*, New York: Van Nostrand Reinhold Company.

Modesto, K.A. and Martinez, C. B. R. 2010. Effects of roundup transorb on fish: Hematology, antioxidant defences and acetylcholinesterase activity. *Chemosphere.* 81: 781–787.

Moller, H. and Scholz, U. 2007. Avoidance of oxygen-poor zones by fish in the Elbe River. *Journal of Applied Ichthyology* 7:176-182.

Monkhouse, F.J., and Wilkinson, H.R.1976. *Maps and Diagrams: Their Compilation and Construction*, London: Methuen & Co. Ltd.

Moore, B. C., Funk, W. H. and Anderson, E. 1994. Water quality, fishery and biologic characteristics in a shallow, eutrophic lake with dense macrophyte populations. *Lake Reservoir Manage.* 8(2): 175 – 188.

Motwani, M. P., Banerjee, S., Karamchandani, S.J. 1956. Some observations on the pollution of the river Sone by the factory effluents of Rohtas Industries at Dalmianagar (Bihar). *Indian J. Fish.* 3: 334 – 337.

Moyle, P.B. and Cech, J.J.(Jr.), 1988. *Fishes: An Introduction to Ichthyology*, 2nd ed., New York: Prentice Hall, Englewood Cliffs.

Muddanna, V. 1971. Freshwater fishes of Mysore state, their vernacular name, distribution, growth, breeding and fishery. *Univ. Agric. Sci., Res. Series*, Bangalore, India.

Mukherjee, A. 1975. Food habits of waterbirds of the Sundarban, 24 Pgs., W.B., India. *J. Bom. Nat. Hist. soc.* 72(2): 422 – 499.

Mukherjee, A. 1976. Food habits of waterbirds of the Sundarban, 24 Pgs., W.B., India. *J. Bom. Nat. Hist. soc.* 72(2): 482 – 486.

Mukherjee, A. 1998. Fisheries in Eastern Calcutta: An Economic Study. *In West Bengal a Social and Economic Profile*, Institute for Studies in Social and Economic Development, Calcutta.

Mukherjee, D.P., Kumar, B., and Saha, R.2005. *Performance of Sewage – Ponds in Treating Wastewater* (unpublished report), Central Pollution Control Board, Eastern Regional Office, Kolkata.

Mukherjee, M., Pal, S. and Nandi, N. C. 2000. The macro invertebrate diversity of some urban wetlands of Calcutta. In A. K. Aditya and P. Haldar (Eds.) *Diversity and Environment* , New Delhi: Daya Publishing House, PP. 165 – 169.

Muley, D.V., Karanjkar, D.M. and Maske, S.V. 2007. Impact of industrial effluent on biochemical composition of fresh water fish (*Labeo rohita*). *J. Environ Biol.* 28:245-249

Mulholland, P. J., Best, G. R., Coutant, C. C., Hornberger, G. M. and Wtzel, R. G. 1997. Effect of climate change on freshwater ecosystems of the South-eastern United States and the Gulf Coast of Mexico. 1994. *Freshwat. Ecosys. Climat. Chang.* 11 (8): 949 – 970.

Munawar, M. 1970. Limnological studies on freshwater ponds of Hyderabad, India. II. The biocenose distribution of unicellular and colonial phytoplankton in polluted and unpolluted environments. *Hydrobiologia.* 36(1): 105 – 128.

Murad, A. and Mustafa, S. 1989. Ethological and haematological response of catfish, *Heteropneustes fossilis*, exposed to exogenous urea. *Japanese J. Ichthyol.* 36: 75-81.

Ph.D. Thesis
Guchhait S.

Myrdal, G. 1963. *Economic Theory and Underdeveloped Regions*. London: Duckworth

Nandi, N. C. and Das, S. R. 2003. Diversity and population density of macrozoobenthos and zooplankton of south 24-Parganas district, West Bengal. *J. Aquacult. Bio.* 18(1): 41 - 46.

Nandi, N. C. and Das, S. R., Bhunya, S. and Dasgupta, J. M. 1993. Wetland faunal resources of West Bengal. 1. North and South 24- Parganas District. *Rec. Zool. Surv. Ind. Occ. Pap.* 150: 1 - 50.

Narain, A.S. and Srivastava, P.N. 1989. Anemia in the freshwater teleost, *Heteropneustes fossilis*, under the stress of environmental pollution. *Bull-Environ. Contam. Toxicol.* 43: 310-314.

Naskar K.R, 1985. A short history and the present trends of brackishwater fish culture in paddy fields at the Kulti-Minakhan areas of Sunderbans in West Bengal. *Journal of the Indian Society of Coastal Agriculture Research*, 3(2): 115-124.

Nasiri, F., Maqsiid, I., Haunf, G. Fuller, N., 2007. Water quality index: a fuzzy river pollution decision support expert system. *J. Water Resou. Plan. Manage.* 133: 95-105.

National Sanitation Foundation International [NSF]. 2007.

Natarajan, V. 1991. Wintering waterbirds at Point Calimere, Tamil Nadu. *J. Bom. Nat. Hist. Soc.* 89: 316 - 328.

Nath, K.J. 1986. Solid Waste Management and Sanitation in Calcutta: Challenge of The Tercentenary. *In Calcutta's Urban Future*, 295-301, Govt. of West Bengal.

Negi, V. and Pant, M. C. 1983. Analysis of zooplankton community of lake Khurpatal (Kumaun Himalaya). *Trop. Ecol.* 24(2): 271 - 282.

Newman, M.C. and McIntosh, A.W. 1983. Lead elimination and size effects on accumulation by two freshwater gastropods. *Arch. Environ. Contam. Toxicol.*, 12: 25-59.

NEWS, 1998. *Wetlands and water birds of West Bengal*. Kolkata: Vision Publications Pvt. Ltd. PP. 1 - 199.

NIUA (National Institute of Urban Affairs), 1988. *State of India's Urbanization*. New Delhi, India: National Institute of Urban Affairs.

Norton- Griffiths, M. and Southey, C. 1995. The Opportunity Costs of Biodiversity Conservation in Kenya, *Ecological Economics* 12

Nounou, A.H., Soliman, M.M., Rizkalla, E.H. and Assad, M.N. 1997. Hematological and biochemical changes in *Clarias lazera* as a result of long term exposure to trial combination of lead, mercury and arsenic. *Egypt. J. Agric. Res.*, 75 (1) :247-270 .

Odum, E. P. 1971. *Fundamentals of Ecology* (3rd Ed.). W.B. Saunders, Philadelphia and London. PP. 574.

Ph.D. Thesis
Guchhait S.

Omorieg, E., Eseyin, T.G. and Ofojekwu, P.C. 1994. Chronic effects of formalin on erythrocyte counts and plasma glucose of Nile tilapia *Oreochromis niloticus*. *Asian Fisheries science*. 7: 1-6.

Osborne, P. L. and Totme, R. G. 1994. Long term impacts of sewage effluent disposal on a tropical wetland. In H.J. Bavor, and D. S. Mitchell (Eds.) *Wetlands Sys. in Water Pollut. Control*. 29 (4): 111 - 117.

Pal, D., and Dasgupta, C. K. 1982. Comparative Studies on the Bacterial Content in Fish Growth in Fish Water Pond and Sewage Fed Fisheries, Paper presented at VIIth All India Seminar on Ichthyology.

Pal, D., and Dasgupta, C. K. 1988. Interaction with fish and human pathogens, proceedings of National Symposium on *Fish and Their Environment*, Trivandrum.

Pal, S. 2000. *Studies on macrofaunal community associated with macrophytes in urban lake ecosystem of Calcutta*. (Ph.D. Thesis, Kalyani University, Kalyani (Unpublished)).

Palmer, G. L. 1950. The pollution effects of storm water overflows from combined sewers. *Sewage Indust. Wastes*. 22: 154 - 165.

Panayotou, T. 1990. *The Economics of Environmental Degradation: Problems, Causes and Responses*. Development Discussion Paper 335. Harvard Institute for International development, Cambridge, 133

Ph.D. Thesis
Guchhait S.

Panday, N. B., Chanchal, A. K., Singh, S. B., Prasad, S., Singh, M.P. 1979. Effect of some biocides on the blood and oxygen consumption of *Channa punctatus* (Bloch). *Proc. Symp. Environ. Biol.* 343-348.

Pant, M. C., Gupta, P.K., Pande, J., Sharma, P.C. and Sharma, A.P. 1981. Aspects of water pollution in lake Nainital, U.P. India. *Environ. Conserve.* 892): 113 - 117.

Pant, M. C., Sharma, A.P. and Sharma, P.C. 1980. Evidences for the increased eutrophication of Lake Nainital, as a result of human interference. *Environ. Poll. (Ser B)* 1: 149 - 161.

Park, K.S. and Shin, H.W. 2007. Studies on phyto-and-zooplankton composition and its relation to fish productivity in a west coast fish pond ecosystem. *J. Environ. Biol.*, 28, 415-422

Parma, M. J., Loteste, A., Campana, M. and Bacchetta, C. 2007. Changes of hematological parameters in *Prochilodus lineatus* (Pisces, Prochilodontidae) exposed to sublethal concentration of cypermethrin. *Journal of Environmental Biology.* 28(1): 147-149.

Paterson, A.W. and Whitfield, A.K. 2000a. The ichthyofauna associated with an intertidal creek and adjacent eelgrass beds in the Kariega estuary, South Africa. *Environmental Biology of Fishes* 58:145-156.

Paterson, A.W., and Whitfield, A.K. 2000b. Do shallow water habitats function as refugia for juvenile fishes? *Estuarine, Coastal and Shelf Science* 51:359-364.

Ph.D. Thesis
Guchhait S.

Pathak, S. and Shastree, N. K. 1993. Physicochemical status of the lentic hydrosphere of Rukmini and Visar Sarovar of Gaya, Bihar. *Environ. Ecol.* 11 (1): 57 – 66.

Patnaik, L. and Patra, A. K. 2006. Haematoopoietic alterations induced by Carbaryl in *Clarias batrachus* (LINN). *Journal of Applied Sciences & Environmental Management.* 10(3): 5- 7.

Patralekh, M. and Patralekh, L. N. 2004. Pollution load on some freshwater ecosystems. *Environ. Ecol.* 22(3): 527 – 533.

Pauly, D., Christensen, V., Dalsgaard, J., Froese, R. and Torres, F. (Jr.), 1998. Fishing down marine food webs. *Science* 279:860-863.

Pearce, D. W. 1990. An Economic Approach to Saving the Tropical Forests, *LEE Paper 90-96* London: International Institute of Environment and Development.

Pearce, D. W., and Turner R.K. 1990. *Economics of natural resources and the environment*, Baltimore: John Hopkins University Press.

Pearce, D. 1988. Economics, Equity and Sustainable Development, *Futures* 20(6): 598-605.

Pearce, D., Whittington, D. and Georgian, S. 1994. Economic Values and the Environment in the Developing World: A Report to the United Nations Environment Programme (UNEP) Nairobi. *Environmental Economics Series* 14.

Ph.D. Thesis
Guchhait S.

Pesce, S. F., Wunderlin, D.A., 2000. Use of water quality indices to verify the impact of Cordoba City (Argentina) on Suquia river. *Water Res.* 34:2915-2926

Petersen, R.E. and Thurstone, L.L. 1933. *Motion Pictures and the Social Attitudes of Children*, New York: The Macmillan Company Prasad, J.

Pieczynska, E., Sikorska, U. and Ozimek, T. 1975. The influence of domestic sewage on the littoral zone of lakes. *Pol. Arch. Hydrobiol.* 22: 141 - 156.

Prakash, V. 2000. Wintering in an oil refinery. *Hornbill*. PP. 4 - 8.

Prasad, S.N., Ramachandra, T.V. , Ahalya, N. , Sengupta, T. , Kumar, A. , Tiwari ,A.K. et al. 2002. Conservation of Wetlands of India- a Review, *Tropical Ecology* 43(1): 173-186.

Prashant, J. J., VasudevaRao, V. and Nagulu, V. 1994. Checklist of waterbirds in two different habitats in Nellore Dist., Andhra Pradesh. *Pavo*. 32(1-2): 63 - 66.

Qadri, M. Y. and Yusuf, A. R. 1978. Seasonal variation in the physico-chemical factors of a subtropical lake in Kashmir. *J. Inland Fish Soc. India*. 10: 89 - 96.

Radhakishnan, S. & Prasad, G. 1994. A unique hematological response of tilapia, *Oreochromis mossambicus* (Peters), to sublethal concentration of the insecticide, Ekalauk EC-25. *Proc. Indian Natn. Sci- Acad*, B. 60(6): 499-504.

Ramesh, M. and Saravanan, M. 2008. Haematological and biochemical responses in a fresh water fish, *Cyprinus carpio* exposed to chlorpyrifos. *International Journal Of Integrative Biology*.

Ramesh, M., Srinivasan, R. and Saravanan, M. 2009. Effect of atrazine (Herbicide) on blood parameters of common carp, *Cyprinus carpio* (Actinopterygii: Cypriniformes). *African Journal of Environmental Science and Technology*. 3 (12): 453-458.

Rai, H. 1974. Limnological studies on river Yamuna at Delhi, India. *Arch. Hydrobiologia*. 73: 363 - 392.

Rajagopal, K.V., Joseph, M.M. and James, P.S.R.B. 1978. A list of fishes of Karnataka. UAS Tech. Series. Univ. Agric. Sci., Bangalore, India

Rajyasree, M. & Perviz, A. D.1994. Sublethal urea effect to haematological indicators of fish, *Labeo rohita* fingerlings. *Geobios*. 21:140-144.

Ralio, E. & Nikinmaa, M. 1985. Effect of sampling on blood parameters in the rainbow trout, *Salmo gairdneri*. *j.Fish.Res.Bd.Can.*26: 725-732.

Ramana, P. V. and Sreeramulu, K. 1994. Some aspects of limnology and fishery of Vottigedda Reservoir in Andhra Pradesh. *J. Ecobiol.* 2: 81 - 88.

Ramesh, M. and Saravanan, M. 2008. Haematological and biochemical responses in a fresh water fish, *Cyprinus carpio* exposed to chlorpyrifos. *International Journal of Integrative Biology*.

Ph.D. Thesis
Guchhait S.

Ramesh, M., Srinivasan, R. and Saravanan, M. 2009. Effect of atrazine (Herbicide) on blood parameters of common carp, *Cyprinus carpio* (Actinopterygii: Cypriniformes). *African Journal of Environmental Science and Technology*. 3 (12): 453-458.

Ramkrishna, P.S. and Alfred, J.B.R. 2006. *Faunal Resource of India*, ZSI, Govt. of India. Kolkata

Rao, D. S. 2010. Carbaryl induced changes in the haematological, serum biochemical and immunological responses of common carp, *Cyprinus carpio*, (L.) with special emphasis on herbal extracts as immunomodulators. *Ph. D. Thesis, Andhra University, India*. p. 235.

Reash, R.J. and Van Hassel, J.H., Freshw, J. 1988. *Ecol.* 4 459-476

Reddy, R. C., Kelkar, P. S., Rao, R. R. and Pande, S. P. 2002. Eutrophic status of Hussainsagar lake in Hyderabad. *J. Inst. Engrs. Ind.* 83: 14 - 19.

Rogers, E.M. 1986. *Communication Technology: New Media in Society*, New York: Free Press

Rogers, E.M. and Shoemaker, F.F. 1971. *Communication of Innovations: A Cross-culture Approach*, New York: Free Press

Ross, S.T. , Matthews, W.J. and Echelle, A.A. 1985. Persistence of stream fish assemblages: effects of environmental change, *American Naturalist*, 126 : 24-40

Ph.D. Thesis
Guchhait S.

Roy Chowdhury, D. K. 1984. Birds in and Around the Calcutta Metropolitan Area. *Naturalist Vol. I*, Prakriti Samsad, Calcutta.

Roy, S. 2000. Ecological Sustainability and Metropolitan Development the Calcutta Experience, *Proc. of Waste Recycling and Resource Management in the Developing World*, 293-302

Ruparelia, S. G., Yogendra, V., Mehta, N.S. & Sayed, S. R. & Rawal, U.M. 1990. Effect of cadmium on blood of Tilapia , *Oreochromis mossambicus*, during prolonged exposure. *Bull. Environ. Contam. Toxicol.*45: 305-312.

Sachs, W. 2001. *Planet Dialectics: Explorations in Environment and Development*, London: Zed Books.

Saha, G. N., Sehgal, K. I., Mitra, E. and Nandy, A. C. 1971. Studies on the seasonal and diurnal variations in physico-chemical and biological conditions of a perennial freshwater pond. *J. Inl. FishSoc. India*. 3: 79 - 102.

Saha, T, Ghosh, P. B., Madal, C. C. and Bandyopadhyay, T. S. 2000. Quality assessment of Bagjola canal waste water, Calcutta. *J. Inland Fish Soc. India*, 32(2): 76-80.

Saha, T., Ghosh, P. B. and Bandyopadhaya, T. S. 2004. Mercury Accumulation into the Environment through Chlor-Alkali Industriul Sludge and Impact on Ground Water Quality in West Bengal , In S. C. Santra (Eds.) *Recent Environmental Changes – Its Impact on Health, Agriculture and Ecosystem*, Kolkata: World View, Kolkata. PP. 63 – 68.

Said, A., Stevens, D., Selke, G., 2004. An innovative index for water quality in streams. *Environ. Manage.* 34: 406-414.

Sammaiah, C. and Singh, J. L. 2004. Species diversity of water birds as a pollution indicator. *Proc. Int. Con. on Bird and Environment, Haridwar, India.* PP. 59.

Sanjit, L. and Bhatt, D. 2004. Status and current threats to avian biodiversity of the Loktak Lake in Manipur. *Proc. Int. Con. on Bird and Environment, Haridwar, India.* PP.129.

Santakumar ,V. and Chakraborty, A. 2000. Environmental Valuation and its Implications on the Costs and Benefits of a Hydroelectric Project in Kerala, India. *Working Paper No 309, Center For Development Studies.*

Sarkar, H. L. and Rai, H. 1964. The limnology of Suraj Kund, India: Physico-chemical conditions and plankton. *Trans. Amer. Micro. Soc.* 83: 260 - 265.

Sarkar, R. 2002. Valuing the ecosystem benefits of treatment of manmade wetlands using conventional economic indicators - a case study of the East Calcutta Wetlands, *Occasional Papers no. 01/2002, Department of Business Management, University of Calcutta.*

Sarkar, S. K. 1989. Seasonal abundance of benthic macrofauna in a freshwater pond. *Environ. Ecol.* 7(1): 113 - 116.

Sarkar, S. K. 1992. Composition and changes of benthic macroinvertebrates of a lentic pond in Calcutta. *Geobios*. 15(6): 282 – 284.

Sarwar, S. G. and Wazir, M. A. 1991. Physico-chemical characteristics of a freshwater pond of Srinagar (Kashmir). *Poll. Res.* 10(4): 223 – 227.

Sastry, C. A., Khare G. K. and Rao, A. N. 1972. Water pollution problems in Madhya Pradesh. *Ind. J. Environ. Health.* 41(4): 297 – 309.

Sastry, K.V. and Sachdeva , S.S. 1994. Effect of water - borne cadmium and copper on the blood of the fish *Channa punctatus*. *Environ. Ecol.*, 12 (2): 291-297.

Satpathy, D. 1993. Hydrobiological features of some roadside pits and ditches in the district of Ganjan. In V. P. Agarwal., S.A. H. Abidi, G. P. verma (Eds.), *Environmental impact on Aquatic and Terrestrial Habitats* , 65 – 70.

Sawyer, C. N. 1954. Factors involved in disposal of sewage effluents to lakes. *Sew. Indust. Wastes.* 26: 317 – 325.

Schindler, D. W. and Fee, E. J. 1971. Carbon, nitrogen and phosphorus and the eutrophication of freshwater lakes. *J. Phycol.* 7: 321 – 329.

Schindler, D. W. and Fee, E. J. 1974. Experimental lakes area: Whole-lake experiments in eutrophication. *J. Fish Res. Bd. Can.* 31: 937 – 953.

Ph.D. Thesis
Guchhait S.

Schindler, J. F. and DeVries, U. 1986. Scanning cytophotometry of carp, *Cyprinus carpio*, L., erythrocyte populations: The influence of short-term hypoxic environment and the recovery period following severe bleeding. *J. Fish Biol.* 28: 741-752.

Schramm, W. 1964. *Mass Media and National Development*, Stanford, California: Stanford University Press

Schuyt, K., and Brander, L. 2004. *The Economic Values of World's Wetlands, Living Waters, Conserving the source of life*, WWF, Gland/Amsterdam.

Schwartz, L. N. and Gruendling, G. K. 1985. the effects of sewage on a lake Champlain wetland. *J. Freshwat. Ecol.* 3(1): 35 - 46.

Scott, D. A. 1989. (ed.). *A Directory of Asian Wetlands*. IUCN, Gland, Switzerland, and Cambridge, U.K.

Sen, A. 2001. Interactive Session in Calcutta on 2 January, 2001

Serafy, J.E. and Harrell, R.M. 1993. Behavioral response of fishes to increasing pH and dissolved oxygen: field and laboratory observations. *Freshwater Biology* 30:53-61.

Seshvatharum, V. and Venu, P. 1982. Some observations on the ecology of Kolleru lake. *Int. J. Ecol. Environ. Sci.* 7: 35 - 44.

Sewell, R.B.S. 1934. A Study of the Fauna of Salt Lakes, Calcutta, *IndianMus.* 36:45-122.

Sharifi, M. 1990. Assessment of Surface Water Quality by an Index System in Anzali Basin. In *The Hydrological Basis for Water Resources Management*. IAHS Publication. 197: 163-171.

Sharma, A. P. and Pant, M.C. 1979. Certain physico-chemical features, phytoplankton and population and chlorophyll concentration in a high altitude lake. *Trop. Ecol.* 20: 101 - 113.

Sharma, B. K. 1978b. Contributions to the Rotifer fauna of West Bengal. Part - I. family Lecanidae. *Hydrobiologia*. 57: 143 - 153.

Sharma, B. K. 1979a. A note on freshwater Cladocera from West Bengal. *Bangla. J. Zool.* 6: 149 - 151.

Sharma, K. D., Lal, N. and Pathak, P. D. 1981. Water quality of sewage drains entering Yamuna at Agra. *Ind. J. Environ. Hlth.* 23(2): 118 - 122.

Sharma, L.L. and Gupta, M. C. 1994. Some aspects of limnology of Amarchand Reservoir, District Rajsamad, Rajasthan : Physical parameters. *Poll Res.* 13 (2): 169 - 179.

Sharma, M. R. and Verma, P. S. 2003. Water quality of springs in Hamipur area of outer Himalayas. *Polln. Res.* 22(3): 369 - 372.

Siakpere, O. K. and Ikomi, U. 2011. Alterations in some haematological parameters of the African Snakehead: *Parachanna africans* exposed to cadmium. *Not Sci Biol.* 3(4): 29-34.

Siddiqi, S. Z. and Khan, R. A. 2002. Comparative limnology of few man-made lakes in and around Hyderabad, India. *Zool. Surv. India. Occas. Pap.* 195: 1 – 57.

Singh, B. B. and Narain, A. S. 1982. Acute toxicity of Thiodan to catfish (*Heteropneustes fossilis*). *Bull. Environ. Contamin. Toxicol.* 28: 122-127.

Singh, H. S. and Reddy, T. V. 1990. Effect of copper sulphate on haematology ,blood chemistry and hepatosomatic index of an Indian catfish *Heteropneustes fossilis* (Bloch) and its recovery . *Ecotoxicology and Environmental safety.* 20(1): 30-35.

Singh, M. 1995. Hematological responses in freshwater teleost *Channa punctatus* to experimental copper and chromium poisoning. *J. Env. Biol.* 16 (4) : 339-341.

Sivakumar, A. A., Arunadevi, P. and Aruchami, M. 2003. Studies on water quality of the river Ambarampalayam, Coimbatore district, Tamil Nadu. *Nat. Env. Poll. Techno.* 2(3): 305 – 308.

Sivakumar, K., Kishore, S. G. and Muralidharan, D. 2010. Effect of butachlor ec-50 on haematological parameters on *oreochromis mossambicus* . *Electronic Journal of Environmental Sciences.*3: 45-48.

Smardon, R.C. 2009. Sustaining the World's Wetlands: Setting Policy and Resolving Conflicts, *Springer Science + Business Media LLC*

Smith, V.K. and J.V. Krutilla 1982. Towards Reformulation of the Role of Natural Resources in Economics Models, In Smith-Krutilla (Ed.) *In Exploration in Natural*

Ph.D. Thesis
Guchhait S.

Resources Economics, Baltimore : The Johns Hopkins University Press for Resources for the Future.

Sreenivasan, A. 1964a. Limnological studies and fish yield in three upland lakes of Madras State, India. *Limnol. Oceanogr.* 9: 564 - 575.

Srinivasan, A. 1970. Limnology of tropical impoundments: A comparative study of the major reservoirs in Madras State (India). *Hydrobiologia.* 36 (3 - 4): 443 - 469.

Srinivasulu, B., Srinivasulu, C., Nagulu, V., VasudevaRao, V. and Koteswarulu, C. 1996. Avifauna of selected waterbodies in northern suburb of Secunderabad, Andhra Pradesh. *Pavo.* 34(1-2): 87 - 94.

Stewart. D. 1836. Report on the project of The Salt Lake Reclamation & Irrigation Company Limited, in *Selection from the records of the Bengal Government*, (containing papers from 1885 to 1964), Government of West Bengal, Calcutta, India.

Subho Rao, D. and Govind, B. V. 1964. Hydrology of Tungabhadra Reservoir. *Ind. J. Fish.* 11: 321 - 344.

Svoboda, M., Luskova, V., Drastichova, J. and Zlabek, V. 2001. The effect of diazinon on haematological indices of common carp (*Cyprinus carpio* L.). *ACTA VET. BRNO.* 70: 457-465.

Swaranlatha, N. and NarsingRao, A. 1998. Ecological studies on Banjara Lake with reference to water pollution. *J. Environ. Biol.* 19(2): 179 - 186.

Talwar, P.K. and Jhingran, A.G. 1991. *Inland Fishes. Vol. I and II*, New Delhi: Oxford I.B.H Publishing Company Pvt. Ltd.

Talwar, P.K. and Jhingran, A. G. 1992. *Inland fishes of India and Adjacent Countries. II and I*. New Delhi: Oxford I.B.H Publishing Company Pvt. Ltd.

Tanti, K. D. and Saha, S. K. 1993. Hydrobiological profiles along a thermal gradient of the hot spring of Rajgir (Bihar), India. *J. Freshwat. Biol.* 5(2): 107 - 117.

TEEB 2010. *The Economics of Ecosystems and Biodiversity*, In Pushpam Kumar (Ed.) London: Earthscan.

Thiel, R., Sepulveda, A., Kafemann, R., and Nellen, W. 1995. Environmental factors as forces structuring the fish community of the Elbe estuary. *Journal of Fish Biology* 46:47-69.

Timms, B. V. 1970. Chemical and zooplankton studies of lentic habitats in North Eastern New South Wales. *Aust. J. Mar. Wat. Res.* 21: 11 - 33.

Trisal, C. L., and Zutshi, D. P. 1985. Ecology and Management of Wetland Ecosystems in India, Paper presented at the Regional Meeting of the National MAB Committee of Central and South Asian Countries, New Delhi.

Trivedy, R. K., Garud, J. M. and Goel, P. K. 1985. Studies in chemistry and phytoplankton of a few fresh water bodies in Kolhapur with special reference to human activity. *Poll. Res.* 4: 25 - 144.

Trumble, S.J., Castellini, M.A., Mau, T.L., Castellini, J.M. 2006. Dietary and seasonal influences on blood chemistry and haematology in seals. *Mar Mamm Sci.* 22(1): 104-123.

Turner R K et al. 2000: Ecological Economic Analysis of Wetlands: Scientific Integration for management and Policy, *Ecological Economics*

Turner, R. K., and Bateman, I. J. 1995. Wetland Valuation: three case studies. In Perring et al (eds.), *Biodiversity loss, economic and ecological issues*, UK: Cambridge University Press.

Turner, R.K., van den Bergh, J.C.J.M., Soederqvist, T., Barendregt, A., van der Straaten, J., Maltby, E. et al. 2000. Ecological-Economic Analysis of Wetlands: Scientific Integration for Management and Policy, *Ecological Economics* 35(1): 7-23.

UNESCO 2000. Science for the twenty-first century, a new commitment, World Conference on Science.

United Nations Development Programme 1998. *Human Development Report 1998*, New York: Oxford University Press.

Unni, K. S. 1985. Comparative limnology of several reservoirs of Central India. *Int. Revue. Ges. Hydrobiol.* 70(6): 845 - 856.

Vaithyanathan, P. and Richardson, C. J. 1997. Nutrient profiles in the Everglades: Examination along the eutrophication gradient. *Sci. Tol. Environ.* 205(1): 81 - 95.

Ph.D. Thesis
Guchhait S.

Van Vuren, J.H.J. 1986. The effects of toxicants on the haematology of *Labeo umbratus* (Teleostei; cyprinidae). *Comparative Biochemistry and Physiology*. 83C: 155-159.

Varghese, M., Chauhan, A. and Naik, L. P. 1992. Hydrobiological studies of domestically polluted tropical pond. I. Physico-chemical characteristics. *Poll. Res.* 11(2): 95 - 100.

Vass, K. K .1998. Environmental pact on Wetlands vis-à-vis Fisheries, *Meenbarta*, June1998.

Velisek, J., Svobodova, Z. and Piackova, V. 2009. Effects of acute exposure to bifenthrin on some haematological, biochemical and histopathological parameters of rainbow trout (*Oncorhynchus mykiss*). *Veterinarni Medicina*.54 (3): 131-137.

Venkatesharaju K., Ravikumar.P., Somashekar. R.K., Prakash. K.L., 2010, Physico-chemical and Bacteriological Investigation on the river Cauvery of Kollegal Stretch in Karnataka, *Journal of science Engineering and technology*, 6 (1):50-59.

Verdegem, M.C.J., Hilbrands, A.D. & Boon, J.H. 1997. Influence of salinity and dietary composition on blood parameter values of red hybrid tilapia, *Oreochromis niloticus* x *Oreochromis mossambicus*. *Aquaculture Research* 28(6): 453-459.

Verma, S. R. and Delela, R. C. 1975. Studies on the pollution of the Kalinadi by industrial Wastes near Mansurpur. Part II: Biological index of Pollution and the biological characteristics of the River. *Acta. Hydrochem. Hydrobiol.* 3: 274 - 295.

Ph.D. Thesis
Guchhait S.

Vinodhini, R. and Narayanan, M. 2009. The impact of toxic heavy metals on the hematological parameters in Common carp (*Cyprinus carpio* L.). *Iran. J. Environ. Health. Sci. Eng.* 6(1):23-28

Vollenweider, R. 1968. Scientific Fundamentals of the Eutrophication of Lakes and Flowing Waters with Particular Reference to Nitrogen and Phosphorus. *Oecd Report Das Csi* 68.27. OECD

Vollenweider, R. A. and Frei, M. 1953. Vertikale and Zeitliche der Leitfähigkeit in einem eutrophen Gewasser während der sommerstagnation. *Schweiz. Z. Hydrol.* 15: 58 - 167.

Vuren, J.H.J. 1986. The effects of toxicants on the haematology of *Labeo umbratus* (Teleostei: Cyprinidae). *Comp Biochem. Physiol.* 83 C :155-159.

WCED 1987. *Our Common Future*, World Commission on Environment and Development Oxford University Press, Oxford.

Weinstein, M.P. and Brooks, H.A. 1983. Comparative ecology of nekton residing in a tidal creek and adjacent sea grass meadow: community composition and structure. *Marine Ecology Progress Series* 12:15-27.

Welch, P. S. 1952. *Limnology* (2nd Edition). New York: Mc.Graw - hill Book Co.

Wendelaar, B.S.E. 1997. The stress response in fish. *Physiological Reviews.* 77: 591-625.

Westman R E 1985 *Ecology, Impact Assessment and Environment Planning*, U.K.: Wiley, Chicchester

Whipple, G. C. and Parker, H. N. P. 1902. On the amount of oxygen and carbonic acid dissolved in natural waters and the effect of these gases upon the occurrence of microscopic organisms. *Trans. Amer. Microscop. Soc.* 23: 103 - 144.

Wintrobe, M.M. 1974. *Clinical haematology 7th edition* Philadelphia Lea and Febieger. 125.

Wood, R. B., and Gibson, G. E. 1974. Eutrophication and Loch Heagen. *Water Research.* 7: 163 - 287.

World Conservation Union. IUCN 2006. (International Union for Conservation of Nature and Natural Resources.) IUCN Red List of Threatened Species.

World Wide Fund for Nature 1993. *Directory of Indian Wetlands*.

Zutshi, D. P. and Vass, K. K. 1970. Limnology of some high altitude Kashmir lakes, India. *Verh. Int. Verein. Limnol.* 18: 599 - 604.

Zutshi, D. P. and Vass, K. K. 1978. Limnological studies on Dal lake - chemical features. *Ind. J. Ecol.* 5(1):90 - 97.