



Bibliography

- Abraham, Z., Bhakuni, D.S., Garg, H.S., Goel, A.K., Mehrotra, B.N., Patnaik, G.K., 1986. Screening of Indian plants for biological activity. *Indian Journal of Experimental biology* 24, 48-68.
- Adamu, H.M., Bilar, A., Odis, M., Matchawe, C., 2000. Antimicrobial activity and phytochemical screening of some selected medicinal plants in Bauchi (Nigeria). *Journal of Economic and Taxonomic Botany* 2, 123-127.
- Adetumbi, M., Javer, G.T., Lau, B.H.S., 1986. *Allium sativum* inhibits lipid synthesis in *Candida albicans*. *Antimicrobial Agents and Chemotherapy* 30, 499-501.
- Aeschbacher, H.U., Meier, H., Ruch, E., 1982. Non mutagenicity *in vivo* of the food flavonol quercetin. *Nutrition and Cancer* 2, 90.
- Ahmad, I., Mehmood, Z., Mohammad, F., 1998. Screening of some Indian medicinal plants for their antimicrobial properties. *Journal of Ethnopharmacology* 62, 183-193.
- Akpulu, I.N., Dada, J.D., Odama, L.E., Galadima, M., 1994. Antibacterial activities of aqueous extracts of some Nigerian medicinal plants. *Nigerian Journal of Botany* 7, 45-48.
- Alan, L., Miller, N.D., 1996. Antioxidant flavonoids structure function and clinical usage. *Alternative Medicine Review* 1, 103-111.
- Ami, D., Ami, D.D., Belo, D., Trinajsti, N., 2003. Structure-radical scavenging activity relationships of flavonoids. *Croatica Chemica Acta* 76, 55-61.
- Amin, M., Kapadnis, B.P., 2005. Heat stable antimicrobial activity of *Allium ascalonicum* against bacteria and fungi. *Indian Journal of Experimental Biology* 43, 751-754.
- Ammor, M.S., Belen Florez, A., Mayo, B., 2007. Antibiotic resistance in non-enterococcal lactic acid bacteria and bifidobacteria. *Food Microbiology* 24, 559-570.

- Andraws, R., Chawla, P., Brown, D.L., 2005. Cardiovascular effects of *Ephedra* alkaloids: a comprehensive review. *Progress in Cardiovascular Diseases* 47, 217-225.
- Ankri, S., Mirelman, D., 1999. Antimicrobial properties of allicin from garlic. *Microbes and Infection* 1, 125-129.
- Anthony, W.L., Beher, W.T., 1964. Separation of equal from oestrogens by thin-layer chromatography. *Journal of Chromatography* 13, 570.
- Aoki, T., Ohro, T., Hiraga, Y., Suga, T., Uno, M., Ohta, S., 1997. Biologically active clerodane-type diterpene glycosides from the root-stalks of *Dicranopteris pedata*. *Phytochemistry* 46, 839-844.
- Arai, Y., Hattori, T., Hamaguchi, N., Masuda, K., Takano, A., Shiojima, K., 2003. Fern constituents dryocrassy formate, sitostanyl formate and 12 α -hydroxyfern-9(11)-ene from *Cyathea podophylla*. *Chemical Pharmaceutical Bulletin (Tokyo)* 51, 1311-1313.
- Arora, D.S., Kaur, J., 1999. Antimicrobial activity of spices. *International Journal of Antimicrobial Agents* 12, 257-262.
- Asakawa, Y., 2004. Chemosystematics of the Hepaticae. *Phytochemistry* 65, 623-669.
- Asolkar, L.V., Kakkar, K.K., Chakre, O.J., 1992. Glossary of Indian Medicinal Plants with Active Principles Part 1. C S I R New Delhi.
- Augusti, K.T., 1996. Therapeutic value of onion (*Allium cepa*) and garlic (*Allium sativum*). *Indian Journal of Experimental Biology* 34, 634-640.
- Ayer, W.A., Habgood, T.E., Deulofeu, V., Juliani, H.R., 1965. *Lycopodium* alkaloids. Sauroxine. *Tetrahedron* 21, 2169-2172.

- Bachelor, F.W., King, G.G., 1970. Chemical constituents of lichens apthosin, a homologue of peltigerin. *Phytochemistry* 9, 2587 - 2589.
- Bai, D., 1990. Traditional Chinese materia: a respect and prospect. *Planta Medica* 56, 502.
- Bakri, I.M., Douglas, C.W., 2005. Inhibitory effect of garlic extract on oral bacteria. *Archives of Oral Biology* 50, 645-651.
- Balotescu, C., Israil, A., Radu, R., Alexandru, I., Dobre, G., 2003. Aspects of constitutive and acquired antibioresistance in *Aeromonas hydrophila* strains isolated from water sources. *Roumanian Archives of Microbiology and Immunology* 62, 179-189.
- Basile, A., Giordano, S., Lopez-Saez, J.A., Cobianchi, R.C., 1999. Antibacterial activity of pure flavonoids isolated from mosses. *Phytochemistry* 52, 1479-1482.
- Basile, A., Sorbo, S., Giordano, S., Lavitola, A., Castaldo Cobianchi, R., 1998. Antibacterial activity in *Pleurochaete squarrosa* extract (Bryophyta). *International Journal of antimicrobial Agents* 10, 169-172.
- Basile, A., Sorbo, S., Lopez-Saez, J.A., Cobianchi, R.C., 2003. Effects of seven pure flavonoids from mosses on germination and growth of *Tortula muralis* HEDW. (Bryophyta) and *Raphanus sativus* L. (Magnoliophyta). *Phytochemistry* 62, 1145-1151.
- Basile, A., Vuotto, M.L., Ielpo, M.T.L., Moscatiello, V., Ricciardi, L., Giordano, S., Castaldo Cobianchi, R., 1998. Antibacterial activity in *Rhynchostegium riparioides* (hedw.) card. extract (bryophyta). *Phytotherapy Research* 12, 146-148.
- Bates, J., Jordens, Z., Selkon, J.B., 1993. Evidence for an animal origin of vancomycin resistant enterococci. *Lancet* 342, 490-491.

- Bauer, A.W., Kirby, M.D.K., Sherris, J.C., Turck, M., 1966. Antibiotic susceptibility testing by standardized single disc diffusion method. *American Journal of Clinical pathology* 45, 493-496.
- Behl, P.N., Arora, P.B., 1993. Herbs Useful in Dermatological therapy. 1st CBS Delhi, pp. 70-134.
- Bernabeu, A., Shapiro, S., Villalain, J., 2002. A MAS-NMR study of the location of (+)-totarol, a diterpenoid bioactive molecule, in phospholipid model membranes. *Chemistry and Physics of Lipids* 119, 33-39.
- Blaszezyk, T., Krzyzanowska, J., Lamer-Zarawska, E., 2000. Screening for antimycotic properties of 56 traditional Chinese drugs. *Phytotherapy Research* 14, 210-212.
- Bloor, S.J., 1995. A survey of extracts of New Zealand indigenous plants for selected biological activities. *New Zealand Journal of Botany* 33, 523-540.
- Bocar, M., Jossang, A., Bodo, B., 2003. New alkaloids from *Cephalotaxus fortunei*. *Journal of Natatural Products* 66, 152-154.
- Brahmachari, G., Chatterjee, D., 2002. Triterpenes from *Adiantum lunulactum*. *Fitoterapia* 73, 363-368.
- Buchanan, B.B., Gruissem, W., Jones, R.L., 2000. Biochemistry and molecular biology of plants. I.K. International Pvt. Ltd., pp. 1250-1309.
- Burke, W.J., Potter, A.D., Parkhurst, R.M., 1960. Neutral silver nitrate as a reagent in the chromatographic Characterization of pheholic compounds. *Analytical Chemistry* 32, 727-728.
- Burnett, A.R., Thomson, R.H., 1967. Naturally occurring quinones. Part X. The quinonoid constituents of *Tabebuia avellanediae* (Bignoniaceae). *Journal of the Chemical Society (C)*, 2100-2104.

- Caceres, A., Cano, O., Samayoa, B., Aguilar, L., 1990. Plants used in Guatemala for treatment of gastrointestinal disorders Screening of 84 plants against Enterobacteria. *Journal of Ethnopharmacology* 30, 55-73.
- Caius, J.F., 1935. The medicinal and poisonous ferns of India. *Journal of Bombay Natural History Society* 38, 341-361.
- Cambie, R.C., Ash, J., 1994. Fijian medicinal Plants. CSIRO Australia.
- Camporese, A., Balick, M.J., Arvigo, R., Esposito, R.G., Morsellino, N., De Simone, F., Tubaro, A., 2003. Screening of anti-bacterial activity of medicinal plants from Belize (Central America). *Journal of Ethnopharmacology* 87, 103-107.
- Casellas, J.M., Blanco, M.G., Pinto, M.E., 1994. The sleeping giant, Antimicrobial resistance. *Infectious Disease Clinics of North America* 8, 29-45.
- Castillo, U.F., Wilkins, A.L., Lauren, D.R., Smith, B.L., Alonso-Amelot, M., 2003. Pteroside A2- a new illudane-type sesquiterpene glucoside from *Pteridium caudatum* L. Maxon, and the spectrometric characterization of caudatodienone. *Journal of Agricultural and Food Chemistry* 51, 2559-2564.
- Cellini, D., Masutte, E., Di Bartolomeos, M., Allocati, N., 1996. Inhibition of *Helicobacter pylori* by garlic extract (*Allium sativum*). *F.E.M.S. Immunology and Medical Microbiology* 13, 273-277.
- Chang, X., Li, W., Koike, K., Wu, L., Nikaido, T., 2006. Phenolic constituents from the rhizomes of *Dryopteris crassirhizoma*. *Chemical Pharmaceutical Bulletin* (Tokyo) 54, 748-750.
- Chen, J.J., Chou, T.H., Peng, C.F., Chen, I.S., Yang, S.Z., 2007. Antitubercular dihydroagarofuranoid sesquiterpenes from the roots of *Microtropis fokiensis*. *Journal of Natural products* 70, 202-205.

- Chen, J.J., Duh, C.Y., Chen, J.F., 2005. New cytotoxic biflavonoids from *Selaginella delicatula*. *Planta Medica* 71, 659-665.
- Chi, J.D., He, X.F., Liu, A.R., Xu, L.X., 1997. HPLC determination of six flavonoid constituents in *Ginkgo biloba* leaves. *Yao Xue Xue Bao* 32, 625-628.
- Chi, J., Xu, L., 1998. A flavonoid compound in *Ginkgo biloba* L. leaves. *Zhongguo Zhong Yao Za Zhi* 23, 233-256.
- Chi, J., Xu, L., 1998. Chemical constituents of flavonoids in the leaf of *Ginkgo biloba* L. *Zhongguo Zhong Yao Za Zhi* 23, 40- 63.
- Chopra, R.N., Nayel, S.L., Chopra, I.C., 1956. *Glossary of Indian Medicinal Plants*, CSIR, New Delhi.
- Chopra, R.N., Nayer, S.L., Chopra, I.C., 1992. *Glossary of Indian medicinal plants: 3rd*, Council for Scientific and Industrial Research, New Delhi, pp. 7-246.
- Choudhary, A.M., Islam, R.N., Ahmed, Z.U., 1991. Efficacy of aqueous extract of garlic and onion in experimental Shigellosis in rabbits. *Indian Journal of Medical Research* 93, 33-36.
- Cohen, M.L., 1992. Epidemiology of drug resistance implications for a post-antimicrobial era. *Science* 257, 1050-1055.
- Cos, P., Hermans, N., De Bruyne, T., Apers, S., Sindambiwe, J.B., Berghe, D.V., 2002. Further evaluation of Rwandan medicinal plant extracts for their antimicrobial and antiviral activities. *Journal of Ethnopharmacology* 79, 155-163.
- Cotton, C.M., 1996. *Ethnobotany: Principles and application*. Wiley Chichester, U. K.
- Cristina, P., Claudia, A., 1994. In-vitro antibacterial activity of Argentine folk medicinal plants against *Salmonella typhi*. *Journal of Ethnopharmacology* 44, 41-46.

- Crowden, R.K., Jarman, S.J., 1974. 3-Deoxyanthocyanins from the fern *Blechnum Procerum*. *Phytochemistry* 13, 1947-1948.
- Cui, C.B., Tezuka, Y., Kikuchi, T., Nakano, H., Tamaoki, T., Park, J.H., 1990. Constituents of a fern, *Davallia mariesii* Moore. Isolation and structures of davallialactone and a new flavanone glucuronide. *Chemical Pharmaceutical Bulletin (Tokyo)* 38, 3218-25.
- Dagar, H.S., 1989. Some pteridophytes in the ethnology and life of the Nicobarese. *Journal of Economic and Taxonomic Botany* 13, 395-397.
- Dalli, A.K., Saha, G., Chakrabrty, U., 2007. Characterization of antimicrobial compounds from a common fern, *Pteris biaurita*. *Indian journal of Expeimental Biology* 45, 285-290.
- Dankert, J., Tromp, T.F., DeVries, H., Klasen, H.J., 1979. Antimicrobial activity of crude juices of *Allium ascalonicum*, *Allium cepa* and *Allium sativum*. *Zentralbl Bakteriol (Orig A)* 245, 229-239.
- Das, B., Mahender, G., Koteswara Rao, Y., Prabhakar, A., Jagadeesh, B., 2005. Biflavonoids from *Cycas beddomei*. *Chemical Pharmaceutical Bulletin (Tokyo)* 53, 135-136.
- Deans, S.G., Svoboda, K.P., 1990. Biotechnology and bioactivity of culinary and medicinal plants. *AgBiotech News and Information* 2, 211-216.
- Defilpps, R.A., Maina, S.L., Pray, L.A., 1998. The Plaluan and Yap Medicinal Plant Studies of Masayoshi Okabe, 1941-43. Issued by the National museum of Natural History Society Smithsonian Institution. Washington D.C. U.S.A.

- Deleha, E.C., Gargusi, V.F., 1985. Inhibition of *Mycobacteria* by garlic extracts (*Allium sativum*). *Antimicrobial Agents and Chemotherapy* 1, 484-486.
- Dellar, J.E.D., Cole M.D., Waterman, P.G., 1996. Antimicrobial abietane diterpenoids from *Plectranthus elegans*. *Phytochemistry* 41, 735-738.
- Deng, Y., Liang, N., 2005. Investigation on the chromatogram of diterpenoids in *Pteris semipinnata* by HPLC-APCI-MS. *Zhong Yao Cai* 28, 278-280.
- Deng, Y.F., Liang, N.C., Liang, T., 2002. Analysis of the diterpenoids in the extract of *Pteris semipinnata* L by HPLC-APCI-MS. *Yao Xue Xue Bao* 37, 444-446.
- Dennis, C.L., James, P.S., Mathew, C.D., Brian, A., Mamoru, S., Eva, M.F., Ustun, B.S., 2003. Curcumin analogs with anti-tumor and anti-angiogenic properties. United States Patent 20020019382, Kind Code: A1.
- Dev, S., 1983. Natural products in medicine -present status and future prospects. *Current Science* 52, 947-956.
- Dhiman, A.K., 1998. Ethnobotanical uses of some Pteridophytic species in India. *Indian Fern Journal* 15, 61-64.
- Dulger, B., Yayintas, O.T., Gonuz, A., 2005. Antimicrobial activity of some mosses from Turkey. *Fitoterapia* 76, 730-732.
- Easa, P.S., 2003. Biodiversity documentation for Kerala Part 5: Pteridophytes. Kerala Forest Research Institute Peechi Kerala KFRI Hand Book No.17, pp 1-12.

- Egervarn, M., Danielsen, M., Roos, S., Lindmark, H., Lindgren, S., 2007. Antibiotic susceptibility profiles of *Lactobacillus reuteri* and *Lactobacillus fermentum*. *Journal of Food Protection* 70, 412-418.
- Eisa, M. M., Almagboul, A.Z., Omer, M.E.A., Elegami, A. A., 2000. Antibacterial activity of *Dichrostachys cinerea*. *Fitoterapia* 71, 324-327.
- Elnima, E.I., Ahmed, S.A., Mekkawi, A.G., Mossa, J.S. 1983. The antimicrobial activity of garlic and onion extracts. *Pharmazie* 38, 747-748.
- Eloff, J.N., 1998. Which extractant should be used for the screening and isolation of antimicrobial components from plants? *Journal of Ethnopharmacology* 60, 1-8.
- Esimone, C.O., Adikwu, M.U., Muko, K.N., 1999. Antimicrobial properties of *Indigofera dendroides* leaves. *Fitoterapia* 70, 517-520.
- Fang, W., Ruan, J., Wang, Z., Zhao, Z., Zou, J., Zhou, D., Cai, Y., 2006. Acetylated flavanone glycosides from the rhizomes of *Cyclosorus acuminatus*. *Journal of Natural Products* 69, 1641-1644.
- Feng, W.S., Cao, X.W., Zheng, X.K., Kuang, H.X., 2005. A new flavanone from *Dryopteris sublaeta*. *Yao Xue Xue Bao* 40, 443-446.
- Fitzgerald, R.J., 1972. Inhibition of experimental dental caries by antibiotics. *Antimicrobial Agents and Chemotherapy* 1, 296-302.
- Focke, M., Feld, A., Lichtenthaler, K., 1990. Allicin: A naturally occurring antibiotic from garlic specifically inhibits acetyl-CoA synthetase. *F.E.B.S. Letters* 261, 106-108.

- Forhman, K.S., Barnett, E.D., Bolduc, A.R., Klein, J.O., 1993. Antibacterial activity of garlic and onions: a historical perspective. *The Pediatric Infectious Disease Journal* 12, 613-614.
- Fosberg, F.R., 1942. Uses of hawaiiin fern. *American Fern Journal* 32, 15-23.
- Fukai, T., Marumo, A., Kaitou, K., Kanda, T., Terada, S., Nomura, T., 2002. Antimicrobial activity of licorice flavonoids against methicillin-resistant *Staphylococcus aureus*. *Fitoterapia* 73, 536-539.
- Funatogawa, K., Hayashi, S., Shimomura, H., Yoshida, T., Hatano, T., Ito, H., Hirai, Y., 2004. Antibacterial activity of hydrolyzable tannins derived from medicinal plants against *Helicobacter pylori*. *Microbiology and Immunology* 48, 251-261.
- Futscher, O., 1959. [Taulil-Grammatik and naturwissenschaftliche Sammelarbeiten (Neubritanien, Sudsee).] *Micro-Bibliotheca Anthropos* 30.
- Gage, T.G., Douglas, C.D., Wender, S., 1951. Identification of Flavonoid Compounds by Filter Paper Chromatography. *Analytical Chemistry* 23, 1582-1585.
- Gao, W., Li, Y., Jiang, S., Zhu, D., 2000. Three lycopodium alkaloid N-oxides from *Huperzia serrata*. *Planta Medica* 66, 664-667.
- Germano, M.P., Sanogo, R., Guglielmo, M., De Pasquale R., Crisafi G., Bisignano G., 1998. Effects of *Pteleopsis suberosa* extracts on experimental gastric ulcers and *Helicobacter pylori* growth. *Journal of Ethnopharmacology* 59, 167-172.

- Ghannoum, M.A., 1990. Inhibition of *Candida albicans* adhesion to buccal epithelial cells by aqueous extract of *Allium sativum* (Garlic). *Journal of Applied Bacteriology* 68, 163-169.
- Gibbons, A., 1992. Exploring new strategies to fight drug resistant microbes. *Science* 257, 1036-1038.
- Gibbons, S., Oluwatuyi, M., Veitch, N.C., Gray, A.I., 2003. Bacterial resistance modifying agents from *Lycopus europaeus*. *Phytochemistry* 62, 83-87.
- Githinji, C.W., Kokwaro, J.O., 1993. Ethnomedicinal study of major species in the family Labiatae from Kenya. *Journal of Ethnopharmacology* 39, 197-203.
- Gnanaguru, M., Raman, N., Gopinath, S., Rajendran, V., 1992. Antimicrobial activity of *Funaria hygrometrica* Hedw. *Indian Drugs* 29, 598-599.
- Gnanamanickam, S.S., Mansfield, J.W., 1981. Selective toxicity of wyerone and other phytoalexins to gram-positive bacteria. *Phytochemistry* 20, 997-1000.
- Gogoi, R., 2002. Ethnobotanical studies of some ferns used by the Garo Tribals of Meghalaya. *Advances in Plant Sciences* 15, 401-405.
- Gogtay, N.J., Bhatt, H.A., Dalvi, S.S., Kshirsagar, N.A., 2002. The use and safety of non-allopathic Indian medicines. *Drug Safety* 25, 1005-1019.
- Goldberg, D.J., Cooper, J.R., 1975. Effects of thiamine antagonists on nerve conduction. I. Actions of antimetabolites and fern extract on propagated action potentials. *Journal of Neurobiology* 6, 435-452.

- Goren, N., Bozok-Johansson, C., Jakupovic, J.T., Lin, L., Shieh, H., Cordells, G.A., Celik, N., 1992. Sesquiterpene lactones with antibacterial activity from *Tanacetum densum* Subsp. *Sivasicum*. *Phytochemistry* 31, 101-104.
- Gould, I.M., 1994. Risk factors for acquisition of multi-drug resistant Gram negative bacteria. *European Journal of Clinical Microbiology and Infectious Disease* 13 (supl) S, 30-38.
- Gouz, A., Fardoz, E., Garcia-Lopez, M.L., Sierra, M.L., Otero, A., 1994. *Staphylococcal* growth and enterotoxins (A-D) and thermonuclease synthesis in the presence of dehydrated garlic. *Journal of Applied Bacteriology* 77, 549-552.
- Grainge, M., Berger, L., Ahmed, S., 1985. Effect of extracts of *Artabotrys uncinatus* and *Allium sativum* on *Xanthomonas campestris*. P.V.Oryzae. *Current Science* 54, 90.
- Hanus, L.O., Rezanka, T., Dembitsky, V.M., 2003. A trinor-sesterterpene glycoside from the North American fern *Woodwardia virginica* (L.) Smith. *Phytochemistry* 63, 869-875.
- Haraguchi, H., Tanimoto, K., Tamura, Y., Mizutani, K., Kinoshita, T., 1998. Mode of antibacterial action of retrochalcones from *Glycyrrhiza inflata*. *Phytochemistry* 48, 125-129.
- Haraguchi, H., Oike, S., Muroi, H., Kubo, I., 1996. Mode of antibacterial action of totarol, a diterpene from *Podocarpus nagi*. *Planta Medica* 62, 122-125.
- Hausler, E., Petersen, M., Alfermann, A.W., 1992. Rosmarinsäure in *Blechnum*-species In: Haschke, H.P., Schnarrenberger, C. (Eds.), Botanikertagung Berlin. Akademie Verlag, Berlin, pp. 507-510.

- Harborne, J.B., 1973. *Phytochemical Methods*. Chapman and Hall Ltd, pp. 89-188.
- Heldt, H., 2005. *Plant Biochemistry* 3rd edition. *Elsevier Inc*, pp. 413-451.
- Hershberger, J.W., 1896. The purpose of ethnobotany. *Botany Gazette* 31, 146-154.
- Hertog, M.G., Feskens, E.J., Hollman, P.C., Katan, M.B., Kromhout D., 1994. Dietary flavonoids and cancer risk in the Zutphen Elderly Study. *Nutrition and Cancer* 22, 175-184.
- Hirasawa, Y., Morita, H., Shiro, M., Kobayashi, J., 2003. Sieboldine A, a novel tetracyclic alkaloid from *Lycopodium sieboldii*, inhibiting acetylcholinesterase. *Organic Letters* 16, 3991-3993.
- Hirasawa, Y., Morita, H., Kobayashi, J., 2004. Nankakurine A, a novel C16N2-type alkaloid from *Lycopodium hamiltonii*. *Organic Letters* 16, 3389-3391.
- Hirasawa, Y., Kobayashi, J., Morita, H., 2006. Lycoperine A, A novel C27N3-type pentacyclic alkaloid from *Lycopodium hamiltonii*, inhibiting acetylcholinesterase. *Organic Letters* 5, 123-126.
- Hirono, I., Ueno, I., Hosaka, S. Takanashi, H., Matsushima, T., Sugimura, T., Natori, S., 1981. Carcinogenicity examination of quercetin and rutin in ACI rats. *Cancer Letter* 13, 15-21.
- Horhammer, L., Wagner, H., Hein, K., 1964. [Kieselgel-DiEnnschichtxhromatographie van Flavonoiden.] *Journal of Chromatography* 13, 235-237.
- Hryniewicz, W., 1994. Bacterial resistance in eastern Europe-selected problems. *Scand Journal of Infectious Diseases* 93, 533- 539.
- Hugo, W.B., Russel, A.D., 1998. *Pharmaceutical Microbiology* 6th Edition. Blackwell Science Ltd.

- Husek A., N.Sutlupinar, Sedmera, P., Voegelien, F., Valka, I., Simanek V. 1990. Alkaloids and phenolics of *Colchicum turcicum*. *Phytochemistry* 29, 3058-3060.
- Hyun, S.K., Kang, S.S., Son, K.H., Chung, H.Y., Choi, J.S., 2005. Biflavone glucosides from *Ginkgo biloba* yellow leaves. *Chemical Pharmaceutical Bulletin (Tokyo)* 53, 1200-1201.
- Ibrahim, D., Osman, H., 1995. Antimicrobial activity of *Cassia alata* from Malaysia. *Journal of Ethnopharmacology* 45, 151-156.
- Idose, O., Guthe, T., Willeox, R., Deweck, A.L., 1968. Nature and extent of penicillin side reaction with particular references to fatalities from anaphylactic shock. *Bulletin of WHO* 38, 159-188.
- Imperato, F., 1994. A new flavone glycoside from the fern *Pteris cretica*. *Experientia* 50, 1115-1156.
- Inatomi, Y., Inada, A., Murata, H., Nishi, M., Nakanishi, T., 2000. Constituents of a fern, *Diplazium subsinuatum*. III. Four new hopane-triterpene lactone glycosides. *Chemical Pharmaceutical Bulletin (Tokyo)* 48, 1930-1934.
- Ingolfssdottir, K., 2002. Molecules of Interest Usnic acid. *Phytochemistry* 61, 729-736.
- Inoue, Y., Shiraishi, A., Hada, T., Hirose, K., Hamashima, H., Shimada, J., 2004. The antibacterial effects of terpene alcohols on *Staphylococcus aureus* and their mode of action. *FEMS Microbiology Letters* 237, 325-331.
- Insight II, Accelrys, Inc., 10188 Telesis Court, Suite 100, San Diego, CA 92121, USA.
- Ishiuchi, K., Kubota, T., Hoshino, T., Obara, Y., Nakahata, N., Kobayashi, J., 2006. Lycopladienes B-D and lyconadin B, new

alkaloids from *Lycopodium complanatum*. *Bioorganic and Medicinal Chemistry* 1, 5995-6000.

Ishiuchi, K., Kubota, T., Mikami, Y., Obara, Y., Nakahata, N., Kobayashi, J., 2007. Complandines C and D, new dimeric alkaloids from *Lycopodium complanatum*. *Bioorganic and Medicinal Chemistry* 1, 413-417.

Iwagawa, T., Kawasaki, J., Hase, T., Sako, S., Okubo, T., Ishida, M., Kim, M., 1990. An acylated flavonol glycoside from *Lasiobema japonica*. *Phytochemistry* 29, 1013-1014.

Iwalokun, B.A., Ogunledun, A., Ogbolu, D.O., Bamiro, S.B., Jimi-Omojola, J., 2004. In vitro antimicrobial properties of aqueous garlic extract against multidrug-resistant bacteria and *Candida* species from Nigeria. *Journal of Medicinal Food* 7, 327-333.

Iyenger, M.A., 1985. Study of Crude drugs. 2nd College of Pharmaceutical Science KMC, Manipal, pp. 13-78.

Jain, R.C., 1993. Antibacterial activity of garlic extracts. *Indian Journal of Medical Microbiology* 11, 26-31.

Jin, C., Michetich, R.G., Daneshtalab M., 1999. Flavonoids from *Stellera chamaejasme*. *Phytochemistry* 50, 505-508

Jones, R.N., Barry, A.L., Gavan, T.L., Washington II, J.A., 1985. Microdilution and Macrodilution broth procedures. In: E.H. Lennette, A. Balows, W.J. Hausler, Jr. And H.J. Shadomy (Eds.), *Manual of Clinical Microbiology*. American Society for Microbiology Washington DC, pp. 972-977.

Joshi, P., 1997. Ethnobotany of Pteridophytes of Hilly districts of Uttar Pradesh India. *Indian Fern Journal* 14, 14-18.

- Jung, M.J., Choi, J.H., Chung, H.Y., Jung, J.H., Choi, J.S., 2001. A new C-methylated flavonoid glycoside from *Pinus densiflora*. *Fitoterapia* 72, 943-945.
- Kaatz, G.W., Seo, S.M., Dorman, N.J., Lerner, S. A., 1990. Emergence of teicoplanin resistance during therapy of *Staphylococcus aureus* endocarditis. *The Journal of Infectious Diseases* 162, 103-108.
- Kaushik, P., Dhiman, A.K., 1995. Common Medicinal Pteridophytes. *Indian Fern Journal* 12, 139-145.
- Keith, R.W., LeTurneau, D., Mahlum, D., 1958. Quantitative paper-chromatographic determination of phenols. *Journal of Chromatography* 1, 534-536.
- Kelmanson, J.E., Jager, A.K., Van-Staden, 2000. Zulu medicinal plants with antibacterial activity. *Journal of Ethnopharmacology* 69, 241-246.
- Khatibi, A., Shah, A.H., Ageel, A.M., Ahmad, M.S., Yahya, M.A., Tariq, M., 1989. Saudi folk medicine: Phytochemical and antimicrobial screening. *Pakistan Journal of Pharmaceutical Science* 2, 29-34.
- Khatune, N.A., Islam, M.E., Haque, M.E., Khondkar, P., Rahman, M.M., 2004. Antibacterial compounds from the seeds of *Psoralea corylifolia*. *Fitoterapia* 75, 228-230.
- Kholia, B.S., Punetha, N., 2005. Useful pteridophytes of Kumaon (Central Himalaya, India). *Indian Fern Journal* 22, 1-6.
- Knekt, P., Jarvinen, R., Seppanen, R., Hellevoara, M., Teppo, L., Pukkala, E., Aromaa, A., 1997. Dietary flavonoids and the risk of lung cancer and other malignant neoplasms. *American Journal of Epidemiology* 146, 223-230.

- Kobayashi, J., Hirasawa, Y., Yoshida, N., Morita, H., 2001. Lyconadin A, a novel alkaloid from *Lycopodium complanatum*. *Journal of Organic Chemistry* 24, 5901-5904.
- Kobayashi, J., Shigemori, H., 2002. Bioactive taxoids from the Japanese yew *Taxus cuspidata*. *Medicinal Research Reviews* 22, 305-328.
- Kofinas, C., Chinou, I., Loukis, A., Harvala, C., Maillard, M., Hostettmann, K., 1998. Flavonoids and bioactive coumarins of *Tordylium apulum*. *Phytochemistry* 48, 637-641.
- Kokoska, L., Polesny, Z., Rada, V., Nepovim, A., Vanek, T., 2002. Screening of some Siberian medicinal plants for antimicrobial activity. *Journal of Ethnopharmacology* 82, 51-53.
- Krauze-Baranowska, M., 2004. Flavonoids from *Metasequoia glyptostroboides*. *Acta Poloniae Pharmaceutica - Drug Research (Poland)* 61, 199-202.
- Krauze-Baranowska, M., 2004. Flavonoids from the genus *Taxus*. *Z Naturforsch* 59, 43-47.
- Krauze-Baranowska, M., Wiwart, M., 2003. Antifungal activity of biflavones from *Taxus baccata* and *Ginkgo biloba*. *Z Naturforsch* 58, 65-69.
- Kudi, A.C., Umoh Ju, Eduvie, L.O., Gefu, J., 1999. Screening of some Nigerian medicinal plants for antibacterial activity. *Journal of Ethnopharmacology* 67, 225-228.
- Kuo, S.M., 1996. Antiproliferative potency of structurally distinct dietary flavonoids on human colon cancer cells. *Cancer Letter* 110, 41-48.
- Kumarasamy, Y., Cox, P.J., Jaspars, M., Nahar, L., Sarker, S.D., 2002. Screening seeds of Scottish plants for antibacterial activity. *Journal of Ethnopharmacology* 83, 73-77.

- Kuroda, M., Nagasaki, S., Ohta, H., 2007. Sesquiterpene farnesol inhibits recycling of the C55 lipid carrier of the murein monomer precursor contributing to increased susceptibility to beta-lactams in methicillin-resistant *Staphylococcus aureus*. *Journal of Antimicrobial Chemotherapy* 59, 425-432.
- Lal, B, Vats, S.K., Singh, R.D., Gupta, A.K., 1996. Plants used as Ethnomedicine and supplementary food by Guddis of Himmachal Pradesh India In S K Jain (Ed) *Ethnobiology in Human Welfare*. Deep Publications New Delhi, pp. 384-387.
- Lawrence, G.H.M., 1951. *Taxonomy of Vascular plants* Oxford & IBH publishing Co Culcutta: Bombay (Reprinted Indian Edition 1969), pp. 1-78.
- Lee, H., Lin, J.Y., 1988. Antimutagenic activity of extracts from anticancer drugs in Chinese medicine. *Mutation Research* 204, 229-234.
- Lee, I.S., Nishikawa, A., Furukawa, F., Kasahara, K., Kim, S.U., 1999. Effects of *Selaginella tamariscina* on in vitro tumor cell growth, p53 expression, G1 arrest and in vivo gastric cell proliferation. *Cancer Letters* 144, 93-99.
- Li, F., Meng, F., Xiong, Z., Li, Y., Liu, R., Liu, H., 2006. Stimulative activity of *Drynaria fortunei* (Kunze) J. Sm. extracts and two of its flavonoids on the proliferation of osteoblastic like cells. *Pharmazie* 61, 962-965.
- Li, J., Liang, N., Mo, L., Zhang, X., He, C., 1998. Comparison of the cytotoxicity of five constituents from *Pteris semipinnata* L. in vitro and the analysis of their structure activity relationships. *Yao Xue Xue Bao* 33, 641-644.

- Li, J.H., He, C.W., Liang, N.C., Mo, L.E., Zhang, X., 1999. Effects of antitumor compounds isolated from *Pteris semipinnata* L on DNA topoisomerases and cell cycle of HL- 60 cells. *Zhongguo Yao Li Xue Bao* 20, 541-545.
- Li, N., Li, X., Meng, D.L., Guo, Y.Q., Wang, J.H., 2006. Flavonoids from *Camptosorus sibiricus* Rupr. *Journal of Asian Natural Products Research* 8, 167-171.
- Li, X.L., Yang, L.M., Zhao, Y., Wang, R.R., Xu, G., Zheng, Y.T., Tu, L., Peng, L.Y., Cheng, X., Zhao, Q.S., 2007. Tetranorclerodanes and clerodane-type diterpene glycosides from *Dicranopteris dichotoma*. *Journal of Natural Products* 70, 265-268.
- Lin, A.S., Chang, F. R., Wu, C.C., Liaw, C.C., Wu, Y.C., 2005. New cytotoxic flavonoids from *Thelypteris torresiana*. *Planta Medica* 71, 867-870.
- Lin, A.S., Chang, F.R., Yen, H.F., Bjorkeborn, H., Norlen, P., Wu, Y.C., 2007. Novel flavonoids of *Thelypteris torresiana*. *Chemical Pharmaceutical Bulletin (Tokyo)* 55, 635-637.
- Lin, L.C., Kuo, Y.C., Chou, C.J., 2000. Cytotoxic biflavonoids from *Selaginella delicatula*. *Journal of Natural Products* 63, 627-630.
- Liu, H.C., Chen, R.M, Jain, W.C, Lin, Y.L., 2001. Cytotoxic and antioxidant effects of the water extract of the traditional Chinese herb gusuibu (*Drynaria fortunei*) on rat osteoblasts. *Journal of the Formos Medical Association* 100, 383-388.
- Liu, S.Q., Xiao, Z.Y., Feng, R., 1992. Chemical constituents of *Drynaria propinqua* (Wall) J. Sm. *Zhongguo Zhong Yao Za Zhi* 17, 737-763.
- Liu, X.T., Shi, Y., Yu, B., Williams, I.D., Sung, H.H., Zhang, Q., Liang, J.Y., Ip, N.Y., Min, Z.D., 2007. Antibacterial diterpenoids from *Sagittaria pygmaea*. *Planta Medica* 73, 84-90.

- Liu, Z., Lu, A., Zhang, Q., Zhang, L., 1999. Research on petroleum ether extract of rhizoma *Drynariae*. *Zhongguo Zhong Yao Za Zhi* 24, 222-255.
- Long, M., Qiu, D., Li, F., Johnson, F., Luft, B., 2005. Flavonoid of *Drynaria fortunei* protects against acute renal failure. *Phytotherapy Research* 19, 422-427.
- Long, M., Smouha, E.E., Qiu, D., Li, F., Johnson, F., Luft, B., 2004. Flavonoid of *Drynaria fortunei* protects against gentamicin ototoxicity. *Phytotherapy Research* 18, 609-614.
- Loudon, G.M., 2002. Organic chemistry, 4th edition. Oxford University Press, New York, pp. 759-765.
- Lucchini, J.J., Corre, J., Cremieux, A., 1990. Antibacterial activity of phenolic compounds and aromatic alcohols. *Research in Microbiology* 141, 499-510.
- Ma, X., Gang, D.R., 2004. The *Lycopodium* alkaloids. *Natural Product Reports* 21, 752-772.
- Madigan, M.T., Martinko, J.M., Parker, J., 2000. Brock Biology of Microorganisms. Prentice Hall International Inc, pp. 69-862.
- Mandal, S.C., Saha, B.P., Pal, M., 2000. Studies on antibacterial activity of *Ficus racemosa* Linn leaf extract. *Phytotherapy Research* 14, 278-280.
- Mansouri, S., 1999. Inhibition of *Staphylococcus aureus* mediated by extracts of Iranian plants. *Pharmaceutical Biology* 37, 375-377.
- Mao, S., Chen, W., Liao, S., 1999. Studies on chemical constituents of the stem bark of *Taxus cuspidata*. *Zhong yao Ca* 22, 346-347.

- Martinez, M.J., Betancourt, J., Alonso Gonzalez, N., Jauregui, A., 1996. Screening of some Cuban medicinal plants for antimicrobial activity. *Journal of Ethnopharmacology* 52, 171-174.
- May, L.W., 1978. The economic uses and associated folklore of ferns and Fern Allies. *Botany Reviews* 44, 491-528.
- McClatchey, W.C., 1993. The Traditional Rotuman Medicinal system and Ethnopharmacopoea. Department of Botany and Range Science. Brigham Young University In Partial Fulfilment of Requirements for the Degree Master of Science.
- McGowan, J., 1991. Antibiotic resistance in hospital bacteria, current patterns modes for appearance or spread, and economic impact. *Reviews in Medical Microbiology* 2, 161-169.
- Mesbah, M.K., Khalifa, S.I., El-Gindy, A., Tawfik, K.A., 2005. HPLC determination of certain flavonoids and terpene lactones in selected *Ginkgo biloba* L. phytopharmaceuticals. *Farmacology* 60, 583-590.
- Mesquita, A.A.L., Corrêa, D., De, B., Pádua, A.P. De, Guedes, M.L.O., Gottlieb, O.R., 1986. Flavonoids from four Compositae species. *Phytochemistry* 25, 1255-1256.
- Meyer, J.J.M., Afolayan, A. J., Taylor, M.B., Engelbrecht, L., 1996. Inhibition of herpes, simplex virus type 1 by aqueous extracts from shoots of *Helichrysan aureonitens* (Asteraceae). *Journal of Ethnopharmacology* 52, 41-43.
- Mikhova, B., Duddeck, H., Taskova, R., Mitova, M., Alipieva, K., 2004. Oxygenated bisabolane fucosides from *Carthamus lanatus* L. *Zeitschrift fur Naturforschung C* 59, 244-248.
- Miller, A.L., 1996. Antioxidant Flavonoids: Structure, Function and Clinical Usage. *Alternative Medicine Review* 1, 103-111.

- Miraglia, M.D.C.M., Padua, A.P.D., Mesquita, A.A.L., Gottlieb, O.R., 1985. Flavonoids from the ferns *Blechnum regnellianum* and *Pityrogramma ebenea*. *Phytochemistry* 24, 1120.
- Mitchel, D.S., 1979. Aquatic weeds in Papua New Guinea. *Science in New Guinea* 6, 154-160.
- Mitscher, L.A., Drake, S., Goliapudi, S.R., Okwute, S.K., 1987. A modern look at folkore use of anti-infective agents. *Journal of Natural Products* 50, 1025-1040.
- Monica Cheesbrough, 1985. In: Medical Laboratory Manual for Tropical Countries. Vol.2. Microbiology. Butterworth and Company U.K., pp. 45-55.
- Morita, H., Arisaka, M., Yoshida, N., Kobayashi, J., 2000. Serratezomines A--C, new alkaloids from *Lycopodium serratum* var. *serratum*. *Journal of Organic Chemistry* 22, 6241-6245.
- Morita, H., Hirasawa, Y., Kobayashi, J., 2003. Himeradine A, a novel C27N3-type alkaloid from *Lycopodium chinense*. *Journal of Organic Chemistry* 30, 4563-4566.
- Morita, H., Hirasawa, Y., Kobayashi, J., 2005. Lycopodatines A-C, C(16)N alkaloids from *Lycopodium inundatum*. *Journal of Natural Products* 68, 1809-1812.
- Moyo, F., Gashe, B.A., Majinda, R.R.T., 1999. A new flavan from *Elephantorrhiza goetzei*. *Fitoterapia* 70, 412-416.
- Munesada, K., Siddiqui, H.L., Suga, T., 1992. Biologically active labdane-type diterpene glycosides from the root-stalks of *Gleichenia japonica*. *Phytochemistry* 31, 1533-1536.
- Murray, B.E., 1994. Can antibiotic resistance be controlled? *The New England Journal of Medicine* 330, 1229-1230.

- Naqvi, S.A.H., Khan, M.S.Y., Vohora, S.B., 1991. Antibacterial, antifungal and anthelmintic investigations on Indian medicinal plants. *Fitoterapia* 62, 221-228.
- Nakane, T., Maeda, Y., Ebihara, H., Arai, Y., Masuda, K., Takano, A., Ageta, H., Shiojima, K., Cai, S.Q., Abdel-Halim, O.B., 2002. Fern constituents: triterpenoids from *Adiantum capillus-veneris*. *Chemical Pharmaceutical Bulletin (Tokyo)* 50, 1273-1275.
- Nakanishi, T., Iida, N., Inatomi, Y., Murata, H., Inada, A., Murata, J., Lang, F.A., Iinuma, M., Tanaka, T., 2004. Neolignan and flavonoid glycosides in *Juniperus communis* var. *depressa*. *Phytochemistry* 65, 207-213.
- Nakanishi, T., Inatomi, Y., Murata, H., Iida, N., Inada, A., Lang, F.A., Murata, J., 2002. Phytochemical study on American plants, two new phenol glucosides, together with known biflavones and diterpene, from leaves of *Juniperus occidentalis* Hook. *Chemical Pharmaceutical Bulletin (Tokyo)* 50, 1358-1361.
- Nayar, B.K., 1959. Medicinal ferns of India. *National Botanic Gardens Lucknow India, Bulletin No 29*, pp. 1-29.
- Neu, H.C., 1992. The crisis in antibiotic resistance. *Science* 257, 1061-1073.
- Nicole Baltrushes, 2006. *Medical Ethnobotany Phytochemistry and Bioactivity of the Ferns of Moore, French Polynesia* Thesis, Department of Integrative Biology University of California Berkeley.
- Niharika, K., Dwivedi, A.K., Maikhur, J.P., Gopal, G., Saman, H., Dhar, J.D., Satyawar, S., 2002. Substituted acrylophenones and related mannich bases as possible spermicides and inhibitors of HIV envelope glycoprotein-CD4 interaction. *European Journal of Medicinal Chemistry* 37, 855-864.

- Nijsten, R.L.N., Van den Bogaard, A., Stobberingh, E., 1993. Antibiotic resistance of Enterobacteriaceae isolated from the faecal flora of fattening pigs. *Veterinary Quarterly* 15, 152-157.
- Nishino, H., Nishino, A., Iwashima, A., Tanaka, K., Matsuura, T., 1984. Quercetin inhibits the action of 12-O-tetradecanoylphorbol-13-acetate, a tumor promoter. *Oncology* 41, 120-123.
- Nishitoba, Y., Nishimura, H., Nishiyama, T., Mizutani J., 1987. Lichen acids, plant growth inhibitors from *Usnea longissima*. *Phytochemistry* 26, 3181-3185.
- Nwosu, M.O., 2002. Ethnobotanical studies on some Pteridophytes of Southern Nigeria. *Economic Botany* 56, 255-259.
- O'donnell, G., Gibbons, S., 2007. Antibacterial activity of two canthin-6-one alkaloids from *Allium neapolitanum*. *Phytotherapy Research* 21, 653-657.
- Olukoya, D.K., Idika, N., Odugbemi, T., 1993. Antimicrobial activity of some medicinal plants from Nigeria. *Journal of Ethnopharmacology* 39, 69-72.
- Oyedeji, A.O., Ekundayo, O., Olawore, O.N., Adeniyi, B.A., Koenig, W.A., 1999. Antimicrobial activity of the essential oils of five *Eucalyptus* species growing in Nigeria. *Fitoterapia* 70, 526-528.
- Padmavati, M., Sakthivel, N., Thara K.V., Reddy A.R., 1997. Differential sensitivity of rice pathogens to growth inhibition by flavonoids. *Phytochemistry* 46, 499- 502.

- Pamukcu, A.M, Yalciner, S., Hatcher, J.F., Bryan, G.T., 1980. Quercetin, a rat intestinal and bladder carcinogen present in bracken fern (*Pteridium aquilinum*). *Cancer Research* 40, 3468-3472.
- Pande, P.C., Pangtey, Y.P.S., 1987. Studies on Ethnobotany-1 some less known Edible and Economic ferns of kumaon Region of Western Himalaya. *Journal of Economic Taxonomical Botany* II, 81-81.
- Pande, P.C., Joshi, Parmela, Pande, H.C., 1994. Studies on ethnobotany-II on some less known edible medicinal & economic Ferns of Kumaon region W. Himalaya In. *Current Researches in Plant Sciences*, 135-137.
- Perez, S., Perez, R.M., Perez, C., Zavala, M.A., Vargas, R., 1994. Inhibitory activity of 3-methylenhydroxy-5-methoxy-2, 4-dihydroxy tetrahydrofurane isolated from *Selaginella lepidophylla* on smooth muscle of Wistar rat. *Pharmaceutica acta Helvetiae* 69, 149-152.
- Perumal Samy, R., Ignacimuthu, S., 1998. Screening of 34 Indian medicinal plants for antibacterial properties. *Journal of Ethnopharmacology* 62, 173-182.
- Philipson, J.D., 2001. Phytochemistry and medicinal plants. *Phytochemistry* 56, 237-243.
- Pieboji, J.G., Koulla-Shiro, S., Ngassam, P., Adiogo, D., Njine, T., Ndumbe, P., 2004. Antimicrobial resistance of Gram-negative bacilli isolates from inpatients and outpatients at Yaounde Central Hospital, Cameroon. *International Journal of Infectious Diseases* 8, 147-154.
- Powell, J.M., 1976. Part III Ethnobotany in Paijmans K. Ed. New Guinea vegetation. Australian National University Canberra, pp. 106-183.

- Prasain, J.K., Stefanowicz, P., Kiyota, T., Habeichi, F., Konishi, Y., 2001. Taxines from the needles of *Taxus wallichiana*. *Phytochemistry* 58, 1167-70.
- Raja, D.P., Manickam, V.S., de Britto, A.J., Gopalakrishnan, S., Ushioda, T., Satoh M., Tanimura, A., Fuchino, H., Tanaka, N., 1995. Chemical and chemotaxonomical studies on *Dicranopteris* species. *Chemical Pharmaceutical Bulletin (Tokyo)* 43, 1800-1803.
- Ramesh, N., Viswanathan, M.B., Saraswathy, A., Balakrishna, K., Brindha, P., Lakshmanaperumalsamy, P., 2001. Phytochemical and antimicrobial studies on *Drynaria quercifolia*. *Fitoterapia* 72, 934-36.
- Rasmussen, L.H., Jensen, L.S., Hansen, H.C., 2003. Distribution of the carcinogenic terpene ptaquiloside in bracken fronds, rhizomes (*Pteridium aquilinum*), and litter in Denmark. *Journal of Chemical Ecology* 29, 771-778.
- Rashid, A., 1976. An Introduction to Pteridophyta. Vikas Publishing House Pvt. Ltd New Delhi, pp. 1-9.
- Reddy, V.L., Ravikanth, V., Rao, T.P., Diwan, P.V., Venkateswarlu, Y., 2001. A new triterpenoid from the fern *Adiantum lunulatum* and evaluation of antibacterial activity. *Phytochemistry* 56, 173-175.
- Rees, L.P., Minney, S.F., Plummer, N.J., Slater, J.H., Skyrme, D.A., 1993. A quantitative assessment of the antimicrobial activity of garlic world. *Journal of Microbiology and Biotechnology* 9, 303-307.
- Reichardt, C., 1988. Solvents and Solvent Effects in Organic Chemistry 2nd Ed. VCH Publishers, pp. 1-120.

- Reinhold, U., Seiter, S., Ugurel, S., Tilgen, W., 1999. Treatment of progressive pigmented purpura with oral bioflavonoids and ascorbic acid: an open pilot study in 3 patients. *Journal of American Academy for Dermatology* 41, 207-208.
- Rezanka, T., Guschina, I.A., 2000. Glycosidic compounds of murolic, protoconstipatic and allo-murolic acids from lichens of Central Asia. *Phytochemistry* 54, 635-645.
- Ripley, B. S., Kiguli, L. N., Barker, N. P., 2003. *Azolla filiculoides* as a biofertiliser of wheat under dry-land soil conditions. *South African Journal of Botany* 69, 295-300.
- Rizvi, H.A., Yasmeeen, A., Modan, M., Dadar, Y., 1987. Screening of higher plants for antibacterial activity. *Pakistan Journal of Scientific and Industrial Research* 30, 215-220.
- Rocha, L., Marston, A., Potterat, O., Kaplan, M.A.C., Stoeckli-Evans, T.H., Hostettmann, K., 1995. Antibacterial phloroglucinols and flavonoids from *Hypericum brasiliense*. *Phytochemistry* 40, 1447-1452.
- Rojas, A., Bah, M., Rojas, J.I., Serrano, V., Pacheco, S., 1999. Spasmolytic activity of some plants used by the Otomi Indians of Queretaro (Mexico) for the treatment of gastrointestinal disorders. *Phytomedicine* 6, 367-371.
- Rotimi, V.O., Laughon, B.E., Barlet, J.S., Mosadomi, H.A., 1988. Activities of Nigerian chewing sticks extracts against *Bacterioides gingivalis* and *Bacteriodes melaninogenicus*. *Antimicrobial Agents and chemotherapy* 32, 598-600.
- Ruddock, P.S., Liao, M., Foster, B.C., Lawson, L., Arnason, J.T., Dillon, J.A., 2005. Garlic natural health products exhibit variable constituent levels and antimicrobial activity against *Neisseria gonorrhoeae*, *Staphylococcus aureus* and *Enterococcus faecalis*. *Phytotherapy Research* 19, 327-334.

- Russell, G.B., Greenwood, D.R., Lane, G.A., Blunt, J.W., Munro, M.H.G., 1981. 2-deoxy-3-epiecdysone from the fern *Blechnum vulcanicum*. *Phytochemistry* 20, 2407-2410.
- Sabovljevic, A., Sokovic, M., Sabovljevic M., Grubisic, D., 2006. Antimicrobial activity of *Bryum argenteum*. *Fitoterapia* 77, 144-145.
- Sarg, T.M., Ateya, A.M., Farrag, N.M., Abbas, F.A., 1991. Constituents and biological activity of *Bidens pilosa* L. grown in Egypt. *Acta Pharmaceutica Hungarica* 61, 317-323.
- Samuelsson, G., Farah, M.H., Claeson, P., Hagos, M., Hedberg, O., Warfa, A.M., Hassan, A.O., Elmi, A.H., Abdurahman, A.D., 1992. Inventory of plants used in traditional medicine in Somalia II. Plants of the families Combretaceae to labiatae. *Journal of Ethnopharmacology* 37, 47-70.
- Samy, R.P., Ignacimuthu, S., 2000. Antibacterial activity of some folklore medicinal plants used by tribals in Western Ghats of India. *Journal of Ethnopharmacology* 69, 63-71.
- Sasaki, J., Kita, J., 2003. Bacteriocidal activity of garlic powder against *Bacillus anthracis*. *Journal of Nutritional Science and Vitaminology [Tokyo]* 49, 297-299.
- Scheidegger, J.J., Cherbuliez, E., 1955. [L' hederacoside A, un nouvel heteroside extrait du lierre (*Hedera helix* L.)]. *Helvetica Chimica Acta* 38, 547-556.
- Schoenknecht, F.D., Sabath, L.D., Thornsberry, C., 1985. Susceptibility tests. In: E.H. Lennette, A. Balows, W.J. Hausler, Jr. And H.J. Shadomy (Eds.), *Manual of Clinical Microbiology*. American Society for Microbiology Washington DC, pp.1000-1008.

- Shapiro, S., Guggenheim, B., 1995. The action of thymol on oral bacteria. *Oral Microbiology and Immunology* 10, 241-246.
- Sharma, V.D., Sethi, M.S., Arun, K., Rarotra, J.R., 1977. Antibacterial property of *Allium sativum*- *in vivo* and *in vitro* studies. *Indian Journal of Experimental Biology* 15, 466-468.
- Shah, N.C., Singh, S.C., 1990. Hitherto Unreported phytotherapeutical uses from Tribal pockets of Madhya Pradesh (India). *Ethnobotany*, 2, 91-95.
- Shashikanth, K.N., Basappa, S.C., Murthy, S., 1981. Studies on the antimicrobial and stimulatory factors of garlic. *Journal of Food Science*. 18, 44-47.
- Shen, Y.C., Chen, C.H., 1994. Alkaloids from *Lycopodium casuarinoides*. *Journal of Natural Products* 57, 824-826.
- Shen, Y.C., Chen, Y.J., Chen, C.Y., 1999. Taxane diterpenoids from the seeds of Chinese yew *Taxus chinensis*. *Phytochemistry* 52, 1565-1569.
- Shi, H., Li, Z.Y., Guo, Y.W., 2005. A new serratane-type triterpene from *Lycopodium phlegmaria*. *Natural Products Research* 19, 777-781.
- Shi, Q.W., Si, X.T., Zhao, Y.M., Su, X.H., Li, X., Zamir, L.O., Yamada, T., Kiyota, H., 2006. Two new alkaloidal taxoids from the needles of *Taxus canadensis*. *Biosciences Biotechnology and Biochemistry* 70, 732-736.
- Shokeen, P., Ray, K., Bala, M., Tandon V., 2005. *Preliminary studies on activity of occimum sanctum, Drynaria quercifolia and Annona squamosa against Neisseria gonorrhoeae. Sexually Transmitted Diseases* 32, 106-111.

- Silva, G.L., Chai, H., Gupta, M.P., Farnsworth, N.R., Cordell, G.A., Pezzuto, J.M., Beecher, C.W., Kinghorn, A.D., 1995. Cytotoxic biflavonoids from *Selaginella willdenowii*. *Phytochemistry* 40, 129-134.
- Siman, S.E., Povey, A.C., Ward, T.H., Margison, G.P., Sheffield, E., 2000. Fern spore extracts can damage DNA. *British Journal of Cancer* 83, 69-73.
- Singh, K.V., Shukla, N.P., 1984. Activity of multiple resistant bacteria on garlic extract. *Fitoterapia* 55, 313-315.
- Singh, L.S., Singh, P.K., Singh, E.J., 2001. Ethnobotanical uses of some Pteridophytic species in Maipur. *Indian Fern Journal* 18, 14-17.
- Singh, M., Rawat, A.K., Govindarajan R., 2007. Antimicrobial activity of some Indian mosses. *Fitoterapia* 78, 156-158.
- Sinkkonen, J., Liimatainen, J., Karonen, M., Pihlaja, K., 2005. A new dihydroflavonol from *Pinus sylvestris* L. *Magnetic Resonance in Chemistry* 43, 348-349.
- So, F.V, Guthrie, N., Chambers, A.F., Moussa, M., Carroll, K.K., 1996. Inhibition of human breast cancer cell proliferation and delay of mammary tumorigenesis by flavonoids and citrus juices. *Nutrition and Cancer* 26, 167-81.
- Socolsky, C., Muuaga, N., Bardon, A., 2005. Drimanes and other terpenoids from the fern *Thelypteris hispidula* (Decne.) Reed. *Chem Biodivers* 2, 1105-1108.
- Somvanshi, R., Sharma, V.K., 2005. Proliferative urocystica and adenoma in a guinea-pig. *Journal of Comparative Pathology* 133, 277-280.

- Sreenivasamurthy, V., Shashikanth, K.N., Basappa, S.C., 1983. Antimicrobial action and therapeutics of garlic. *Journal of Scientific and Industrial Research* 42, 410-414.
- Srivastava, H.N., 1995. Gymnosperms. Pradeep Publications, pp. 1-6.
- Stahl, E., 1969. Thin layer chromatography, a laboratory handbook. Springer International, NewYork, pp. 855-905.
- Stahl, E., Kaltenbach, U., 1961. [Dunnschicht-chromatographie Vi. Mitteilung, spurenanalyse von zuckergemischen Auf kteselgur g-schichten.] *Journal of Chromatography* 5, 351-355.
- Star, A.E., Mabry, T.J., 1971. Flavonoid frond exudates from 2 Jamaican ferns- *Pityrogramma tartarea* and *Pityrogramma calmoelanos*. *Phytochemistry* 10, 2817-2818.
- Stavric, B., 1994. Quercetin in our diet: from potent mutagen to probable anticarcinogen. *Clinical Biochemistry* 27, 245-248.
- Suarez, J.A.Q., Peseke, K., Kordian, M., Carvalho, J.E., Kohn, L.K., Antonio, M.A., Brunhari, H., 2006. New method for the preparation of 1,5-bis (4-hydroxy-3-metoxy-phenyl)-penta-1,4-dien-3-one and derivatives with antitumoral properties. United States Patent 20060128997 Kind Code: A1
- Suksamrarn, A., Wilkie J. S., Horn D.H.S., 1986. Blechnosides A and B: Ecdysteroid glycosides from *Blechnum minus*. *Phytochemistry* 25, 1301-1304.
- Sukumaran, K., Kuttan, R., 1991. Screening of 11 ferns for cytotoxic and antitumor potential with special reference to *Pityrogramma calomelanos*. *Journal of Ethnopharmacology* 34, 93-96.
- Sun, C.M., Syu, W.J., Huang, Y.T., Chen, C.C., Ou, J.C., 1997. Selective cytotoxicity of ginkgetin from *Selaginella moellendorffii*. *Journal of Natural Products* 60, 382-384.

- Sunenshine, R.H., Wright, M.O., Maragakis, L.L., Harris, A.D., Song, X., Hebden, J., Cosgrove, S.E., Anderson, A., Carnell, J., Jernigan, D.B., Kleinbaum, D.G., Perl, T.M., Standiford, H.C., Srinivasan, A., 2007. Multidrug-resistant *Acinetobacter* infection mortality rate and length of hospitalization. *Emerging Infectious Diseases* 13, 97-103.
- Taher, M., Idris, M.S., Ahmad, F., Arbain, D., 2005. A polyisoprenylated ketone from *Calophyllum enervosum*. *Phytochemistry* 66, 723-726.
- Takayama, H., Katakawa, K., Kitajima, M., Yamaguchi, K., Aimi, N., 2001. A new type of lycopodium alkaloid, lycoposerramine-A, from *Lycopodium serratum* Thunb. *Organic Letters* 27, 4165-4167.
- Takayama, H., Katakawa, K., Kitajima, M., Yamaguchi, K., Aimi, N., 2003. Ten new Lycopodium alkaloids having the lycopodane skeleton isolated from *Lycopodium serratum* Thunb. *Chemical Pharmaceutical bulletin (Tokyo)* 51, 1163-1169.
- Tan, C.H., Chen, G.F., Ma, X.Q., Jiang, S.H., Zhu, D.Y., 2002. Three new phlegmariurine B type lycopodium alkaloids from *Huperzia serrata*. *Journal of Asian Natural Products Research* 4, 227-231.
- Tan, C.H., Chen, G.F., Ma, X.Q., Jiang, S.H., Zhu, D.Y., 2002. Huperzine R, a novel 15-carbon Lycopodium alkaloid from *Huperzia serrata*. *Journal of Natural Products* 65, 1021-1022.
- Tan, C.H., Wang, B.D., Jiang, S.H., Zhu, D.Y., 2002. New lycopodium alkaloids from *Huperzia serrata*. *Planta Medica* 68, 188-190.
- Tanaka, H., Hirata, M., Etoh, H., Sako, M., Sato, M., Murata, J., Murata, H., Darnaedi, D., Fukai, T., 2004. Six new constituents from the roots of *Erythrina variegata*. *Chemical Biodiversity* 1, 1101-1108.

- Tanaka, H., Oh-Uchi, T., Etoh, H., Sako, M., Asai, F., Fukai, T., Sato, M., Murata, J., Tateishi, Y., 2003. Isoflavonoids from roots of *Erythrina zeyheri*. *Phytochemistry* 64, 753-758.
- Tang, Y., Lou, F., Wang, J., Li, Y., Zhuang, S., 2001. Coumaroyl flavonol glycosides from the leaves of *Ginkgo biloba*. *Phytochemistry* 58, 1251-1256.
- Tarus, P.K., Machocho, A.K., Langat-Thoruwa, C.C., Chhabra, S.C., 2002. Flavonoids from *Tephrosia aequilata*. *Phytochemistry* 60, 375-379.
- Taylor, R.S., Manadhar, N.P., Towers, G.H.N., 1995. Screening of selected medicinal plants of Nepal for antimicrobial activities. *Journal of Ethnopharmacology* 46, 153-159.
- Teixeira, M.Z., 2006. Evidence of the principle of similitude in modern fatal iatrogenic events. *Homeopathy* 95, 229-236.
- Tessema, B., Mulu, A., Kassu, A., Yismaw, G., 2006. An in vitro assessment of the antibacterial effect of garlic (*Allium sativum*) on bacterial isolates from wound infections. *Ethiopian Medical Journal* 44, 385-389.
- Thies, H., Reuther, F.W., 1954. [Ein Reagens zum Nachweis von Alkaloiden auf Papierchromatogrammen.] *Die Naturwissenschaften* 41, 230-235.
- Tomasz, A., 1994. Multiple antibiotic resistant pathogenic bacteria, a report on the Rockefeller University Workshop. *New England Journal of Medicine* 330, 1247-1251.
- Tomlinson, S., Palombo, E.A., 2005. Characterisation of antibacterial Australian medicinal plant extracts by investigation of the mechanism of action and the effect of interfering substances. *Journal of Basic Microbiology* 45, 363-370.

- Tong, X.T., Tan, C.H., Ma, X.Q., Wang, B.D., Jiang, S.H., Zhu, D.Y., 2003. Miyoshianines A and B, two new lycopodium alkaloids from *Huperzia miyoshiana*. *Planta Medica* 69, 576-579.
- Tori, M., Shimoji, T., Shimura S.E., Takaoka, S., Nakashima, K., Sono, M., Ayer, W.A., 2000. Four alkaloids, lucidine B, oxolucidine A, lucidine A, and lucidulinone from *Lycopodium lucidulum*. *Phytochemistry* 53, 503-509.
- Torras, M.A., Faura, C.A., Schonlau, F., Rohdewald, P., 2005. Antimicrobial activity of pycnogenol. *Phytotherapy Research* 19, 647-648.
- Toyota, M., Oiso, Y., Asakawa, Y., 2001. New bitter-tasting hemiterpene glycosides from the Japanese fern *Hymenophyllum barbatum*. *Chemical Pharmaceutical Bulletin (Tokyo)* 49, 1567-1572.
- Toyota, M., Oiso, Y., Asakawa, Y., 2002. New glycosides from the Japanese fern *Hymenophyllum barbatum*. *Chemical Pharmaceutical Bulletin (Tokyo)* 50, 508-514.
- Trombetta, D., Castelli, F., Sarpietro, M.G., Venuti, V., Cristani, M., Daniele, C., Saiija, A., Mazzanti, G., Bisignano, G., 2005. Mechanisms of antibacterial action of three monoterpenes. *Antimicrobial Agents and Chemotherapy* 49, 2474-2478.
- Tsuzuki, K., Ohashi, A., Arai, Y., Masuda, K., Takano, A., Shiojima, K., Ageta, H., Cai, S.Q., 2001. Triterpenoids from *Adiantum caudatum*. *Phytochemistry* 58, 363-367.
- Tyihak, E., 1964. [Eine neue spezifische Farbreaktion zum papierurn dünnschichtchromatographischen Nachweis des Adeninc.] *Journal of Chromatography* 14, 125-126.

- Ultee, A., Kets, E.P., Smid, E.J., 1999. Mechanisms of action of carvacrol on the food-borne pathogen *Bacillus cereus*. *Applied and Environmental Microbiology* 65, 4606-4610.
- Ulubelen, A., Topcu, G., Eris, C., Sonmez, U., Kartal Kurucu, M.S., Bozok-Johansson, C., 1994. Terpenoids from *Salvia sclarea*. *Phytochemistry* 36, 971 -974.
- Vasange, M., Rolfsen, W., Bohlin, L., 1997. A sulphonoglycolipid from the fern *Polypodium decumanum* and its effect on the platelet activating-factor receptor in human neutrophils. *The Journal of Pharmacy and Pharmacology* 49, 562-566.
- Vasudeva, S.M., 1999. Economic importance of pteridophytes. *Indian Fern Journal* 16, 130-152.
- Veldhuizen, E.J., Tjeerdsma-van Bokhoven, J.L., Zweijtzer, C., Burt, S.A., Haagsman, H.P., 2006. Structural requirements for the antimicrobial activity of carvacrol. *Journal of Agricultural and Food Chemistry* 54, 1874-1879.
- Verma, P. Khan, A.A., Singh, K, K., 1995. Traditional phytotherapy among the Baiga Tribe of Shadol district of Madhya Pradesh India. *Ethnobotany* 7, 69-73.
- Vincenzo De, F.A.I., Ricciardi, D.B., Felice, S., 1998. Chemical composition and antimicrobial screening of the essential oil of *Minthostachys verticillata* (Griseb) Epl. (*Laminaceae*). *Journal of Essential Oil Research* 10, 61-65.
- Vlietinck, A.J., Van Hoof, L., Totte, J., Lasure, A., Vanden Berghe, D., Rwangabo, P.C., Muukiyumwami, J., 1995. Screening of hundred Rwandese medicinal plants for antimicrobial and antiviral properties. *Journal of Ethnopharmacology* 46, 31-47.

- Vyas, M.S., Sharma, B.D., 1988. Ethnobotanical importance of Ferns of Rajasthan In P Kaushink (Ed.) *Indegenous Medicinal Plants including Microbes and Fungi Today and Tomorrow's Printers & Publishers New Delhi*, pp. 61-66.
- Waage, S.K., Hedint, P.A., 1984. Biologically-active flavonoids from *Gossypium arboreum*. *Phytochemistry* 23, 2509-2511.
- Wada, S., Iida, A., Tanaka, R., 2002. Triterpenoid constituents isolated from the bark of *Abies sachalinensis*. *Journal of Natural Products* 65, 1657-1659.
- Wallace, J.W., Markham, K.R., 1978. Flavonoids of the Primitive Ferns: *Stromatopteris*, *Schizaea*, *Gleichenia*, *Hymenophyllum*, and *Cardiomanes*. *American Journal of Botany* 65, 965-969.
- Wallace, J.W., Story, D.T., Beson, E., Jean Chopin, J., 1979. Violanthin and isoviolanthin from the Marattiaceous fern *Angiopteris evecta*. *Phytochemistry* 18, 1077.
- Wallace, J.W., Yopp, D.L., Besson, E., Chopin, J., 1981. Apigenin di-C-glycosyl flavones of *Angiopteris* (Marattiales). *Phytochemistry* 20, 2701-2703.
- Walsh, S.E., Maillard, J.Y., Russell, A.D., Catrenich, C.E., Charbonneau, D.L., Bartolo, R.G., 2003. Activity and mechanisms of action of selected biocidal agents on gram-positive and -negative bacteria. *Journal of Applied Microbiology* 94, 240-247.
- Wang, L.W., Su, H.J., Yang, S.Z., Won, S.J., Lin, C.N., 2004. New alkaloids and a tetraflavonoid from *Cephalotaxus wilsoniana*. *Journal of Natural Products* 67, 1182-1185.

- Wang, N., Wang, J.H., Li, X., Ling, J.H., Li, N., 2006. Flavonoids from *Pyrrrosia petiolosa* (Christ) Ching. *Journal of Asian Natural Products Research* 8, 753-756.
- Wen, G.Y., Mato, A., Wisnewski, H.N., Malik, M.N., Jenkins, E.C., Sheikh, A.H., Kim, K.S., 1995. Light and electron microscopic immunocytological localization of two major proteins in garlic bulb. *Journal of Cellular Biochemistry* 58, 481-489.
- Whistler, A. W., 1992. Polynesian Herbal Medicine National Tropical Botanical Garden.
- Woerdenbag, H.J., Lutke, L.R., Bos, R., Stevens, J.F., Hulst, R., Kruizinga, W.H., Zhu, Y.P., Elema, E.T., Hendriks, H., van Uden, W., Pras, N., 1996. Isolation of two cytotoxic diterpenes from the fern *Pteris multifida*. *Zeitschrift fur Naturforschung C* 51, 635-638.
- Wollenweber, E., Dorr, M., Stevens, J.F., 2001. A dihydroflavonol with taxonomic significance from the fern *Notholaena sulphurea*. *Zeitschrift fur Naturforschung C* 56, 499-502.
- Wong, R.W., Rabie, A.B., 2006. Systemic effect of crude extract from rhizome of *Drynaria fortunei* on bone formation in mice. *Phytotherapy Research* 20, 313-315.
- Woo, E.R., Lee, J.Y., Cho, I.J., Kim, S.G., Kang, K.W., 2005. Amentoflavone inhibits the induction of nitric oxide synthase by inhibiting NF-kappa B activation in macrophages. *Pharmacology Research* 51, 539-544.
- World Health Organisation, 1979. The selection of essential drugs. Second report of the WHO Expert Committee, WHO Technical Report series 641, 1-44.

- Wu, M.J., Weng, C.Y., Wang, L., Lian, T.W., 2005. Immunomodulatory mechanism of the aqueous extract of sword brake fern (*Pteris ensiformis* Burm.). *Journal of Ethnopharmacology* 98, 73-81.
- Wu, X.A., Zhao, Y.M., 2005. Isolation and identification of chemical compounds from *Drynaria fortunei*. *Zhongguo Zhong Yao Za Zhi* 30, 443-444.
- Wynne, G.M., Mander, L.N., Oyama, N., Murofushi, N., Yamane, H., 1998. An Antheridiogen, 13-Hydroxy-Ga, 3 Methyl Ester (Ga₁₀₉), from the fern *Lygodium circinnatum*. *Phytochemistry* 47, 1177-1182.
- Xiang, W., Jiang, B., Li, X.M., Zhang, H.J., Zhao, Q.S., Li, S.H., Sun, H.D., 2002. Constituents of *Gnetum montanum*. *Fitoterapia* 73, 40-42.
- Yamaguchi, L. F., Vassao, D. G., Kato, M. J., Di Mascio, P., 2005. Biflavonoids from Brazilian pine *Araucaria angustifolia* as potentials protective agents against DNA damage and lipoperoxidation. *Phytochemistry* 66, 2238-2247.
- Yang, X.P., Li, E.W., Zhang, Q., Yuan, C.S., Jia, Z.J., 2006. Five new iridoids from *Patrinia rupestris*. *Chemical Biodiversity* 3, 762-770.
- Yang, S.P., Wang, Y., Wu, Y. and Yue, J.M., 2004. Chemical constituents from *Pseudolarix kaempferi*. *Natural Products Research* 18, 439-446.

- Youvraj, R.S., Padmaja K.A.V., Ranjan, M.B., 1995. Prophylactic therapy of *Salmonella typhi* septicemia in mice with traditionally prescribed drug formulation. *Journal of Ethnopharmacology* 45, 41-47.
- Zakaria, M., 1991. Isolation and characterization of active compounds from medicinal plants. *Asia Pacific Journal of Pharmacology* 6, 15-20.
- Zangara, A., 2003. The psychopharmacology of huperzine A: an alkaloid with cognitive enhancing and neuroprotective properties of interest in the treatment of Alzheimer's disease. *Pharmacology Biochemistry and Behavior*. 75, 675-686.
- Zhang, Z., ElSohly, H.N., Jacob, M.R., Pasco, D.S., Walker, L.A., Clark, A.M., 2002. Natural products inhibiting *Candida albicans* secreted aspartic proteases from *Lycopodium cernuum*. *Journal of Natural Products* 65, 979-985.
- Zhang, L.H., Yin, Z.Q., Ye, W.C., Zhao, S.X., Wang, L., Hu, F., 2005. Studies on the chemical constituents in herb of *Lygodium japonicum*. *Zhongguo Zhong Yao Za Zhi* 30, 1522-1524.
- Zhou, T.S., Ye, W.C., Wang, Z.T., Che, C.T., Rong-Han Zhou, Xu, G.J., Xu, L.S., 1998. beta-Carboline alkaloids from *Hypodematium squamuloso-pilosum*. *Phytochemistry* 49, 1807-1809.