

BIBLIOGRAPHY

1. Abel, N.H. (1826), Untersuchungen Über die reihe $1 + mx + \frac{m(m-1)}{1.2}x^2 + \dots$, Journal für die reine and angewandte Mathematic (Cralles) L, pp. 311-339.
2. Agnew, R.P. (1957), the Lototsky method for evaluation of series, Michigan Math, Journal, Vol. 4, pp. 105-128.
3. Alexit, G. (1961), Convergence problems of orthogonal series. Pergamon Press, London.
4. Bhatia, K.S. and Sachan, M.P. (2002), the strong summability of Fourier series by (GI) and (E, 1) means. Vijnana Parishad Anusandhan Patrika, Vol. 45, No. 1, pp. 37-49.
5. Bor, H. (1985), On $|\bar{N}, p_n|_k$ summability factors of an infinite series. Tamkang Journal of Math. 1 (16), pp. 13-20.
6. Borwein, D. (1958), On product of sequences, J. Lond. Math. Soc., Vol. 33, pp. 353-357.
7. Cesàro, E. (1890), Sur la multiplication des series, Bulletin des Sciences Mathmatiques, 14, pp. 114-120.
8. Chandra, P. (1975), On the degree of approximation of function belonging to the Lipschitz class. Nanta Math, 8, 88.
9. Chandra, P. (1977), Summability of Fourier series by Euler means. Publication of the Gracial Goldeano Mathmatias Seminar, 24, Spanish, pp. 47-52.
10. Chandra, P. (1981), On the degree of approximation of continuous function. Comm. Fac. Sc. University Ankara, Vol. 30, Ser. A., pp. 7-16.
11. Chandra, P. (1988): Degree of approximation of continuous functions. Riv. Mat. Univ. Parma (4), 61-70.
12. Chapman, S. (1912), On the summability of series of Legendre's function, Math. Annal. Vol. 72, opp. 211-217.

13. Cheng, M.T. (1947): Duke Math. J., 14, 205.
14. Cheng, M.T. (1948): Duke Math. J., 15, 17, 29.
15. Chow, H.C. (1941): Jour. Lond. Math. Soc. (2), 16, 215.
16. Deokinandan, B. (1968), On strong (L) summability of Fourier series. Proceedings of American Mathematical Society (19), pp. 33-37.
17. Fejer, L., Über die (1913), bestimaungdes. Sprunges der function and ihner Fouiericit Jour Furdic rein and angewandte mathematic (Berlin), 142, pp. 165-168.
18. Feketé, M. (1916), Vizgalatok a Fourier Soukroe, Mathematics Termesz Ertesitok, 34, pp. 756-786.
19. Foà, A. (1943), Sulla Somabilita forte della series di Legendre, Boll. Univ. Math. Vol. 5, No. 2, pp. 18-27.
20. Gupta, D.P. (1958), On the Cesàro summability of ultraspherical series. Proc. Math. Inst. Sci. India, 24, pp. 419-440.
21. Gupta, D.P. (1970), On Nörlund summability of Jacobi series. D. Sc. Thesis, Allahabad University, Allahabad.
22. Haar, A. (1911), Über die Legendreche Reihe, Rend. Cir. Math. di. Pal., Vol. 32, pp. 132-142.
23. Hardy, G.H. (1949), Divergent series, 1st edition, Oxford at the Clarendon, Press.
24. Hardy, G.H. and Littlewood, J.E. (1913), Sir ;a de Fourier d'une function a carre summable, comotas Rendus de l' Academic des Sciences de Paris, 156, Vol. 1307-1309.
25. Hardy, G.H. and Littlewood, J.E. (1935), On strong summability of Fourier series, Fund. Math., Vol. 25, pp.162-189.
26. Hobson, E.W. (1909), On the representation of function a series of Legendre's function. Proc. Lond. Math. Soc. Vol. 7, No. 2, pp. 24-29.

27. Hobson, E.W. (1931), The theory of spherical and ellepsobidal harmonic. Cambridge.
28. Hobson, E.W. (1950), The theory of functions of a real variable and the theory of Fourier series. Cambridge.
29. Hsiang, F.C. (1965): *Comp. Math.* (2), 17, 156.
30. Hurwitz (1903), *Mathematische Amalen*, 57, 427.
31. Ishiguro, K. (1965), the relation between (N, p_n) and mean (\bar{N}, p_n) summability proceeding of Japan, Academy, 41, pp. 120-122.
32. Izumi, M. and Izumi, S. (1970), Absolute summability by logarithmic method of Fourier Series *Proc. Japan Acad.* 46 (7), 656-659.
33. Izumi, M. and Izumi, S. (1970), Summability of Fourier series proceedings of Japan, Academy, 46 (7), pp. 647-651.
34. Izumi, S. and Kawata, J. (1938): *Proc. Imp. Acad. (Tokyo)*, 14, 32.
35. Jain, R.K. and Ganguly, A. (1979), Strong summability by logarithmic method of derived Fourier series and its conjugate series. *Indian J. Pure & Applied Math.* 10 (2), pp. 250-257.
36. Karamata, J., Theorem Sur la sommabilitee exponentiale etd's autes sommabiliteess'y rattachant, *Mathematica (Ciuuj)*, 9 (1935).
37. Kathal, P.D. (1969), Summability of Fourier series by Karamata method. *Riv. Mat. University Parma, Ital.* (2), 10, pp. 33-38.
38. Khan, H.H. (1975), On the degree of approximation of functions belonging to class, $Lip(\alpha, p)$, *I.J.P.A.M.*, Vol. 5, no. 2, pp. 132-136.
39. Kishore, N. and Hotta, G.C. (1971), On absolute matrix summability of Fourier series. *Ind. J. Math.*, Vol. 13, no. 2, pp. 99-110.
40. Kogbetliantz, E. (1922), Über die (C, δ) summierbarkeit der Laplaceschene Reihe Für $\frac{1}{2} < \delta < 1$. *Math. Zeit*, Vol. 14, pp. 99-109.
41. Kogbetliantz, E. (1925), Sur las series absolument sommable Parlamethod des moyennes arithmetiques, *Bulletiandes Sciences mathematiques*, (2), 49, pp. 234-256.

42. Kwee, B. (1971), The summation of Fourier series by logarithmic means. Proc. Comb. Phil. Soc., Vol. 70, pp. 413-419.
43. Lal, S. and Singh, P.N. (2002), Degree of approximation of conjugate of Lip (α, p) function by $(C,1)$ $(E,1)$ mean of conjugate series of a Fourier series. Tamkang Journal of Math, Vol. 33, No. 3, pp, 269-274.
44. Lal, S (2000), On the degree of approximation of conjugate of a function belonging to Weighted $W(L^p, \xi(t))$ class by a matrix summability means of conjugate series of a Fourier series. Tamkang Journal of Mathematics, Vol. 31, pp. 279-288.
45. Lal, S. and Yadav, S.S. (2000), On the degree of approximation of conjugates of the Lipschitz's function by $(C, 1)$ $(E, 1)$ means, Ganit. Sandesh. 14 (2), 63-66.
46. Lebesgue, H. (1903), Researches sur la convergence des series de Fourier, Math. Annalen. 61, 251-280.
47. Lorentz, G.G. (1948), A contribution to the theory of divergent sequences. Acta. Mathematica. 80, pp. 167-190.
48. Lototsky, A.V. (1953), On a linear transformation of sequences (Russain), Ivanov, Gos. Ped. Institute Uchen Zap. 4. Fig. Maths. Nauki, Vol. 4, pp. 61-91.
49. Mazhar, S.M. and Siddiqui, A.H. (1969), On the almost summability of a trigonometrical sequence. Acta Mathematica, Acad. Sci. Hund., 20 (1-2), pp. 21-24.
50. McFadden, L. (1942), Absolute Nörlund summability. Duke Math. J. Vol. 9, pp. 168-207.
51. Mears, F.M. (1935), Some multiplication theorems for the Nörlund mean, Bull. Amer. Math. Soc., 41, pp. 875-880.
52. Morley, H. (1950), A theorem of Housdroff transformation and its application on Cesàro and Hölder means Jour. Of London. Mathematical society, vol. 25, pp. 168-173.

53. Mohanty, R. and Izumi, S. (1956), On the absolute logarithmic summability of Fourier series of order one, *Tohoku Mathematical Journal* (2), 8, pp. 201-204.
54. Mohanty, R. and Patnaik, J.N. (1968), On the absolute logarithmic summability (L) of a Fourier series, *Journal of London Mathematical Society*, Vol. 43, pp. 452-456.
55. Nanda, M. (1962), The summability (L) of the Fourier series and the first differential Fourier series. *Quart. J. Math. (Oxford)*, Ser. 2, Vol. 13, pp. 229-234.
56. Nörlund, N.E. (1919), Sur une application des fonctions permutables, *Lunds Universitat Arsskrift*, (2), 16, no. 3,
57. Obracchkoff, N. (1936), Formulas asymptotiques Pour des polynomes de Jacobi et sur les series suivant les memes polynomes (Russian), *Ann, Univ. Sofia Fac. Phy. Math.* Vol. 33, pp. 39-135.
58. Pati, T. (1954): *Duke Math. J.*, 21, 271.
59. Prasad, B.N. (1933): *Proc. Lond. Math. Soc.* (2), 35, 407.
60. Prasad, B.N. and Bhatt, S.N. (1957): *Ind. J. Math.*, 4, 103.
61. Quereshi, K. (1981), On the degree of approximation of periodic function f by almost Nörlund means, *IJPAM*, Vol. 12, pp. 35-58.
62. Quereshi, K. (1982), On the degree of approximation of function belonging to the class $Lip \alpha$, *India. J. Pure & Applied Math.*, Vol. 13, no. 8, pp. 898.
63. Quereshi, K. and Neha, H.K. (1990), A class of function and their degree of approximation. *Ganit* 4 (1), 37.
64. Rao, A.S. (1973), On strong (L) summability of the $(C, 1)$ mean of a Fourier series. *Bull. Cal. Math. Soc.* 65 (1), 15-17.

65. Rao, H. (1929), Über die Lebesgueschen Konstanten der Reihenentwicklung nach Jacobischen Polynomen, *J. Reine Angew. Math.* Vol. 16, pp. 237-254.
66. Riesz, M. (1924), Sur l'équivalence de certaines méthodes de sommation, *Proc. Land. Math. Soc.* 22(2), pp. 412-419.
67. Rudin, W. (1973), *Functional Analysis*. McGrawhill, New York.
68. Sahney, B.N. and Goal, D.S. (1973), On the degree of approximation of continuous function, *Ranchi University Math. J.*, Vol. (4), pp. 50.
69. Sahney, N. and Rao, G. (1972), Errors bound in the approximation function. *Bull. Austr. Math. Soc.*, Vol. 16, pp. 11-18.
70. Sansone, G. (1959), *Orthogonal function English Edition*, p. 179 and pp. 227-233.
71. Saxena, A. (1965), On uniform harmonic summability of Fourier series and its conjugate series, *National Institute of Sciences (India)*, Vol. 31, pp. 303-310.
72. Sharma, P.L. Dixit, S.S. and Shukla, Y.B. (1977), On almost summability of Fourier series, *Tamkang Journal Math.*, Vol. 8, pp. 61-65.
73. Sharma, R.M. (1969), On a sequence of Fourier coefficients *Bull. Cal. Math. Soc.*, 61, 61, pp. 89-93.
74. Shoop, R.A. (1979), The Lebesgue constants for (f, d_n) summability, *Pacific J. Math.* 80 (10), pp. 255-263.
75. Siddiqui, J.A. (1982): A criterion for the (e, c) summability of a Fourier series. *Proc. Camb. Phil. Soc.*, 92, 121-127.
76. Singh, T. (1976): On the absolute summability factors of Fourier Hermite series. *Bull. Cal. Math. Soc.*, 68, 125-130.
77. Smith, G. (1965): On (f, d_n) method of summability. *Canad. J. Math.*, 17, 506-528.

78. Srivastava, U.K. and Verma, S.K. (1995): On the degree of approximation of function belonging to the Lipschitz's Class by (e,c) means of its Fourier series, Tamkang Journal of Mathematics, 26 (3), 225-229.
79. Szász, O. (1946): Introduction to the theory of divergent Series. University of Cincinnati.
80. Szegő, G. (1959): Orthogonal Polynomials. Amer. Math. Soc. Colloq. Publ., New York.
81. Titchmarsh, E.C. (1939): Theory of functions IInd Edition. Oxford University Press.
82. Tripathi, V.N. and Pal, S (2007), On the degree of approximation to a function belonging to a certain Banach space by (N, p, q) means of its Fourier Laguerre series. Published in Proc. Of Math. Soc., BHU, Varanasi. 23.
83. Tripathi, V.N. and Pal, S. (2009), On the degree of approximation to a function belonging to the class $Lip \alpha$ ($0 < \alpha \leq 1$) by $K^\lambda (E, 1)$ means of its Fourier Series. Published in Vijnana Parishad Anusandhan Patrika, Allahabad, Vol. 52, No. 1, January, pp. 51-59.
84. Tripathi, V.N. and Pal, S. (2009), On uniform $T (C, 1)$ summability of Legendre series. Journal of Ultra Scientist of Physical Sciences, Vol. 21 (2) M, pp. 553-558.
85. Tripathi, V.N. and Yadav, R.N. (2007), On uniform $(N, p, q) (C, 1)$ summability of Legendre series, V.P.A.P. Vol. 50, no. 3, July, pp. 243-252.
86. Vuckovic, V. (1965), The summability of Fourier series by series by Karamata method Math Zeit, 89, pp. 192-195.
87. Weierstrass, K. (1885), Über die analytische Darstellbarkeit Sogennater, Willkürlicher. Funktionen realer Argumente sitgungsberichte der Acad. Berlin, pp. 633-639.

88. Woronoi, G.F. (1982), Extension of the notion of the limit of the sum of the terms of an infinite series. *Annals of Mathematics*, 33, pp. 422-432.
89. Yadav, S.P. (1983), Approximation of Fourier Laguerre expansion by its Cesàro mean in certain Banach spaces, *Journal of Approximation Theory*, Vol. 39, No. 2, pp. 153-156.
90. Young, W.H. (1913), The Fourier series of bounded functions. *Proc. Lond. Math. Soc.* 12, pp. 41-70.
91. Zygmund, A. (1959), *Trigonometric series*, Cambridge University Press.