

BIBLIOGRAPHY

- Abdulla, A.** 2010. An analysis of *Bt* cotton cultivation in Punjab, Pakistan using the Agriculture Decision Support System (ADSS). *AgBioForum*, **13**(3): 274-287.
- Abro, G.H., Syed, T.S., Tunio, G.M. and Khuhro, M.A.** 2004. Performance of transgenic *Bt* cotton against insect pest management. *Biotechnology*, **3**(1): 75-81.
- Adamczyk, J.J. and Gore, J.** 2004. Development of bollworms, *Helicoverpa zea*, on two commercial Bollgard (R) cultivars that differ in overall Cry1Ac levels. *J. Insect Sci.*, **4**: 32.
- Adamczyk, J.J., Leonard, B.R. and Graves, J.B.** 1999. Toxicity of selected insecticides to fall armyworms (Lepidoptera: Noctuidae) in laboratory bioassay studies. *Florida Entomologist*, **82**(2): 230-236.
- Aharoni, A., Giri, A.P. and Deuerlein, S.** 2003. Terpenoid metabolism in wild type and transgenic *arabidopsis* plants. *Plant Cell*, **15**: 2866 – 2884.
- Akey, D.H. and Butler, G.D.** 1989. Development rates and fecundity of apterous *Aphis gossypii* on seedlings of *Gossypium hirsutum*. *South western Entomologist*, **14**: 295–299.
- Akritidis, P., Pasentsis, K., Tsaftaris, A.S., Mylona, P.V. and Polidoros, A.N.** 2008. Identification of unknown genetically modified material admixed in conventional cotton seed and development of an event- specific detection. *Electronic Journal of Biotechnology*, **11**(2).
- Ali, S., Zafar, Y., Xianyin, Z., Ali, G.M. and Jumin, T.** 2008. Transgenic crops: Current challenges and future perspectives. *African Journal of Biotechnology*, **7**(25): 4667-4676.
- Ammann, K.** 2005. Effects of biotechnology of biodiversity. herbicide – tolerant and insect resistant GM crops. *Trends in Biotechnology*, **23**(8): 388-394.

- Andow, D.A. and Zwahlen, C.** 2006. Assessing environmental risks of transgenic plants. *Ecology Letters*, **9**: 196-214.
- Andrewartha, H.G. and Birch, L.C.** 1954. The Distribution and Abundance of Animals. University of Chicago Press, Chicago.
- Andrews, R.W., Fausr, R., Wabiko, M.H., Raymond, K.C. and Bulla, L.A.** 1987. Biotechnology of *Bt*: A critical review. *Bio. Technol.*, **6**: 163-232.
- Anhalt, J.C., Moorman, T.B. and Kosikinen, W.C.** 2007. Biodegradation of imidacloprid by an isolated soil microorganism. *Journal of Environmental Science and Health*, **42**: 509-514.
- Araki, Y., Bornatsch, W., Brauner, A., Clark, T., Drager, G., Kurogochi, S., Sakamoto, H. and Vogeler, K.** 1994. Metabolism of imidacloprid in plants.- In: *Proceedings of IUPAC Congress*, Washington D. C. **2B**: 157.
- Arshad, M., Suhail, A., Arif, M.J. and Khan, M.A.** 2009. Transgenic *Bt* and non-transgenic cotton effects on survival and growth of *Helicoverpa armigera*. *International Journal of Agriculture & Biology*, **11**: 473-476.
- Ashutosh, K.S., Srivastava, M.K., Patel, D.K., Mudiam, M.K.R. and Srivastava, L.P.** 2012. Gas-chromatographic determination of imidacloprid in water. *Journal of Environmental Research and Development*, **7**(2): 643-651.
- Bai, D., Lummis, S.C.R., Leicht, W., Beer, H. and Sattelle, B.D.** 1991. Action of imidacloprid and a related nitromethyl on cholinergic receptors of an identified insect motor neurone. *Pest. Sci.*, **33**:197-204.
- Bai, D., Li, X., Zhang, L.W., Chen, X.B., Feng, H.J., Gu, G.H., Zou, Z.Q. and Shu, C.** 2002. Preliminary studies on effects of transgenic cotton varieties on composition of insect community. *Chinese. J. Biol. Con.*, **18**:115-119.
- Bakhsh, A., Rao, A.Q., Shahid, A.A., Husnain, T. and Riazuddin, S.** 2009a. Insect resistance and risk assessment studies in advance lines of *Bt* cotton harbouring *CryIAc* and *Cry2A* genes. *American- Eurasian J. Agric. and Environ. Sci.*, **6**(1): 1-11.

- Bakhsh, A., Rao, A.Q., Shahid, A.A., Husnain, T. and Riazuddin, S.** 2009b. Camv 35s is a developmental promoter being temporal and spatial in expression pattern of insecticidal genes (Cry1ac & cry2a) in cotton. *Research Journal of Cell and Molecular Biology*, **3**(1): 56-62.
- Bambawale, O.M., Singh, A., Sharma, O.P., Bhosle, B.B., Lavekar, R.C., Dhandapani, A., Kanwar, V., Tanwar, R.K., Rathod, K.S., Patange, N.R. and Pawar, V.M.** 2004. Performance of *Bt* cotton (MECH-162) under integrated pest management in farmer's participatory field trial in Nandel district, Central India. *Current Science*, **86**(12): 1628-1633.
- Balakrishnan, V.** (1982). Pesticides industry. The challenges in the nineties, *Pest management and pesticides: Indian scenario*. (Eds.) Vasantharaj David, B., Narmatha Publications, Madras, pp. 251-255.
- Bardgett, R.D., Dentin, C.S. and Cook, R.** 1999. Below-ground herbivory promotes soil nutrient transfer and root growth in grassland. *Ecology Letters*, **2**: 357-360.
- Bayo, F.S., Yamashita, H., Osaka, R., Yoneda, M. and Goka, K.** 2007. Ecological effects of imidacloprid on arthropod communities in and around a vegetable crop. *Journal of Environmental Science and Health*, **42**(B): 279-286.
- Bell, A.A., Stipanovic, R.B., Howell, C.R. and Fryxell, P.A.** 1975. Antimicrobial terpenoids of *Gossypium*: Hemigossypol, 6-methoxyhemigossypol and 6-deoxyhemigossypol. *Phytochem.*, **14**: 225-231.
- Bell, A.A., Stipanovic, R.D., O'Brien, D.H. and Fryxell, P.A.** 1978. Sesquiterpenoid aldehyde quinines and derivatives in pigments glands of *Gossypium*. *Phytochem.*, **17**: 1297-1305.
- Bennett, R.M., Ismael, Y., Kambhampati, U. and Morse, S.** 2004. Economic impact of genetically modified cotton in India. *AgBioForum*, **7**(3): 96-100.
- Betz, F.S., Hammond, B.G. and Fuchs, R.L.** 2000. Safety and advantages of *Bacillus thuringiensis* protected plants to control insect pests. *Regulatory Toxicology and Pharmacology*, **32**: 156-173.

- Bharathan, G.** 2000. *Bt* cotton in India: Anatomy of a controversy. *Current Science*, **79**(8): 1067-1075.
- Bhattacharya, R.C., Viswakarma, N., Bhat, S.R., Kirti, P.B. and Chopra, V.L.** 2002. Development of insect resistant transgenic cabbage plants expressing a synthetic *cry 1A(b)* gene from *Bacillus thuringiensis*. *Current Science*, **83**(2): 146-150.
- Bhukhari, M., Naeem, M.M., Rehman, K.U. and Andleeb, S.** 2012. Occurrence and distribution of Araneid fauna trapped from cotton fields of district Faisalabad, Pakistan. *World Applied Sciences Journal*, **19**(5): 714-718.
- Bird, L.J. and Akhurst, R.J.** 2005. Fitness of Cry1A- resistant and susceptible *Helicoverpa armigera* (Lepidoptera: Noctuidae) on transgenic cotton with reduced levels of Cry1Ac. *J. Econ. Entomol.*, **98**: 1311-1319.
- Blaise, D. and Kranthi, K.R.** 2011. Cry1Ac expression in transgenic *Bt* cotton hybrids is influenced by soil moisture and depth. *Current Science*, **101**(6): 783-786.
- Boll, R., Marchal, C., Poncet, C. and Lapchin, L.** 2006. Rapid visual estimates of thrips (Thysanoptera: Thripidae) densities on cucumber and rose crops. *J. Econ. Ent.*, **100**(1): 225-232.
- Bonmatin, J.M., Moineau, I., Fleche, C., Colin, M.E. and Bengsch, E.R.** 2003. A LC/APCI-MS/MS method for analysis of imidacloprid in soils, in plants and in pollens. *Anal. Chem.*, **75**: 2027-2033.
- Braun, R. and Bennett, D.J.** 2001. Biodiversity: the impact of biotechnology. *European Federation of Biotechnology*, Briefing paper no.11, pp.1-4.
- Bray, J.R. and Curtis, J.T.** 1957. An ordination of the upland forest communities of Southern Wisconsin. *Ecol. Monogr.*, **27**: 325-349.
- Brodsgaard, H.F., Brodsgaard, C.J., Hansen, H. and Lovei, G.L.** 2001. Environmental risk assessment of transgenic plants using honey bee larvae. *Proceedings of the 37th International Apicultural Congress*, 28 October -1 November.

- Buchholz, A. and Nauen, R.** 2002. Translocation and translaminar bioavailability of two neonicotinoid insecticides after foliar application to cabbage and cotton. *Pest Manag. Sci.*, **58**(1): 10–16.
- Burbianka, M. and Pliszka, A.** 1983. Food Microbiology 5th ed. (in Polish). Panstwowy Zaklad Wydawnictw Lekarskich, Warszawa.
- Burd, T., Bradley, J.R., and Jr. and Duyn, J.W.V.** 1999. Performance of selected *Bt* cotton genotypes against boll-worm in North Carolina. In: *Proceedings of National Cotton Council, USA*. pp. 931-934.
- Byrne, F.J. and Toscano, N.C.** 2005. Characterization of neonicotinoids and their plant metabolites in citrus trees and grapevines, and evaluation of their efficacy against the glassy-winged sharpshooter. In *Proceedings of the Pierce's Disease Research Symposium*, pp 290-291, Coronado island Marriott Resort, San Diego, California.
- Castle, S.J.** 2000. Reduced whitefly infestations in cotton using a melon trap crop. *Arizona Cotton Report*, The University of Arizona College of Agriculture. pp. 1-5.
- Cate, J.R., Ridgway, R.L. and Lingren, P.D.** 1972. Effects of systemic insecticides applied to cotton on adults of an ichneumonid parasite *Campoletis perdistinctus*. *J. Eon. Entomol.*, **65**: 484 – 488.
- Cattaneo, M.G., Yafuso, C., Schmidt, D., Huang, C.Y., Rahman, M., Olson, C., Kirk, C.E., Orr, B.J., Marsh, S.E., Antilla, L., Dutilleu, P. and Carriere, Y.** 2006. Farm scale evaluation of the impacts of transgenic cotton on biodiversity, pesticide use and yield. *PNAS*, **103**(20): 7571-7576.
- Chan, B.G., Waiss-Jr, A.C. and Lukefahr, M.J.** 1978. Condensed tannin, an antibiotic chemical from *Gossypium hirsutum*. *J. Insect Physiol.*, **24**: 113-118.
- Chauhan, S.S., Agrawal, S. and Srivastava, A.** 2013. Effect of imidacloprid insecticide residue on biochemical parameters in potatoes and its estimation by HPLC. *Asian Journal of Pharmaceutical and Clinical Research*, **6**(3): 114-117.

- Chen, D., Ye, G., Yang, C., Chen, Y. and Wu, Y.** 2005. The effect of high temperature on the insecticidal properties of *Bt* cotton. *Environ. Exptl. Bot.*, **53**: 333-342.
- Chen, S., Wu, J., Zhou, B., Huang, J. and Zhang, R.** 2000. On the temporal and spatial expression of *Bt* toxin protein in *Bt* transgenic cotton. *Acta Gossypii Sin.*, **12**: 189-193.
- Chen, W.X., Xiao, G.F. and Zhu, Z.** 2002. Obtaining high pest- resistant transgenic upland cotton cultivars carrying *CryIAc3* gene driven by chimeric OM promoter. *Acta Bot Sinica.*, **44**: 963-970.
- Cherian, S. and Oliveria, M.M.** 2005. Transgenic plants in phytoremediation: recent advances and new possibilities. *Environ. Sci. Technol.*, **39**(24): 9377-9390.
- Christou, P., Capell, T., Kohli, A., Gatehouse, J.A. and Gatehouse, A.M.R.** 2006. Recent developments and future prospects in insect pest control in transgenic crops. *Trends in Plant Science*, **11**(6): 302-308.
- Clarke, K.R. and Warwick, R.M.** 2001. Changes in Marine communities: an approach to statistical analysis and interpretation. Primer-E, Plymouth (2nd Edn).
- Close, T.L.** 2005. Could Bt- engineered pest resistant trees be hazardous to aquatic invertebrates? *Minnesota Department of Natural Resources*, Investigational Report. **519**: 1-7.
- Coan, T.** 2004. Genetically engineered crops: A risky investment for Southern Economics. *Pesticide Action Network North America*. pp. 1-8.
- Cohen, B.M., Gould, F. and Bentur, J.C.** 2000. *Bt* rice: practical steps to sustainable use. *Intl.Rice Research Notes.*, **25**(2): 4-10.
- Conner, A.J., Glare, T.R. and Nap, J.P.** 2003. Popular summary of: The release of genetically modified crops into the environment. II. Overview of ecological risk assessment. *The plant Journal*, pp.1-8.
- Constable, G.A. and Rawson, H.M.** 1980. Carbon production and utilization in cotton: Inferences from a carbon budget. *Austral.J.Plant.Physiol.*, **7**: 539 – 553.

- Coviella, C.E., Stipanovic, R.D. and Trumble, J.T.** 2002. Plant allocation to defensive compounds: interactions between elevated CO₂ and nitrogen in transgenic cotton plants. *Journal of Experimental Botany*, **53**(367): 323-331.
- Cowgill, S.E., Bardgett, R.D., Kiezebrink, D.T. and Atkinson, H.J.** 2002. The effect of transgenic nematode resistance on non-target organisms in the potato rhizosphere. *J.Appl.Ecol.*, **39**: 915-932.
- Crickmore, N., Dean, D.H., Feitelson, J., Lereclus, J., Schnepf, E.J., Rie, D.V. and Zeigler, D.R.** 1998. Revision of the nomenclature of *Bacillus thuringiensis* pesticidal crystal proteins. *Microbiol. Molec. Rev.*, **62**: 807-813.
- Cui, J.J. and Xia, J.Y.** 2000. Effects of *Bt* (*Bacillus thuringiensis*) transgenic cotton on the dynamics of pest population and their enemies. *Acta Phytophylacica Sinica*, **27**(2): 141-145.
- Dai, N., Schaffer, A., Petreikov, M., Shahak, Y., Giller, Y., Ratner, K., Levine, A. and Granot, D.** 1999. Over expression of Arabidopsis hexokinase in tomato plants inhibits growth, reduces photosynthesis and induces rapid senescence. *Plant Cell*, **11**: 1253-1266.
- Dale, P.J., Clarke, B. and Fontes, E.M.G.** 2002. Potential for the environmental impact of transgenic crops. *Nature biotechnology*, **20**: 567-574.
- Daud, M.K., Variath, M.T., Ali, S., Jamil, M., Khan, M.T., Shafi, M. and Shuijin, Z.** 2009. Genetic transformation of Bar gene and its inheritance and segregation behaviour in the resultant transgenic cotton germplasm (BR001). *Pak.J.Bot.*, **41**(5): 2167-2178.
- Davila-Huerta, G., Hamada, H., Davis, G.D., Stipanovic, R.D., Adams, C.M. and Essenberg.** 1995. Cadinane-type sesquiterpenes induced in *Gossypium* cotyledons by bacterial inoculation. *Phytochem.*, **39**: 531-536.
- De Maagd, R.A., Bosch, D. and Stiekema, W.** 1999. *Bacillus thuringiensis* toxin – mediated insect resistance in plants. *Trends in plant Science*, **4**(1): 9-13.

- DeClercq, D.P., Mohaghegh, J. and Tirry, L.** 2000. Effect of host plant on the functional response of the predator *Podisus nigrispinus* (Heteroptera: Pentatomodae). *Biol Contr.*, **18**(1): 65 – 70.
- Deng, S., Jxu, D., Zhang, Q.W., Zhou, S.W. and Xu, G.J.** 2003. Effect of transgenic *Bt* cotton on population dynamics of the non-target pests and natural enemies of pests. *Acta Entomol. Sonica.*, **46**: 1-5.
- Dhaliwal, H.S. and Uchimiya, H.** 1998. Genetic engineering for abiotic stress tolerance in plants. *Plant Biotechnol.*, **15**: 1-10.
- Dhar, B.M.** 1996. Pesticides scenario in India. *Pesticides World*, **2**: 42-43.
- Dhillon, M.K. and Sharma, H.C.** 2009. Impact of *Bt*- engineered cotton on target and non- target arthropods, toxin flow through different trophic levels and seed cotton yield. *Karnataka J. Agric. Sci.*, **22**(3): 462-466.
- Dhillon, M.K. and Sharma, H.C.** 2013. Comparative studies on the effects of *Bt* transgenic and non-transgenic cotton on arthropod diversity, seed cotton yield and bollworm control. *Journal of Environmental Biology*, **34**: 67-73.
- Dimock, M.B. and Kennedy, G.G.** 1983. The role of glandular trichomes in the resistance of *Lycopersicon hirsutum f. glabratum* to *Heliothis zea*. *Entomol Exp Appl.*, **33**: 263 -268.
- Dong, H., Li, W., Tang, W. and Zhang, D.** 2004. Development of hybrid *Bt* cotton in China – A successful integration of transgenic technology and conventional techniques. *Current Science*, **86**(6): 778-782.
- Dubey, J.K., Sharma, I.D., Patyal, S.K., Gupta, D.** 2006. Translocation and persistence of imidacloprid in apple fruits. *Pesticide Research Journal*, **18**: 82–84.
- Dutra, C.C., Fernandes, M.G., Raizer, J. and Meotti, C.** 2013. Richness and diversity of ants and beetles in genetically modified cotton field in Brazil. *Journal of Agricultural Science and Technology*, **A3**: 165-173.

- Dutton, A., Klein, H., Romeis, J. and Bigler, F.** 2002. Uptake of *Bt* toxin by herbivores feeding on transgenic maize and consequences for the predator *Chrysoperla carnea*. *Ecol. Entomol.*, **27**: 441.
- Ebert, T.A. and Cartwright, B.** 1997. Biology and ecology of *Aphis gossypii* Glover (Homoptera: Aphididae). *South western Entomologist*, **22**: 116–153.
- Elbert, A., Nauen, R. and Leicht, W.** 1998. Imidacloprid, a novel chloronicotinyl insecticide: biological activity and agricultural importance.- In: *Insecticides with novel modes of action: Mechanism and application* (ISHAAYA I., DEGHEELE D., Eds). Springer Verlag, Berlin Heidelberg, Germany, pp. 50-74.
- Essien, E.E., Aboaba, S.O. and Ogunwande, I.A.** 2011. Constituents and antimicrobial properties of the leaf essential oil of *Gossypium barbadense* (Linn.). *Journal of Medicinal Plants Research*, **5**(5): 702-705.
- Esteves, F.A.B., De Oliveira, J.V., Torres, J.B. and Gondim, M.G.C.** 2010. Compared biology and behaviour of *Tetranychus urticae* Koch (Acari: Tetranychidae) and *Phytoseiulus macropilis* (Banks) (Acari: Phytoseiidae) on bollgard and non-transgenic isolate cotton. *Neotrop. Entomol.*, **39**(3): 338-344.
- Fabrick., Jech, L.F. and Henneberry, T.J.** 2009. Novel pink bollworm resistance to the *Bt* toxin Cry1Ac: Effects on mating, oviposition, larval development and survival. *Journal of Insect Science*, **9**(24): 1-8.
- Federico, P., Hallam, T.G., McCracken, G.F., Purucker, S.T., Grant, W.E., Correa-Sandoval, A.N., Westbrook, J.K., Medellin, A., Cleveland, C.J., Sansone, C.G., Lopez, J.D., Jr., Betke, M., Moreno-Valdez, A. and Kunz, T.H.** 2008. Brazilian free-tailed bats as insect pest regulators in transgenic and conventional cotton crops. *Ecological Applications*, **18**(4): 826-837.
- Fishel, F.M.** 2005. Pesticide toxicity profile: Neonicotinoid pesticides. Institute of Food and Agricultural Sciences, University of Florida. <http://edis.ifas.ufl.edu>.
- Fitt, G.P., Daly, J.C., Mares, C.L. and Olsen, K.** 1998. Changing Efficacy of Transgenic Bt Cotton – Patterns and Consequences. In: Zalucki MP, Drew RAI,

- White GG. (eds). Pest Management– Future Challenges. *Proceedings of the 6th Australasian Applied Entomology Conference*, Brisbane. University of Queensland Press, Brisbane. pp. 189-196.
- Galarraga, R.R.D.** 2003. Impact of the red imported fire ant upon cotton arthropods. *Master of Science thesis*, Texas A&M University.
- Ganesan, M., Bhanumathi, P., Kumari, K.G., Prabha, A.L., Song, P.S. and Jayabalan, N.** 2009. Transgenic Indian cotton (*Gossypium hirsutum*) harbouring rice Chitinase gene (Chi II) confers resistance to two fungal pathogens. *American journal of biochemistry and biotechnology*, **5**(2): 63-74.
- Ge, F. and Ding, Y.Q.** 1996. The population energy dynamics of predacious natural enemies and their pest control activity in different cotton agroecosystems. *Acta Entomol. Sin.*, **39**: 226 – 273.
- Gianessi, L.P. and Carpenter, J.E.** 1999. Agricultural Biotechnology: Insect control benefits. *National centre for food and agricultural policy*, Washington DC, USA.
- Gleason, H.A.** 1922. On the relationship between species and area. *Ecology*, **3**: 156-162.
- Goryluk, A., Burlaga, H.R. and Blaszczyk, M.** 2009. Isolation and characterization of bacterial endophytes of *Chelidonium majus* L. *Polish Journal of Microbiology*, **58**(4): 355-361.
- Govindan, K., Gunasekaran, K., Kuttalam, S. and Aiswariya, K.K.** 2010. Laboratory evaluation of transgenic *Bt* cotton and non-*Bt* cotton plant parts against third instar larvae of *Spodoptera litura* (Fab.) (Noctuidae: Lepidoptera). *Journal of Biopesticides*, **3**(2): 432-436.
- Greenberg, S., Alenjandro, J. and Setamou, M.** 2012, Economic and environmental impact of transgenically modified cotton comparative with synthetic chemicals for insect control. *Journal of Agricultural Science and Technology*, **B2**: 750-757.

- Greenplate, J.T., Head, G.P., Penn, S.R. and Kabuye, V.T.** 1998. Factors potentially influencing the survival of *Helicoverpa zea* on Bollgard cotton. In: P.Dugger, and D. A. Richter, eds. Proceedings, 1998 Beltwide Cotton Conference. *National Cotton Council of America*, Memphis, TN: 1030-1033.
- Greenplate, J., Penn, S.R., Mullins, J.W. and Oppenhuizen, M.** 2000. Seasonal Cry1Ac levels in DP50B: the "Bollgard basis" for Bollgard II. *Proc. Beltwide Cotton Conf., San Antonio, USA, 4-8 January*, **2**: 1039–1040.
- Griffiths, B.S., Geoghegan, I.E. and Robertson, W.M.** 2000. Testing genetically engineered potato, producing the lectins GNA and XonA, on non-target soil organisms and processes. *J.Appl.Ecol.*, **37**: 159-170.
- Grimsrud, K.M. and Huffaker, R.G.** 2001. Optimal control of pest resistance to transgenic crop varieties. *Annual meeting of Agricultural and Applied Economics Association*, Chicago. <http://purl.umn.edu/20452>.
- Grover, A. and Gowthaman, R.** 2003. Strategies for development of fungus resistant transgenic plants. *Current Science*, **84**(3): 330-340.
- Gunning, R.V., Dang, H.T., Kemp, F.C., Nicholson, I.C. and Moores, G.D.** 2005. New resistance mechanism in *Helicoverpa armigera* threatens transgenic crops expressing *Bacillus thuringiensis* Cry 1Ac toxin. *Applied and environmental microbiology*, **71**(5): 2558-2563.
- Hagver, E.B. and Aesan, S.** 2004. Possible effects of genetically modified plants on insects in the plant food web. *Latvijas Entomologs*, **41**: 111-117.
- Halcomb, K.L., Benedict, J.H., Cook, B. and Ring, D.R.** 1996. Survival and growth of bollworm and tobacco budworm on non-transgenic and transgenic cotton expressing a *CryIA* insecticidal protein (Lepidoptera: Noctuidae). *Environ. Entomol.*, **25**: 250-255.
- Hanley, A.V., Huang, Z. and Pelt, W.L.** 2003. Effects of dietary transgenic *Bt* corn pollen on larvae of *Apis mellifera* and *Galleria mellonella*. *Journal of Apicultural Research*, **42**(4): 77-81.

- Harp, S.J. and Turner, V.V.** 1976. Effects of thrips on cotton development in the Texas Blacklands. *Southwest. Entomol.*, **1**: 40 – 45.
- Hawkins, B.S., Peacock, H.A. and Steele, T.E.** 1966. Thrips injury to upland cotton (*Gossypium hirsutum* L.) varieties. *Crop Sci.*, **6**: 256 – 258.
- Hedin, P.A., Thompson, A.C., Gueldner, R.C. and Minyard, J.P.** 1971a. Isolation of bisabolol from the cotton bud. *Phytochem.*, **10**: 1693-1694.
- Hedin, P.A., Thompson, A.C., Gueldner, R.C. and Minyard, J.P.** 1971b. Constituents of the cotton bud. *Phytochem.*, **10**: 3316-3318.
- Hedin, P.A., Thompson, A.C., Gueldner, R.C., Rizk, A.M. and Salama, H.S.** 1972a. Egyptian cotton leaf essential oil. *Phytochem.*, **11**: 2356-2357.
- Hedin, P.A., Thompson, A.C., Gueldner, R.C. and Ruth, J.M.** 1972b. Isolation of bisabolene oxide from the cotton bud. *Phytochem.*, **11**: 2118-2119.
- Henneberry, T.J., Jech, L.F. and Torre, T.D.** 2001. Mortality and developmental effects of transgenic cotton on pink bollworm larvae. *Arizona cotton report*, pp. 1-6.
- Henneberry, T.J., Jech, L.F., de la Torre, T. and Hendrix, D.L.** 2000. Cotton aphid (Homoptera: Aphididae) biology, honeydew production, sugar quality and quantity, and relationships to sticky cotton. *Southwestern Entomologist*, **25**: 161–174.
- Hillocks, R.J.** 2005. Is there a role for *Bt* cotton in IPM for smallholders in Africa? *International Journal of Pest Management*, **51**(2): 131–141.
- Ho, M.W.** 2009. Farmer suicides & *Bt* cotton nightmare unfolding in India. *Science in Society*, pp. 45.
- Holck, A., Vaitilingom, M., Didierjean, L. and Rudi, K.** 2002. 5'-Nuclease PCR for quantitative event- specific detection of the genetically modified Mon810 MaisGard maize. *European Food Research and Technology*, **214**(5): 449-453.

- Hong, Y.X., Qing, Z.Y., Ya, C.X. and Hong, X.Z.** 2000. Alterations of root and fiber in transgenic cotton plants with chimeric ph/p – ipt gene expression. *Acta Botanica Sinica*, **42**(2): 59-63.
- Hong, Z.J., Yan, Z.H., Guo, T.N., Fang, T.Y., Yun, Z.X. and Xiu, L.Y.** 2009. Several methods to detect the inheritance and resistance to the diamond back moth in transgenic chinese cabbage. *African Journal of Biotechnology*, **8**(12): 2887- 2892.
- Hopwood, J., Black, S.H., Vaughan, M. and Mader, E.L.** 2013. Effects of neonicotinoid insecticides on agriculturally important beneficial invertebrates. *The Xerces Society for Invertebrate Conservation*, pp. 1-25.
- Hu, H.Y., Liu, X.X., Zhao, Z.W., Sun, J.G., Zhang, Q.W., Liu, X.Z. and Yu, Y.** 2008. Effects of repeated cultivation of transgenic *Bt* cotton on functional bacterial populations in rhizosphere soil. *World J Microbiol Biotechnol.*, pp.1-10.
- Huang, J., Hu, R., Fan, C., Pray, C.E. and Rozella, S.** 2002. *Bt* cotton benefits, costs and impacts in China. *AgBioForum*, **5**(4): 153-166.
- Hung, P.Q. and Annapurna, K.** 2004. Isolation and characterization of endophytic bacteria in soybean (*Glycine* sp.). *Omonrice*, **12**: 92-101.
- Icoz, I. and Stotzky, G.** 2008. Fate and effects of insect resistant *Bt* crops in soil ecosystems. *Soil Biology and & Biochemistry*, **40**: 559-586.
- Ignatides, L. and Mimicos, N.** 1977. Ecological responses of phytoplankton on chronic oil pollution. *Environ. Poll.*, **13**: 107-117.
- Ikeda, S., Ytow, N., Ezura, H., Minamisawa, K. and Fujimura, T.** 2006. Soil microbial community analysis in the environmental risk assessment of transgenic plants. *Plant Biotechnology*, **23**: 137-151.
- Ishaaya, I. and Degheled, D.** 1998.- Insecticides with novel modes of action: Mechanism and application.- *Springer Verlag*, Berlin Heidelberg, Germany.

- Ishii, Y., Kobori, I., Araki, Y., Kuroguchi, S., Iwaya, K., Kagabu, S.** 1994. HPLC determination of the new insecticide imidacloprid and its behavior in rice and cucumber. *Journal of Agriculture and Food Chemistry*, **42**: 2917–2921.
- James, C.** 2003. Global review of commercialized transgenic crops. *Current Science*, **84**(3): 303-309.
- James, C.** 2008. Global status of commercialized biotech/ GM crops: 2008. International service for the acquisition of agri-biotech applications, Ithaca, NY, USA. ISSA Brief No.39.
- Jayaraj, S.** 1990. The problem of *Heliothis* in India and its integrated management. *Proceedings of National Workshop on Heliothis management*, Tamil Nadu Agricultural University, Coimbatore, India. S. Jayaraj, S. Uthamasamy and M. Gopalan (Eds.). pp. 26-35.
- Jayaraman, K.S.** 2002. Poor Crop management plagues *Bt* cotton experiment in India. *Nature Biotechnology*, **20** : 1069.
- Jeyakumar, P., Tanwar, R.K., Chand, M., Singh, A., Monga, D. and Bambawale, O.M.** 2008. Performance of *Bt* cotton against sucking pests. *Journal of Biopesticides*, **1**(2): 223-225.
- Jiao, Z.A., Deng, J.A., Li, G.A., Zhang, Z.A. and Cai, Z.B.** 2010. Study on the compositional differences between transgenic and non–transgenic papaya. *Journal of Food Composition and Analysis*, **23**: 640-647.
- JinJie, C. and Yuan, X.J.** 2000. Effects of *Bt* (*Bacillus thuringiensis*) transgenic cotton on the dynamics of pest population and their enemies. *Acta-Phytophylacica-Sinica*, **27**: 141-145.
- Johnson, D.R., Lorenz, G.M., Hopkins, J.D. and Page, L.M.** 2002. Control of the Heliotine complex in Bollgard cotton cultivars, 1998-1999. In: *Proceedings of the 2000 cotton Research Meeting*. Arkansas, USA. pp. 245-247.
- Jones, R.H.** 2004. Effect of cotton aphids, *Aphis gossypii* (Glover), on cotton plant development and yield components. *Master of Science thesis*, B.S. Louisiana Tech University.

- Jost, D.J. and Pitre, H.N.** 2002. Soyabean looper and cabbage looper (Lepidoptera: Noctuidae) populations in cotton and soyabean cropping systems in Mississippi. *J. Entomol. Sci.*, **37**: 227 – 235.
- Kaplan, I. and Eubanks, M.D.** 2005. Aphids alter the community wide impact of fire ants. *Ecology*, **86**: 1640-1649.
- Karanth, N.G.K.** 2002. Challenges of limiting pesticide residues in fresh vegetables: The Indian Experience. *Proceedings of the International Workshop* pp. 1-13.
- Kedzia, W. and Koniar, H.** 1974. Diagnostic Microbiology 1st ed. (in Polish). Panstwowy Zaklad Wydawnictw Lekarskich, Warszawa.
- Kerns, D.L. and Kelsey, B.J.** 2009. Evaluation of seedling transgenic cotton containing *Bacillus thuringiensis* toxins to saltmarsh caterpillar, *Estigmene acrea* (Drury). *South West. Entomol.*, **34**(3): 239-243.
- Kerns, D.L. and Gaylor, M.J.** 1992. Insecticide resistance in field populations of the cotton aphid (Homoptera: Aleyrodidae) in the San Joaquin Valley (California) cotton cropping system. *J Econ Entomol.*, **85**: 21.
- Khuhro, R.D., Nizamani, I.A. and Talpur, M.A.** 2002. Population abundance in Alfalfa and cotton fields at Tandojam. *Pakistan Journal of Applied Sciences*, **2**(3): 300-303.
- Kleter, G.A., Bhula, R., Bodnaruk, K., Carazo, E., Felsot, A.S., Harris, C.A., Katayama, A., Kuiper, H.A., Racke, K.D., Rubin, B., Shevah, Y., Stephenson, G.R., Tanaka, K., Unsworth, J., Wauchope, R.D. and Wong, S.S.** 2007. Altered pesticide use on transgenic crops and the associated general impact from an environmental perspective. *Pest Manag Sci.*, **63**: 1107-1115.
- Kostova, M., Naimov, S., Dukiandjiev, S. and Minkov, I.** 2008. Molecular characterization of Bulgarian *Bacillus thuringiensis* isolates. *Compt. Rend. Acad. Bulg. Sci.*, **61**(4): 475-480.
- Kota, M., Daniell, H., Varma, S., Garczynski, S.F., Gould, F. and Moar, W.J.** 1999. Overexpression of the *Bacillus thuringiensis* (*Bt*) Cry Aa2 protein in

chloroplasts confers resistance to plants against susceptible and *Bt* resistant insects. *Proc. Natl.Acad.Sci.*, **96**: 1840-1845.

- Kotschi, J.** 2008. How transgenic plants impact on biodiversity. *16th IFOAM Organic World Congress*, Modena, Italy.
- Kranthi, K.R., Naidu, S., Dhawad, C.S., Tatwawadi, A., Mate, K., Patil, E., Bharose, A.A., Behere, G.T., Wadaskar, R.M. and Kranthi, S.** 2005. Temporal and intraplant variability of Cry1Ac expression in *Bt* cotton and its influence on the survival of the cotton bollworm, *Helicoverpa armigera*. *Curr. Sci.*, **89**: 291-298.
- Kranthi, S. and Kranthi, K.R.** 2008. Changes in baseline susceptibility of the cotton bollworm, *Helicoverpa armigera* (Hubner) (Lepidoptera: Noctuidea) to Cry1Ac toxin from *Bacillus thuringiensis*. *Cotton Research Report*, Central Institute of Cotton Research. Nagpur.
- Kranthi, S., Kranthi, K.R., Siddhabhatti, P.M. and Dhepe, V.R.** 2004. Baseline toxicity of *Cry1Ac* toxin against spotted bollworm, *Earias vitella* (Fab) using a diet based bioassay. *Current Science*, **87**(11): 1593-1597.
- Krieg, N.R. and Holt, J.G.** 1984. Bergey's Manual of Systematic Bacteriology, Vol. 1, eds: Williams and Wilkins. Baltimore.
- Krips, O.E., Kleijn, P.W. and Willems, P.E.L.** 1999. Leaf hairs influences searching efficiency and predation rate of the predatory mite *Phytoseiulus persimilis* (Acari: Phytoseiidae). *Exp Appl Acarol.*, **23**(2): 119 – 131.
- Kun, X., Su, D., Jiang, W.R., Ming, Y.F. and Ren, X.C.** 2008. Leaf surface factors of transgenic *Bt* cotton associated with the feeding behaviours of cotton aphids: A case study on non- target effects. *Science in China Series C: Life Sciences*, **51**(2): 145-156.
- Lakhal, S.Y., Sidibe, H. and H'Mida, S.** 2008. Comparing conventional and certified organic cotton supply chains: the case of Mali. *Int. J. Agricultural Resources, Governance and Ecology.*, **7**(3): 243-255.

- Lattanzio, V., Lattanzio, V.M.T. and Cardinali, A.** 2006. Role of phenolics in the resistance mechanism of plants against fungal pathogens and insects. In *Phytochemistry: Advances in Research*, pp. 23-67.
- Laurent, F.M. and Rathahao, E.** 2003. Distribution of [¹⁴C] imidacloprid in sunflowers (*Helianthus annuus* L.) following seed treatment. *J. Agric. Food Chem.*, **51**: 8005–8010.
- Layton, M.B., Williams, M.R., Long, J.L.** 2000. Performance of *Bt* cotton in Mississippi, 1999. *Proceedings of Beltwide cotton conferences*, San Antonio, USA. **2**: 1037-1039.
- Leigh, T.F., Roach, S.H. and Watson, T.F.** 1996. Biology and ecology of important insect and mite pests of cotton. The Cotton Foundation Publisher, Memphis, TN. pp. 17 – 69.
- Lewis, P.A., Molongoski, J.J. and Hagan, J.** 2005. Method for the extraction and analysis of imidacloprid residues in plant material by Enzyme – Linked Immunosorbent Assay (ELISA). *Proceedings of 16th U.S. Department of Agriculture interagency research forum on gypsy moth and other invasive species*.
- Liang, G., Tan, W. and Guo, Y.** 2000. Study on screening and inheritance mode of resistance to *Bt* transgenic cotton in cotton bollworm. *Acta Entomologica Sinica.*, **43**: 57 - 62.
- Lie, W.D., Wu, K.m., Chen, X.X., Feng, H.Q., Guang, X. and Guo, Y.Y.** 2002. Effects of transgenic cotton carrying Cry1A+CpT1 and Cry1Ac genes on diversity of Arthropod communities in cotton fields in North China. *Chin. J. Agric. Biotechnol.*, **1**: 17-21.
- Liu, B., Zeng, Q., Yan, F., Xu, H. and Xu, C.** 2004. Effects of transgenic plants on soil microorganisms. *Plant soil*, **271**: 1-13.
- Liu, X.D., Zhai, B.P., Zhang, X.X. and Zong, J.M.** 2005. Impact of transgenic cotton plants on a non - target pest, *Aphis gossypii* Glover. *Ecological Entomology*, **30**: 307-315.

- Liu, W.P., Zheng, W., Ma, Y. and Liu, K.K.** 2006. Sorption and degradation of imidacloprid in soil and water. *J. Environ. Sci. Health, Part B.* **41**: 623-634.
- LongWa, Z., LiXin, B., ZhaoJun, H., Chun, E.S. and ShuangLin, D.** 2005. Composition of pests and natural enemies and dynamics of dominant groups in transgenic *Bt* cotton fields. *Cotton Science*, **17**: 222-226.
- Longxu, X., Fen, L., Mingxia, C. and Longdou, L.** 2005. Acquirement of transgenic cotton (*Gossypium hirsutum* L.) resistant to herbicide and insect using glyphosate- tolerant *aroAM12* gene as a selectable marker. *Genetica Si Biologie Moleculara*, pp. 151-160.
- Lopez, J. D., Sterling, W.L., Dean, D.A. and Nordlund, D.A.** 1996. Biology and ecology of important predators and parasites attacking arthropod pests. *Cotton Insect and Mites: Characterization and Management* (ed. by E.G. King, J.R. Phillips and R.J. Coleman), pp. 87–142. The Cotton Foundation, Memphis, Tennessee .
- Lopez, J.D., Fritz, B.K., Latheef, M.A., Lan, Y., Martin, D.E. and Hoffmann, W.C.** 2008. Arthropod Management- Evaluation of toxicity of selected insecticides against thrips on cotton in laboratory bioassays. *The Journal of Cotton Science*, **12**: 188-194.
- Lord, K.A., May, M.A. and Stevenson, J.H.** 1968. The secretion of the systemic insecticides dimethoate and phorate into nectar. *Ann. Appl. Biol.*, **61**: 19 – 27.
- Lowrey, O.H., Rosenbrough, N.J., Farr, A.L. and Randall, R.J.** 1951. Protein measurement with the Folin phenol reagent. *J. Biol. Chem.*, **193**: 265 – 275.
- Luo, Z., Dong, H., Li, W., Ming, Z. and Zhu, Y.** 2008. Individual and combined effects of salinity and waterlogging on *CryIAC* expression and insecticidal efficacy of *Bt* cotton. *Crop Protection*, **27**: 1485-1490.
- Lycette, G.W. and Grierson, D.** 2001. Genetic engineering of crop plants. Butterworth Heinemann, London, UK. pp. 303.
- Lynch, J.** 1994. The rhizosphere – form and function. *Applied Soil Ecology*, **1**: 193–198.

- Mahon, R., Finnergan, J., Olsen, K. and Lawrence, L.** 2002. Environmental stress and the efficacy of *Bt* cotton. *Aust. Cotton Grower.*, **22**: 18-21.
- Maloney, P.E., Van Bruggen, A.H.C. and Hu, S.** 1997. Bacterial community structure in relation to the carbon environment in lettuce and tomato rhizosphere and in bulk soil. *Microb Ecol.*, **34**: 109 – 117.
- Manjunath, T.M.** 2008. *Bt*- Cotton in India: Remarkable adoption and benefits. FABE Newsletter <http://fbae.org/our-position-bt-cotton.html>.
- Manjunatha, R., Pradeep, S., Sridhara, S., Manjutha, M., Naik, M.I., Shivanna, B.K. and Hosamani, V.** 2009. Quantification of Cry1Ac protein over time in different tissues of *Bt* cotton hybrids. *Karnataka J. Agric. Sci.*, **22**(3): 609-610.
- Mansouri, H., Petit, A., Oger, P. and Dessaux, Y.** 2002. Engineered rhizosphere : the trophic bias generated by opine producing plants is independent of the opine type, the soil origin and the plant species. *Appl. Environ. Microbiol.*, **68**: 2562 – 2566.
- Mc-Cutcheon, C.** 1999. Segregation for Gus gene in transgenic cotton. *Proceedings of the Beltwide cotton conference*, **1**: 439-441.
- Mehlo, L., Gahakwa, D., Nghia, P.T., Loc, N.T., Capell, T., Gatehouse, J.A., Gatehouse, A.M.R. and Christou, P.** 2005. An alternative strategy for sustainable pest resistance in genetically enhanced crops. *PNAS*, **102**(22): 7812-7816.
- Mellet, M.A. and Schoeman, A.S.** 2007. Effect of *Bt* cotton on chrysopids, ladybird beetles and their prey: Aphids and whiteflies. *Indian Journal of Experimental Biology*, **45**: 554-562.
- Men, X., Ge, F., Edwards, C.A. and Yardim, E.N.** 2004. Influence of pesticide applications on pest and predatory associated with transgenic *Bt* cotton and non-transgenic cotton plants. *Phytoparasitica*, **32**: 246-254.
- Milling, A., Smalla, K., Maid, F.X., Schloter, M. and Munch, J.C.** 2004. Effects of transgenic potatoes with an altered starch composition on the diversity of soil and rhizosphere bacteria and fungi. *Plant soil*, **266**: 23-39.

- Minyard, J.P., Thompson, A.C. and Hedin, P.A.** 1968. Constituents of the cotton bud. VIII. .beta.-Bisabolol, a new sesquiterpene alcohol. *J. Org. Chem.*, **33**: 909-911.
- Minyard, J.P., Tumlinson, J.H., Thompson, A.C. and Hedin, P.A.** 1966. Constituents of the cotton bud. Sesquiterpene hydrocarbons. *J.Agric. Food Chem.*, **14**: 332-336.
- Mohan, S., Suganthi, M., Palaniswamy, S. and Kailasam, C.** 2006. Farmers' friendly scouting technique for *Helicoverpa armigera* (Hubner) in *Bt* cotton hybrids. *Madras Agric. J.*, **93**(7-12): 212-216.
- Mohapatra, S., Ahuja, A.K., Sharma, D., Deepa, M., Prakash, G.S. and Kumar, S.** 2011. Residue study of imidacloprid in grapes (*Vitis vinifera* L.) and soil. *Quality Assurance and Safety of Crops & Foods*, **3**: 24-27.
- Montaz, O.A., Fahmy, A.H., Diab, A.A. and Ahmed, A.H.H.** 2007. Comparative analysis of amino acid between transgenic and non-transgenic Egyptian cotton (*Gossypium barbadense*) lines under different salt stress conditions. *American – Eurasian J Agric. & Environ. Sci.*, **2**(1): 6-15.
- Moustakas, A. and Karakassis, I.** 2005. How diverse is aquatic biodiversity research? *Aquat.Ecol.*, **39**: 367-375.
- Muhit, M.A., Tareq, S.M., Apu, A.S., Basak, D. and Islam, M.S.** 2010. Isolation and identification of compounds from the leaf extract of *Dillenia indica* Linn. *Bangladesh Pharmaceutical Journal*, **13**(1): 49-53.
- Mullins, J.W.** 1993. Imidacloprid: A new nitroguanidine insecticide. *Am. Chem. Soc. Symposium Series*, **52**: 40097–6156.
- Murugan, M., Sathiah, N., Dhandapani, N., Rabindra, R.J. and Mohan, S.** (2003). Laboratory assays on the role of Indian transgenic *Bt* cotton in the management of *Helicoverpa armigera* (Noctuidae: Lepidoptera). *Indian J. Plant Prot.*, **31**: 1-5.
- Nagrare, V.S., Kranthi, S., Biradar, V.K., Zade, N.N., Sangode, V., Kakde, G., Shukla, R.M., Shivare, D., Khadi, B.M. and Kranthi, K.R.** 2009.

Widespread infestation of the exotic mealybug species *Phenacoccus solenopsis* (Tinsley) (Hemiptera: Pseudococcidae) on cotton in India. *Bulletin of Entomological Research*, **99**: 537-41.

Naidu, K.C., Lalam, R. and Bobbarala, V. 2009. Antimicrobial agents from *Rubia cordifolia* and *Glycyrrhiza glabra* against phytopathogens of *Gossypium*. *International Journal of Pharm Tech Research*, **1**(4): 1512-1518.

Naranjo, S.E. 2005. Long – term assessment of the effects of transgenic *Bt* cotton on the function of the natural enemy community. *Environ. Entomol.*, **34**(5): 1211-1223.

Naranjo, S.E. 2009. Impacts of *Bt* crops on non-target invertebrates and insecticide use patterns. *CAB Reviews: PAVSNNR*, **4**(11): 1-23.

Naranjo, S.E. and Ellsworth, P.C. 2002. Looking for functional non – target differences between transgenic and conventional cottons: Implications for biological control. <http://ag.arizona.edu/pubs/crops/az1283>.

Naranjo, S.E. and Ellsworth, P.C. 2003. Arthropod communities and transgenic cotton in the western United States: Implications for biological control. *1st International Symposium on Biological Control of Arthropods*, pp. 284-291.

Neal, J.L., Jr., Atkinson, T.G. and Larson, R.I. 1970. Changes in the rhizosphere microflora of spring wheat induced by disomic substitution of chromosome. *Can. J. Microbiol.*, **16**(3): 153 – 158.

Ning, X.Z., Song, Q.P., Kong, X.H., Chen, H., Meng, J.W., He, Y.J. and Zhang, S.L. 2001. A preliminary research on the regularity of population fluctuations of major insects and natural enemies in the field of *Bt* transgenic cotton in the Xingjiang region. *China Cotton*, **28**: 12-13.

Oger, P., Petit, A. and Dessaux, Y. 1997. Genetically engineered plants producing opines alter their biological environment. *Nat. Biotechnol.*, **15**: 369 – 372.

Olsen, K.M., Daly, J.C., Holt, H.E. and Finnegan, E.J. 2005. Season-long variation in expression of Cry1Ac gene and efficacy of *Bacillus thuringiensis* toxin in

- transgenic cotton against *Helicoverpa armigera* (Lepidoptera: Noctuidae). *J. Econ. Entomol.*, **98**: 1007-1017.
- Omex, A.D., Leigh, T.F. and Granett, J.** 1992. Insecticide resistance in field populations of greenhouse whitefly (Homoptera: Aleyrodidae) in the San Joaquin Valley (California) cotton cropping system. *J. Econ. Entomol.*, **85**: 21.
- Panda, N., and Khush, S.G.** 1995. Host plant resistance to insects. CABI. Wallingford, UK. pp. 448.
- Parida, A.K., Dagaonkar, V.S., Phalak, M.S., Umalkar, G.V. and Aurangabadkar, L.P.** 2007. Alterations in photosynthetic pigments, protein and osmotic components, in cotton genotypes subjected to short term drought stress followed by recovery. *Plant Biotechnol. Rep.*, **1**: 37-48.
- Pei, Y., Gui, L. and Wang, W.** 2012. Effect of transgenic *Bt* cotton on abundance of cotton spider mites and total phenolic content of leaves and their relationship. *Advance Journal of Food Science and Technology*, **4**(6): 393-397.
- Perez, J.E., Mayz, J., Rylander, K. and Nirchio, M.** 2001. The impact of the transgenic revolution on aquaculture and biodiversity. A review. *Revista científica*, **11**(2): 101-108.
- Perveen, S.S., Qaisrani, T.M., Amin, S., Perveen, R. and Naqvi, S.H.M.** 2001. Biochemical basis of insect resistance in cotton. *Online Journal of Biological Sciences*, **1**(6): 496-500.
- Phillips, J.R., Gutierrez, A.P. and Adkisson, P.L.** 1980. General accomplishments toward better insect control in cotton. *New Technology of Pest Control* (ed. by CB Huffaker), pp. 123–153. John Wiley & Sons, New York, NY, USA.
- Piccinelli, A.L., Lotti, C., Severino, L., Luongo, D. and Rastrelli, L.** 2008. Unusual cytotoxic sulfated cadinene-type sesquiterpene glycosides from cottonseed (*Gossypium hirsutum*). *Tetrahed.*, **64**: 5449-5453.
- Pielou, E.G.** 1966. The measurement of diversity in different types of biological collections. *J. Theo. Biol.*, **13**: 131-144.

- Prasad, N.V.V.S.D., Rao, M. and Rao, N.H.** 2009. Performance of *Bt* cotton and non *Bt* cotton hybrids against pest complex under unprotected conditions. *Journal of biopesticides*, **2**(1): 107-110.
- Pray, C.E., Huang, J., Hu, R. and Rozelle, S.** 2002. Five years of *Bt* cotton in China - the benefits continue. *Plant J.*, **31**: 423-430.
- Preetha, G., Manoharan, T., Stanley, J. and Kuttalam, S.** 2010. Impact of chloronicotinyl insecticide, imidacloprid on egg, egg – larval and larval parasitoids under laboratory conditions. *Journal of Plant Protection Research*, **50**(4): 535-540.
- PSRAST.** 2001. Genetically engineered crops – a threat to soil fertility? - On-line article: <http://www.psrast.org/soilecolart.htm>.
- Qaim, M. and Janvry, A.D.** 2005. *Bt* cotton and pesticide use in Argentina: economic and environmental effects. *Environment and Development Economics*, **10**: 179-200.
- Qaim, M. and Zilberman, D.** 2003. Yield effects of genetically modified crops in developing countries. *Science*, **299**: 900 – 903.
- Qaim, M., Cap, E.J. and Janvry, A.D.** 2003. Agronomics and sustainability of transgenic cotton in Argentina. *AgBioForum*, **6**(1&2): 41-47.
- Radhika, P., Sudhakar, K., Mohiddin, S.B. and Rao, G.M.V.P.** 2004. Relative incidence of pest complex on *Bt* and non *Bt* cotton hybrids under protected and unprotected conditions. Proceedings of *National symposium on “Strategies for Sustainable Cotton Production - A Global vision– 3.Crop Protection”* 23-25, November, 2004, UAS, Dharwad. pp. 136-138.
- Rajendran, L. and Samiyappan, R.** 2008. Endophytic *Bacillus* species confer increased resistance in cotton against damping off disease caused by *Rhizoctonia solani*. *Plant Pathology Journal*, **7**(1): 1-12.
- Raps, A., Kehr, J.J., Gugerli, P., Moar, W.J., Bigler, F. and Hilbeck, A.** 2001. Immunological analysis of phloem sap of *Bacillus thuringiensis* corn and of the

nontarget herbivore *Rhopalosiphum padi* (Homoptera: Aphididae) for the presence of cry 1Ab. *Molecular Ecology*, **10**: 525-533.

- Reed, J., Burris, E., Allen, C., Badwell, R., Cook, D., Freeman, B., Herzog, G. and Leonard, R.** 2001. Thrips (Thysanoptera : Thripidae) A multistate survey : Summary of observations for Arkansas, Alabama, Georgia, Louisiana, Mississippi and Tennessee. *MS Exp. Stn. Research Report.*, **22**: 1– 6.
- Romeis, J., Meissle, M. and Bigler, F.** 2006. Transgenic crops expressing *Bacillus thuringiensis* toxins and biological control. *Nature Biotechnology*, **24**(1): 63-71.
- Romeis, J., Shanower, T.G. and Zebitz, C.P.W.** 1998. Physical and chemical plant characteristics inhibiting the searching behaviour of *Trichogramma chilonis*. *Entomol Exp Appl.*, **87**: 275 – 284.
- Rouchaud, J., Gustin, F. and Wauters, A.** 1996. Imidacloprid insecticide soil metabolism in sugar beet field crops. *Bull. Environ. Contam. Toxi-col.*, **56**: 29-36.
- Rui, Y.K., Yi, G.X., Zhao, J., Wang, B.M., Li, Z.H., Zhai, Z.X. and He, Z.P.** 2005. Changes of *Bt* toxin in the rhizosphere of transgenic *Bt* cotton and its influence on soil functional bacteria. *World J. Microbiol. Biotechnol.*, **21**: 1279 – 1284.
- Sadras, V.O and Wilson, L.J.** 1998. Recovery of cotton crops after early season damage by thrips. *Crop Sci.*, **38**: 399 – 409.
- Sammaiah, C., Laxman, P. and Samatha, C.** 2012. Study on infestation of cotton insect strainers on *Bt* cotton and non-*Bt* cotton in Warangal, Andhra Pradesh. *International Journal of Environmental Sciences*, **3**(3): 1155-1160.
- Sanyal, N., Hazra, D., Pal, R., Somchaudhury, A.K. and Chowdhury, A.** 2006. Imidacloprid in processed tea and tea liquor. *Journal of Zhejiang University SCIENCE B*, **7**(8): 619-622.
- Sarwar, M., Saleem, M.F., Wahid, M.A., Shakeel, A. and Bilal, M.F.** 2012. Comparison of *Bt* and non-*Bt* cotton (*Gossypium hirsutum* L.) cultivars for earliness indicators at different sowing dates and nitrogen levels. *J. Agric. Res.*, **50**(3): 335-347.

- Savka, M.A. and Farrand, S.K.** 1997. Modification of rhizobacterial populations by engineering bacterium utilisation of a novel plant produced resource. *Nat Biotechnol.*, **15**: 363 – 368.
- Schmuck, R., Nauen, R. and Kintscher, U.E.** 2003. Effects of imidacloprid and common plant metabolites of imidacloprid in the honeybee: toxicological and biochemical considerations. *Bulletin of Insectology*, **56**(1): 27-34.
- Scholz, K. and Spiteller, M.** 1992. Influence of ground cover on the degradation of ¹⁴C-imidacloprid in soil. *Brighton Crop Protection Conference Pests and Diseases.*, pp. 883-888.
- Schoning, R. and Schmuck, R.** 2003. Analytical determination of imidacloprid and relevant metabolite residues by LC MS/MS. *Bulletin of Insectology*, **56**(1): 41-50.
- Schuler, T.H., Potting, R.P.J., Denholm, I. and Poppy, G.M.** 1999a. Parasitoid behaviour and *Bt* plants. *Nature*, **400**: 825.
- Schuler, T.H., Poppy, G.M., Kerry, B.R. and Denholm, I.** 1999b. Potential side effects of insect resistant transgenic plants on arthropod natural enemies. *Trends Biotechnol.*, **17**: 210-216.
- Seifter, S., Dayton, S., Novic, B. and Muntwyler, E.** 1950. The estimation of glycogen with the anthrone reagent. *Arch Biochem.*, **25**(1): 191-200.
- Shallan, M.A., Hassan, H.M.M., Namich, A.A.M. and Ibrahim, A.A.** 2012. Effect of Sodium Nitroprusside, Putrescine and Glycine Betaine on alleviation of drought stress in cotton plant. *American-Eurasian J. Agric. & Environ. Sci.*, **12**(9): 1252-1265.
- Shannon, C.E. and Weiner, V.** 1949. The mathematical theory of communications. University of Illinois Press, Urbana. pp.117.
- Shantharam, S. and Rao, C.K.** 2006. On the variability of Cry1Ac expression in commercialized *Bt* cotton varieties in India. *Current Science*, **90**(9): 1170-1171.
- Sharma, D.** 2003. A scientific fairy tale- *Bt* cotton in India. <http://www.indiatogether.org/2003/feb/dshscicoverup.htm>.

- Sharma, H.C. and Pampapathy, G.** 2006. Influence of transgenic cotton on the relative abundance and damage by target and non-target insect pests under different protection regimes in India. *Crop Protection*, **25**: 800-813.
- Showalter, A.M., Heuberger, S., Tabashnik, B.E. and Carriere, Y.** 2009. A primer for using transgenic insecticidal cotton in developing countries. *Journal of Insect Science*, **9**(22): 1-39.
- Sileshi, G.** 2006. Selecting the right statistical model for analysis of insect count data by using information theoretic measures. *Bulletin of Entomological Research*, **96**: 479–488.
- Sileshi, G.** 2007a. A method of estimating insect abundance and patch occupancy with potential applications in large scale monitoring programmes. *African Entomology*, **15**(1): 89-101.
- Sileshi, G.** 2007b. Evaluation of statistical procedures for efficient analysis of insect, disease and weed abundance and incidence data. *East African Journal of Science*, **1**: 1–9.
- Sisterson, M.S., Biggs, R.W., Olson, C., Carriere, Y., Dennehy, T.J. and Tabashnik, B.E.** 2004. Arthropod abundance and diversity in *Bt* and non-*Bt* cotton fields. *Environ. Entomol.*, **33**: 921.
- Slepecky, R.A. and Hemphill, H.E.** 2006. The genus *Bacillus* - Non medical. In: Dworkin, M., S. Falkow, E. Rosenberg, K.H. Schleifer, E. Stackebrandt. The prokaryotes 3rd ed. Springer Science+ Business Media, LLC, NY, USA.
- Smith, S.F. and Krischik, V.A.** 1999. Effects of systemic imidacloprid on *Coleomegilla maculate* (Coleoptera: Coccinellidae). *Entomological Society of America*, pp.1189-1195.
- Sneath, P.H.A.** 1986. Endospore forming gram positive rods and cocci. In: Sneath, P.H.A., N.S. Mair, H.E. Sharpe, J.G. Holt, R.G.E. Murray, chairman, Don J. Brenner, M.P. Bryant, J.G. Holt, N.R. Krieg and others. *Bergey's Manual of Systematic Microbiology*, vol.2. Williams and Wilkins, Baltimore, USA.

- Snow, A.A., Rieseberg, L.H., Alexander, H.M., Cummings, C. and Pilson, D.** 2002. Assessment of gene flow and potential effects of genetically engineered sunflowers on wild relatives. *Mitt. Biol. Bundesanst. Land-Forstwirtschaft.*, **380**: 19-25.
- Song, P., Heinen, J.L., Burns, T.H. and Allen, R.D.** 2000. Expression of two tissue – specific promoters in transgenic cotton plants. *The Journal of Cotton Plants*, **4**: 217-223.
- Soomro, A.R., Anjum, R. and Bano, S.** 2003. Reduced use of insecticides against cotton bollworms with F1 cotton hybrids possessing *Bt* gene: A myth or reality? In: *World Cotton Research Conference-3. Cotton production for the new Millennium.* (Cape Town, R.S.A.) pp.1097.
- Stapel, J.O., Cortesero, A.M., DeMoraes, C.M., Tumlinson, J.H. and Lewis, W.J.** 1997. Extrafloral nectar, honeydew and sucrose effects on searching behavior and efficiency of *Microplitis croceipes* (Hymenoptera: Braconidae) in cotton. *Environ. Entomol.*, **26**: 76 – 81.
- Stapel, J.O., Cortesero, A.M. and Lewis, W.J.** 2000. Disruptive sublethal effects of insecticides on biological control. Altered foraging ability and lifespan of a parasitoid after feeding on extrafloral nectar of cotton treated with systemic insecticides. *Biological Control*, **17**: 243-249.
- Stipanovic, R.D., Bell, A.A. and O'Brien, D.H.** 1980. Raimondal, a new sesquiterpenoid from pigment glands of *Gossypium raimondii*. *Phytochem.*, **19**:1735-1738.
- Stipanovic, R.D., Bell, A.A., Mace, M.E. and Howell, C.R.** 1975. Antimicrobial terpenoids of *Gossypium*: 6-methoxygossypol and 6,6-dimethoxygossypol. *Phytochem.*, **14**: 1077-1081.
- Stipanovic, R.D., Bell, A.A., O'Brien, D.H. and Lukefahr, M.J.** 1977. Heliocide H2: An insecticidal sesterpenoid from cotton. *Phytochem.*, **18**: 567-570.
- Stipanovic, R.D., Bell, A.A., O'Brien, D.H. and Lukefahr, M.J.** 1978. Heliocide H3 an insecticidal terpenoid from *Gossypium hirsutum*. *Phytochem.*, **17**: 151-152.

- Stipanovic, R.D., Puckhaber, L.S., Bell, A.A., Percival, A.E. and Jacobs, J.** 2005. Occurrence of (+)- and (-)-Gossypol in Wild Species of Cotton and in *Gossypium hirsutum* Var. *marie-galante* (Watt) Hutchinson. *J. Agric. Food Chem.*, **53**: 6266-6268.
- Stotzky, G.** 2004. Persistence and biological activity in soil of the insecticidal proteins from *Bacillus thuringiensis*, especially from transgenic plants. *Plant and Soil*, **266**: 77-89.
- Sudbrink, D.L., Harris, F.A., Robbins, J.T., English, P.J. and Willers, J.L.** 2003. Evaluation of remote sensing to identify variability in cotton plant growth and correlation with larval densities of beet armyworm and cabbage looper (Lepidoptera: Noctuidae) . *Florida Entomologist*, **86**(3): 290-294.
- Sun, C., Chang, G., Xu, J., Zhang, Q.W., Feng, H.B., Wang, F. and Song, R.** 2002. Effect of transgenic *Bt* cotton on population of cotton pests and their natural enemies in Xingjiang. Chinese. *J. Biol. Cont.*, **18**: 106-110.
- Sun, C., Wu, X., Wang, L., Wang, Y., Zhang, Y., Chen, L. and Wu, Z.** 2012. Comparison of chemical composition of different transgenic insect resistant cotton seeds using Fourier Transform Infrared Spectroscopy (FTIR). *African Journal of Agricultural Research*, **7**(19): 2918-2925.
- Sundaramurthy, V.T.** 2010. The impacts of the transgenes on the transgenes on the modified crops, non-target soil and terrestrial organisms. *African Journal of Biotechnology*, **9**(54): 9163-9176.
- Sur, R. and Stork, A.** 2003. Uptake, translocation and metabolism of imidacloprid in plants. *Bulletin of Insectology*, **56**(1): 35-40.
- Tabashnik, B.E.** 2008. Delaying insect resistance to transgenic crops. *PNAS*, **105**(49): 19029-19030.
- Tabashnik, B.E., Dennehy, T.J., Sims, M.A., Larkin, K., Head, G.P., Moar, W.J. and Carriere, Y.** 2002. Control of resistant pink bollworm (*Pectinophora gossypiella*) by transgenic cotton that produces *Bacillus thuringiensis* toxin *Cry2Ab*. *Applied and Environmental Microbiology*, **68**(8): 3790-3794.

- Tabashnik, B.E., Gassmann, A.J., Crowder, D.W. and Carriere, Y.** 2008. Field evolved insect resistance to transgenic Bt crops. *ISB News Report*.
- Taverniers, I., Windels, P., Vaitilingom, M., Milcamps, A., Van, B.E., VanDen, E.G. and DeLoose, M.** 2005. Event specific plasmid standards and real time PCR methods for transgenic Bt11, Bt176 and GA21 maize and transgenic GT73 canola. *Journal of agricultural and Food Chemistry*, **53**(8): 3041-3052.
- Teng, H.T., Zhao, J.R., Guo J.L., Wang, Y.D., Xing, J.F. and Duan, M.X.** 2002. Report on transgenic maize breeding with borer-resistance; *J. Maize Sci.*, **10**: 14–16.
- Thomazoni, D., Degrande, P.E., Jean Silvie, P.J. and Faccenda, O.** 2010. Impact of Bollgard® genetically modified cotton on the biodiversity of arthropods under practical field conditions in Brazil. *African Journal of Biotechnology*, **9**(37): 6167-6176.
- Tianzhen, Z. and Canming, T.** 2000. Commercial production of transgenic *Bt* insect – resistant cotton varieties and the resistance management for bollworm (*Helicoverpa armigera* Hubner). *Chinese Science Bulletin*, **45**(14): 1249-1257.
- Tlili, N., Bargougui, A., Elfalleh, W., Triki, S. and Nasri, N.** 2011. Phenolic compounds, protein, lipid content and fatty acids compositions of cactus seeds. *Journal of Medicinal Plants Research*, **5**(18): 4519-4524.
- Tomizawa, M. and Yamamoto, I.** 1993. Structure activity relationship of nicotinoids and imidacloprid analogues. *J. Pest. Sci.*, **18**: 91-98.
- Torres, J.B. and Ruberson, J.R.** 2004. Toxicity of thiomethoxam and imidacloprid to *Podisus nigrispinus* (Dallas) (Heteroptera: Pentatomidae) nymphs associated to aphid and whitefly control in cotton. *Neotrop. Entomol.*, **33**(1): 99-106.
- Torres, J.B. and Ruberson, J.R.** 2007. Abundance and diversity of ground dwelling arthropods of pest management importance in commercial *Bt* and non-*Bt* cotton fields. *Annals of Applied Biology*, **150**: 27-39.
- Torres, J.B., Evangelista, W.S., Barros, R. and Guedes, R.N.C.** 2002. Dispersal of *Podisus nigrispinus* (Heteroptera: Pentatomidae) nymphs preying on tomato

leaf miner: Effect of predator release time, density and station level. *J. Appl. Entomol.*, **126**: 326-332.

- Torres, J.B., Ruberson, J.R. and Adang, M.J.** 2006. Expression of *Bacillus thuringiensis* Cry1Ac protein in cotton plants, acquisition by pests and predators: a tritrophic analysis. *Agricultural and Forest Entomology*, **8**: 191–202.
- Traxler, G. and Avila, S.G.** 2004. Transgenic cotton in Mexico. *AgBioForum*, **7**(1&2): 57-62.
- Udikeri, S.S.** 2006. Evaluation of new generation *Bt* genotypes, sustainability of Cry protein expression, computation of ETL, effect on aphid predators and development of IPM model for *Bt* cotton under rainfed condition. *Ph.D. Thesis*, Univ. Agric. Sci. Dharwad (India).
- Udikeri, S.S., Patil, S.B., Nadaf, A.M. and Khadi, B.M.** 2003. Performance of *Bt* cotton genotypes under unprotected conditions. In: *World Cotton Research Conference-3. Cotton production for the new Millennium*. (Cape Town, R.S.A.) pp.1281.
- Vacher, C., Bourguet, D., Rousset, F., Chevillon, C. and Hochberg, M.E.** 2003. Modelling the spatial configuration of refuges for a sustainable control of pests: a case study of *Bt* cotton. *J.Evol.Biol.*, **16**: 378-387.
- Vaya, J., Belinky, P.A. and Aviram, M.** 1997. Antioxidant constituents from licorice roots: Isolation, structure, elucidation and antioxidative capacity toward LDL oxidation. *Free Radical Biol. Med.*, **23**(2): 302-313.
- Vennila, S., Biradar, V.K., Sabesh, M. and Bambawale, O.M.** 2007. Tips on cotton insect pests management for production of good quality cotton. *Crop protection folder series*, **11**: 11.
- Veramendi, J., Roessner, M.U., Renz, A., Willmitzer, L., Trethewey, R.N.** 1999. Antisense repression of hexokinase 1 leads to an over accumulation of starch in leaves of transgenic potato plants but not significant changes in tuber metabolism. *Plant Physiol.*, **121**: 123-134.

- Vilchez, J.L., Khattabi, R.E., Fernandez, J., Casado, A.G. and Navalon, A.** 1996. Determination of imidacloprid in water and soil samples by gas chromatography- mass spectrometry. *Journal of Chromatography*, **746(A)**: 289-294.
- Waage, S.K. and Hedin, P.A.** 1984. Biologically-active flavonoids from *Gossypium arboreum*. *Phytochem.*, **23**: 2509-2511.
- Waller, G.D. and Barker, R.J.** 1979. Effects of Dimethoate on honey bee colonies. *J. Econ. Entomol.* **72**: 549 – 551.
- Wang, Z., Zhang, K., Sun, X., Tang, K. and Zhang, J.** 2005. Enhancement of resistance to aphids by introducing the snowdrop lectin gene *gna* into maize plants. *J. Biosci.*, **30(5)**: 627-638.
- Wang, Z.B. and Guo, S.D.** 1999. Transgenic tobacco co-expressing *cryIA* and *gna* resisted both of the cotton boll worm and aphids; *Chin. Sci. Bull.*, **44**: 2068–2075.
- Wei, S., Min, Q.H., San, S.J. and Chaun, T.Y.** 2003. Application of GFP gene in the study of insect- resistant transgenic plants. *Acta Botanica Sinica*, **45(6)**: 654-658.
- Whitehouse, M.E.A., Wilson, L.J. and Fitt, G.P.** 2005. A comparison of Arthropod communities in transgenic *Bt* and conventional cotton in Australia. *Environ. Entomol.*, **34**: 1224-1241.
- Wilkinson, J.M., Sweet, J. and Poppy, G.M.** 2003. Risk assessment of GM plants: avoiding gridlock? *Trends in Plant Science*, **8**: 208-212.
- Williams, M.R.** 2006. Cotton loss estimates- 2005. Beltwide Cotton Conf., National Cotton Council, Memphis, TN. pp. 1135 – 1150.
- Williams, M.R., Wagner, T.L., Willers, J.L. and Olson, R.L.** 1991. Scouting protocol for arthropod pests of cotton in the MidSouth. Published by the Department of Information Services, Division of Agriculture, Forestry and Veterinary Medicine, MississippiState University.

- Windels, P., Bertrand, S., Depicker, A., Moens, W., Van, B.E. and DeLoose, M.** 2001. Qualitative and event specific PCR real time detection methods for Star Link maize. *European Food Research and Technology*, **213**(3): 259-263.
- Wu, J.W., Luo, X., Zhang, X., Shi, Y. and Tian, Y.** 2011. Development of insect-resistant transgenic cotton with chimeric TVip3A* accumulating in chloroplasts. *Transgenic Res.*, **20**: 963-973.
- Wu, K., Liang, G. and Guo, Y.** 1997. Phoxim resistance of cotton bollworm in China. *J. Econ. Entomol.*, **90**(4): 868-872.
- Wu, K., Lin, K., Miao, J. and Zhang, Y.** 2012. Field abundances of insect predators and insect pests on δ - endotoxin producing transgenic cotton in Northern China. *Second International Symposium on Biological control of Arthropods*, pp. 362-368.
- Wullschleger, S.D. and Oosterhuis, D.M.** 1991. Photosynthesis, transpiration and water use efficiency of cotton leaves and fruit. *Photosynthetica*, **25**: 505 -515.
- Xia, L., Xu, Q. and Guo, S.** 2005. *Bt* insecticidal gene and its temporal expression in transgenic cotton plants. *Acta Agron. Sin.*, **31**: 197-202.
- Xiao, S.H., Liu, J.G. and Huang, J.Q.** 2001. Breeding of insecticidal transgenic cotton cultivations. *Chin. Cotton.*, **28**: 19–20.
- Xue, K., Wang, X.Y., Huang, C.H., Wang, R.J., Liu, B., Yan, F.M. and Xu, C.N.** 2009. Stylet penetration behaviour of the cotton aphid, *Aphis gossypii* on transgenic *Bt* cotton. *Insect Science*, **16**: 137-146.
- Yabor, L., Arzola, M., Aragon, C., Hernandez, M., Arencibia, A. and Lorenzo, J.C.** 2006. Biochemical side effects of genetic transformation of pineapple. *Plant Cell Tissue Organ Cult.*, **86**: 63-67.
- Yan, F.M., Bengtsson, M. and Anderson, P.** 2004. Antennal response of cotton bollworm (*Helicoverpa armigera*) to volatiles in transgenic *Bt* cotton. *J. Appl. Entomol.*, **128**(5): 354 – 357.
- Yazdanpanah, F., Tohidfar, M., Ashari, M.E., Ghareyazi, B., Jashni, M.K. and Mosavi, M.** 2009. Enhanced insect resistance to boll worm (*Helicoverpa*

armigera) in cotton containing a synthetic *Cry 1 Ab* gene. *Indian Journal of Biotechnology*, **8**: 72-77.

Zhang, B.F., Lu, Z.C., Wan, F.H. and Lovei, G.L. 2007. Real-time PCR quantification of *Bemisia tabaci* (Homoptera: Aleyrodidae) B-biotype remains in predator guts. *Molecular Ecology Notes*.

Zhang, B.H., Wang, Q., Liu, F., Wang, K. and Frazier, T.P. 2009. Highly efficient plant regeneration through somatic embryogenesis in 20 elite commercial cotton (*Gossypium hirsutum* L.) cultivars. *Plant Omics Journal*, **2**(6): 259-268.

Zhang, B.H., Guo, T.L. and Wang, Q.L. 2000. Inheritance and segregation of exogenous genes in transgenic cotton. *J. Genet.*, **79**: 71—75.

Zhang, G.X. 1992. The research on the resistance of soybean cultivars to *Cercospora sojina* Hara, Doctoral dissertation, North-East Agricultural University, Harbin, Heilongjiang, China.

Zhang, B., Pan, X., Guo, T., Wang, Q. and Anderson, T.A. 2005. Measuring gene flow in the cultivation of transgenic cotton (*Gossypium hirsutum* L.). *Molecular Biotechnology*, **31**: 11-19.

Zhou, R.H. and Linn, X.D. 1988. Isolation of (-)-gossypol from natural plant. *Contracep.*, **37**: 239-245.

Zhu, S., Su, J., Liu, X., Du, L., Yardim, E.N. and Ge1, F. 2006. Development and reproduction of *Propylaea japonica* (Coleoptera: Coccinellidae) raised on *Aphis gossypii* (Homoptera: Aphididae) fed transgenic cotton. *Zoological Studies*, **45**(1): 98-103.

Zwahlen, C., Hilbeck, A., Gugerli, P. and Nentwig, W. 2003. Degradation of the *CryIAb* protein within transgenic *Bacillus thuringiensis* corn tissue in the field. *Molecular Ecology*, **12**: 765-775.