

REFERENCES

- Abe T, Nakajima A, Matsunaga M, Sakuraji S and Komatsu M, Decreased tear lactoferrin concentration in patients with chronic hepatitis C, *Br J Ophthalmol*. 1999;83(6):684-7.
- Ainscough EW, Brodie AM and Plowman JE, The chromium, manganese, cobalt and copper complexes of human lactoferrin, *Inorganica Chimica acta*, 1979;33:149-153.
- Aisen P, Pinkowitz RA and Liebman A, EPR and other studies of the anion-binding sites of transferrin, *Ann N Y Acad Sci*. 1973, 222:337-46.
- Aisen, P and Liebman A, Lactoferrin and transferrin: a comparative study, *Biochim Biophys Acta.*, 1972;257(2):314-23.
- Aisen, P and Listowsky I, Iron transport and storage proteins. *Annu Rev Biochem*. 1980; 49:357-93.
- Alexander LJ, Levine WB, Teng CT and Beattie CW, Cloning and sequencing of the porcine lactoferrin cDNA, *Anim Genet*. 1992;23(3):251-6.
- Altschul, Stephen F, Thomas L. Madden, Alejandro A. Schäffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David J. Lipman, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", *Nucleic Acids Res.*, 1997; 25:3389-3402.
- Anderson BF, Baker HM, Norris GE, Rice DW and Baker EN, Structure of human lactoferrin: crystallographic structure analysis and refinement at 2.8 Å resolution, *J Mol Biol*. 1989;209(4):711-34.
- Anderson BF, Baker HM, Norris GE, Rumball SV and Baker EN, Apolactoferrin structure demonstrates ligand-induced conformational change in transferrins, *Nature*. 1990; 344(6268): 784-7.
- Antonini G, Rossi P, Pittari G, Marchetti M, Superti F and Valenti P, In: Shimazaki K,KEI-Ichy, Tsuda H, Tomita M, Kumata Tand Perraudin J (Eds), *Lactoferrin: Structure, Function and Applications*, Sapporo, Elsevier2000 : 217-224
- Anzai H, Takaiwa F and Katsumata K, Production of human lactoferrin in transgenic plants, In: Shimazaki K,KEI-Ichy,Tsuda H,Tomita M,Kumata Tand Perraudin J, eds,*Lactoferrin:Structure Function and applications*, Sapporo, Elsevier2000 :265-271.
- Arnold RR, Brewer M and Gauthie JJ, Bactericidal activity of human lactoferrin: sensitivity of a variety of microorganisms, *Infect Immun*. 1980;28(3):893-8

- Arnold RR, Cole MF and McGhee JR, A bactericidal effect for human lactoferrin, *Science*. 1977; 197(4300): 263-5.
- Arnold RR, Russel JE, Champion WJ, Brewer M and Gauthier JJ, Bactericidal activity of human lactoferrin: differentiation from the stasis of iron deprivation, *Infect Immun*. 1982 r;35(3):792-9.
- Artis WM and Patrusky E, Fungistatic mechanism of human transferrin for *Rhizopus pryzae* and trichophyton mentagrophytes: alternative to simple iron deprivation, *Infect Immun*, 1983, 41; 1269-1278.
- Bailey CT, Byrine C, Chrispell K, Molkenbur C, Sakett M, Reid K, McCollum K, Vibbard D and Catelli R, Effect of a covalently attached synergistic anion on chelator-mediated iron-release from ovotransferrin: additional evidence for two concurrent pathways, *Biochemistry*, 1997; 36(33): 10105-8.
- Bailey S, Evans RW, Garratt RC, Gorinsky B, Hasnain S, Horsburgh C, Jhoti H, Lindley PF, Mydin A, Sarra R and Watson JL, Molecular structure of serum transferrin at 3.3A resolution, *Biochemistry*, 1988; 27:5804-5812.
- Baker EN, Anderson BF, Baker HM, Faker HR, Smith CA and Sutherland-Smith AJ, In: Hutchens TW, Lonnerdal B eds. *Lactoferrin; interactions and biologic functions*, Totowa NJ; Humana Press, 1997: 177-191.
- Baker HM, Anderson BF, Kidd RD, Shewry SC and Baker EN, Lactoferrin three dimensional picture; a framework for interpreting function, In: Shimazaki Kei-ichy, Tsuda H, Tomita M, Kumata Tand Perraudin Jeds, *Lactoferrin: Structure Function and applications*, Sapporo, Elsevier 2000 :3-15.
- Baker HM, Day CL, Norris GE and Baker EN, Enzymatic deglycosylation as a tool for crystallization of mammalian binding proteins, *Acta Crystallogr D*, 1994; 50:380-384.
- Baldwin, GS, Comparison of transferrin sequences from different species, *Comp. Biochem. Physiol.*, 1993; 106B(1):203-218.
- Balmer SE, Scott PH and Whrton BA, Diet and faecal flora in the newborn: lactoferrin, *Arch Dis Child.*, 1989; 64(12):1685-90.
- Bartfeld NS and Law JH, Isolation and molecular cloning of transferrin from the tobacco hornworm, *Manduca sexta*. Sequence similarity to the vertebrate transferrins, *J Biol Chem*. 1990; 265(35):21684-91.
- Bates GW and Schlabach MR, The nonspecific binding of Fe³⁺ to transferrin in the absence of synergistic anions, *J Biol Chem*. 1975; 250(6): 2177-81

- Bellamy W, Takase M, Yamauchi K, Wakabayashi H, Kawase K and Tomita M, Identification of the bactericidal domain of lactoferrin. *Biochim Biophys Acta* 1992; 1121(1-2): 130-6.
- Bennat DJ and McAbee D, Identification and isolation of a 45-kDa calcium-dependent lactoferrin receptor from rat hepatocytes, *Biochemistry*. 1997; 6(27):8359-66.
- Bennet MR and Skosey JL, Lactoferrin and lysozyme levels in synovial fluid, *Arthritis and Rheumatism*, 1977;20:84-89.
- Bhimari RS, Vendrov Y and Furmansky P, Influence of lactoferrin feeding and injection against systemic staphylococcal infections in mice. *J Appl Microbiol*. 1999; 86(1): 135-44.
- Blondelle, SE and Houghten RA, Novel antimicrobial compounds identified using synthetic combinatorial library technology, *Trends Biotechnol*. 1996; 14(2): 60-5.
- Bluard-Deconinck Jm, Williams J, Evans RW, Van Snick J, Osinsky PA and Mason PL, iron binding fragments from the N and C-terminal regions of human lactoferrin, *J.Biochem*, 1978; 171:321-326.
- Brock JH: in Ed P Harison, metalloproteins. part 2; 1997:283-262.
- Bullen JJ, Rogers HJ and Leigh L, Iron-binding proteins in milk and resistance to *Escherichia coli* infection in infants, *Br Med J*. 1972;1(792):69-75.
- Burnside, J, Morgan, R.W, Cogburn, L.A, Chicken ESTs from a normalized liver library, 2001, Unpublished.
- Burova T, Lecompte F, Galet C, Monsallier F, Delpech S, Haertle T, Combarnous Y. Conformational stability and in vitro bioactivity of porcine luteinizing hormone. *Mol Cell Endocrinol* 2001 May 15; 176(1-2): 129-34.
- Burova TV, Rabesona H, Choiset Y, Jankowski CK, Sawyer L, Haertle T. Why has porcine VEG protein unusually high stability and suppressed binding ability? *Biochim Biophys Acta* 2000 May 23; 1478(2):267-79.
- Celis RT, Chain-terminating mutants affecting a periplasmic binding protein involved in the active transport of arginine and ornithine in *Escherichia coli*, *J Biol Chem*. 1981; 256(2): 773-9.
- Chakrabarti A, Srivastava S, Swaminathan CP, Surolia A, Varadarajan R. Thermodynamics of replacing an alpha-helical Pro residue in the P40S mutant of *Escherichia coli* thioredoxin. *Protein Sci* 1999 Nov; 8(11):2455-9

- Charpin C, Lachard A, Pourreau-Schneider N, Jacquemeir J, Lavaut MN, and Oniac C, Martin PM and Toga M, Localization of lactoferrin and nonspecific cross-reacting antigen in human breast carcinomas. An immuno histochemical study using the avidin-biotin-peroxidase complex method, *Cancer*. 1985; 55(11): 2612-7.
- Cowart RE, Swope S, Loh TF, Chasteen ND and Bates GW, The exchange of Fe³⁺ between pyrophosphate and transferrin, Probing the nature of an intermediate complex with stopped flow kinetics, rapid multimixing, and electron paramagnetic resonance spectroscopy, *J Biol Chem*. 1986; 261(10): 4607-14.
- Cunningham AS, Jelliffe DB and Jelliffe EFP, Breast-feeding and health in the 1980s: a global epidemiologic review, *J Pediatr*. 1991; 118(5): 659-66.
- Dautry-Varsat A, Receptor-mediated endocytosis: the intracellular journey of transferrin and its receptor. *Biochimie*. 1986 Mar;68(3):375-81.
- Davidson LA and Lonnerdal B, Specific binding of lactoferrin to brush-border membrane: ontogeny and effect of glycan chain, *Am J Physiol*. 1988; 254(4 Pt 1): G580-5.
- Davidsson L, Kastenmayer P, Yuen M, Lonnerdal B and Hurrell RF, Influence of lactoferrin on iron absorption from human milk in infants. *Pediatr Res*. 1994; 35(1):117-24.
- Day CL, Stowell KM, Baker EN and Tweedie JW. Studies of the N-terminal half of human lactoferrin produced from the cloned cDNA demonstrate that interlobe interactions modulate iron release. *J. Biol. Chem*. 1992. Jul. 15; 267(20):13857-62.
- Deicher R, Exner M, Cohen G, Haag-Weber M and Horl WH, Neutrophil beta(2)-microglobulin and lactoferrin content in renal failure patients, *Am J Kidney Dis*. 2000;35(6):1117-26.
- Derisbourg P, Weiruszesky JM, Montreuil J and Spik G, Primary structure of glycans isolated from human leucocyte lactotransferrin. Absence of fucose residues questions the proposed mechanism of hyposideraemia. *Biochem J*. 1990; 269(3): 821-5.
- Dewan JC, Mikami B, Hirose M and Sacchetini JC, Structural evidence for a pH-sensitive dilysine trigger in the hen ovotransferrin N-lobe: implications for transferrin iron release, *Biochemistry*. 1993; 32(45): 11963-8
- Dewey KG, Heinig MJ and Normmsen-rivers LA, Differences in morbidity between breast-fed and formula-fed infants, *J Pediatr*. 1995; 126(5 Pt 1):696-702.

- Dhennin-duthille I, Damiens E, Masson M, Legrand D, Ellass-rochard E, Boilly Mand Mazurier J, Comparative studies of human and bovine lactoferrins' effect on the immune system. In: Shimazaki K, KEI-Ichy,Tsuda H,Tomita M,Kumata Tand Perraudin Jeds,Lactoferrin:Structure Function and applications, Sapporo, Elsevier2000 :129-136.
- Drescher K, Roos N, Pfeuffer M, Seyfert HM, Schrezenmeir J, Hagemeister H, Recovery of ¹⁵N-lactoferrin is higher than that of ¹⁵N-casein in the small intestine of suckling, but not adult miniature pigs, J Nutr 1999 May;129(5):1026-30.
- Eaton SS, Dubach J, More KM, Eaton GR, Thurman G and Ambruso DR, Comparison of the electron spin echo envelope modulation (ESEEM) for human lactoferrin and transferrin complexes of copper (II) and vanadyl ion, J Biol Chem. 1989; 264(9): 4776-81.
- Ebeling W, Hennrich N, Klockow M, Metz h, Orth RD and Lang H, Proteinase k from *Tritirachium album* Limber, Eur.J.Biochem, 1974;47(1):91-97.
- Eftink, M. R. (1995). Use of multiple spectroscopic methods to monitor equilibrium unfolding of proteins. *Methods Enzymol.* 259, 487 - 511.
- El Hage Chahin JM and Pakdaman R, Transferrin, a mechanism for iron release, Eur J Biochem. 1995;230(3):1102-110.
- Faber HR, Bland T, Day CL, Norris GE, Tweedie JW and Baker EN, Altered domain closure and iron binding in transferrins: the crystal structure of the Asp60Ser mutant of the amino-terminal half-molecule of human lactoferrin, J Mol Biol. 1996;256(2):352-63.
- Felsenstein J, Evolutionary trees from DNA sequences: a maximum likelihood approach. *J Mol Evol.* 1981; 17(6): 368-76
- Fillebeen C, Cechelli R, Dexter D , Benaissa M and Pierce A, Brain lactoferrin:origins and mechanisms of accumulation in neurodegenerative disorders,2000,in Ed.Shimazaki. 67-76.
- Fine KD, Ogunji F, George J, Niehaus MD and Guerrant RL, Utility of a rapid fecal latex agglutination test detecting the neutrophil protein, lactoferrin, for diagnosing inflammatory causes of chronic diarrhea. *Am J Gastroenterol.* 1998; 93(8): 1300-5.

- Freire, E, Murphy, K. P, Sanchez- Ruize, J. M, Galisteo, M. L, and Privalov, P. L. 1992, The molecular basis of co-operativity in protein folding. Thermodynamic dissection of interdomain interactions in polyglycerate kinase *Biochemistry* 31: 250-256.
- Fukami M, Stierna P, Veress B and Carlsoo B, Lysozyme and lactoferrin in human maxillary sinus mucosa during chronic sinusitis. An immunohistochemical study, *Eur Arch Otorhinolaryngol.* 1993;250(3):133-9.
- Gahr M, Speer CP, Damerau B and Sawatzki G, Influence of lactoferrin on the function of human polymorphonuclear leukocytes and monocytes. *J Leukoc Biol.* 1991; 49(5):427-33.
- Gerstein M, Anderson BF, Norris GE, Baker EN, Arthur ML and Chothia C, Domain closure in lactoferrin. Two hinges produce a see-saw motion between alternative close-packed interfaces, *J Mol Biol.* 1993; 234(2): 357-72.
- Ginsburg A, Szczepanowski RH, Ruvinov SB, Nosworthy NJ, Sondej M, Umland TC, Peterkofsky A. Conformational stability changes of the amino terminal domain of enzyme I of the *Escherichia coli* phosphoenolpyruvate: sugar phosphotransferase system produced by substituting alanine or glutamate for the active-site histidine 189: implications for phosphorylation effects. *Protein Sci* 2000 Jun;9(6):1085-94
- Gislason J, Iyer S, Douglas GC, Hutchens TW, Lonnerdal B, Binding of porcine milk lactoferrin to piglet intestinal lactoferrin receptor, : *Adv Exp Med Biol* 1994;357:239-244.
- Gonzalez M, Weiler S, Ferretti JA, Ginsburg A. The vnd/NK-2 homeodomain: thermodynamics of reversible unfolding and DNA binding for wild-type and with residue replacements H52R and H52R/T56W in helix III. *Biochemistry* 2001 Apr 24;40(16):4923-31
- Guard, FRN and Wilax PE, *Advan.protein.chem.* 11.1956,311.
- Guillen C, McInnes IB, Berkel van and Brock JH, Anti-inflammatory effect of lactoferrin in mouse models of arthritic disease, In: Shimazaki Kei-Ichy, Tsuda H, Tomita M, Kumata Tand Perraudin J eds, *Lactoferrin: Structure Function and applications*, Sapporo, Elsevier 2000 :1093-109.
- Gutteridge JM, Peterson SK, Segal AW and Halliwell, Inhibition of lipid peroxidation by the iron-binding protein lactoferrin, *Biochem J.* 1981;199(1):259-61.

- Hadden J M, Bloemendal M, Harris PI, Svai AK, and Chapman D, Fourier transform IR-spectroscopy and differentiated scanning calorimeter of transferrins: human serum transferrin, rabbit transferrin and human lactoferrin; *Biochem. Biophys. Acta.*, 1994; 1205: 59-67.
- Hagiwara T, Ozawa K, Fukiwatari Y, Hayasawa H, Hirohata Y, Adachi A, Kanda S and Aihara K, Effect of Lactoferrin on iron Absorption in Mice, In: Shimazaki Kei-ichy, Tsuda H, Tomita M, Kumata T and Perraudin J eds, *Lactoferrin: Structure Function and Applications*, Sapporo, Elsevier2000, 383-388.
- Hammer J, Haaheim H and Guttenberg TJ, bovine lactoferrin is more efficient than bovine lactoferricin in inhibiting HV-1/11 replication *in vitro*, , In: Shimazaki Kei-ichy, Tsuda H, Tomita M, Kumata T and Perraudin Jeds, *Lactoferrin: Structure Function and applications*, Sapporo, Elsevier2000:239-243.
- Harada E, Itoh Y, Sitizyo K, Takeuchi T, Araki Y, Kitagawa H, Characteristic transport of lactoferrin from the intestinal lumen into the bile via the blood in piglets, *Comp Biochem Physiol A Mol Integr Physiol* 1999; 124(3): 321-7.
- Haridas M, Anderson BF and Baker EN, structure of human diferric lactoferrin, refined at 2.2A resolution, *Acta cryst sect D*; 1995,51:629-646.
- Harmsen MC, Swart PS, de Bethune MP, Pauwels R and De Clercq E, The Th and Meijer DK, Antiviral effects of plasma and milk proteins: lactoferrin shows potent activity against both human immunodeficiency virus and human cytomegalovirus replication *in vitro*.,*J Infect Dis.* 1995;172(2):380-8.
- Harrington JP, Spectroscopic analysis of the unfolding of transition metal complexes of human lactoferrin and transferrin, *J.Biochem*; 1992; 24(2): 275-280.
- Harvey,D, Brokstein,P, Hong,L, Evans-Holm,M, Su,C, Tsang,G, Lewis,S, Rubin,G.M, BDGP/HHMI Drosophila EST Project, 2001, Unpublished.
- Hasegawa K, Mutsuchi W, Tanaka S and Dosako S, Inhibition with lactoferrin of *in vitro* infection with human herpes virus, *Jpn J Med Sci Biol.* 1994;47(2):73-85.
- Hayakawa T, Harada H, Noda A and Kondo T, lactoferrin in pure pancreatic juice in chronic pancreatitis, *Amer.J. Gastroenterology*, 1983; 78:222-224.
- He J and Furmanski P, Sequence Specificity and transcriptional activation in the binding of lactoferrin to DNA,*Nature*,1995;373:721-724.

- He QY, Mason AB and Woodworth RC, Iron release from recombinant N-lobe and single point Asp63 mutants of human transferrin by EDTA. *Biochem J.* 1997; 328 (Pt 2): 439-45.
- Headen DR, human lactoferrin: production at large scale, characterization and applications, In: Shimazaki Kei-Ichy, Tsuda H, Tomita M, Kumata T and Perraudin J eds, *Lactoferrin: Structure Function and Applications*, Sapporo, Elsevier 2000: 415-427.
- Hekman A and Rumke P, The antigens of human seminal plasma. With special reference to lactoferrin as a spermatozoa-coating antigen. *Fertil Steril.* 1968; 20(2): 312-23.
- Hernandez-Arana, A, Rojo-Dominguez, A, Altamirano, M. M, and Calcagno, M. L, 1993. Differential scanning calorimetry of the irreversible denaturation of *Escherichia coli* glucosamine-6-phosphatase deaminase, *Biochemistry* 32: 3644-3648.
- Heubers HA, Heubers E, Finch CA and Martin AW, *J.Comp.Physiol*, 1982; 148:101-109.
- Hollecker, M. & Creighton, T. E. (1982). Effect on protein stability of reversing the charge on amino groups. *Biochim. Biophys. Acta* 701, 395- 404.
- Honda S, Uedaira H, Vonderviszt F, Kidokoro S, Namba K. Folding energetics of a multidomain protein, flagellin. *J Mol Biol* 1999 Oct 29;293(3):719-32.
- Hu WL, Mazurier J, Montreuil J and Spik G, Isolation and partial characterization of a lactotransferrin receptor from mouse intestinal brush border, *Biochemistry.* 1990; 29(2): 535-41.
- Hutchens TW, Lonnerdal B eds. *Lactoferrin; interactions and biologic functions*, Totowa NJ;humana press,1997.
- Hwang PM, Zho N, Shan X, Arrowsmith CH and Vogel HJ, The three-dimensional solution structure of lactoferricin-B,an antimicrobial peptide derived from bovine lactoferrin,*Biochemistry*,1998;37:4288-4298.
- Hyman MR and Arp DJ 1993. An electrophoretic study of the thermal- and reductant-dependent aggregation of the 27 kDa component of ammonia monooxygenase from *Nitrosomonas europaea*, *Electrophoresis.* 1993 Jul;14(7):619-27.
- Ikeda M, Sugiyama K, Tanaka T, Tanaka K, Sekihara H, Shimotohno K and Kato N, Lactoferrin markedly inhibits hepatitis C virus infection in cultured human hepatocytes, *Biochem Biophys Res Commun.* 1998;245(2):549-53.

- Jameson GB, Anderson BF, Norri GE, Thomas DH and Baker EN. Structure of human apolactoferrin at 2.0 Å resolution. Refinement and analysis of ligand-induced conformational change. *Acta Crystallogr D Biol Crystallogr.* 1998 Nov 1; 54 (2 (Pt 6)):1319-35.
- Jamroz RC, Gasdaska JR, Bradfield JY and Law JH. Transferrin in a cockroach: molecular cloning, characterization and suppression by juvenile hormone. *Proc Natl Acad Sci U S A.* 1993 Feb 15; 90(4):1320-4.
- Jancarik J and Kim SHJ. sparse matrix sampling: a screening method for crystallization of proteins. *Appl. Cryst.* 1991; 24:409-411.
- Jeffery CJ. Moonlighting proteins. *Trends Biochem Sci.* 1999 Jan; 24(1): 8-11.
- Johansson BJ. Isolation of an iron containing red protein from milk. *Acta. Chem. Scand.* 1960; 14:510-512.
- Jose, M, Sanchez-Ruiz. *Proteins: Structure, Function and Engineering, Subcellular Biochemistry*, 1995; Vol 24 133-176. edited by B. B. Biswas and Sidhartha Roy, Plenum Press, New York.
- Kamen DE, Griko Y, Woody RW. The stability, structural organization, and denaturation of pectate lyase C, a parallel beta-helix protein. *Biochemistry* 2000 Dec 26; 39(51): 15932-43.
- Kappeler, S.R, Ackerman, M, Farah, Z. and Puhan, Z. Sequence analysis of camel (*Camelus dromedarius*) lactoferrin. *Int. Dairy J.* 1999; 9:481-486.
- Karplus, M and McCammon JA. Dynamics of protein: elements and function. *Ann. Rev. Biochem.* 1983; 53: 263-300.
- Karplus, M and McCammon JA. Pressure dependence of aromatic ring rotations in proteins a collisional interpretation. *FEBS Letters.* 1981; 131:34-36.
- Karthikeyan S, Paramasivam M, Yadav S, Srinivasan A, and Singh TP. Structure of buffalo lactoferrin at 2.5 Å resolution using crystals grown at 303 K shows different orientations of the N and C lobes. *Acta Crystallogr D Biol Crystallogr.* 1999b; 55(11): 1805-13.
- Karthikeyan, S, Sujatha Sharma, Ashwani K Sharma, M. Paramasivam, Savita Yadev, A. Srinivasan and Tej P Singh; Structural variability and functional convergence in lactoferrin; *Current Sci.*, 1998a; 77: 241-255.
- Karthikeyan S, Ph. D thesis. Department of Biophysics AIIMS. (1998).

- Kaspieva OV, Nikolaeva OP, Orlov VN, Ponomarev MA, Drachev VA, Levitsky DI. Changes in the thermal unfolding of p-phenylenedimaleimide-modified myosin subfragment 1 induced by its 'weak' binding to F-actin. *FEBS Lett* 2001 Feb 2;489(2-3):144-8.
- Kato A, Nakamura S, Ban M, Azakami H, Yutani K. Enthalpic destabilization of glycosylated lysozymes constructed by genetic modification. *Biochim Biophys Acta* 2000 Aug 31;1481(1):88-96.
- Kawakami H, Dosako S and Lonnerdal B. Iron uptake from transferrin and lactoferrin by rat intestinal brush-border membrane vesicles. *Am J Physiol.* 1990;258(4 Pt 1):G535-41.
- Kawamata T, Tooyam I, Yamata T, Walker DG and McGee PL. Lactotransferrin immunocytochemistry in Alzheimer and normal human brain. *Am J Pathol.* 1993; 142(5): 1574-85.
- Khan JA, Kumar P, Paramasivam M, Yadav RS, Sahani MS, Sharma S, Srinivasan A, and Singh TP. Camel lactoferrin, a transferrin-cum-lactoferrin: crystal structure of camel apolactoferrin at 2.6 Å resolution and structural basis of its dual role, *J Mol Biol*, 2001 8;309(3):751-61.
- Khurana, R, Hate, A. T, Nath, U. & Udgaonkar, J. B. (1995). pH dependence of the stability of barstar to chemical and thermal denaturation. *Protein Sci.* 4, 1133- 1144.
- Kraus E and Femfert U, Proteinase K from the mold *Tritirachum album* Limber; specificity and mode of action, *Hoppe-Syeyers-Z-Physiol-Chem*, 1976; 357(7): 937-947.
- Kretschmar SA and Raymond KN, *Inorg.Chem*, 1988;27:1436-1441.
- Kretschmar M, Jaenicke R. Stability of a homo-dimeric Ca(2+)-binding member of the beta gamma-crystallin superfamily: DSC measurements on spherulin 3a from *Physarum polycephalum*. *J Mol Biol* 1999 Sep 3;291(5):1147-53.
- Kurokawa H, Mikami B and Hirose M, Crystal structure of diferric hen ovotransferrin at 2.4 Å resolution, *J Mol Biol.* 1995;254(2):196-207.
- Kuwajima, K. (1995). Circular dichroism. ed. Shirley, B. A. *Methods in Molecular Biology. Protein Stability and Folding: Theory and practice* 40: 115- 135.
- Kuwajima, K. The molten globule state as a clue for understanding the folding and cooperativity of globular protein structure, *Proteins: Struct. Funct. Genet.*, 1989; 6: 87-103.

- Kuwata H, Yip TT, Yamauchi K, Teraguchi S, Hayasawa H, Tomita M and Hutchens TW, The survival of ingested lactoferrin in the gastrointestinal tract of adult mice, *Biochem J.* 1998;334 (Pt 2):321-3.
- Lander ES, Initial sequencing and analysis of the human genome, *Nature.* 2001; 409(6822): 860-921.
- La WF, Sly DA and Bezkorovainy, Limited cleavage of human lactoferrin with pepsin, *Int.J.Biochem.* 1976;7:203-208.
- Laemmli UK, *Nature*; 1970; 227: 680- 682.
- Larchetti M, Superti F, Ammendolia MG, Rossi P, Valenti P and Seganti L, Inhibition of poliovirus type 1 infection by iron-, manganese- and zinc-saturated lactoferrin, *Med Microbiol Immunol (Berl).* 1999; 187(4): 199-204.
- Lassalle MW, Hinz HJ. Refolding studies on the tetrameric loop deletion mutant RM6 of ROP protein. *Biol Chem* 1999 Apr;380(4):459-72.
- Le Provost F, Nocard M, Guerin G and Martin P, Characterization of the goat lactoferrin cDNA: assignment of the relevant locus to bovine U12 syteny group. *Biochem Biophys Res Commun.* 1994;203(2):1324-32.
- Lee MY, Heubers H, Martin AW and Finch CA, *J Comp Physiol.* 1997; 127:349-356.
- Legrand D, Mazurier J, Aubert JP, Loucheex-Lefebvre MH, Montreuil J and Spik G Evidence for interactions between the 30 kDa N- and 50 kDa C-terminal tryptic fragments of human lactotransferrin, *Biochem J.* 1988 Jun 15;236(3):839-44.
- Legrand D, van Berkel PH, Salmon V, van Veen HA, Stomianny MC, Nuijens JH and Spik G, The N-terminal Arg2, Arg3 and Arg4 of human lactoferrin interact with sulphated molecules but not with the receptor present on Jurkat human lymphoblastic T-cells, *Biochem J.* 1997;327 (Pt 3):841-6.
- Legrand D, Mazurier J, Colavizza D, Montreuil J and Spik G, Properties of the iron-binding site of the N-terminal lobe of human and bovine lactotransferrins. Importance of the glycan moiety and of the non-covalent interactions between the N- and C-terminal lobes in the stability of the iron-binding site *Biochem J.* 1990;266(2):575-81.
- Legrand D, Mazurier J, Metz-boutique MH, Jolless J, Jolles P, Montreuil J and Spik G, Characterization and localization of an iron-binding 18-kDa glycopeptide isolated from the N-terminal half of human lactotransferrin. *Biochim Biophys Acta.* 1984; 787(1): 90-6.

- Levengle B, Spik G, Perl DP, Baauras C, Fillit HM and Hof PR, The iron-binding protein lactotransferrin is present in pathologic lesions in a variety of neurodegenerative disorders: a comparative immunohistochemical analysis. *Brain Res.* 1994; 650(1):20-31.
- Levitsky DI, Rostkova EV, Orlov VN, Nikolaeva OP, Moiseeva LN, Teplova MV, Gusev NB. Complexes of smooth muscle tropomyosin with F-actin studied by differential scanning calorimetry. *Eur J Biochem* 2000 Mar;267(6):1869-77.
- Li Y and Moczydlowsky E, Purification and partial sequencing of saxiphilin, a saxitoxin-binding protein from the bullfrog, reveals homology to transferrin, *J Biol Chem.* 1991;266(23):15481-7.
- Lin LN, Masson AB, Woodworth C and Brandts JF. Calorimetric studies of serum transferrin and ovotransferrin. Estimates of domain interactions, and study of the kinetic complexities of ferric ion binding, *Biochemistry.* 1994 Feb 22;33(7):1881-8.
- Linderstorm- Lang, K. (1924). The ionization of proteins. *Compt. Rend. Trav. Lab. Carlsberg, Ser. Chim.* 15, 15-70.
- Lineback_Zins J and Brew K. Preparation and characterization of an NH₂-terminal fragment of human serum transferrin containing a single iron-binding site, *J Biol Chem.* 1980 Jan 25;255(2):708-13.
- Lineback-Zins J and Brew K, Preparation and characterization of an NH₂-terminal fragment of human serum transferrin containing a single iron-binding site, *J Biol Chem.* 1980 25;255(2):708-13.
- Lonnerdal B and Iyer S, Lactoferrin: molecular structure and biological function. *Annu Rev Nutr.* 1995;15:93-110.
- Lonnerdal B, Keen CC and Hurley LS, Manganese binding proteins in human and cow's milk. *Am J Clin Nutr.* 1985;41(3):550-9.
- Lydon JP, O'Malley BR, Saucedo O, Lee T, Headon DR, Conneely OM. Nucleotide and primary amino acid sequence of porcine lactoferrin, *Biochim Biophys Acta* 1992 ;1132(1):97-99.
- Mach, H, Volkin, D. B, Burke, C. J. & Middaugh, C R. (1995). Ultraviolet absorption spectroscopy. ed. Shirley, B. A. *Methods in Molecular Biology. Protein Stability and Folding: Theory and Practice* 40: 91 -114.

- Mamoru M, Wakabayashi H, Teraguchi S and Hayasawa H, Importance of pathogen-eliminating systems in host protection by lactoferrin feeding, In: Shimazaki Kei-ichy, Tsuda H, Tomita M, Kumata T and Perraudin J eds, *Lactoferrin: Structure Function and Applications*, Sapporo, Elsevier 2000:175-180.
- Maneva AI, Taleva BM, Maneva UV and Sirakov LM, Bovine lactoferrin binds to plasma membrane receptors on human polymorphonuclear leukocytes, *Med Ssci Res*, 1994, 22:863-866.
- Marchetti M, Longhi C, Conte MP, Pisani S, Valenti S and Seganti C, Lactoferrin inhibits herpes simplex virus type 1 adsorption to Vero cells. *Antiviral Res*. 1996; 29(2-3): 221-31.
- Marchetti M, Pisani S, Antonini G, Valenti P, Seganti L and Orsi L, Metal complexes of bovine lactoferrin inhibit in vitro replication of herpes simplex virus type 1 and 2, *Biometals*. 1998; 11(2):89-94.
- Marchetti M, Pisani S, Antonini G, Valenti P, Seganti L and Orsi L, Metal complexes of bovine lactoferrin inhibit in vitro replication of herpes simplex virus type 1 and 2, *Biometals*. 1998; 11(2):89-94.
- Martin AW, Heubers E, Heubers H, Webb J and Finch CA, A monosited transferrin from a representative deuterosome; the ascidian *pyura stolonifera* subphylum urochordata, *blood*, 1984, 64(5), 1047-1052.
- Masson PL, Heremans JF and Schonke EJ, Lactoferrin; an iron binding protein in neutrophilic leukocytes, 1969, *J exp med*, 130, 643-658.
- Mattsby-baltzer I, Roseau A, Motas C, Elverfors J, Engberg I and Hanson LA, Lactoferrin or a fragment thereof inhibits the endotoxin-induced interleukin-6 response in human monocytic cells, *Pediatr Res*. 1996; 40(2):257-62.
- Mazurier J and Spik G, Comparative study of the iron-binding properties of human transferrins. I. Complete and sequential iron saturation and desaturation of the lactotransferrin, *Biochim Biophys Acta*. 1980 May 7; 629(2):399-408.
- Mazurier J, Lagrand D, Hu WL, Wontreuil J and Spik G, Expression of human lactotransferrin receptors in phytohemagglutinin-stimulated human peripheral blood lymphocytes. Isolation of the receptors by antiligand-affinity chromatography, *Eur J Biochem*. 1989; 179(2): 481-7.
- Mead PE and Tweedie JW, cDNA and protein sequence of bovine lactoferrin. *Nucleic Acids Res*. 1990; 18(23):7167.

- Miyauchi H, Nantaku K, Shinoda I, Takasu Z, Fukwatari Y and Hayasawa H, Identification of an active domain of bovine lactoferrin that enhances the phagocytic activity of human neutrophils, In: Shimazaki Kei-ichy, Tsuda H, Tomita M, Kumata T and Perraudin J eds, *Lactoferrin: Structure Function and Applications*, Sapporo, Elsevier 2000:155-161.
- Miyazaki S and Harada Y, In vivo combined effects of lactoferrin (Lf) and drugs on bacterial infections in mice, *Chemotherapy*. 1991;39:829-835.
- Mizutani K, Yamashita H, Mikami B and Hirose M, Crystal structure at 1.9 Å resolution of the apo-ovotransferrin N-lobe bound by sulfate anions: implications for the domain opening and iron release mechanism. *Biochemistry*. 2000; 39(12): 3258-65.
- Montreuil J, Recent data on the structure of the carbohydrate moiety of glycoproteins. metabolic and biological applications, *pure and appl chem*, 1980,42,431-477.
- Moore SA, Anderson BF, Groom CR, Haridas M and Baker EN, Three-dimensional structure of diferric bovine lactoferrin at 2.8 Å resolution. *J Mol Biol*. 1997; 274(2):222-36.
- Muralidhara BK and Hirose M, Anion-mediated iron release from transferrins. The kinetic and mechanistic model for N-lobe of ovotransferrin. *J Biol Chem*. 2000; 275(17): 12463-9.
- Nakamasu, K, Kawamoto, T, Shen, M, Gotoh, O, Teramoto, M, Noshiro, M. and Kato, Y, TITLE Membrane-bound transferrin-like protein (MTf): structure, evolution and selective expression during chondrogenic differentiation of mouse embryonic cells, *Biochim. Biophys. Acta*, 1999; 1447 (2-3): 258-264.
- Nakasone Y and Yamamoto S, Effect of dietary lactoferrin on the immunity of mice, *Rep Res Com Essnt Amino Acids*, 1995,143;15-19.
- Nguyen Sak, Craig A and Raymond KN, *J Am. Chem. Soc.*, 1-15, 6758-6764.
- Norio H, Satro S, Yamaguchi K and Hayasawa H, Antiviral effect of bovine lactoferrin on feline herpesvirus infection, In: Shimazaki Kei-ichy, Tsuda H, Tomita M, Kumata T and Perraudin J eds, *Lactoferrin: Structure Function and Applications*, Sapporo, Elsevier 2000.
- Oberer M, Lindner H, Glatter O, Kratky C, Keller W. Thermodynamic properties and DNA binding of the ParD protein from the broad host-range plasmid RK2/RP4 killing system. *Biol Chem* 1999 Dec;380(12):1413-20.

- Oram JD and Reiter B, Inhibition of bacteria by lactoferrin and other iron-chelating agents, *Biochim Biophys Acta*. 1968;170(2): 351-65.
- Pace, CN, Shirley, BA, & Thomson, J. A. (1989). Measuring the conformational stability of a protein in "Protein structure: A practical approach." (Creighton TE ed) pp 311- 330, IRL Press, Oxford, Newyork.
- Paulsson MA, Svensson U, Kishore AR and Naidu AS, Thermal behavior of bovine lactoferrin in water and its relation to bacterial interaction and antibacterial activity, *J Dairy Sci*. 1993;76(12):3711-20.
- Pentecost BT and Teng CT, Lactotransferrin is the major estrogen inducible protein of mouse uterine secretions, *J Biol Chem*. 1987;262(21):10134-9.
- Pereira SP, Rhodes JM, Campbell BJ, Kumar D, Brain IM, Murphy GM and Dowling RH, Biliary lactoferrin concentrations are increased in active inflammatory bowel disease: a factor in the pathogenesis of primary sclerosing cholangitis? *Clin Sci (Colch)*. 1998;95(5):637-44.
- Perutz, M. F. (1978). Electrostatic effects in proteins. *Science* 201, 1187- 1191.
- Peterson NA, Anderson BF, Gameson GB, Tweedie JW and Baker EN, Crystal structure at 1.9 Å resolution of the apoovotransferrin N-lobe bound by sulfate anions: implications for the domain opening and iron release mechanism, *Biochemistry*. 2000; 39(12): 3258-65.
- Peterson NA, Anderson BF, Jameson G, Tweedie JW and Baker EN, Crystal structure and iron-binding properties of the R210K mutant of the N-lobe of human lactoferrin: implications for iron release from transferrins. *Biochemistry*. 2000; 39(22): 6625-33.
- Pflugrath JW and Quioco FA, Sulphate sequestered in the sulphate-binding protein of *Salmonella typhimurium* is bound solely by hydrogen bonds, *Nature*. 1985;314(6008):257-60.
- Pierce A, Colavizza D, Benaissa M, Maes P, Tartar A, Montreuil J and Spik G Molecular cloning and sequence analysis of bovine lactotransferrin. *Eur J Biochem*. 1991;196(1):177-84.
- Pravindra Kumar Ph.D. thesis. Department of Biophysics AIIMS. (2001).
- Privalov, P. L. 1980. Scanning microcalorimeters for studying macromolecules. *Pure Appl. Chem*. 52: 479-497.

- Privalov, P. L. Thermodynamic problems of protein structure, *Ann. Rev. Biophys. Biophys. Chem.*, 1989; 18: 47-69.
- Privalov, P. L. (1979). Stability of proteins. Small globular proteins. *Adv. Protein Chem.* 33, 167- 241.
- Puddu P, Borghi P, Gessani S, Valenti P, Belardell F and Seganti L, antiviral effect of bovine lactoferrin saturated with metal ions on early steps of human immunodeficiency virus type 1 and 2 in vitro, *AIDS Res Human Retrov.* 1998,12,769-775.
- Puett D, The equilibrium unfolding parameters of horse and sperm whale myoglobin. Effects of guanidine hydrochloride, urea, and acid, *J.Biol.Chem.*, 1973;248:4623-4634.
- Quioco FA, Atomic structures of periplasmic binding proteins and the high-affinity active transport systems in bacteria. *Philos Trans R Soc Lond B Biol Sci.* 1990; 326 (1236): 341-51.
- Rado TA, Weix XP and Benz EJ, Isolation of lactoferrin cDNA from a human myeloid library and expression of mRNA during normal and leukemic myelopoiesis, *Blood.* 1987; 70(4): 989-93.
- Raman A, Bhatia KL, Singh TP, Srinivasan A, Betzel C and Malik RC, Purification, crystallization, and X-ray diffraction studies of lactotransferrin from buffalo colostrum, *Arch Biochem Biophys.* 1992 Apr; 294(1): 319-21.
- Rao K, van Renswoude J, Kempf C and Klausner RD, Separation of Fe+3 from transferrin in endocytosis. Role of the acidic endosome. *FEBS Lett.* 1983; 160 (1-2): 213-6.
- Reiter B, Brock JH and Steel ED, Inhibition of *Escherichia coli* by bovine colostrum and post-colostral milk. II. The bacteriostatic effect of lactoferrin on a serum susceptible and serum resistant strain of *E. coli*. *Immunology.* 1975;28(1):83-95.
- Rey MW, Woloshuk SL, deBoer HA and Pieper FR, Complete nucleotide sequence of human mammary gland lactoferrin. *Nucleic Acids Res.* 1990; 18(17): 5288.
- Roberts AK, Chierci R, Sawatzki G, Hill MJ, Volpato S and Vigi V, Supplementation of an adapted formula with bovine lactoferrin: 1. Effect on the infant faecal flora, *Acta Paediatr.* 1992; 81(2): 119-24.

- Roberts TL and Bournsnell JC, The isolation and characterization of lactoferrin from sow milk and boar seminal plasma, *J Reprod Fertil.* 1975; 42(3): 579-82.
- Rodriquez G, Oravec T, Yanagizhita M, Bou-habib MC, Mostowsky H and Norcross MA, Mediation of human immunodeficiency virus type 1 binding by interaction of cell surface heparan sulfate proteoglycans with the V3 region of envelope gp120-gp41, *J Virol.* 1995 ;69(4):2233-9.
- Rose TM, Plowman GD, Teplow DB, Dreyer WJ, Hellstorm KE and Brown JP, Primary structure of the human melanoma-associated antigen p97 (melanotransferrin) deduced from the mRNA sequence, *Proc Natl Acad Sci U S A.* 1986; 83(5): 1261-5.
- Rosengarth A, Rosgen J, Hinz HJ, Gerke V. A comparison of the energetics of annexin I and annexin V. *J Mol Biol* 1999 May 21;288(5):1013-25.
- Royer, C. A. (1995). Fluorescence spectroscopy. Ed. Shirley, A. *Methods in Molecular Biology. Protein Stability and folding: Theory and practice* 40: 65-89.
- Ruiz-Pelaez JG and Mattar S. Accuracy of fecal lactoferrin and other stool tests for diagnosis of invasive diarrhea at a Colombian pediatric hospital. *Pediatr Infect Dis J.* 1999; 18(4): 342-6.
- Saitah O, Kojima K, Kayazawa M, Sagi K, Tanaka S, Nakagawa K, Taranishi T, Matsure R, Uchida K, Morkawa H, Hirata I and Katsuk K, Comparison of tests for fecal lactoferrin and fecal occult blood for colorectal diseases: a prospective pilot study. *Intern Med.* 2000; 39(10): 778-82.
- Sanchez-Ruiz, J. M. (1995). Differential scanning calorimetry of proteins. *Proteins: Structure, Function and Engineering.* 24: 133- 176. Eds. Biswas, B. B. and Roy, S.
- Schibli DJ, Hwang PM and Vogel HJ, The structure of the antimicrobial active center of lactoferricin B bound to sodium dodecyl sulfate micelles. *FEBS Lett.* 1999; 446 (2-3): 213-7.
- Schuchell RN, *Ophthalmology*,1981;88:858-861.
- Schulz-Iell G, Dorner K, Oldigs HD, Sievers E and Schaub J, Iron availability from an infant formula supplemented with bovine lactoferrin. *Acta Paediatr Scand.* 1991; 80(2): 155-8.
- Sekine K, Watanabe E, Nakamura J, Takasuka N, Kim DJ, Asamoto M, Krutovskikh Y, Toriyama-baba H, Ota T, Moore MA, Masudam, Sugimoto H, Nishino H, Kakizoe T and Tsuda H, inhibition of azoxymethane –initiated colon tumour by bovine lactoferrin administration in F344 rats, *Jpn.J.Cancer.Re*,1997,88:523-526.

- Sharma AK, Paramasivam M, Srinivasan A, Yadav MP and Singh TP, Three-dimensional structure of mare diferric lactoferrin at 2.6 Å resolution. *J Mol Biol.* 1999; 289 (2): 303-17.
- Sharma AK, Rajshankar KR, Yadav MP and Singh TP, Structure of mare apolactoferrin: the N and C lobes are in the closed form. *Acta Crystallogr D Biol Crystallogr.* 1999; 55 (Pt 6):1152-7.
- Sharma S, Singh TP and Bhatia KL, Preparation and characterization of the N and C monoferric lobes of buffalo lactoferrin produced by proteolysis using proteinase K, *J Dairy Res.* 1999; 66(1): 81-90.
- Sharp, K. A. & Honig, B. (1990). Electrostatic interactions in macromolecules: theory and applications. *Ann. Rev. Biophys. Biophys. Chem.* 19, 301-332.
- Shimazaki K, KEI-Ichyo, Tsuda H, Tomita M, Kumata Tand Perraudin J eds, *Lactoferrin: Structure Function and Applications*, Sapporo, Elsevier2000.
- Shinoda I, Takase M, Fukuwatari Y, Shimamura S, Koller M and Koning W, Effects of lactoferrin and lactoferricin on the release of interleukin 8 from human polymorphonuclear leukocytes. *Biosci Biotechnol Biochem.* 1996; 60(3): 521-3.
- Shnyrov VL, Villar E, Zhadan GG, Sanchez-Ruiz JM, Quintas A, Saraiva MJ, Brito RM. Comparative calorimetric study of non-amyloidogenic and amyloidogenic variants of the homotetrameric protein transthyretin. *Biophys Chem* 2000 Dec 15;88(1-3):61-7.
- Shongve MS, Smith CA, Ainscough EW, Baker HM, Brodie AM and Baker EN, Anion binding by human lactoferrin: results from crystallographic and physicochemical studies. *Biochemistry.* 1992; 31(18):4451-8.
- Shortle, D. and Meeker AK, Residual structure in large fragments of Staphylococcal nuclease; effects of aminoacid substitutions, *Biochemistry*, 1989; 28: 936-944.
- Singh TP, Sharma S, Karthikeyan S, Betzel C and Bhatia KL, Crystal structure of a complex formed between proteolytically-generated lactoferrin fragment and proteinase K, *Proteins.* 1998; 33(1): 30-8.
- Slabach MR and Bates GW, The synergistic binding of anions and Fe³⁺ by transferrin. Implications for the interlocking sites hypothesis. *J Biol Chem.* 1975; 250(6): 2182-8.
- Sorenson M and Sorenson MPL, the proteins in whey:comp rend trans lab,larlsberg,1939,23,55-59.

- Spik G, Legrand D, Leveugle B, Mazurier J, Mikogami T, Montreuil J, Pierce A and Rochard E, Characterization of two kinds of lactotransferrin (lactoferrin) receptors on different target cells, *Adv Exp Med Biol.* 1982;357:13-9.
- Spik G, Mazurier J, Coddeville B, Bourne Y, Cambillaut C and Montreuil J, Primary and three dimensional structure of lactotransferrin (lactoferrin) glycans, In T W Hutchins and Lonnerdal B eds *lactoferrin: structure and functions*, plenum press, 1994, 21-32.
- Stern RV and Frieden E 1993, Partial purification of the rat erythrocyte ceruloplasmin receptor monitored by an electrophoresis mobility shift assay, *Anal Biochem.* 1993 Jul; 212(1): 221-8.
- Sun X, Baker HM, Shewry SC, Jameson GB and Baker EN, Structure of recombinant human lactoferrin expressed in *Aspergillus awamori*. *Acta Crystallogr D Biol Crystallogr.* 1999; 55 (Pt 2):403-7.
- Superti, F, Ammendolia MG, Valenti PO and Seganti L, Antiviral activity of milk proteins: lactoferrin prevents rotavirus infection in the enterocyte-like cell line HT-29, *Med Microbiol Immunol (Berl).* 1997; 186(2-3): 83-91.
- Tanford C, Protein denaturation, *Adv. Protein Chem.*, 1970; 24:1-95.
- Tauber PE, Zan Evel DJC, Propping D and Schumacher GFB, Components of human split ejaculate spermatozoa: fructose, immunoglobulation, albumin, lactoferrin, transferrin and other plasma protein, 1975, *J reprod.fert*, 43, 249-267.
- Teng CT, Grant DJ and Negishi M, Lactoferrin gene: methylation, expression and cancer, In: Shimazaki K, KEI-Ichy, Tsuda H, Tomita M, Kumata T and Perraudin Jeds, *Lactoferrin: Structure Function and Applications*, Sapporo, Elsevier 2000, 247-225.
- Teragucchi S, Shin K, Ozawa K, Nakamura N, Fukuwatari Y, Tsuyuki S, Namihira H and Shimamura S, Bacteriostatic effect of orally administered bovine lactoferrin on proliferation of *Clostridium* species in the gut of mice fed bovine milk, *Appl Environ Microbiol.* 1995; 61(2): 501-6.
- Thompson JD, Higgins DG and Gibson TJ, CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice, *Nucleic Acids Res.* 1994; 22(22): 4673-80.
- Tomita M, Takase M, Bellamy W and Shimamura S, A review: the active peptide of lactoferrin, *Acta Paediatr Jpn.* 1994; 36(5): 585-91.

- Trubnikov GA, Sukharev AE, Uklistaia TA and Orlova EA, [Clinico-diagnostic role of ferritin and lactoferrin assays in benign and malignant affections of lungs and pleura], *Klin Med (Mosk)*. 1998;76(3):21-6.
- Tsuda H, Sekine K, Nakamura V, Ushida Y, Kuhara T, Takaasuka N, Kim DJ, Asamoto M, Baba-toriyama H, Moore MA, Nishino H and Kakizoe T, Inhibition of azoxymethane initiated colon tumor and aberrant crypt foci development by bovine lactoferrin administration in F344 rats. *Adv Exp Med Biol*. 1998; 443:273-84.
- Tsuda H, Sekine K, Ushida Y, Kuhara T, Takaasuka N, Iigo M, Baba-toriyama H and Goldberg GS, Prevention of carcinogenesis and metastasis by dietary bovine lactoferrin, In: Shimazaki K, KEI-Ichy, Tsuda H, Tomita M, Kumata Tand Perraudin Jeds, *Lactoferrin: Structure Function and Applications*, Sapporo, Elsevier 2000, 389-399.
- Tsutsumi Y, Serizawa A, Matsunaga M, Sakuraji S and Komatsu M, Localized amyloidosis of the seminal vesicle: identification of lactoferrin immunoreactivity in the amyloid material, *Pathol Int*. 1996;46(7):491-7.
- Ushida Y, Sekine K, Kuhara T, Takasuka N, Iigo M and Tsuda H, Inhibitory effects of bovine lactoferrin on intestinal polyposis in the Apc(Min) mouse, *Cancer Lett*. 1998;134(2):141-5.
- Ushida Y, Sekine K, Kuhara T, Takasuka N, Iigo M, Maeda M and Tsuda H, Possible chemopreventive effects of bovine lactoferrin on esophagus and lung carcinogenesis in the rat. *Jpn J Cancer Res*. 1999;90(3):262-7.
- Valenti P, Antonini G, Siciliano R, Rega B, Superti F, Marchetti M, Ammendolia MG and Seganti L, Antiviral activity of lactoferrin derived peptides, In: Shimazaki K, KEI-Ichy, Tsuda H, Tomita M, Kumata Tand Perraudin Jeds, *Lactoferrin: Structure Function and applications*, Sapporo, Elsevier 2000: 181-186.
- van Berkel PH, Geerts ME, van Veen HA, Kooiman PM, Pieper FR, deBoer HA and Nuijens JH, Glycosylated and unglycosylated human lactoferrins both bind iron and show identical affinities towards human lysozyme and bacterial lipopolysaccharide, but differ in their susceptibilities towards tryptic proteolysis, *Biochem J*. 1995;312 (Pt 1):107-14.
- van Den Borg JJ, Kuipers ME, van Beek N, de Vries-hospers HG, Frijlink HW, Meijer DK and swart PJ, Lactoferrin against oral candidiasis, , In: Shimazaki K, KEI-Ichy, Tsuda H, Tomita, Kumata Tand Perraudin J, eds, *Lactoferrin: Structure Function and Applications*, Sapporo, Elsevier 2000, 187-191.

- Vorland LH, Ulvatne H, Anderson J, Haukland H, Rekdal O, Svendsen JS and Gutteberg TJ, Lactoferricin of bovine origin is more active than lactoferricins of human, murine and caprine origin, *Scand J Infect Dis*. 1998;30(5):513-7.
- Wakabayashi H, Matsumoto H, Hashimoto K, Teraguchi S, Takase M and Hayasawa H, N-Acylated and D enantiomer derivatives of a nonamer core peptide of lactoferricin B showing improved antimicrobial activity. *Antimicrob Agents Chemother*. 1999; 43(5): 1267-9.
- Walmer DK, Padin CJ, Wrona MA, Healy BE, Bently RC, Taso MS, Kohler MF, McLachlain JA and Gray KD, Malignant transformation of the human endometrium is associated with overexpression of lactoferrin messenger RNA and protein, *Cancer Res*. 1995;55(5):1168-75.
- Wang SR, Lin J, Cheng IC and Lin TY, Characterization and functional analysis of the porcine lactoferrin gene promoter. *Gene*. 1998; 215(1): 203-12.
- Wang SR, Lin TY, Chen CM and Weng CN, Isolation and expression of a porcine lactoferrin gene, *Am J Vet Res*. 1997;58(10):1152-8.
- Ward PP, Zhou X and Conneely OM, Cooperative interactions between the amino- and carboxyl-terminal lobes contribute to the unique iron-binding stability of lactoferrin, *J Biol Chem*. 1996 May 31;271(22):12790-4.
- Wenn RV and Williams J, The isoelectric fractionation of hen's-egg ovotransferrin, *Biochem J*. 1968;108(1):69-74.
- Williams J and Moreton K, The dimerization of half-molecule fragments of transferrin, *Biochem J*. 1988;251(3):849-55.
- Williams J, The evolution of transferrin, *Trends Biochem. Sci.*, 1982;7:394-397.
- Wu HF, Monroe DM and Church FC, Characterization of the glycosaminoglycan-binding region of lactoferrin. *Arch Biochem Biophys*. 1995 Feb 20; 317(1): 85-92.
- Wuthrich, K. (1986). *NMR of proteins and Nucleic acids* 1-285. John Wiley and sons, Inc. Newyork, Toronto, Singapore.
- Yang TS, Wu SC, Wang SR, Serum and milk lactoferrin concentration and the correlation with some blood components in lactating sows, *Res Vet Sci* 2000; 69(1):95-7.
- Yoo YC, Watanabe R, Shimazaki K, Paic TH and Azuma I, Regulatory effect of bovine lactoferrin on the cell cycle in human monocytic THp-1 cells, In: Shimazaki K, KEI-Ichy, Tsuda H, Tomita M, Kumata Tand Perraudin Jeds, *Lactoferrin: Structure Function and Applications*, Sapporo, Elsevier 2000, 163-171.

- Yoo YC, Watanabe S, Watanabe R, Hata K, Shimazaki K and Azuma I, Bovine lactoferrin and lactoferricin, a peptide derived from bovine lactoferrin, inhibit tumor metastasis in mice, *Jpn J Cancer Res.* 1997; 88(2): 184-90.
- Yozhiga T, Hernandez VP, Fallon AM and Law JH, Mosquito transferrin, an acute phase protein that is upregulated upon infection, 1997, 94,12337-12342.
- Zak O, Tam B , MacGillivray RT and Aisen p, A kinetically active site in the C-lobe of human transferrin. *Biochemistry.* 1997; 36(36): 11036-43.