

REFERENCES

1. Abu Badruddin and Herrington, L.P. (1995), 'Effects of land use data quality in resource analysis', Proceeding of GIS/LIS conf. Tennessee, Vol.I, pp 29 –38.
2. Adyalkar, P.G. (1976), 'Introduction to Groundwater', Oxford and IBH Publishing Co., India, pp 6 – 26.
3. Anbazhagan S and Saranathan E. (1995), ' Application of Remote sensing for analysis of Groundwater condition along a coastal tract of Tamilnadu, India', Asian Pacific Rem. Sensing Journal, Vol.7, No.2. pp 11-15.
4. Andrade, A., Valenzuela, C.R., Vos Tnc, J.H. (1988), 'An ILWIS application for land use planning in Llanos Orientales, Colombia', ITC Journal 1988-1, pp109– 115.
5. Alessandro,V., Carla, R., Chiarini, V.,Possolieri, M. (1994), 'Study of some geohydrological features in the southern Azaoud (Mali) by satellite imagery analysis', Tenth them. conf. Geo. Rem. Sensing, San Antario, Texas, pp 180-188.
6. Baldwin, H.L and McGuinness C.L. (1976), 'Introduction to Groundwater', Oxford and IBH Publishing Co., India
7. Barret, E.C and Curtis, L.F. (1982), 'Introduction to Environmental Remote Sensing', 2nd edition, Halsted Press, Wiley, NY.
8. Bennet, D.A and Sarpe, D.M. (1995), ' Multi-scale integrative modelling for ecosystem management, Cache river watershed, Illinois', Proc. of GIS/LIS conf. Tennessee, Vol.I, pp 53 –61.
9. Billingsley, F.C., Gillespie, A.R., Goetz, A.F.H. (1975), 'Computer Image Processing. Tech. Rep. 32-1597, National Aeronautics and Space Administration, p14.
10. Bobba. A.G.,Bukata, R.P., Jerome, J.H. (1992), 'Digitally processed satellite data as a tool in detecting potential groundwater flow system', Jou. of hydrology, No. 131, pp 25-62.
11. Brown, N.N. (1994), ' Integrating Structural geology with remote sensing in hydrogeological resource evaluation and exploration', Tenth Them.conf.on Geol Rem. Sensing, San Antario, Texas, pp. I 144-154.

12. Burrough, P.A. (1986), 'Principles of Geographical Information Systems for land resources assessment. Clarendon press, Oxford.
13. Chacon-Torres, A., Ross, L.G., Beveridge, M.C.M., Watson, A.I. (1992), 'The application of SPOT multispectral imagery for the assessment of water quality in Lake Patzcuaro, Mexico', *Intl. Jou. Remote Sensing*, Vol.13, No.4, pp 587- 603.
14. Choubey, V.K., Subramanian,V. (1992), 'Estimation of suspended solids using Indian Remote Sensing Satellite-1A :A case study from Central India', *Intl.Jou. Rem. Sen*, vol.13, No.8, pp 1473 - 1485.
15. Chuvieco, E. (1993), ' Integration of linear programming and GIS for land-use modelling', *Intl.Jou. of Geog. Info. Sys.*, Vol.7, No.1, pp 71- 83.
16. Darbar, P.M., Blood, E.R., Choi, K.S. (1995), 'Modelling of a non point pollution using GIS in Charleston Harbor, South Carolina', *Proceeding of GIS/LIS conf. Tennessee*, Vol.1, pp 235 –247.
17. Dutt, D.K. (1979), 'Groundwater development problems in coastal tracts of W.Bengal and Orissa' *Proc. Intl. Seminar on development and management of groundwater resources*, Univ. of Roorkee, Roorkee, India, Nov 1979, IV-48.
18. Dwivedi, R.S. (1992), ' Monitoring and study of the image scale on delineation of salt affected soils in the Indo-gangetic plains', *Intl. Jou. Rem.Sensing*, Vol. 13, No.8, pp 1527-1536.
19. Elbersen, G.W.W, Ismangun, Sutaatmadja, D.S., Solihin, A.A. (1988), ' Small scale soil survey and automated land evaluation', *ITC Journal 1988-1*, pp 51– 59.
20. Frihy,O.E., Nasr,S.M.,El-Hattab,M.M.,El-Raey,M. (1994), ' Remote sensing of beach erosion along the Rosetta Promontary, north western Nile delta, Egypt', *Intl. Jou. Rem. Sen*, Vol.15, No.8, pp 1649-1660.
21. Georgiadis, P. (1995), 'Monitoring non-point source pollution - A Geographic Information System approach', *Proc. of GIS/LIS conf. Tennessee*, Vol 2, pp 543 – 551.
22. Ghosh,T.K., Viswanathan,S., Sural,B. (1991), 'Neotectonic Analysis of Mendha river basin, Rajasthan, India', *Intl. Jou.of Rem. Sensing*, vol.12, N0.12 pp 2585-2595.

23. Goetz, A.F.H., Squires, R.L., Luchitta, I., Elston, D.P., Abrams, M.J. (1975), 'Computer Image Processing', Tech. Report 32- 1597, National Aeronautics and Space Administration, pp107-120.
24. Gomarsca,M.A., Lozano-Garcia,D.F., Fernandes,R.N., Wyss,P.W., Johanssen, C.J. (1992), 'Analysis of seasonal variation in the Niger river interior delta using satellite data', Geocarto International, Vol.3, pp 61-74.
25. Goodchild, M.F. (1994), 'Integrating GIS and remote sensing for vegetational analysis and modelling: methodological issues', Journal of Vegetation Science, No.5, pp 615 – 626.
26. Gopal Rao and Adhinarayana, J. (1994), 'Qualitative assessment of soil erosion for watershed prioritization: Data base approach', Asian Pacific Rem. Sensing Journal, Vol.7, No.1, pp 147-154.
27. Green, K. (1993), 'Integrating satellite imagery and GIS into natural resources management', Natural Resources and Environmental Issues, Vol II, pp 55- 60.
28. Gustaffson, P. (1993), High Resolution Satellite data and GIS as a tool for assessment of Groundwater Potential of a Semi-arid area. Proceedings of the Ninth thematic conference on Geologic Remote sensing, vol 1, pp 609-619.
29. Handa, B.K. (1989), 'Norms for identifying saline intrusion in groundwater', Journal of Applied hydrology, Vol II, No.1 pp 27-48.
30. Hilton, J.C. (1996), 'GIS and remote sensing integration for environmental applications', Intl. Jou. Geographical Information System, Vol.10, No.7, pp 877 – 890.
31. ISRO (1986), ' Issues in water resources development and management and role of remote sensing', Technical report No. ISRO-NNRMS-TR-67-86
32. Jayakumar, R, Siraz M, Radhakrishnan, N, Bhaskaran G. (1996), ' Trend surface analysis in Groundwater resource evaluation', Jou. of Applied Hydrology, V XI Nos 1&2, pp 91-99.
33. Jensen J.R. (1986), 'Introductory Digital Image Processing: A Remote Sensing perspective', Prentice-Hall, Engelwood cliffs, NJ.

34. Kalimuthu, P. (1992), 'A scientific approach for groundwater exploration in Tamil Nadu by T.W.A.D (Tamil Nadu Water And Drainage) Board', Workshop on Remote Sensing applications in groundwater, Anna University, Madras, India, pp 5.1 – 5.9.
35. Karanth, K.R. (1987), 'Groundwater assessment, development and management', Tata McGraw Hill Publication, New Delhi.
36. Khan, M.A., Fadlaelah,Y.H., Alhbinai, K.G. (1992), 'Thematic mapping of Subtidal coastal habitats in the western Arabian Gulf using landsat TM data - Abn Ali Bay, Saudi Arabia', Intl. Jou. Rem. Sen, Vol.13 No.4, pp 605-614.
37. Kim, K., Ventura, S. J., Harris, P. M., Thum, P.G, Prey,J. (1993), 'Urban non-point source pollution assessment using a Geographical Information System', Jou. Env. Management 39, pp157 – 170.
38. Kim, K., Kim, J., Choi, J., Sung, M. (1995), 'Application of GIS to Water Quality Management 'Proc. of GIS/LIS conf. Tennessee, Vol.I, pp 554 – 562.
39. Kimothi M.M and Juyal,N. (1996), 'Environmental impact assessment of a few selected watersheds of the Chamoli district (Central Himalaya) using remotely sensed data', Intl. Jou. Remote sensing, Vol.17, No.7, 1391 – 1405.
40. Knapp,K.R., Morgan, K.M., Donovan,V., Busbey, A., Kresie, N. (1994), 'Using SPOT and TM to map features related to groundwater resources in the Slick Hills of Oklahoma', Tenth Them.conf.on Geol. Rem. Sensing, San Antario, Texas, pp. 168-179.
41. Kresie, N. (1994), ' Remote Sensing of tectonic fabric controlling groundwater flow in Dinaric Karst', Tenth Them.conf.on Geol Rem. Sensing, San Antario, Texas, pp. 161-167.
42. Krishnamurthy, J. (1996), 'An approach to demarcate groundwater potential zones through remote sensing and a geographic information system', Intl. Jou. Remote Sensing, Vol.17, No. 10, pp. 1867-1884.
43. Krishnan, M.S. (1980), 'Geology of India and Burma', CBS Publishers, New Delhi.
44. Kunte, P.D and Wagle, B.G. (1994), 'Analysis of space-borne data for coastal zone information extraction of Goa coast, India', Ocean & Management, No.22, pp 187-200.

45. Lafleur, R.G. (1999), ' Geomorphic aspects of groundwater flow', Jou. of Hydrogeology, vol.7, No.1, pp 78 – 93.5.
46. Lilliesand, T.M and Kiefer R.W. (1987), 'Remote Sensing and Image interpretation', Wiley, NewYork, NY.
47. Lindell,L.,Steinval,T., Jonson,M., Cleason,T. (1985), 'Mapping of turbidity using Landsat imagery', Intl. Jou. Rem. Sen, Vol.6, pp 629-682.
48. Lopez-Blanco, J and Villers – Ruiz, L. (1994), ' Delineating boundaries of environmental units for land management using a geomorphological approach and GIS: A study in Baja California, Mexico', Tenth Them.conf.on Geol Rem. Sensing, San Antario, Texas, pp. II-13-II-23.
49. Lysenga, D.R. (1978), 'Passive remote sensing Techniques for mapping water depth and bottom features', Applied Optics, Vol.17, pp 379-383.
50. Matson, K.C. Stallings, C., Jennings, G.D., McLaughlin, R. A. Coffey, S.W. (1995), 'Watershed Scale Hydrologic Modeling in a GIS Environment', Proc. of GIS/LIS conf. Tennessee, Vol 2, pp 713 –722.
51. Molenaar, M. (1989), ' Towards a geographic information theory', ITC Journal, Vol.1 pp5 - 11.
52. Meijre, J.C., Mardanus, Betty., van de Kastele , A.M. (1988), ' Land use modelling for the upper Komering watershed', ITC Journal 1988-1, pp91 – 95.
53. Meijerink, A.M.J. (1988), ' Data acquisition and data capture through terrain mapping units', ITC Journal 1988-1, pp23– 44.
54. Moses Edwin, J and Bhaskaran, G. (1999), 'Prediction and control of saltwater encroachment using remote sensing and GIS in the coastal aquifers in and around Kayalpattu and Tiruchopuram village of Cuddalore district, Tamil Nadu, India', proc. of the workshop of the fourth Intl. Airborne Rem. Sen. Conf. and Exhibition, Ottawa, Vol.1, pp 21 - 24.
55. Mumby, P.J., Raines, P.S., Gray, D.A., Gibson, J.P. (1994), 'Geographic Information Systems: A tool for integrated coastal zone management in Blaize', Coastal Management, Vol.23, pp 111 – 121.

56. Newton, A.R. and Boyle, T.P. (1993), 'Discriminating rock and surface types with multispectral satellite data in the Richfersveld, NW cape Province, South Africa', Int. Jou Rem. Sen, Vol. 14, No.5, pp 943-959.53.
57. NRSA (1996), 'Integrated Mission for sustainable development- Technical guidelines', National Remote Sensing Agency, Dept.of Space, India.
58. Oszaer, R., Saplaco, S.R., Cruz, R.O., Balangue, T.O., Eslava Jr., F.M. (1995), Land use optimization in Waeriupa watershed, Kairatu, Seara, Maluku, Indonesia using Geographic Information System and Linear Programming', Asian Pacific Rem. Sensing Journal, Vol.7, No.3, pp 129-137.
59. Pattiarchi, C., Lavery, P., Wyllie, A., Hick, P. (1994), Estimates of water quality in coastal waters using Landsat Thematic Mapper data', Intl. Jou. Remote Sensing, Vol.15, No.8, pp 1571- 1584.
60. Putte, Robert van de (1988), 'Farming system and land use modelling for watershed management', ITC Journal 1988-1, pp83– 86.
61. Qari, Mohammed youseff H.T. (1991), 'Application of Landsat TM Data to geological studies. Al-khabt area, Southern Arabian shield', Photo.Engg and Rem. Sen, Vol. 57, No.4, pp 421-449.
62. Radhakrishnan, N., and Elango, L. (1996), 'Lake Environments along the coast of Tamil Nadu, India delineated from IRS – 1A satellite data', Lakes and Reservoirs, Vol.2, Issue 3/4, pp163-168.
63. Radhakrishnan, N., Ramalingam, M., Gurusamy, V., Natarajan,T., Nayak, S.R. (1994), ' Mapping and monioring of coastal eco-system of Tamilnadu, India using low-orbital satellite data', Intl. Conf. Rem. Sensing and GIS for Environment planning, ICORGIS-9, Hyderabad, India. pp. 392-396.
64. Raghunath, H.M. (1987), 'Groundwater', 2nd edition, New Age Publishers, India.
65. Raj, J.K. (1985), 'Recent and near-future coastal changes of Kelantan state, peninsular Malaysia', ITC Journal 1985-1, pp 21-31.
66. Ramasamy, SM. (1991a), ' A Remote Sensing study of river deltas of Tamil Nadu,' Mem. Of Geol. Soc. India, No.22, pp 75-89.

67. Ramasamy,S.M., Bakliwal,P.C., Verma,R.P. (1991b), 'Remote sensing and river migration in western India', *Intl.Jou. of Rem. Sensing*, vol.12, No.12, 2597-2609.
68. Rainis, R. (1995), 'The effect of slope information from several Geographic Information System (GIS) softwares on soil erosion estimates', *Asian Pacific Rem. Sensing Journal*, Vol.7, No.2, pp 117-126.
69. Rao, D.P. (1978) – ' Utility of Landsat coverage for small scale geomorphological mapping- some example from India', *Jou. Ind. Soc. of Photointerpretation*, Vol 6, N0.22, pp 49-53.
70. Rao, K.L. (1975), 'India's water wealth. Its assessment, uses and projections', Oriental Longman Limited, New Delhi, India.
71. Ravi Prakash and Mishra, D. (1993). 'Identification of groundwater prospective zones using remote sensing and geoelectrical methods in and around Saidnagar area, Ddakor block, Jalaun district, Uttar pardesh', *Jou. Ind. Soc. of Photointerpretation*, Vol 21, No.4 pp 217-227.
72. Reeves, R.G. ed. (1984), 'Manual of Remote Sensing', Vol. II, American Society of Photogrammetry and Remote Sensing, Sioux falls, Virginia.
73. Rencz, A.N, Harris, J., Watson, G.P., Murphy, B. (1994), 'Data integration for mineral exploration in the Antigonish Highlands, Nova Scotia: Application of GIS and RS', *Canadian Journal of Remote sensing*, Vol.20, No.3, pp 252-267.
74. Rijt, van de C.W.C.J.,Hazelhoff, L., Blom, C.W.P.M. (1996), 'Vegetation zonation in a former tidal area: A vegetation-type response model based on DCA and logistic regression using GIS', *Journal of Vegetation Science*, No.7, pp 505 - 518.
75. Rondal, J. D., Ma.Arlene M. Evangelista, Masao Yoshida (1994), 'The development of Watershed management strategies using a GIS and Remote sensing : Acase study', *Asian Pacific Rem.Sensing Jou.*, V 7, No.1. pp 155-161.
76. Sabins, F.F, Jr. (1986), 'Remote Sensing : Principles and Interpretation', 2nd edition, Freeman, NewYork, NY.
77. Salama, R.B., Bartle, G., Farrington, P., Wilson, V. (1994,a), 'Basin geomorphological controls on the mechanism of recharge and discharge and its effect on salt storage mobilization comparative study using geophysical surveys', *Jou. of Hydrology*, No.155. pp 1-26.

78. Salama, R.B., Tapley,I., Ishic, J., Hawkes, G. (1994,b), ' Identification of areas of recharge and discharge using Landsat TM satellite imagery and aerial photography mapping techniques', Jou. of hydrology, No.162, pp 199-141.
79. Sarma, V.V.J and Krishnaiah, N. (1976), 'Quality of groundwater in coastal aquifer near Vishakapatnam', Groundwater, Vol.14, No. 5, pp 290-295.
80. Sharma, S.C and Mehta, H.K.R. (1979), 'Geophysical survey for demarcation of sea water intrusion in coastal area of Saurashtra between Ghogha and Kodinar', Proc. Intl. seminar on development and management of groundwater resources, Univ.of Roorkee, India, Nov.1979, pp iv34 - iv37
81. Sophocleous, M. (1992), '.Groundwater recharge estimation and regionalization the great Bend prairie of central kansas and its statistics', Jou. of hydrology, No. 137, pp 113-140.
82. Spatz, D.M and Wilson R.T. (1994), 'Exploration Remote sensing for Porphyry copper deposits, western America Cordillera', Tenth Them.conf.on Geol Rem. Sensing, San Antario, Texas, pp. I- 227-238.
83. Stephen J. C. (1991), ' Integrating Multi-criteria evaluation with geographical information systems', Intl. Jou. Geog. Inf. Sys., Vol.5 No.3, 321 – 335.
84. Shih, S.F. (1988), 'Satellite Data and Geographic Information System For Land Use Classification' , Jou. of Irrigation and Drainage Engineering, Vol. 114, No.3 pp 505 – 519.
85. Timothy B.M, Carter, J.A., Chersie M.M.,Knowles, R.B., Per Gustafsson (1994), ' The use of GIS and Remote Sensing in groundwater exploration for developing countries', Tenth Them. conf. on Geol. Rem. Sensing, Sam Antario, Texas, pp. 168-179.
86. Todd, D.K. (1980), 'Groundwater Hydrology', 2nd edition, John Wiley & Sons, New York.
87. Tomlinson, R.F. (1976), 'Computer handling of geographical data', UNESCO.
88. Trivedi, A.M., Shah R.K. and Gandhi, A.J. (1969), 'Exchange of fresh and salt water in Sabarmati coastal estuary', Symp.on groundwater studies in arid and semi-arid regions, Univ. of Roorkee, India, pp 399-404.

89. Valenzuela, C.R. (1988), 'Soil geography', ITC Journal 1988-1, pp45- 50.
90. Walsh,J.,M. (1986), 'Landsat digital enhancement for lineament detection', Environment Geology (Water Science), No. 8, pp 123 - 128.
91. Wari, M.M., Choubey,V.K., Himanshu Joshi (1996), 'Quantification of Suspended solids in Dal lake,Sri Nagar using Remote sensing technology', Indian. Soc. Rem. Sen, Vol.24, No.1, pp 25-32.
92. Weerakkody, U. (1988), 'Mapping of coastal evolution in Sri Lanka using aerial photographs', ITC Journal, 1988-2, pp 188-195.
93. Welch, C. and Remillard, M. (1992), 'Integration of GPS, Remote sensing and GIS techniques for coastal resources management', Photo. Engg. & Rem. Sensing, vol.58, No.11, pp 1571 – 1578.
94. White, K. (1993), 'Image processing of Thematic Mapper data for discriminating piedmont surficial materials in the Tunisian Southern Atlas', Intl. Jou. Rem. Sen. Vol.14. No.5 pp 961_977.
95. Wijngaarden, W. and Andre Cooiman (1988), 'Land cover and land use data base', ITC Journal 1988-1, pp50-66.
96. Winter, T.C. (1999), 'Relation of streams, lakes, and wetlands to groundwater flow systems', Jou. of Hydrogeology, vol.7, No.1, pp 28 – 45.
97. Xiang, Wei-Ning (1996), 'GIS based riparian buffer analysis: injecting geographic information into landscape planning', Landscape and urban planning, No.34, pp 1-10.
98. Zinck, A.J. and Valenzuela C. R. (1990), 'Soil geographic database: structure and application examples', ITC Journal Vol.3, pp 270-293.