

LIST OF TABLES

| TABLE No. | TITLE | PAGE No. |
|-----------|--|----------|
| 3.1 | Metal content of various metal ion exchanged NaY | 43 |
| 3.2 | Metal content of various metal ion exchanged montmorillonite K10 | 43 |
| 3.3 | BET Surface area of catalyst samples | 45 |
| 3.4 | IR bands (1400 - 1700 cm^{-1}) Region of pyridine adsorbed on solid acids (Corma 1995) | 50 |
| 3.5 | FT-IR data for pyridine adsorbed catalyst samples | 51 |
| 3.6 | DSC data for pyridine adsorbed catalyst samples | 60 |
| 4.1 | Effect of activation temperature of zinc chloride impregnated on montmorillonite K10 (2 mM/g) on the conversion of anisole | 77 |
| 4.2 | Effect of mole ratio of anisole to acetic anhydride on the conversion of anisole catalysed by zinc chloride impregnated on montmorillonite K10 | 79 |
| 4.3 | Effect of zinc chloride loading to montmorillonite K10 on the conversion of anisole | 82 |
| 4.4 | Effect of catalyst weight on the conversion of anisole catalysed by zinc chloride impregnated on montmorillonite K10 | 84 |
| 4.5 | Effect of reaction temperature on the conversion of anisole catalysed by zinc chloride impregnated montmorillonite K10 | 86 |
| 4.6 | Kinetic studies on the acylation of anisole catalysed by zinc chloride impregnated montmorillonite K10 | 88 |

| TABLE No. | TITLE | PAGE No. |
|------------------|--|-----------------|
| 4.7 | Arrhenius parameter for the acylation of anisole catalysed by zinc chloride impregnated montmorillonite K10 | 90 |
| 4.8 | Effect of initial concentration of anisole on the conversion of anisole catalysed by zinc chloride impregnated montmorillonite K10 | 93 |
| 4.9 | Variation of initial rate of acylation of anisole catalysed by zinc chloride impregnated on montmorillonite K10 at different initial concentrations of anisole | 96 |
| 4.10 | Catalytic activity of various metal chlorides impregnated on acid activated montmorillonite K10 (0.5 M HCl) towards acylation of anisole | 98 |
| 4.11 | Catalytic activity of various metal ion exchanged montmorillonite K10 towards acylation of anisole | 100 |
| 4.12 | Catalytic activity of sulphated zirconia catalyst and zinc chloride impregnated on various supports towards acylation of anisole | 101 |
| 4.13 | Effect of activation temperature of DTPA impregnated on silica on the conversion of anisole | 103 |
| 4.14 | Effect of mole ratio of anisole to acetic anhydride on the conversion of anisole catalysed by zinc chloride impregnated on montmorillonite K10 | 105 |
| 4.15 | Effect of DTPA loading on silica on the conversion of anisole | 108 |
| 4.16 | Effect of catalyst weight on the conversion of anisole catalysed by DTPA impregnated on silica | 110 |
| 4.17 | Catalytic activity of DTPA impregnated on various supports on the conversion of anisole | 112 |

| TABLE No. | TITLE | PAGE No. |
|------------------|--|-----------------|
| 4.18 | Effect of activation temperature of zeolite catalysts on the conversion of anisole | 114 |
| 4.19 | Catalytic activity of various zeolites on the conversion of anisole | 116 |
| 5.1 | Effect of initial concentration of cumene hydroperoxide on the conversion of cumene hydroperoxide catalysed by zinc chloride impregnated on silica | 130 |
| 5.2 | Effect of catalyst weight on the decomposition of cumene hydroperoxide catalysed by zinc chloride impregnated on silica | 132 |
| 5.3 | Effect of reaction temperature on the decomposition of cumene hydroperoxide catalysed by zinc chloride impregnated on silica | 134 |
| 5.4 | Arrhenius parameter for the decomposition of cumene hydroperoxide catalysed by zinc chloride impregnated on silica | 137 |
| 5.5 | Catalytic activity of sulphated zirconia catalyst and zinc chloride impregnated on various supports on the conversion of cumene hydroperoxide | 140 |
| 5.6 | Catalytic activity of various metal chlorides impregnated on montmorillonite K10 on the conversion of cumene hydroperoxide | 142 |
| 5.7 | Catalytic activity of various metal ion exchanged montmorillonite K10 for the conversion of cumene hydroperoxide | 145 |
| 5.8 | Effect of reaction temperature on cumene hydroperoxide decomposition catalysed by montmorillonite K10 | 146 |

| TABLE No. | TITLE | PAGE No. |
|------------------|--|-----------------|
| 5.9 | Arrhenius parameter for the decomposition of cumene hydroperoxide catalysed by montmorillonite K10 | 149 |
| 5.10 | Catalytic activity of acid activated clays towards decomposition of cumene hydroperoxide | 151 |
| 5.11 | Catalytic activity of DTPA impregnated on various supports towards decomposition of cumene hydroperoxide | 153 |
| 6.1 | Effect of acid activation of montmorillonite K10 on alcoholysis of epichlorohydrin | 163 |
| 6.2 | Effect of catalyst weight on the alcoholysis of epichlorohydrin catalysed by montmorillonite K10 (activated in 0.3 M HCl) | 166 |
| 6.3 | Effect of reaction temperature on the alcoholysis of epichlorohydrin catalysed by montmorillonite K10 (activated in 0.3 M HCl) | 168 |
| 6.4 | Kinetic studies on the alcoholysis of epichlorohydrin catalysed by montmorillonite K10 (activated in 0.3 M HCl) | 170 |
| 6.5 | Arrhenius parameter for the alcoholysis of epichlorohydrin catalysed by montmorillonite K10 activated in 0.3 HCl (activated in 0.3 M HCl) | 172 |
| 6.6 | Effect of initial concentration of epichlorohydrin on the alcoholysis of epichlorohydrin catalysed by montmorillonite K10 (activated in 0.3 M HCl) | 174 |
| 6.7 | Variation of initial rate of alcoholysis of epichlorohydrin catalysed by montmorillonite K10 (activated in 0.3 M HCl) at different initial concentrations of epichlorohydrin | 177 |

| TABLE No. | TITLE | PAGE No. |
|------------------|---|-----------------|
| 6.8 | Effect of DTPA loading on silica on the alcoholysis of epichlorohydrin | 180 |
| 6.9 | Effect of catalyst weight on the alcoholysis of epichlorohydrin catalysed by DTPA impregnated on silica | 182 |
| 6.10 | Catalytic activity of DTPA impregnated on various supports for the alcoholysis of epichlorohydrin | 184 |
| 7.1 | Effect of acid activation of montmorillonite K10 on acetolysis of epichlorohydrin | 199 |
| 7.2 | Effect of catalyst weight on the acetolysis of epichlorohydrin catalysed by montmorillonite K10 (activated in 0.3 M HCl) | 201 |
| 7.3 | Effect of reaction temperature on the acetolysis of epichlorohydrin catalysed by montmorillonite K10 (activated in 0.3 M HCl) | 204 |
| 7.4 | Kinetic studies on the acetolysis of epichlorohydrin catalysed by montmorillonite K10 (activated in 0.3 M HCl) | 206 |
| 7.5 | Arrhenius parameter for the acetolysis of epichlorohydrin catalysed by montmorillonite K10 activated in 0.3 M HCl | 208 |
| 7.6 | Effect of initial concentration of epichlorohydrin on the acetolysis of epichlorohydrin catalysed by montmorillonite K10 (activated in 0.3 M HCl) | 210 |
| 7.7 | Variation of initial rate of acetolysis of epichlorohydrin at different initial concentrations of epichlorohydrin | 212 |
| 7.8 | Catalytic activity of DTPA impregnated on various supports for acetolysis of epichlorohydrin | 215 |