

## REFERENCES

1. Abdullah, A., and Al-Mazroui, M.A. (1998). Climatological study of the southwestern region of Saudi Arabia. I. rainfall analysis. *Climate Research*, 9, 213. 223.
2. Abebe, A.J., Solomatine, D.P., and Venneker, R.G.W. (2000). Application of adaptive fuzzy rule-based models for reconstruction of missing precipitation events. *Hydrological Sciences J.*, 45(3), 425. 436.
3. Adlouni, S.E., Bobee, B., and Ouarda, T.B.M.J. (2008). On the tails of extreme event distributions in hydrology. *J. of Hydrology*, 355, 16. 33.
4. Aghajani, G. (2007). Agronomical analysis of the characteristics of the precipitation (case study: Sabzevar, Iran). *Pakistan J. of Biological Sciences*, 10(8), 1353. 1358.
5. Agnew, C.T. (2000). Using the SPI to identify drought. *Drought Network News*, 12(1), 6. 12.
6. Ahmed, A., Ould, C., Yasuda, H., Hattori, K., and Nagasawa R. (2008). Analysis of rainfall records (1923. 2004) in Atar-Mauritania. *Geofizika*, 25(1), 53. 64.
7. Akaike, H. (1974). A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19(6), 716. 723.
8. Akinyemi, J.O., and Akinyemi, M.L. (2006). Rainfall analyses for irrigation management in Ibadan southwestern Nigeria. *ASAE Annual Meeting*, The American Society of Agricultural and Biological Engineers, St. Joseph, Michigan, [www.asabe.org](http://www.asabe.org) Paper number 062031.
9. Ali, M.H., Adham, A.K.M., Rahman, M.M., and Islam, A.K.M.R. (2009). Sensitivity of Penman . Monteith estimates of reference evapotranspiration to errors in input climatic data. *J. of Agrometeorology*, 11(1), 1. 8.

- ; Wright, J.L.; Burman, R.D. (1989). %Operational  
ation.+*Agronomy J.*, Madison, 81, 650-662.
11. Allen, R. G., Pereira, L. S., Raes, D., and Smith, M. (1998). %Crop evapotranspiration: Guidelines for computing crop requirements.+ *Irrigation and Drainage Paper No. 56*, FAO, Rome, Italy.
  12. Allen, R.G., Pereira, L.S., Smith, M., Raes, D., and Wright, J.I. (2005). %FAO-56 dual crop coefficient method for estimating evaporation from soil and application extensions+, *J. of Irrigation and Drainage Engineering*, 131(1), 2. 13.
  13. Ananthakrishnan, R., and Soman, M.K. (1989). %Statistical distribution of daily rainfall and its association with the coefficient of variation of rainfall series.+ *Int. J. of Climatology*, 9(5), 485. 500.
  14. Anctil, F., Lauzon, N., Andreassian, V., Oudin L., and Perrin, C. (2006). %Improvement of rainfall-runoff forecasts through mean areal rainfall optimization.+*J. of Hydrology*, 328, 717. 725.
  15. Apaydin, H., Erpul, G., Bayramin, I., and Gabriels, D. (2006). %Evaluation of indices for characterizing the distribution and concentration of precipitation: A case for the region of Southeastern Anatolia project, Turkey.+*J. of Hydrology*, 328, 726. 732.
  16. Arora, M., Goel, N.K., and Singh, P. (2005). %Evaluation of temperature trends over India.+*Hydrological Sciences J.*, 50(1), 81. 93.
  17. ASCE. (2000a). %Artificial neural networks in hydrology. I: preliminary concepts.+*J. of Hydrologic Engineering*, 5(2), 115. 123.
  18. ASCE. (2000b). %Artificial neural networks in hydrology. II: hydrologic application.+*J. of Hydrologic Engineering*, 5(2), 124. 137.

- Kumar N., and Tamradhwaj (2003). %Rainfall period equations and nomographs for Andhra Pradesh.+ *J. of Agrometeorology*, 5(1), 35. 45.
20. Bacanli, U.G., Dikbas, F., and Baran, T. (2008). %Drought analysis and a sample study of Aegean region.+*Proc. of Sixth Int. Conference on Ethics and Environmental Policies Ethics and Climate Change. Scenarios for Justice and Sustainability*, Padova, 1. 10.
  21. Balasubramanian, T.N., Nambi, A.A., and Ganesan, M. (2007). %Study on the effective growing period (EGP) using FAO model for the selected districts of Andhra Pradesh and Rajasthan.+*J. of Agrometeorology*, 9 (2), 279. 281.
  22. Banik, P., Mandal, A., and Rahman M. S. (2002). %Markov chain analysis of weekly rainfall data in determining drought-proneness.+*Discrete Dynamics in Nature and Society*, 7(4), 231. 239.
  23. Banik, P., and Sharma, R.C. (2009). %Rainfall pattern and moisture availability index in relation to rice (*oryza sativa* L.) crop planning in eastern plateau region in India.+*J. of Agrometeorology*, 11(1), 54. 58.
  24. Barker, P. A., Wilby, R. L., and Borrows, J. (2004). %A 200-year precipitation index for the central English Lake district.+ *Hydrological Sciences J.*, 49(5), 769. 785.
  25. Barkotulla, M. A. B., Rahman, M. S., and Rahman, M. M. (2009). %Characterization and frequency analysis of consecutive days maximum rainfall at Boalia, Rajshahi and Bangladesh+, *J. of Development and Agricultural Economics*, 1(5), 121. 126.
  26. Basile, R.M., and Corbin S.W. (1969). %A graphical method for determining Thornthwaite climate classifications+, *Annals of the Association of American Geographers*, 59(3), 561. 572.

27. ... (1991). %Generalized probability distribution of ...  
*Hydrology*, 126, 195. 205.
28. Bayazit, M., and Onoz, B. (2005). %Probabilities and return periods of multisite droughts.+*Hydrological Sciences J.*, 50(4), 605. 615.
29. Ben-Gai, T., Bitan, A., Manes, A., Alpert, P. and Rubin, S. (1998). %Spatial and temporal changes in rainfall frequency distribution patterns in Israel.+*Theor. Appl. Climatol.* 61, 177. 190.
30. Bhakar, S. R., Bansal A. K., Chhajed, N., and Purohit, R. C. (2006a). %Frequency analysis of consecutive days maximum rainfall at Banswara, Rajasthan, India.+ *ARPN J. of Engineering and Applied Sciences*, Asian Research Publishing Network (ARPN), 1(3), 64. 67.
31. Bhakar, S. R., Bansal, A. K., Chhajed, N. and. Singh, R.V. (2006b). %Rainfall analysis for drought estimation of Udaipur region.+ *J. of Agricultural Engineering*, 43(3), 40. 43.
32. Bhattacharya, B., Shrestha, D.L., and Solomatine, D. P., (2003). %Neural networks in reconstructing missing wave data in sedimentation modelling.+ *Proc. of the XXX<sup>th</sup> IAHR Congress*, Thessaloniki, Greece.
33. Bhuiyan, C. (2004). %Various drought indices for monitoring drought condition In Aravalli terrain of India.+*Proc. of XX<sup>th</sup> ISPRS Congress*, 243-248.
34. Bhuiyan, C., Singh, R.P., and Kogan, F.N. (2006). %Monitoring drought dynamics in the Aravalli region (India) using different indices based on ground and remote sensing data+, *Int. J. of Applied Earth Observation and Geoinformation*, 8(4), 289. 302.
35. Biamah, E.K., Sterk, G., and Sharma, T.C. (2004). %Analysis of agricultural drought in liuni, eastern Kenya: application of a Markov model.+ *Hydrological Processes*, 19(6), 1307. 1322.
36. Boni G., Parodi A., and Rudari R. (2006) %Extreme rainfall events: learning from raingauge time series.+*J. of Hydrology* 327, 304. 314.

37. Nath, K.K. (2010). Probabilistic annual maximum rainfall for Jorhat, Assam. *Agrometeorological Services for Farmers, Department of Agricultural Meteorology, Anand*, 133. 137.
38. Brumbelow, K., and Georgakakos A. (2007). Consideration of climate variability and change in agricultural water resources planning. *J. of Water Resources Planning and Management*, 133(3), 275. 285.
39. Buishand, T.A. (1978). Some remarks on the use of daily rainfall models. *J. of Hydrology*, 36, 295. 308.
40. Burgueno, A., Martínez, M.D., Lana, X. and Serra, C. (2005). Statistical distributions of the daily rainfall regime in Catalonia (Northeastern Spain) for the years 1950-2000. *Int. J. of Climatology*, 25(10), 1381. 1403.
41. Burgueno, A., Serra, C., and Lana, X. (2004). Monthly and annual statistical distributions of daily rainfall at the Fabra Observatory (Barcelona, NE Spain) for the years 1917. 1999. *Theoretical and Applied Climatology*, 77(1. 2), 57. 75.
42. Bustami, R., Bessaih, N., Bong, C. and Suhaili, S. (2007). Artificial neural network for precipitation and water level predictions of Bedup river. *IAENG Int. J. of Computer Science*, 34(2).
43. Caloiero, T., Coscarelli, R., Ferrari, E., and Mancini, M. (2009). Trend detection of annual and seasonal rainfall in Calabria (southern Italy). *Int. J. Climatol.*, 31, 44. 56.
44. Chang, J.H. (1955). The climate of China according to the new Thornthwaite classification. *Annals of the Association of American Geographers*, 45(4), 393. 403.
45. Chaudhari, K.N., and Dadhwal, V.K. (2004). Assessment of impact of drought . 2002 on the production of major Kharif and rabi crops using standardized precipitation index. *J. of Agrometeorology*, 6(Sp. Issue), 10. 15.

46. ... , P.S. (2009). %Historical trends and variability of ... in Taiwan.+ *Hydrological Sciences J.*, 54(3), 430. 441.
47. Cheung, W.H., Senay, G.B., and Singh, A. (2008). %Trends and spatial distribution of annual and seasonal rainfall in Ethiopia.+ *Int. J. of Climatology*, 28(13), 1723. 1734.
48. Cheval, S., Baciu, M., Dumitrescu, A., Breza, T., Legates D.R., and Chende, V. (2011). %Climatologic adjustments to monthly precipitation in Romania+, *Int. J. of Climatology*, 31(5), 704. 714.
49. Chopra, P. (2006). %Drought risk assessment using remote sensing and GIS : A case study of Gujarat.+ *M.S. thesis, Geo-information Science and Earth Observation in Hazard and Risk Analysis*, Int. Institute of Geo. information Science and Earth Observation, Netherlands.
50. Chung, C.H., and Salas, J. D. (2000). %Drought occurrence probabilities and risks of dependent hydrologic processes.+ *J. of Hydrologic Engineering*, 5(3), 259. 268.
51. Clarke, R. T. (2010). %On the (mis)use of statistical methods in hydro-climatological research.+ *Hydrological Sciences J.*, 55(2), 139. 144.
52. Colaizzi, P.D., Barnes, E.M., Clarke, T. R., Choi, C.Y., and Waller, P.M. (2003). %Estimating soil moisture under low frequency surface irrigation using crop water stress index.+ *J. of Irrigation and Drainage Engineering*, 129(1), 27. 35.
53. Coulibaly, P., and Evora, N.D. (2007). %Comparison of neural network methods for infilling missing daily weather records.+ *J. of Hydrology*, 341(1. 2), 27. 41.
54. Dabral, P.P. and Jhajjaria, D. (2005). %Rainfall analysis for Doimukh (Itanagar) Arunachal Pradesh.+ *J. of Indian Water Resources Society*, 25(3), 9. 14.

- Debnath, S., Tado, S. and Singh, R.P. (2009).  
rainfall for Umaiam (Barapani), Meghalaya.+*J. of  
Indian Water Resources Society*, 29(3), 15. 22.
56. Dalezios, N.R., Loukas A., Vasiliades L., and Liakopoulos, E. (2000).  
%Severity-duration-frequency analysis of droughts and wet periods in Greece+;  
*Hydrological Sciences J.*, 45(5), 751. 769.
  57. Das, A.D., and Mukhopadhyay, S.K. (1996). %A study on effective monsoon  
and dry spells of short return periods during monsoon months in two north  
Bengal districts.+*Mausam*, 47(2), 145. 148.
  58. Delleur, J.W., Chang, T.J., and Kavvas, M.L. (1989). %Simulation models of  
sequences of dry and wet days+; *J. of Irrigation and Drainage Engineering*,  
115(3), 344. 357.
  59. Demuth, S., and Heinrich, B. (1997). %Temporal and spatial behaviour of  
drought in south Germany.+*Proc. of the Postojna, Slovenia*, IAHS Publ. no.  
246, 151. 157.
  60. Deniz, A., Toros, H., and Incecik, S. (2010). %Spatial variations of climate  
indices in Turkey.+*Int. J. of Climatology*, 31(3), 394. 403.
  61. Deora, B.S., and Singh, R.V. (2009). %Stochastic modelling of water deficit.+*J.  
of Agrometeorology*, 11(1), 19. 28.
  62. Dhar, O.N., Kulkarni, B.D., and Nandargi, S.S. (1991). %Design storm  
estimation for Waingang basin upto Dhapewada dam site - A brief appraisal.+  
*J. of Applied Hydrology*, 4(1 & 2), 43. 49.
  63. Dixit, P., Rodriguez, D., and Chen, D. (2004). %Spatial modelling of extreme  
temperatures in The Southern Mallee of Victoria.+*Proc. of the 4<sup>th</sup> Int. Crop  
Science Congress*, Brisbane, Australia.
  64. Doorenbos, J. and Pruitt W.O. (1977) %Guidelines for predicting crop water  
requirements.+*FAO Irrigation and Drainage Paper No. 24*, FAO, Rome, Italy



65. G. S. Ramesh Babu, R. (2008). "Climate change induced changes with respect to crop production under dryland conditions of Kymore plateau." *Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 24.
66. Edwards, C., Daniel, C., McKee, T.B., Doesken, N.J., and Kleist, J. (1997). "Historical analysis of drought in the United States." *Proc. of 7<sup>th</sup> Conference on Climate Variations*, Center Long Beach.
67. Elshamy, M.E., Wheatler, H.S., Gedney, N., and Huntingford C. (2006). "Evaluation of the rainfall component of a weather generator for climate impact studies." *J. of Hydrology*, 326, 1. 24.
68. Elshorbagy, A.A., Panu, U.S., and Simonovic, S.P. (2000a). "Group-based estimation of missing hydrological data: I. approach and general methodology." *Hydrological Sciences J.*, 45(6), 849. 866.
69. Elshorbagy, A.A., Panu, U.S., and Simonovic, S.P. (2000b). "Group-based estimation of missing hydrological data: II. application to streamflows." *Hydrological Sciences J.*, 45(6), 867. 880.
70. Fasullo, J., and Webster, P.J. (2003). "A hydrological definition of Indian monsoon onset and withdrawal," *J. of Climate*, 6, 3200. 3211.
71. Feddema, J.J. (2005). "A revised Thornthwaite-type global climate classification," *Physical Geography*, 26(6), 442. 466.
72. Fernandez, L.B., and Vergara, G. A. (1998). "Risk of scarcity of monthly precipitation and streamflows in semiarid." *Hydrological Sciences J.*, 43(5), 759. 773.
73. Fernando, D.A.K., and Jayawardena, A.W. (1994). "Generation and forecasting of monsoon rainfall data." *Proc. of 20<sup>th</sup> WEDC Conference on Affordable Water Supply and Sanitation*, Colombo, Sri Lanka.
74. Ferro V., and Porto P. (2006). "Flood frequency analysis for Sicily, Italy," *J. of Hydrologic Engineering*, 11(2), 110. 122.



76. Gabriel, K.R., and Neumann, J. (1962). %A Markov chain model for daily rainfall occurrence at Tel Aviv.+ *Quarterly J. of the Royal Meteorological Society*, 88(375), 90. 95.
77. Garcia, B.I.L., Sentelhas, P.C., Tapil, L., and Sparovek, G. (2006). %Filling in missing rainfall data in the Andes region of Venezuela, based on a cluster analysis approach.+14(2), 225. 233.
78. Giuseppe, E.D., Vento, D., Epifani, C., and Esposito, S. (2005). %Analysis of dry and wet spells from 1870 to 2000 in four Italian sites.+ *Geophysical Research Abstracts*, 7, SRef-ID: 1607-7962/gra/EGU05-A-07712.
79. Goddard, L., Mason, S.J., Zebiak, S.E., Ropelewski, C.F., Basher, R., and Cane, M.A., (2001). %Current approaches to seasonal to interannual climate predictions+, *Int. J. of Climatology*, 21(9), 1111. 1152.
80. Gommès, R., and Petrassi, F. (1996). %Rainfall variability and drought in sub-saharan Africa.+*FAO agrometeorology series working paper No. 9*.
81. Gore, P.G. and Ponshe, A.S. (2004). %Drought in Gujarat districts and state as key indicators to all India drought.+ *J. of Agrometeorology*, 6 (1), 47-54.
82. Gore, P.G., and Sinha Ray, K.C. (2002). %Droughts and aridity over districts of Gujarat.+*J. of Agrometeorology* 4 (1), 75. 85.
83. Goswami, B., Singh, O.P., Satapathi, K.K., and Saikia, U.S. (2008). %Rainfall analysis in relation to rice crop for Jaintia Hills district of Meghalaya.+*J. of Agrometeorology*, 10(2), 188. 192.
84. Goswami, J. (2008). %Geomatics. based agroclimatic characterization of Meghalaya+, *J. of Agrometeorology*, Special Issue. Part I: 164. 168.

K.C. (2007). Advance forecasting of the date of  
over India.+ *Research Report RR CM 0716*, CSIR,  
Bangalore

86. Green, J.R. (1965). Two probability models for sequences of wet or dry days.+ *Monthly Weather Review*, 93(3), 157. 157.
87. Griffis, V.W., and Stedinger, J.R. (2007a). Log-Pearson type 3 distribution and its application in flood frequency analysis. II: parameter estimation methods.+ *J. of Hydrologic Engineering*, 12(5), 492. 500.
88. Griffis, V.W., and Stedinger, J.R. (2007b) Log. Pearson type 3 distribution and its application in flood frequency analysis. I: distribution characteristics.+ *J. of Hydrologic Engineering*, 12(5), 482. 491.
89. Guhathakurta, P., and Rajeevan, M. (2008). Trends in the rainfall pattern over India.+ *Int. J. of Climatology*, 28(11), 1453. 1469.
90. Habib, Z. (2001). Monthly spatial rainfall correlation functions and interpretations for Turkey.+ *Hydrological Sciences J.*, 46(4), 525. 535.
91. Haider, S.F, and Hussain, M.Y. (1989). Statistical distribution of rainfall data and probabilities of the number of rainy days.+ *J. of Islamic Academy of Sciences*, 2(4), 299. 302.
92. Hajjam, S., Yusefi, N., and Irannejad, P. (2006). A blended model for estimating of missing precipitation data (Case study of Tehran - Mehrabad station).+ *BIABAN (Desert J.)*, 11(2), 49. 55.
93. Haktanir, T. (1996). Probability . weighted moments without plotting position formula.+ *J. of Hydrologic Engineering*, 1(2), 89. 91.
94. Hamed, K.H. (2008). Trend detection in hydrologic data: the Mann. Kendall trend test under the scaling hypothesis.+ *J. of Hydrology*, 349, 350. 363.
95. Hargreaves, G. H. (1977). World water for agriculture.+ *Agency for Int. Development, Washington, D.C.*

- Samani, Z.A. (1991). Irrigation scheduling. *Las*
97. Haris, A., Elanchezian, A. Chhabra, R.V. and Sikka, A.K. (2008). Trend analysis of climatic parameters for some agroecological regions of Bihar. *Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 22.
98. Harmsen, E.W., Miller, N.L., Schlegel, N.J., and Gonzalez, J.E. (2007). Downscaled climate change impacts on reference evapotranspiration and rainfall deficits in Puerto Rico. *Proc. of World Environmental and Water Resources Congress 2007: Restoring our Natural Habitat*.
99. Haylock, M. and Nicholls, N. (2000). Trends in extreme rainfall indices for an updated high quality data set for Australia, 1910. 1998. *Int. J. of Climatology*, 20, 1533. 1541.
100. Heo, J.H., Kho, Y.W., Shin, H., Kim, S., and Kim, T. (2008). Regression equations of probability plot correlation coefficient test statistics from several probability distributions. *J. of Hydrology*, 355, 1. 15.
101. Hernandez, C.J.J., and Gaskin, S.J. (2007). Spatio temporal analysis of daily precipitation and temperature in the basin of Mexico. *J. of Hydrology*, 336(3. 4), 231. 249.
102. Ho, C.H., Kim, J.H., Lau, K.M., Kim, K.M., Gong, D., and Lee, Y.B. (2005). Interdecadal changes in heavy rainfall in China during the northern summer. *TAO*, 16(5), 1163. 1176.
103. Hong, W., Hayes, M.J., Wilhite, D.A., and Svoboda, M.D. (2005). The effect of the length of record on the standardized precipitation index calculation. *Int. J. of climatology*, 25(4), 505. 520.
104. Hote, Y.L. (1985). Verification of rainfall data quality and homogeneity through the method of annual rainfall indices vector. *Proc. of International Workshop on the Correction of Precipitation Measurements*, Zurich.

- me, B., and Triboulet, J.P. (2002). %Analysis of a  
index from 1896 to 2000; the drought continues.+  
*Hydrological Sciences J.*, 47(4), 563. 572.
106. Htway, O., and Matsumoto, J. (2011). %Climatological onset dates of summer  
monsoon over Myanmar.+*Int. J. of Climatology*, 31(3), 382. 393.
107. Hu, T.S., Lam, K.C., and Ng, S.T. (2005). %A modified neural network for  
improving river flow prediction.+*Hydrological Sciences J.*, 50(2), 299. 318.
108. Hughes, D.A. (2006). %Comparison of satellite rainfall data with observations  
from gauging station networks.+*J. of Hydrology*, 327 (3 & 4), 399. 410.
109. Hutchinson, P. (1985). %Rainfall analysis of the Sahelian drought in the  
Gambia.+*Int. J. of Climatology*, 5(6), 665. 672.
110. Im, E.S., Jung, I.W., and Bae, D.H. (2010). %The temporal and spatial  
structures of recent and future trends in extreme indices over Korea from a  
regional climate projection.+*Int. J. of Climatology*, 31(1), 72. 86.
111. IMD (2008). %Effects of warming+. *Business Standard*, New Delhi ,  
<http://www.business-standard.com/india/news/editorial-effectswarming/322887/>
112. Izumi, O., Kuniyuki, S., and Toshirou, K. (2004). %Effects of rising temperature  
on growth, yield and dry-matter production of rice grown in the paddy field.+  
*Proc. of the 4<sup>th</sup> Int. Crop Science Congress Brisbane*, Australia.
113. Jackson, I.G. (1986). %Relationships between raindays, mean daily intensity  
and monthly rainfall in the tropics.+*Int. J. of Climatology*, 6(2), 117. 134.
114. Jaswal, A.K. (2009). %Sunshine duration climatology and trends in association  
with other climatic factors over India for 1970-2006.+ *Mausam*, 60(4), 437.  
454.
115. Jat, M.L., Sharma, S.K. Jain, L.K. Sharma, R.K. and Balyan, J.K. (2008).  
%Cropping pattern and crop diversification in response to change in climate in

116. Jayasree, V. (2008). %Spatial distribution of daily precipitation in the Bhadra river, Karnataka.+*J. of Applied Hydrology*, 21(1 & 2), 56. 64.
117. Jhajharia, D., Kithan, S.B., and Fancon, A.K. (2006). %Correlation between pan evaporation and meteorological parameters under the climatic conditions of Jorhat (Assam).+*J. of Indian Water Resources Society*, 26(1. 2), 39. 41.
118. Kaledhonkar, M.J., Kamra, S.K., Yadav R.K., and Tiwari, K.N. (1996). %Probabilities of historic droughts for south western Orissa in India.+ *J. of Indian Water Resources Society*, 2(4), 19. 24.
119. Kappus, U., Bleek, J.M., and Blair, S.H. (1978). %Rainfall frequencies for the persian gulf coast of Iran.+*Hydrological Sciences-Bulletin*, 23(1), 119. 129.
120. Kalogirou, S., Neocleous, C., Michaelides, S.C. and Schizas, C.N. (1997). %A time series reconstruction of precipitation records using artificial neural networks.+ *Fifth European Congress on Intelligent Techniques and Soft Computing*, EUFIT 97, Aachen, Germany.
121. Kar, G., and Kumar, A. (2007). %Agroclimate characterization for sustainable rainfed crop planning in KBK districts of Orissa.+*J. of Agrometeorology*, 9(2), 185. 195.
122. Kar, G., and Mohanty, S. (2002). %Prediction of extreme rainfall events for mid central table zone of Orissa.+*J. of Agrometeorology*, 4(2), 137. 142.
123. Karamouz M., Rasouli K., and Nazif S. (2009). %Development of a hybrid index for drought prediction: case study.+*J. of Hydrologic Engineering*, 14(6), 617. 627.
124. Keller, A. A. (1982). %Development and analysis of an irrigation scheduling program with emphasis on forecasting consumptive use.+ *M.S. thesis, Agricultural and Irrigation Engineering Department*, Utah State University, Logan

- ing command area demand and response to water delivered by the main system.+ *Ph.D. dissertation, Agricultural and Irrigation Engineering Department, Utah State University, Logan.*
126. Kendall, M. G., (1975). Rank correlation methods.+ 4<sup>th</sup> ed., Charles Griffin: London.
  127. Keskin, M.E., Terzi, O., and Taylan, D. (2004). Fuzzy logic model approaches to daily pan evaporation estimation in western Turkey.+ *Hydrological Sciences J.*, 49(6), 1001. 1010.
  128. Khan, S.U., Hasan, M. U., Khan, F.K., and Bari, A. (2010). Climate classification of Pakistan.+ *BALWOIS 2010 – Ohrid, Republic of Macedonia.*
  129. Khandelwal, M.K., Nayak, A.K., Rao, G.G., Chinchmatpure, A.R., Nath A. and Munshi, H.Y. (2002) Assessment of irrigation and drainage requirement based on rainfall analysis for Bara Tract of Gujarat.+ *J. of Agrometeorology*, 4(2), 127. 136.
  130. Khichar, M.I., Niwas R. and Pal S. (2000). Markov chain model for use in analysis of southwest monsoon rainfall of arid zone in Haryana.+ *J. of Applied Hydrology*, 13(3 & 4), 60. 65.
  131. Khullar, N.K., Soni, A., Singh, J., and Jaggi, A.K. (1999). Selection of rainfall frequency distribution model for Punjab.+ *J. of Applied Hydrology*, 12(4), 22. 28.
  132. Kim, T.W., Valde, J.B., Nijssen, B., and Roncayolo, D. (2006). Quantification of linkages between large-scale climatic patterns and precipitation in the Colorado river basin.+ *J. of Hydrology*, 321, 173. 186.
  133. Kingumbi, A., Bargaoui, Z., and Hubert, P. (2005). Investigation of the rainfall variability in central Tunisia.+ *Hydrological Sciences J.*, 50(3), 493. 508.



- , Bargerei, R.J. and Mugalavai, E.M. (2007). Assessment methods for sowing maize in Kenya.+ *Agric. For. Meteorol.*, 144, 193. 199.
135. Klemes, V. (2000a). Tail tales about tails of hydrological distributions I.+*J. of Hydrologic Engineering*, 5(3), 227. 231.
  136. Klemes, V. (2000b). Tail tales about tails of hydrological distributions II.+*J. of Hydrologic Engineering*, 5(3), 232. 239.
  137. Kondrashov, D., and Ghil, M. (2006). Spatio-temporal filling of missing points in geophysical data sets.+*Nonlinear Processes in Geophysics*, 13, 151. 159.
  138. Kothari, A.K., Kumar V., Jain P.M. and Purohit R.C. (2008). A modified approach for determination of onset and withdrawal of monsoon.+ *J. of Agrometeorology*, 10(2), 178. 183.
  139. Kottegoda, N.T., Natale, L., and Raiteri, E. (2007). Gibbs sampling of climatic trends and periodicities.+*J. of Hydrology*, 339(1. 2), 54. 64.
  140. Kou, X., Ge, J., Wang, Y., and Zhang, C. (2007). Validation of the weather generator CLIGEN with daily precipitation data from the Loess Plateau, China.+*J. of Hydrology*, 347, 347. 357.
  141. Koutrouvelis, I.A., and Canavos, G.C. (1999). Estimation in the pearson type 3 distribution.+*Water Resources Research*, 35(9), 2693. 2704.
  142. Koutsoyiannis, D. (2004a). Statistics of extremes and estimation of extreme rainfall: I. theoretical investigation.+*Hydrological Sciences J.*, 49(4), 575. 590.
  143. Koutsoyiannis, D. (2004b). Statistics of extremes and estimation of extreme rainfall: II. empirical investigation of long rainfall records.+ *Hydrological Sciences J.*, 49(4), 591. 610.
  144. Krajewski, W.F., Ciach, G.J., and Habib, E. (2003). An analysis of smallscale rainfall variability in different climatic regimes.+ *Hydrological Sciences J.*, 48(2), 151. 162.

145. Bhatnagar, S.N., Mulye, S.S., and Deshpande, N.R. (2004). Estimation of design storm for the Manjra catchment.+ *J. of Applied Hydrology*, 17(2 & 3), 52. 59.
146. Kulshrestha, M.S., George, R.K., and Shekh, A.M. (2007). Weekly rainfall probability analysis by gamma distribution and artificial network.+ *J. of Agrometeorology*, 9(2), 196. 202.
147. Kumar, K.K., and Da Silva, J.A.T. (1996). Evaluation of crop growing periods at some stations in northeast Brazil.+ *Mausam*, 47(2), 179. 184.
148. Kumar, V. (2003). Rainfall characteristics of Shimla district (H.P.).+ *J. of Indian Water Resources Society*, 23(1), 1. 10.
149. Kumar, Y., and Kumar, S. (2001). Rainfall analysis of district Rampur of Uttar Pradesh for crop irrigation planning.+ *J. of Indian Water Resources Society*. 21(4), 162. 167.
150. Kwaku, X.S., and Duke, O. (2007). Characterization and frequency analysis of one day annual maximum and two to five consecutive daysq maximum rainfall of Accra, Ghana.+ *ARPN J. of Engineering and Applied Sciences*, 2(5), 27. 31.
151. Lavergnat, J., and Gole, P. (2005). A stochastic model of raindrop release: application to the simulation of point rain observations.+ *J. of Hydrology*, 328, 8. 19.
152. Leavesley, G.H., Lichty R.W., Troutman B.M. and Saindon, L.G. (1983). Precipitation-runoff modeling system user's manual.+ *United States Geological Survey Water Resources Investigations Report 83-4238*, Reston, Virginia.
153. Lee, C.Y. (2005). Application of rainfall frequency analysis on studying rainfall distribution characteristics of Chia-Nan plain area in southern Taiwan.+ *Crop, Environment & Bioinformatics*, 2, 31. 38.

154. Alt, L. (2007). Statistical models for the errors in  
*APN J. of Engineering and Applied Sciences*, Asian  
Research Publishing Network, 2(6), 27. 28.
155. Legates, D.R., and McCabe, G.J. (1999). Evaluating the use of "goodness of  
fit" measures in hydrologic and hydroclimatic model validation.+ *Water  
Resources Research*, 35, 233. 241.
156. Lennox, S., Dunn, P.K., Power, B., and DeVoil, P. (2004). A statistical  
distribution for modeling rainfall with promising applications in crop science+  
*Proc. of the 4<sup>th</sup> Int. Crop Science Congress*, Brisbane, Australia.
157. Leonard, M., Metcalfe, A., and Lambert, M. (2008). Frequency analysis of  
rainfall and streamflow extremes accounting for seasonal and climatic  
partitions.+*J. of Hydrology*, 348, 135. 147.
158. Li, C., Li, B., and Hong K. (2008). Climate change and its effects on  
reference evapotranspiration and crop water requirements in Hebei province,  
China during 1965-1999.+ *Proc. Int. Symposium on Agrometeorology and  
Food Security*, Hyderabad, 19.
159. Liebmann, B., Camargo, S.J., Seth, A., Marengo, J.A.C., Leha, M., Allured,  
D., Fu, R. and Vera, C.S. (2007). Onset and end of the rainy season in south  
America in observations and the ECHAM 4.5 atmospheric general circulation  
model.+*J. of Climate* 20, 2037. 2050.
160. Llano, M.P., and Penalba, O.C. (2011). A climatic analysis of dry sequences  
in Argentina.+*Int. J. of Climatology*, 31(4), 504. 513.
161. Lloyd-Hughes, B. and Saunders, M.A. (2002). A drought climatology for  
Europe.+*Int. J. of Climatology*, 22, 1571. 1592.
162. Longobardi, A., and Villani, P. (2009). Trend analysis of annual and seasonal  
rainfall time series in the mediterranean area.+*Int. J. of Climatology*, 30(10),  
1538. 1546.

- ations of some seasonal rainfall characteristics in  
:1-1987.+*Int. J. of Climatology*, 13(4), 391. 409.
164. Lu, M., and Yamamoto, T. (2008). %Application of random cascade model to estimation of design flood from rainfall data.+ *J. of Hydrologic Engineering*, 13(5), 385. 391.
  165. Mahale, D. and Dhane, S.S. (2003). %Rainfall analysis in relation to paddy crop in coastal saline soils at Panvel.+*J. of Agrometeorology* 5(1), 89. 92.
  166. Mair, A., and Fares, A. (2010). %Assessing rainfall data homogeneity and estimating missing records in M kaha valley, Oahu, Hawaii.+*J. of Hydrologic Engineering*, 15(1), 61. 66.
  167. Mandal, B.N., Deshpande, N.R., Kulkarni, B.D. and Sangam, R.B. (2002). %Spatial patterns of highest observed 1 to 3 . day point rainfall over the Indian region.+*J. of Applied Hydrology*, 18(1&2), 77. 87.
  168. Mandal, B.N., Deshpande, N.R., Sangam, R.B. and Kulkarni, B.D. (2005). %Estimation of design storm raindepths for the Krishna catchment above Srisaillam dam.+ *Proc. of Int. Conference on Hydrology and Watershed Management with a focal theme on water quality and conservation for sustainable development, Centre for water resources, Institute of Postgraduate studies & Research, Jawaharlal Nehru Technological University, Hyderabad*, 419. 426.
  169. Mann, H. B., (1945). %Non-parametric test against trend.+ *Econometrica*, 13, 245-259.
  170. Manorama, K., Ravichandran, G., and Joseph, T.A. (2007). %Rainfall analysis and crop planning for the Nilgiris.+*J. of Agrometeorology*, 9(2), 209. 215.
  171. Martin. Vide, J. (2004). %Spatial distribution of a daily precipitation concentration index in Peninsular Spain.+*Int. J. of Climatology*, 24 (8), 959. 971.

- F. (2009). Use of generated time series of dry season of small reservoir operation. *Hydrological Sciences J.*, 54(5), 841. 851.
173. Mavromatis, T. (2010). Use of drought indices in climate change impact assessment studies: an application to Greece. *Int. J. of Climatology*, 30(9), 1336. 1348.
174. McKee, T.B., Doesken, N.J., and Kleist, J. (1993). The relationship of drought frequency and duration to time scales. *Proc. of Eighth Conference on Applied Climatology*, Anaheim, California.
175. McKee, T. B.; Doesken; N. J. and Kleist. J. (1995). Drought monitoring with multiple time scales. *Proc. of the Ninth Conference on Applied Climatology*; American Meteorological Society, Boston, 233. 236.
176. Mebrhatu, M.T., Tsubo, M., and Walker, S. (2004). The characteristics of daily and monthly rainfall for a decision support system. *Proc. of the 4<sup>th</sup> Int. Crop Science Congress*, Brisbane, Australia.
177. Meshram, D.T., Roa, V.V.A., Bagle, B.G., and Dhandhar, D.G. (2006). Frequency analysis for one to five consecutive days annual maximum rainfall for Panchmahals of central Gujarat. *J. of Agrometeorology*, 8(2), 237. 242.
178. Michaelides, S.C., Neocleous, C., and Schizas, C.N. (1995). Artificial neural networks and multiple linear regression in estimating missing rainfall records. *Proc. of Int. Conference on Digital Signal Processing*, Limassol, Cyprus.
179. Michaelides, S.C., Pattichis, C. S., and Kleovoulou, G. (1998) Classification of climatic variability using artificial neural networks. *Proc. of Conference on Applied Mathematical Modeling*, Limassol, Cyprus.
180. Miroslava, U. (1992). Extreme value distribution of rainfall data at Belgrade, Yugoslavia. *Atmosfera*, 5 (1), 47. 56.

- arayan, T. (1987). %Effect of extreme events on  
nfall at Kharagpur, west Bengal.+ *J. of Agriculture  
Engineering. ISAE*, 24(1), 74. 86.
182. Mishra, A.K., Desai, V.R., and Singh, V.P. (2007). %Drought forecasting using  
a hybrid stochastic and neural network model.+ *J. of Hydrologic Engineering*,  
12(6), 626. 638.
183. Mishra, A.K., Gnanaseelan, C., and Seetaramayya, P. (2004). %A study of  
rainfall along the west coast of India in relation to low level jet and air. sea  
interactions over the Arabian sea.+ *Current Science*, 87(4), 475. 485.
184. Mistry, J.F. (1988). %Important aspects of river valley projects, Vol. I:  
Hydrology and Water Planning.+ *Mahajan Book Distributors*, 40-50
185. Mobassher, A., Safiullah, M.A., Paul, D.P., and Hoque, M.M. (1996). %Some  
climatological characteristics of relative humidity in Bangladesh.+ *Mausam*  
47(2), 149. 156.
186. Mockus, V. (1960). %Selecting a flood frequency method.+ *Trans. ASAE*, 3(54),  
48-51.
187. Modarres, R. (2007). %Streamflow drought time series forecasting.+ *J. of  
Stochastic Environmental Research and Risk Assessment (SERRA)*, 21(3),  
223. 233.
188. Moreira, E.E., Coelho, C.A, Paulo, A.A., Pereira, L.S., and Mexia, J.T. (2008).  
%SPI-based drought category prediction using loglinear models.+ *J. of  
Hydrology*, 354, 116. 130.
189. Moreira E.E., Paulo A.A., Pereira L.S., and Mexia J.T. (2006). %Analysis of SPI  
drought class transitions using loglinear models.+ *J. of Hydrology*, 331(1. 2),  
349. 359.
190. Mourato, S., Moreira, M., and Corte. Real J. (2009). %Interannual variability of  
precipitation distribution patterns in southern Portugal.+ *Int. J. of Climatology*,  
30(12), 1784. 1794.



- E.C., Raes, D., and Rao, M.S. (2008). Analysis of rainfall onset, cessation and length of growing season for western Kenya. *Agricultural and Forest Meteorology*, 148, 1123-1135.
192. Muhammad, F., and Nabi, G. (1991). A markov chain model for rainfall occurrence in Pakistan. *J. of Islamic Academy of Sciences*, 4(2), 173-178.
193. Mukhopadhyay, S.K., Bhowmik, D. and Bhattacharya, B. (2004). Mixed gamma probability distribution model for weekly monsoon rainfall at a farm in Nadia. *J. of Interacademia*, 8(4), 618-626.
194. Muller, A., Arnaud, P., Lang, M., and Lavabre, J. (2009). Uncertainties of extreme rainfall quantiles estimated by a stochastic rainfall model and by a generalized pareto distribution. *Hydrological Sciences J.*, 54(3), 417-429.
195. Murthy, B.R.K. and Venkatraman P. (1999). Stochastic analysis of hydrologic drought in Pennar basin. *J. of Indian Water Resources Society*, 19(5), 19-22.
196. Murty, N.S., Sah, S. and Singh, R.K. (2008). Climate and its variability over the western Himalaya. *Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 30.
197. Nadar, A.V., Suryanarayana, T.M.V. and Shete, D.T. (2007). Prediction of drainage coefficient by probability analysis. *Proc. of National Conference on Hydraulics and Water Resources*, Surat, 107-113.
198. Nadarajah, S., and Choi, D. (2007). Maximum daily rainfall in South Korea. *J. of Earth System Science*, 116 (4), 311-320.
199. Naidu, C. V., Srinivasa, R.B.R., and Bhaskar, R.DV. (1999). Climatic trends and periodicities of annual rainfall over India. *Meteorological Applications*, 6(4), 395-404.
200. Nain, A.S., Kersebaum, K.C., Mirschel, W. (2005). Are meteorological parameters based drought indices enough for agricultural drought monitoring: a comparative study of drought monitoring with SPI and crop simulation

201. Nath, K.K. and Deka, R.L. (2002). Perturbations of climatic elements of Jorhat, Assam.+*J. of Agrometeorology*, 4 (1), 87. 91.
202. Nash, J.E. and Sutcliffe J.V. (1970). River flow forecasting through conceptual models: Part I. A discussion of principles.+*J. Hydrol.*, 10, 282. 290.
203. Nayak, P.C., Sudheer, K.P., Rangan, D.M., and Ramasastri, K.S. (2004). A neuro-fuzzy computing technique for modeling hydrological time series.+*J. of Hydrology*, 291, 52 . 66.
204. Ng, W.W., Panu, U.S., and Lennox, W.C. (2009). Comparative studies in problems of missing extreme daily streamflow records.+ *J. of Hydrologic Engineering*, 14(1), 91. 100.
205. Norbiato D., Borga M., Sangati M., and Zanon F. (2007). Regional frequency analysis of extreme precipitation in the eastern Italian Alps and the august 29, 2003 Flash Flood+, *J. of Hydrology*, 345, 149 . 166.
206. Ochola, W.O., and Kerkides, P. (2003). A Markov chain simulation model for predicting critical wet and dry spells in Kenya: analysing rainfall events in the Kano Plains.+*Irrigation and Drainage*, 52(4), 327. 342.
207. Oliver, J.E. (1980). Monthly precipitation distribution: a comparative index.+*Professional Geographer*, 32, 300. 309.
208. Onibon, H., Ouarda, T.B.M.J., Barbet, M., St-Hilaire, A., Bobee, B., and Bruneau, P. (2004). Regional frequency analysis of annual maximum daily precipitation in Quebec, Canada.+*Hydrological Sciences J.*, 49(4), 717. 735.
209. Onof, C., Faulkner, D., and Wheater, H.S. (1996). Design rainfall modelling in the Thames catchment.+*Hydrological Sciences J.*, 41(5), 715. 733.
210. Pai, D.S., and Nair, R.M. (2009). Summer monsoon onset over Kerala: New definition and prediction.+*J. Earth Syst. Sci.*, 118(2), 123. 135.

211. ... M. (2007). %Indian summer monsoon onset: variability and prediction.+ *NCC Research Report*, National Climate Centre, IMD, Pune.
212. Palynchuk, B., and Guo. Y., (2008). %Threshold analysis of rainstorm depth and duration statistics at Toronto, Canada.+ *J. of Hydrology*, 348, 535. 545.
213. Pandey, R.P., and Ramasastri, K.S. (2002). %Incidence of droughts in different climatic regions.+ *Hydrological Sciences J.*, 47(S), S31. S40.
214. Panigrahi D., Acharya M. and Senapati P.C.(2007) %Climatic suitability of growing food crops in the Khandhamal district of Orissa+, *J. of Indian Water Resources Society*, 27(1. 2), 35. 42.
215. Parmar, R.S., Akula, B., Shekh, A.M., and Jhala, A.J. (2005). %Climatic variability in Gujarat State (India).+ *J. of Agrometeorology*, 7(2), 214. 219.
216. Partal, T., and Cigizoglu, H.K. (2009). %Prediction of daily precipitation using wavelet. neural networks.+ *Hydrological Sciences J.*, 54(2), 234. 246.
217. Parthasarathy, B., Sontakke, N.A., Monot, A.A., and Kothawale, D.R. (1987). %Droughts/floods in the summer monsoon season over different meteorological subdivisions of India for the period 1871. 1984.+ *Int. J. of Climatology*, 7(1), 57. 70.
218. Patel, N.R. and Shete, D.T. (2007a). %Rainfall analysis for drought estimation of Sabarkantha district of north Gujarat region, India.+ *Proc. of South Asian Conference on Water in Agriculture: Management Options for Increasing Crop Productivity Per Drop of Water*, India.
219. Patel, N.R., and Shete, D.T. (2007b). %Probability distribution analysis of consecutive days rainfall data for Sabarkantha district of north Gujarat region, India.+ *ISH J. of Hydraulic Engineering*, 14(3), 43. 55.

- D.T. (2008a). %Predicting consecutive days rainfall regression models for Sabarkantha district of North Gujarat region, India+. *J. of Applied Hydrology*, 12 (1 & 2), 137. 143.
221. Patel, N.R., and Shete, D.T. (2008b). %Predicting consecutive days maximum rainfall by probabilistic approach for Sabarkantha district of Gujarat, India.+ *Shri Vasant Rao Naik Memorial National Agriculture Seminar on "Livelihood Security Through Rainwater Management*, Nagpur
222. Patel, N.R. and Shete, D.T. (2008c). %Markov zero order model for dry and wet spells for Sabarkantha district, Gujarat, India.+ *Int. Symposium on Agrometeorology and Food Security*, Hyderabad.
223. Patel, N.R. and Shete, D.T. (2010). %Selection of optimum order of markov chain for sabarkantha district, gujarat, India.+ *Int. J. of Water Resources and Environmental Management*, 2(1), 103-115.
224. Patel, K.I., Chaudhari, G.B., Pandey, V. and Shekh, A.M. (2004). %Rainfall climatology of Gujarat State.+ *J. of Agrometeorology*, 6(Sp. Issue), 252. 257.
225. Patel, S.R., Sastri, A.S.R.A.S., Singh, R., and Naidu D. (2008). %Annual and seasonal rainfall variability in different Districts of Chhatisgrah in Central India.+ *Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 37.
226. Patil, C.S., and Puttanna, B. (2009). %Influence of actual evapotranspiration, growing degree days and bright sunshine hours on yield of finger millet.+ *Mausam*, 60(3), 343. 348.
227. Paturel, J.E., Servat E., Delattre, M.O., and Lubes-Niel H. (1998). %Analysis of rainfall long series in non-Sahelian west and central Africa within a context of climate variability.+ *Hydrological Sciences J.*, 43(6), 937. 946.
228. Paulo, A.A., and Pereira, L.S. (2007). %Prediction of SPI drought class transitions using Markov chains.+ *Water Resources Management*, Springer Netherlands, 21(10), 1573. 1650.

- and McMahon, T.A., (2007). Updated world map of the Köppen-Geiger climate classification. *Hydrol. Earth Syst. Sci.*, 11, 1633-1644.
230. Phien, H.N., Arbhahirama, A. and Sunchindah, A. (1980). Rainfall distribution in Northeastern Thailand. *Hydrological Sciences-Bulletin*, 25(2), 167-182.
231. Philip, N.S., and Joseph, B.K. (2003). A neural network tool for analyzing trends in rainfall. *Computers & Geosciences*, 29(2), 215-223.
232. Ponce, V.M., Pandey, R.P., and Ercan, S. (2000). Characterization of drought across climatic spectrum. *J. of Hydrologic Engineering*, 5(2), 222-224.
233. Qian, G., Sural, S., Gu, Y., and Pramanik, S. (2004). Similarity between euclidean and cosine angle distance for nearest neighbor queries. *Proc. of The 2004 ACM Symposium on Applied Computing, ACM*.
234. Quiring, S.M., and Papakryiakou, T.N. (2003). An evaluation of agricultural drought indices for the Canadian prairies. *Agriculture and Forest Meteorology*, 118, 49-62.
235. Raes, D., Sithole, A., Makaru, A. and Millford, J. (2004). Evaluation of first planting dates recommended by criteria currently used in Zimbabwe. *Agric. For. Meteorol.*, 125, 177-185.
236. Rai, S.K., and Singh, K.A. (2009). Rainfall variability and probability for crop planning at Madhepura in Bihar. *J. of Agrometeorology*, 11(1), 42-46.
237. Rajegowda, M.B., Babu, R.B.T., Janardhanagowda, N.A. and Muralidhara K.S. (2008). Impact of climate change on Agriculture in Karnataka State, India. *Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 34.

- C. (1999). %Revised estimates of one-day probable (MP) for India.+ *Meteorological Applications*, 6(4), 343. 350.
239. Rakhecha, P.R., Deshpande, N.R., Soman, M.K. (1991). %Estimation of probable maximum precipitation and maximum rainfall for different recurrence intervals for 2-day duration over Gujarat.+*J. of Applied Hydrology*, 4(3 & 4), 51. 59.
240. Raman, H., Elango, K., Mohan, S. and Rao, M.V. (1993). Stochastic analysis of droughts in Adyar basin.+*J. of Indian Water Resources Society*, 13(3&4), 192. 197.
241. Ramesh, K.J. and Iyengar, G.R., (1999). %Characteristics of medium range rainfall forecasts of the Asian summer monsoon.+*Int. J. of Climatology*, 19(6), 627. 637.
242. Rao, A.V.M.S., Rao, G.G.S.N., Rao, V.U.M., Chowdary, P.S., Manikandhan, N. and Ramakrishna, Y.S. (2008). %Temperature trends over India.+ *Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 22.
243. Rao, D.V.B., Naidu, C.V., Rao, B.R.S., and Bhagyalakshmi, R. (1998). %Variability of summer monsoon rainfall over India.+*J. of Applied Hydrology*, 11 (1), 49. 57.
244. Rao, G.S.L.H.V. Prasada, Ram Mohan H.S. Gopakumar C.S. and Krishnakumar K.N. (2008a) %Climate change and cropping systems over Kerala in the humid tropics+, *Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 25.
245. Rao, N.H., Sarma, P.B.S., and Chander, S. (1988). %Irrigation scheduling under a limited water supply.+*Agricultural Water Management*, 15(2), 165. 175.
246. Ravindrababu, B.T., Janardhan Gowda, N.A., Jagadeesha N., Rajashekhar K.R. and Rajegowda, M.B. (2007). %Application of weather based



dry zone of Karnataka.+*J. of Agrometeorology*, 9(2),

247. Ray, K., and Butala, P.P. (2005). %Rainfall based parameters and yields of major kharif crops of Gujarat state.+*J. of Agrometeorology*, 7(1), 21. 28.
248. Raziei, T., Arasteh, P.D., Saghfi, B. (2005). %Annual rainfall trend in arid and semi-arid regions of Iran.+*Proc. of ICID 21<sup>st</sup> European Regional Conference 2005*, Frankfurt (Oder) and Slubice - Germany and Poland.
249. Reddy, D.R., Sreenivas, G., Mahadevappa, S.G., MadhaviLata, A., Rao, S.B.S.N., and Varma, N.R.G. (2007). %Rainfall variability and its impacts on agriculture in north Telangana regions of Andhra Pradesh.+ *J. of Agrometeorology*, 9(2), 253. 258.
250. Rio, S.D., Herrero, L., Fraile, R., and Penas, A. (2010). %Spatial distribution of recent rainfall trends in Spain (1961-2006).+*Int. J. of Climatology*, 31(5), 656. 667.
251. Rizvi, R.H., Singh, R., Kareemulla, K., and Dadhwal, K.S. (2003). %Prediction of consecutive days rainfall from one day rainfall for Bundelkhand region during monsoon season.+*J. of Agrometerology*, 5(2), 77. 81.
252. Runtunuwu, E. and Kondoh, A. (2008). %Assessing global climate variability under coldest and warmest periods at different Latitudinal regions.+ *Indoenseian J. of agriucultural science*, 9(1), 7. 18.
253. Saf, B. (2009). %Regional flood frequency analysis using L moments for the Buyuk and Kucuk menderes river basins of Turkey.+ *J. of Hydrologic Engineering*, 14(8), 783. 794.
254. Saha, S. and Biswal, G.C. (2004). %Rainfall variability at different locations of coastal Orissa in relation to crop planning.+ *J. of Agrometeorology*, 6(Sp. Issue), 220. 226.

- 2005). An assessment of climatic risk involved in different agroclimatic zone of West Bengal.+*J. of Agrometeorology* 7(1), 36. 43.
256. Saha, R., and Mishra, V. K. (2005). Probability analysis of rainfall at Meghalaya, India for crop planning.+*Indian J. of Soil Conservation*, 33(1), 86. 87.
257. Saikia, U.S., Satapathy, K.K., Goswami, B., Singh, R.K., and Rao, B.K. (2007). Trend of rainfall and temperature change at Umiam, Meghalaya.+*J. of Agrometeorology*, 9 (2), 203. 208.
258. Saleh, A.F.M. and Bhuiyan, S.I. (1996). Analysis of agricultural drought in a rainfed lowland rice system: A case study in north-west Bangladesh.+*J. of Indian Water Resources Society*, 2(1), 51. 56.
259. Samani, Z. (2000). Estimating solar radiation and evapotranspiration using minimum climatological data.+ *J. of Irrigation and Drainage Engineering*, 126(4), 265. 267.
260. Sambou, S. (2004). Frequency analysis of daily rainfall in the Sahelian area: case of the upstream basin of the Senegal River.+*Hydrological Sciences J.*, 49(1), 115. 129.
261. Sarma, V.V.J. (2005). Rainfall pattern in the coastal zone of Krishna Godavary basin Andhra Pradesh India.+*J. of Applied Hydrology*, 17(1 & 2), 1. 11.
262. Savva, A.P. and Frenken K. (2002). Crop water requirement and irrigation scheduling.+*Irrigation Manual*, Module 4.
263. Saxena, R., and Aggarwal, P.K. (2008). Climate change impact on wheat farmers in Northern and central India.+*Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 34.

265. Selvaraju, R., Meinke, H. and Hansen, J. (2004). Climate information contributes to better water management of irrigated cropping systems in southern India+, New directions for a diverse planet.+*Proc. of the 4<sup>th</sup> Int. Crop Science Congress*, Brisbane, Australia.
266. Sen, Z., and Eljadid, A.G. (1999) Rainfall Distribution Function for Libya and Rainfall Prediction.+*Hydrological Sciences J.*, 44(5), 665. 680.
267. Shah, D. (2008). Innovative model for forecasting daily trend of monsoon rainfall.+*J. of Agrometeorology*, special issue. part I: 55. 57.
268. Shahid, S. (2009) Rainfall variability and the trends of wet and dry periods in Bangladesh.+*Int. J. of Climatology*, 30(12), 2299. 2313.
269. Sharma, K.N., Pujhari, K.L., Panigrahi, B., and Sharma, S.D. (1991). Probability analysis of annual rainfall of Orissa.+*J. of Applied Hydrology*, 4(3 & 4), 21. 26.
270. Shelat, R.B., and Shete, D.T. (2008). Probability distribution analysis of consecutive days rainfall data for Patan district of Gujarat, India.+ *J. of Agrometeorology*, 10(special issue-Part II), 494. 497.
271. Sherif, M., Akram, S., and Shetty, A. (2009). Rainfall analysis for the Northern Wadis of United Arab Emirates: A case study.+ *J. of Hydrologic Engineering*, 14(6), 535. 544.
272. Sherwood, S.C. (2001). Climate signals from station arrays with missing data, and an application to winds.+ *Climate signals: J. of Geophysics Research*, 1. 14.
273. Sheth, M.P. and Shete, D.T. (2008). Study of daily normal rainfall pattern for Dahod district of Gujarat, India+, *Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 189.

- ., Shirani, R.A.H., Noormohammadi, G., and Zarei, S. (2007). *Water Deficit Effects of Water Deficit During Growth Stages of Canola (Brassica napus L.)*.+*American-Eurasian J. Agric. & Environ. Sci.*, 2 (4), 417. 422.
275. Singh, P.K. (2005). *Rainfall variability and crop planning in Sabour region of Bihar*.+*J.of Agrometeorology* 7 (2), pp. 284 . 290.
276. Singh, S.V. and Kripalani, R.H. (2007). *Analysis of persistence in daily monsoon rainfall over India*.+*Int. J. of Climatology*, 6(6), 625 . 639.
277. Singh, S.P., Hundal, S.S., and Aujla, M.S. (2004a). *Dry and wet spell sequences for crop planning at Bathinda, Punjab . A Markov Chain approach*,+ *J. of Agrometeorology* 6(Sp. Issue), 242 . 246.
278. Singh, S., Nag, A.K., and Gill, O.P. (2004b). *Rainfall Characteristics of Rajasthan State*,+ *J. of Agrometeorology*, 6(Sp. Issue), 247 . 251.
279. Singh, R.S., Rao, A.S., and Mall, R.K. (2008). *Rainfall changes and drought assessment over arid western Rajasthan*.+ *Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 33.
280. Singh, P.K., Rathore, L.S., Singh, K.K. and Baxla, A.K. (2009a). *Rainfall characteristics of north- west alluvial plain zone of Bihar*.+ *J. of Agrometeorology*, 11(1), 37. 41.
281. Singh, P.K., Singh, K.K., Rathore, L.S., and Baxla, A.K. (2009b). *Climatic variability in Jhansi region of Uttar Pradesh*.+ *J. of Agrometeorology*, 11(1), 51. 53.
282. Sirdas, S., and Sen, Z. (2003). *Spatio-temporal drought analysis in the Trakya region, Turkey*.+*Hydrological Sciences J.*, 48(5), 809. 820.
283. Sivakumar, B., Liang, S., Liaw, C., and Phoon, K. (1999). *Singapore rainfall behavior: chaotic?*+*J. of Hydrologic Engineering*, 4(1), 38. 48.

thoughts and rainfall pattern, 1877-1999.+ *Economic*  
1992.

285. Soman, M.K., and Kumar, K.K. (1990). %Some aspects of daily rainfall distribution over India during the south-west monsoon season.+ *Int. J. of Climatology*, 10(3), 299. 311.
286. Sorjamaa, A., Amaury, L., Yves, C., and Eric, D. (2010). %An improved methodology for filling missing values in spatiotemporal climate data set.+ *J. of Computational Geosciences*, 14(1), 55. 64.
287. Sperber, K.R., Slingo, J.M., and Annamalai, H. (2006). %Predictability and the relationship between subseasonal and interannual variability during the asian summer monsoon.+ *Int. J. of Climatology*, 126(568), 2545. 2574.
288. Srikalra, N., and Tanprasert, C. (2006). %Rainfall prediction for Chao Phraya river using neural networks with online data collection.+ *Proc. of the 2<sup>nd</sup> IMT-GT Regional Conference on Mathematics, Statistics and Applications*, University Sains, Malaysia.
289. Srivastava, A.K., and Yadav, R.L. (2008). %Analysis of long-term weather trends in central Uttar Pradesh.+ *Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 23.
290. Stewart, J.I. (1990). %Principles and performance of response farming. In: Russell C., Bellammy, J.A. (Eds.).+ *Climatic Risk in Crop Production*. Brisbane, Australia, 361. 382.
291. Subbaramayya, I. and Naidu, C.V. (1992). %Spatial variations and trends in the Indian monsoon rainfall.+ *Int. J. of Climatology*, 12(6), 597. 609.
292. Sudheer, K.P., Gosain, A.K., and Ramasastry, K.S. (2003). %Estimating actual evapotranspiration from limited climatic data using neural computing technique.+ *J. of Irrigation and Drainage Engineering*, 129(3), 214. 218.

- A. (2008). Fitting the statistical distribution for daily rainfall in India based on AIC criterion. *J. of Applied Sciences Research*, 4(12), 1846. 1857.
294. Suppiah, R., and Hennessy, K.J. (1998). Trends in total rainfall, heavy rain events and number of dry days in Australia 1910-1990. *Int. J. of Climatology*, 18(10), 1141. 1164.
295. Suryanarayana, T.M.V., Nadar, A.V., and Shete, D.T. (2008). Drainage coefficient by gumbel's probability analysis of Surendranagar district, Gujarat. *Proc. of Shri Vasant Rao Naik Memorial National Agriculture Seminar on "Livelihood Security Through Rainwater Management"*, Nagpur.
296. Tambile, R.H., Deshmukh, U.G., Acharya, H.S., and Mantri, A.R. (1991). Probability analysis of annual rainfall data at Parbhani (Maharashtra) for crop planning. *J. of Indian Water Resources Society*, 11(2), 33. 35.
297. Thipperudrappa, N.M., and Putty, M.R.Y. (2007). Rainfall variation over the last two decades a comparison between two districts of Karnataka. *ISH J. of Hydraulic Engineering*, 13(2), 93. 107.
298. Thompson, C.S., Thomson, P.J. and Zheng, X. (2007). Fitting a multisite daily rainfall model to New Zealand data. *J. of Hydrology*, 340(1. 2), 25. 39.
299. Thornthwaite, C.W. (1948). An approach toward a rational classification of climate. *Geographical Review*, 38(1), 55. 94.
300. Trajkovic, S. (2005). Temperature-based approaches for estimating reference evapotranspiration. *J. of Irrigation and Drainage Engineering*, 131(4), 316. 323.
301. Trajkovic, S., Todorovic, B., and Stankovic, M. (2003). Forecasting of reference evapotranspiration by artificial neural networks. *J. of Irrigation and Drainage Engineering*, 129(6), 454. 457.
302. Tripathi, R.P. (1992). Probability of sequences of wet and dry days at Pantnagar. *J. of Indian Water Resources Society*, 12(1 & 2), 85. 88.



- and Pandey, A. (2007). %Agroclimatic variability analysis of Roorkee, Uttarakhand.+ *J. of Indian Water Resources Society*, 27(3. 4), 24. 30.
304. Tripathi, S.K., and Chintamanie (2010). %Comparative analysis of evapotranspiration of reference crop calculated for south west plains of Uttarakhand+, *Agrometeorological Services for Farmers*, Department of Agricultural Meteorology, Anand, 126. 132.
305. Tsakiris, G. (1988). %Stochastic modeling of rainfall occurrences in continuous time+, *Hydrological Sciences J.*, 33(5), 437. 447.
306. Tsakiris, G. and Vangelis, H. (2005). %Establishing drought index incorporating evapotranspiration.+*European Water*, 9(10), 3. 11.
307. Tupe, A.R., Wanjari, S.S., and Bhale, V.M. (2010). %Rainfall variability analysis for crop planning at Akola (Western Vidarbha).+*Agrometeorological Services for Farmers*, Department of Agricultural Meteorology, Anand, 46. 50.
308. Vaidya, V.B., Karande, B.I., Pandey, V., Lunagaria, M.M., and Shekh, A.M. (2008). %Rainfall probability analysis for crop planning in Gujarat State.+*J. of Agrometeorology*, 10(Special Issue-Part I), 183 . 185
309. Van Den Brink H.W., Van D., and Konnen, G.P. (2009). %Estimating 10000-year return values from short time series.+*Int. J. of Climatology*, 3, 561. 572.
310. Varshavian, V., Ghahrman, N., Khalili, A., and Hajjam, S. (2008). %Risk analysis of agrometeorological indices of climate change in several regions of Iran.+ *Int. Symposium on Agrometeorology and Food Security*, Hyderabad, 38.
311. Venkataraman, S. (1995). %Agrometeorological determination of the optimal distribution of total water requirement of crops.+ *Int. J. of Ecology and Environmental Sciences*, 21, 251. 261.

436. %A simple and rational agroclimatic method for d areas.+ *Indian J. Environ. & Ecoplan.* 5(3), 431.
313. Venkataraman, S. (2002). %Homogenous dryland rainfall zones of Andhra Pradesh.+ *J. Curr. Sci.*, 2(1), 19. 25
314. Venkataraman S. (2005). %Climatic influences on water use. efficiencies in irrigated wheat in India.+ *J. Curr. Sci.*, 7(1), 277. 280.
315. Vicente-Serrano, S.M., González-Hidalgo, J.C., Luis M.D., and Raventos, J. (2004). %Drought patterns in the mediterranean area: the Valencia region (eastern Spain).+ *Climate Research*, 26, 5. 15.
316. Villazon, M.F., and Willems, P. (2010). %Filling gaps and daily disaccumulation of precipitation data for rainfall-runoff model.+ *BALWOIS 2010-Ohrid*, Republic of Macedonia . 25.
317. Viswanadh, G.K., and Sanjeeva, D. (2002). %Rainfall prediction through auto . regressive models.+ *Proc. of Int. Conference on Hydrology and Watershed Management with a Focal Theme on Water Quality and Conservation for Sustainable Development*, Centre for Water Resources, Institute of Postgraduate Studies & Research, Jawaharlal Nehru Technological University, Hyderabad, 447. 458.
318. Vivekanandan, N. (2009). %Comparison of T-year rainfall using frequency analysis approach.+ *J. of Indian Water Resources Society*, 29(1), 22. 27.
319. Vivekanadan, N. (2004). %Estimation of design flood of a river by frequency analysis- a case study.+ *J. of App. Hydrology*, 17(2 & 3), 15. 19.
320. Wang, W., Van Gelder, P.H.A.J.M., Vrijling J.K., and Ma, J. (2006) %Forecasting daily streamflow using hybrid ANN models+, *J. of Hydrology* 324, (1. 4), 383. 399.
321. Weglarczyk, S., Strupczewski, W.G., and Singh, V.P. (2002a). %A note on the applicability of log-gumbel and log-logistic probability distributions in

assumed PDF.+ *Hydrological Sciences J.*, 47(1),

322. Weglarczyk, S., Strupczewski, W.G., and Singh, V.P. (2002b). A note on the applicability of log-gumbel and log-logistic probability distributions in hydrological analyses: II. Assumed PDF.+ *Hydrological Sciences J.*, 47(1), 123. 137.
323. Wickramagamage, P. (2010). Seasonality and spatial pattern of rainfall of Sri Lanka: exploratory factor analysis.+ *Int. J. of Climatology*, 30(8), 1235. 1245.
324. Wilcox, B.P., W.J. Rawls, D.L. Brakensiek, and J.R. Wight, (1990). Predicting runoff from rangeland catchments: A comparison of two models.+ *Water Resour. Res.*, 26, 2401-2410.
325. Willmott, C.J. (1981). On the validation of models.+ *Phys. Geog.*, 2, 184-194.
326. Willmott, C.J., (1984). On the evaluation of model performance in physical geography.+ *Spatial statistics and models*, Gaile, G.L. and C.J. Willmott (eds.), D. Reidel, Dordrecht, 443-460.
327. Wilson, P. S., and Toumi, R. (2005) A fundamental probability distribution for heavy rainfall.+ *Geophys. Res. Lett.*, 32.
328. Wong, C.L., Venneker, R., Uhlenbrook, S., Jamil, A.B.M., and Zhou, Y. (2009). Variability of rainfall in Peninsular Malaysia.+ *Hydrology and Earth System Sciences Discuss*, 6, 5471. 5503.
329. WMO. (1986). Guidelines on the selection of Reference Climatological Stations (RCSs) from the existing climatological station network.+ *WMO/TD-No.130. World Meteorological Organization, Geneva.*
330. Wong, G., Lambert, M.F., Leonard, M., and Metcalfe, A.V. (2010). Drought analysis using trivariate copulas conditional on climatic states.+ *J. of Hydrologic Engineering*, 15(2), 129. 141.
331. Wu G., Liu, Y., and Wang, T. (2007). Methods and strategy for modeling daily global solar radiation with measured meteorological data . A case study in

332. Xiao, C., Yu, R., and Fu Y. (2009). Precipitation characteristics in the Three Gorges dam vicinity. *Int. J. of Climatology*, 30(13), 2021. 2024.
333. Yoo, C. (2006), Long term analysis of wet and dry years in Seoul Korea, *J. of Hydrology*, Vol. 318, Issues: 1 - 4, pp. 24 - 36.
334. Yoo, C., Kim, K., and Park, M.J. (2007). Estimation of areal reduction factors using a mixed gamma distribution. *J. of Hydrology*, 335(3-4), 271. 284.
335. Yoo, C., Lee, J.S., and Yoon, Y.N. (2001). Climatological thresholds of daily rainfall. *J. of Hydrologic Engineering*, 6 (5), 436. 441.
336. Yu, P.S., Chen, S.T., Wu, C.C., and Lin, S.C. (2004). Comparison of grey and phase-space rainfall forecasting models using a fuzzy decision method. *Hydrological Sciences J.*, 49(4), 655-672.
337. Yue, S. (2000). Joint probability distribution of annual maximum storm peaks and amounts as represented by daily rainfalls. *Hydrological Sciences J.*, 45(2), 315. 326.
338. Yue, S., and Pilon, P. (2004). A comparison of the power of the t test, Mann-Kendall and bootstrap tests for trend detection. *Hydrological Sciences J.*, 49(1), 21. 37.
339. Zhang, Q., Xu, C.Y., Zhang, Z., Chen, Y. D., Liu, C.L., Lin, H. (2008). Spatial and temporal variability of precipitation maxima during 1960. 2005 in the Yangtze River basin and possible association with large-scale circulation. *J. of Hydrology*, 353, 215. 227.