

REFERENCES

1. Amaral, F., Dreyer, G., Figueredo-Silva, J., Noroes, J., Cavalcanti, A., Samico, S.C., Santos, A. and Coutinho, A. (1994), 'Live adult worms detected by ultrasonography in human bancroftian filariasis', *American Journal of Tropical Medicine and Hygiene*, Vol. 50, pp.753-757.
2. Ambroise-Thomas, P. (1974), 'Immunological diagnosis of human filariasis: Present possibilities, difficulties and limitations', (a review) *Acta Tropica* (Basel), Vol. 31 pp.108-128.
3. Arasu, P., Philipp, M. and Perler, F. (1987), '*Brugia malayi*: Recombinant antigens expressed by genomic DNA clones', *Experimental Parasitology*, Vol. 64, pp. 281-291
4. Au, A. C., Denham, D. A., Steward, M. W., Draper, C. C., Ismail, M. M., Rao, C. K and Mak, J. W. (1981) 'Detection of circulating antigens and immune complexes in feline and human lymphatic filariasis'. *Southeast Asian Journal of Tropical Medicine and Public Health*, Vol.12 (4) pp. 492-498.
5. Auriault, C., Ouaiissi, M.A., Torpier, G., Eisen H. and Capron A. (1981),' Proteolytic cleavage of IgG bound to the Fc receptor of *Schistosoma mansoni* schistosomula', *Parasite Immunology*, Vol.3, pp. 33-44.
6. Barnett, E.V. (1986), 'Circulating immune complexes: their biological and clinical significant', *Journal Allergy and Clinical Immunology*, Vol. 78, pp.1089-1096.
7. Birnboim, H.C. and Doly, J. (1979), 'A rapid alkaline extraction procedure for screening recombinant plasmid DNA', *Nucleic Acid Research*, Vol.7, pp.1513-1523.
8. Bradford, M.M. (1979), 'A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding', *Analytical Biochemistry*, Vol.72, pp.248-254.
9. Bright, J.J. and Raj, R.K. (1994), 'Ontogenetic transformation of surface epitope expression, an adaptive immunoevasive strategy of filarial parasites', *Indian Journal of Experimental Biology*, Vol.32 (1), pp.49-54.
10. Burkot, T.R., Kwan-Lim, G.E. and Maizels, R.M. (1996), 'A novel 95-kilodalton antigen of *Wuchereria bancrofti* infective larvae identified by species-specific monoclonal antibodies', *Infection Immunity*, Vol. 64 (2) pp.485-488
11. Cabera Z., Buttner D.W. and Parkhouse R.M.E. (1988), 'Unique recognition of a low molecular weight *Onchocerca volvulus* antigen by IgG3 antibodies in chronic hyperactive oncho-dermatitis (sowda)', *Clinical Experimental Immunology*, Vol.74, pp.223- 228.

12. Capron A., and Dessaint J. P.(1985),' Effector and regulatory mechanisms in immunity to schistosomes: a heuristic view,' Annual Review of Immunology, Vol. 3, pp. 455-476
13. Cartel, J.L., Celenier, P., Spiegel, A., Burucoa, C, and Rour, J.F, (1990), 'A single DEC dose for treatment of *W. bancrofti* carriers in French Polynesia: Efficacy and side effects', Southeast Asian Journal of Tropical Medicine and Public Health, Vol.21 (3) pp. 465-470.
14. Case, T.C., Witte, M.H., Way,D.S, Witte, C.L., Candall, C.A. and Crandall, R.B. (1992), 'Videomicroscopy of intralymphatic dwelling *Brugia malayi*, Annals of Tropical Medicine and Parasitology, Vol.86, pp.435-438.
15. Chandrashekar, R., Curtis, K.C., Ramzy, R.M., Liftis, F. Li, B.W. and Weil, G.J. (1994), 'Molecular cloning of *Brugia malayi* antigens for diagnosis of lymphatic filariasis', Molecular and Biochemical Parasitology, Vol.64, pp.261-271.
16. Chanteau, S., Plichart,R., Spiegel,A., Martin, P.M.V and Cartel,J.L. (1991), 'Diagnostic values of ELISA IgG4 as compared to ELISA-IgG and indirect immunofluorescence,for the routine diagnosis of bancroftian filariasis in the South Pacific. Application on capillary blood collected on filter paper', Tropical Medical Parasitology, Vol.42, pp.339-342.
17. Chanteau, S., Moulia-Pelat, J.P., Glaziou, P., Luquiaud, P., Plichart, C, Martin,PM. and Cartel, J.L. (1994), 'Og4C3 circulating antigen: a marker of infection and adult worm burden in *Wuchereria bancrofti* filariasis', The Journal of Infectious Diseases, Vol.170(1), pp.247-250.
18. Cheirmaraj, K., Reddy, M.V, and Harinath, B.C. (1991) 'Diagnostic use of polyclonal antibodies raised in mouse ascitic fluid in bancroftian filariasis', Journal of Immunoassay, Vol, 12(4), pp.611-612.
19. Cheirmaraj, K., Reddy, M. V. and Harinath, B. C. (1992) 'Detection of filarial antigen using antibodies raised against *Wuchereria bancrofti* microfilarial SDS soluble antigen'. Southeast Asian Journal of Tropical Medicine and Public Health, Vol. 23(3) pp.444-449.
20. Chenthamarakshan, V., Reddy, M.V, and Harinath, B.C (1996) 'Diagnostic potential of fractionated *Brugia malayi* microfilarial excretory/secretory antigen for bancroftian filariasis' Transaction of Royal Society Tropical Medicine and Hygiene, Vol,90(3),pp.252-254.
21. Chiang, C.P. and Caulfield, J.P. (1989), 'The binding of human low-density lipoproteins to the surface of schistosomula of *Schistosoma mansoni* is inhibited by polyanions and reduces the binding of anti-schistosomal antibodies', American Journal of Pathology, Vol.134, pp.1007-1018
22. Chodakewitz, J. (1995), 'Ivermectin and lymphatic filariasis: A clinical update', Parasitology Today,Vol. 11, pp.233-235.
23. Cookson, E., Blaxter, M.L. and Selkirk, M.E. (1992), ' Identification of the major soluble cuticular glycoprotein of lymphatic filarial nematode parasites

- (gp29) as a secretory homolog of glutathione peroxidase', Proceedings of National Academy of Sciences U.S.A., Vol 89, pp.5837-5841.
24. Crowe, J., Masone, B.S. and Ribbe, J. (1995), 'One-step purification of recombinant proteins with the 6xHis tag and Ni-NTA resin', Molecular Biotechnology, Vol.4, pp.247-258.
 25. Day, K.P., Spark, R., Garner, P., Raiko, A., Wenger, J.D., Weiss, N., Mitchell, G.F., Alper, M.P and Kazura, J.W. (1991), 'Serological evaluation of the macrofilaricidal effects of diethylcarbamazine treatment in bancroftian filariasis. American Journal of Tropical Medicine and Hygiene, Vol.44 (5), pp.528-535.
 26. de Waal Malefyt R., Haanen, J., Spits, H., Roncarolo, M.G., te Velde, A., Figdor, C., Johnson, K., Kastelein, R., Yssel, H., and de Vries, J.E. (1991), 'Interleukin 10 (IL-10) and viral IL-10 strongly reduce antigen-specific human T-cell proliferation by diminishing the antigen-presenting capacity of monocytes via down regulation of class II major histocompatibility complex expression', Journal of Experimental Medicine, Vol.174, pp. 915-924.
 27. Denham, D A. (1995), 'Microfilariae', In 'Medical Parasitology. A Practical approach', Edited by Gillespie, S.H and Hawkey, P.M, IRL press, pp.239-252.
 28. Dhas, K.P. and Raj, R.K. (1995), 'Epitope specific monoclonal antibodies from heterologous antigen for immuno diagnosis of filariasis', Indian Journal of Medical Research, Vol.101, pp.183-189.
 29. Diment, S. (1990), 'Different roles for thiol and aspartyl proteases in antigen presentation of ovalbumin', The Journal of Immunology, Vol.145, pp 417-422.
 30. Dimock, K A., Eberhard, M L. and Lammie, P J. (1996), 'Th1-like antifilarial immune responses predominate in antigen-negative persons', Infection and Immunity, Vol.64, pp.2962-2967
 31. Dissanayake, S., Galahitiyawa, S. C and Ismail, S.S. (1982), 'Immune complexes in *Wuchereria bancrofti* infection in man', Bulletin of World Health Organization, Vol 60, pp.919-927.
 32. Dissanayake, S., Forsyth, K.P., Ismail. M.M and Mitchell, G.F. (1984), 'Detection of circulating antigen in bancroftian filariasis using a monoclonal antibody', American Journal of Tropical medicine and Hygiene Vol 33 pp. 1130-1140.
 33. Dissanayake, S., Xu, M and Piessens, W.F. (1992), 'A cloned antigen for serological diagnosis of *Wuchereria bancrofti* microfilaremia with daytime blood samples', Molecular and Biochemical Parasitology, Vol 56, pp.269-277.
 34. Dissanayake, S., Zhens, H., Deeyer, A., Xu, M., Watawana, L., Cheng G., Morin P., Deng B., Kunniawan, L., Vincent, A., Piessens, W.F. (1994), 'Evaluation of a recombinant parasite antigen for the diagnosis of lymphatic filariasis', American Journal of Tropical Medicine and Hygiene, Vol.50, pp.727-734.

35. Dreyer, G., Ottesen, E.A., Galdino, E., Androade, L., Rocha, A., Medeiros, Z., Moura, I., Casimiro, I., Beliz, F. and Coutinho, A. (1992), 'Renal abnormalities in microfilaraemic patients with bancroftian filariasis', *American Journal of Tropical Medicine and Hygiene* Vol.46, pp.745-751.
36. Dreyer, G., Amaral, F., Noroes, J, Medeiros, Z. and Addiss, D. (1995), 'A new tool to assess the adulticidal efficacy *in vivo* of antifilarial drugs for bancroftian filariasis', *Transactions of Royal Society of Tropical Medicine and Hygiene*, Vol. 89(2), pp.225-226.
37. Duarte, Z., Gantier, J.C. and Gayral, P. (1994), 'Activity of albendazole-ivermectin combination and other filaricidal drugs against infective larvae, preadult, microfilariae and adult worms of *Molinema dessetae* in the rodent *Proechimys oris*', *Parasite*, Vol. 1(1), pp.57-64.
38. Duke, B.O.L. (1980), 'Problems of chemotherapy with diethylcarbamazine citrate in lymphatic filariasis', *WHO/FIL Series*, Vol.158, pp.1-9.
39. Eisenbeiss, W.F., Apfel, H. and Meyer, T.F. (1994), 'Protective immunity linked with a distinct developmental stage of a filarial parasite', *The Journal of Immunology*, Vol.152 (2), pp.735-742.
40. Forsyth, K.P., Spark, R., Kazura, J., Brown, G.V., Peters, P., Heywood, P., Dissanayake, S. and Mitchell, G.F. (1985), 'A monoclonal antibody based immunoradiometric assay for detection of circulating antigen in bancroftian filariasis', *The Journal of Immunology*, Vol.134, pp.1172-1177.
41. Frank, G.R., Mondesire, R.R., Brandt, K.S, and Wisnewski, N. (1998) 'Antibody to the *Dirofilaria immitis* aspartyl protease inhibitor homologue is a diagnostic marker for feline heartworm infections', *Journal of Parasitology*, Vol 84(6) pp.1231-1236.
42. Freedman, D.O., Nutman, T.B, and Ottesen, E.A. (1989) 'Protective immunity in bancroftian filariasis. Selective recognition of a 43-kDa larval stage antigen by infection-free individuals in an endemic area', *Journal of Clinical Investigation*, Vol 83(1), pp.14-22.
43. Freedman, D.O. de Almedio filho, P.J., Besh, S., Canmelita, M., Silva, M., Cynthia, B. and Maciel, A. (1994), 'Lymphoscintigraphic analysis of lymphatic abnormalities in asymptomatic human filariasis', *The Journal of Infectious Diseases*, Vol.170, pp.927-933.
44. Freedman, D.O., de-Almeido-Filho, P.J., Besh, S., Maia-e-Silva, M.C., Braga, C., Maciel, A. and Furtado, A.F. (1995), 'Abnormal lymphatic function in presymptomatic bancroftian filariasis', *The Journal of Infectious Diseases*, Vol.171 (4), pp.997-1001.
45. Gelband, H. (1994), 'Diethylcarbamazine salt in the control of lymphatic filariasis', *American Journal of Tropical Medicine and Hygiene*', Vol.50, pp.655-662.

46. Haarbrink, M., Terhell, A., Abadi, K., van Beers, S., Asri, M. and Yazdanbakhsh, M. (1995), 'IgG4 antibody assay in the detection of filariasis', *Lancet*, Vol.346(8978), pp.853-854.
47. Hamilton, R.G., Hussain, R and Ottesen, E.A. (1984), 'Immunoradiometric assay for detection of filarial antigens in human sera', *The Journal of Immunology*, Vol.133, pp.2237-2243.
48. Hanahan, D. (1983), 'Studies on transformation of *E.coli* with plasmids', *Journal of Molecular Biology*, Vol.166, pp.557-565.
49. Harinath, B.C., Reddy, M.V.R., Padigel, U.M., Devi, K.K., Alli, R. and Mehta, V.K. (1996), 'SEVA-FILACHEK for immunomonitoring of clinical and occult filarial infections', *Journal of Mahatma Gandhi Institute of Medical Sciences*, Vol 1, pp.52-56.
50. Hassan, M. M., Ata. M., Ramzy, R. M., el-Gendi, A. E., Hegab, M. H., Gabr, N. S., el-Chourbagy, A. F., Mostafa, A. A. Naguib, A.M. (1996) 'Evaluating the detection of circulating filarial antigen in diagnosis of bancroftian filariasis and filarial hydrocele'. *Journal of Egyptian Society of Parasitology*, Vol.26 (3) pp.687-696.
51. Hawking, F. (1979), 'Diethylcarbamazine and new compounds for the treatment of filariasis', *Advances in Pharmacology and Chemotherapy*, Vol. 16, pp.129-194.
52. Hussain, R. and Ottesen, E.A. (1986), 'IgE responses in human filariasis. Parallel antigen recognition by IgE and IgG4 subclass antibodies', *The Journal of Immunology*, Vol. 136, pp. 1859-1863.
53. Hussain, R., Grogl, M. and Ottesen, E.A. (1987), 'IgG antibody subclasses in human filariasis. Differential subclass recognition of parasite antigens correlates with different clinical manifestations of infection', *The Journal of Immunology*, Vol. 139, pp. 2794-2798.
54. Hussain, R., Poindexter, R W and Ottesen, E A. (1992), 'Control of allergic reactivity in Human filariasis – predominant localization of blocking antibody to the IgG4 subclass', *The Journal of Immunology*, Vol.148, pp.2731-2737.
55. Jamal, S. and Pani, S.P. (1990), 'The clinical perspectives and research needs in lymphatic filariasis, *Miscellaneous Publications of Vector Control Research Centre*, Vol.16, pp. 29-41.
56. Janeway C.A. and Travers P. (1994), 'Immunobiology; Immune system in health and diseases', Blackwell scientific publication, Oxford, UK. Chapter 8, pp.8: 1-8:22.
57. Kaiser, L., Tithof, P.K. and Williams, J.F. (1990), 'Depression of endothelium dependent relaxation by filarial parasite products', *American Journal of Physiology*, Vol.259, pp.648-652.
58. Kaliraj, P., Ghirnikar, S.N. and Harinath, B.C. (1981a), 'Immunodiagnosis of bancroftian filariasis: comparative efficiency of the indirect hemagglutination

- test, indirect fluorescent antibody test and enzyme linked immunosorbent assay done with *Wuchereria bancrofti* microfilarial antigens', *American Journal of Tropical Medicine and Hygiene*, Vol.30, pp.982-987.
59. Kaliraj, P., Ghirnikar, S.N, and Harinath, B.C. (1981b), 'Enzyme linked immunosorbent assay (ELISA) for bancroftian filariasis', *Transaction of Royal Society of Tropical Medicine and Hygiene*, Vol 75(1), pp.119-120
 60. Kaliraj, P., Kharat, I., Ghirnikar, S.N., and Harinath, B.C. (1981c) 'The utility of human filarial serum in the detection of circulating antigen', *Journal of Helminthology*, Vol. 55(2),pp.133-139
 61. Kar, S.k., Mania, J., Baldwin, C.I. and Denham, D.A. (1993), 'The sheath of the microfilaria of *Wuchereria bancrofti* has albumin and immunoglobulin on its surface', *Parasite Immunology*, Vol. 15, pp.297-300.
 62. Kaushal, N.A., Hussian, R., Nash, T.E and Ottesen, E.A. (1982), 'Identification and characterisation of excretory secretory products of *Brugia malayi* adult filarial parasites', *The Journal of Immunology*, Vol 129, pp.338-343.
 63. Kaushal, N.A., Hussain, R. and Ottesen, E.A. (1984), 'Excretory-secretory and somatic antigens in the diagnosis of human filariasis', *Clinical and Experimental Immunology*, Vol.56, pp.567-576.
 64. Kestens, L., Hoofd, G., Gigase, P.L., Deleys,R. and van der Groen,G. (1991) 'HIV antigen detection in circulating immune complexes' ,*Journal of Virology methods* , Vol 31 pp.67-76.
 65. Kimura, E and Mataika, J.U. (1996), 'Control of lymphatic filariasis by annual single dose Diethylcarbamazine treatments', *Parasitology Today*, Vol.12, pp. 240-244
 66. King, C.L., Ottesen, E.A. and Nutman, T.B. (1990), 'Cytokine regulation of antigen-driven immunoglobulin production in filarial parasite infections in humans', *Journal of Clinical Investigation*, Vol.85, pp.1810-1815.
 67. King, C.L., Kumaraswami, V., Poindexter, R.W., Kumari, S., Jayaraman, K., Alling, D.W.,Ottesen, E.A, and Nutman, T.B. (1992) 'Immunologic tolerance in lymphatic filariasis. Diminished parasite-specific T and B lymphocyte precursor frequency in the microfilaremic state'.*Journal of Clinical Investigation*, Vol 89(5), pp.1403-1410.
 68. King, C.L., Hakimi, J., Shata, M.T and Medhat, A. (1995), 'IL-12 regulation of parasite antigen-driven IgE production in human helminth infections', *Journal of Immunology*, Vol.155 (1), pp.454-461.
 69. Klion, A.D., Massougbdji, A., Horton, J., Ekoue, S., Lanmasso, T., Ahouissou, N.L, and Nutman,T.B. (1993) 'Albendazole in human loiasis: results of a double-blind, placebo-controlled trial' *Journal of Infectious Diseases*, Vol.168(1) pp.202-206.

70. Knott, J.A. (1939), 'A method of making microfilarial surveys on day blood', Transactions of the Royal Society of Tropical Medicine Hygiene, Vol 33(2), pp.191-199.
71. Kobayashi, M., Nimura, M., Kanazawa, T., Husky, M.K., Malagueno, E. and Santana, V. (1997), 'Detection of microfilarial antigen in circulating immune complex from sera of *Wuchereria bancrofti*- infected individuals', American Journal of Tropical Medicine and Hygiene, Vol.57 (2) , pp.200-204.
72. Kula,M.R. and Schutte,H. (1987), 'Purification of proteins and the disruption of microbial cells' ,Biotechnology Progress ,Vol 3 pp31-42.
73. Kumari, S., Lillibridge, C,D., Bakeer, M., Lowrie, R.C., Jayaraman, K and Phillip, M.(1994), '*Brugia malayi*: The diagnostic potential of recombinant Excretory/Secretory antigens', Experimental Parasitology, Vol.79, pp.489-505.
74. kwan-Lim, G.E., Forsyth, K.P and Maizels, R.M. (1990), 'Filarial-specific IgG4 responses correlate with active *W.bancrofti* infection', The Journal of Immunology, Vol.145, pp.4298-4305.
75. Laemmli, U.K. (1970), 'Cleavage of structural proteins during the assembly of the head of bacteriophage T4', Nature, Vol.227, pp.680-685.
76. Lal, R.B., Paranjape, R.S., Briles, D E., Nutman, T.B and Ottesen, E.A. (1987), 'Circulating parasite antigens in Lymphatic filariasis: Use of monoclonal antibodies to phosphocholine for immunodiagnosis', The Journal of Immunology, Vol.138, pp.3454-3460.
77. Lal,R.B. and Ottesen, E.A. (1988), 'Enhanced diagnostic specificity in human filariasis by IgG4 antibody assessment', The Journal of Infectious Diseases, Vol.158, pp.1034-1037.
78. Lal, R.B. and Ottesen, E.A. (1989), 'Phosphocholine epitopes on helminth and protozoal parasites and their presence in the circulation of infected human patients', Transactions of the Royal Society of Tropical Medicine and Hygiene, Vol. 83, pp.652-655.
79. Lal, R.B., Kumaraswami, V., Steel, C, and Nutman, T.B.(1990) 'Phosphocholine-containing antigens of *Brugia malayi* nonspecifically suppress lymphocyte function'. American Journal of Tropical Medicine and Hygiene,Vol. 42(1) pp.56-64
80. Lalitha, P., Ravichandran, M., Suba, S., Kaliraj, P., Narayanan, R.B. and Kunthala Jayaraman. (1998), 'Quantitative assessment of circulating antigen in human lymphatic filariasis: A field evaluation of monoclonal antibody based ELISA using blood collected on filter strips', Tropical Medicine and International Health, Vol 3, pp.41-45.
81. Lammie, P.J., Hightower, A.W. and Eberhard, M.L. (1994), Age-specific prevalence of antigenemia in a *Wuchereria bancrofti* exposed population, American Journal of Tropical Medicine and Hygiene, Vol.51, pp.348-355.

82. Lammie, P.J., Reiss, M.D., Dimock, K.A., Strerit, T.G., Robert, J.M. and Eberhard, M.L. (1998), 'Longitudinal analysis of filarial infection and antifilarial immunity in a cohort of Haitian children', *American Journal of Tropical Medicine and Hygiene*, Vol 59,(2) pp.217-221.
83. Langham, M. E. and Kramer, T. R. (1980) 'The 'in vitro' effect of diethylcarbamazine on the motility and survival of *Onchocerca volvulus* microfilariae'. *Tropical Medical Parasitology*, Vol. 31(1) pp.59-66
84. Leeuwijn R.S. (1962), 'Microfilaraemia in Surinamese living in Amsterdam', *Tropical Geographical Medicine.*, Vol.14, pp.355-360.
85. Li, B. N., Chandrashekar, R., Alvarez, R.M., Liftis, F. and Weil. G.J. (1991), 'Identification of paramyosin as a potential protective antigen against *Brugia malayi* infection in jirds', *Molecular and Biochemical Parasitology*, Vol 49, pp.315-324.
86. Liu, L.X., Serhan, C.N: and Weller, P.F.(1990), 'Intravascular filarial parasites elaborate cyclo oxygenase-derived eicosanoids', *Journal of Experimental Medicine*, Vol.172, pp.993-996.
87. Lizotte, M.R., Supall, T., Partono, F. and Williams, S.A. (1994), 'A polymerase chain reaction based assay for the detection of *Brugia malayi* in blood', *American Journal of Tropical Medicine and Hygiene*, Vol. 51, pp.314-321.
88. Lobos, E., Zahn, R., Weiss, N, and Nutman, T.B. (1996), 'A major allergen of lymphatic filarial nematodes is a parasite homolog of the gamma-glutamyl transpeptidase' *Molecular Medicine*, Vol 2(6), pp.712-724.
89. Lunde, M. N., Paranjape, R.S., Lawley, T.J. and Ottesen, E.A. (1988), 'Filarial antigen in circulating immune complexes from patients with *Wuchereria bancrofti* filariasis', *American Journal of Tropical Medicine and Hygiene*, Vol38 (2), pp366-371.
90. Lutsch, C., Cesbron, J.Y., Henry, D., Dessaint, J.P., Wandji, K., Ismail. M and Capron, A. (1988) 'Lymphatic filariasis: detection of circulating and urinary antigen and differences in antibody isotypes complexed with circulating antigen between symptomatic and asymptomatic subjects', *Clinical Experimental Immunology*, Vol, 71(2),pp.253-260.
91. Mackenzie, C.D. and Kron, M.A. (1985), 'Diethylcarbamazine: a review of its action in onchocerciasis, lymphatic filariasis and inflammation', *Tropical Diseases Bulletin*, Vol. 82 pp. R1-R37.
92. Mahanty, S, and Nutman, T.B, (1995), 'Immunoregulation in human lymphatic filariasis: the role of interleukin 10', *Parasite Immunology* Vol. 17(8), pp.385-392.
93. Mahanty, S., Mollis, S.N., Ravichandran, M., Abrams, J.S., Kumaraswami, V., Jayaraman, K., Ottesen, E.A. and Nutman, T.B. (1996), 'High levels of spontaneous and parasite antigen - driven interleukin-10 production are

- associated with antigen-specific hyporesponsiveness in human lymphatic filariasis', *The Journal of Infectious Diseases*, Vol.173, pp.769-773.
94. Maizels, R.M., Denham, D.A and Sutanto, (1985) 'Secreted and circulating antigens of the filarial parasite *Brugia pahangi*: analysis of in vitro released components and detection of parasite products *in vivo*'. *Molecular Biochemical and Parasitology*, Vol 17(3) pp.277-288.
 95. Maizels, R M., Kurniawan, A., Selkirk, M.E and Yazdanbakhsh, M (1991), 'Immune responses to filarial parasites', *Immunology Letters*, Vol.30, pp.249-254.
 96. Maizels, R.M., Bundy, D.A., Selkirk, M.E., Smith, D.F. and Anderson, R.M. (1993), 'Immunological modulation and evasion by helminth parasites in human populations', *Nature*, Vol. 365, pp.797-805
 97. Malhotra, A. and Harinath, B.C.(1984), 'Comparative efficiency of *Wuchereria bancrofti* microfilarial and larval excretory/secretory antigens in ELISA for the diagnosis of tropical eosinophilia and bancroftian filariasis', *Indian Journal of Experimental Biology*, Vol. 22, pp.520-526.
 98. Marston, F.A. (1986), 'The purification of eukaryotic peptides synthesised in *Escherichia coli*', *Biochemistry Journal*, Vol. 240 pp. 1-12.
 99. McCarthy, J.S., Guinea, A., Weil, G.J. and Ottesen, E.A.(1995), 'Clearance of circulating filarial antigen as a measure of the macrofilaricidal activity of diethylcarbamazine in *Wuchereria bancrofti* infection', *The Journal of Infectious Diseases*, Vol.172(2), pp.521-526.
 100. McCarthy, J.S., Zhong, M., Gopinath, R., Ottesen, E.A., Williams, S.A., Nutman, T.B. (1996), 'Evaluation of a polymerase chain reaction based assay for the diagnosis of *Wuchereria bancrofti* infection', *The Journal of Infectious Diseases*, Vol. 173, pp.1510-1514
 101. McReynolds, L.A., Desimone, S.M. and Williams, S.A. (1986), 'Cloning and comparison of the repeated DNA sequences from human filarial parasite *Brugia malayi* and the animal parasite *Brugia pahangi*', *Proceedings of the National Academy of Sciences, USA*, Vol. 83, pp.797-801.
 102. Michael, E., Bundy, D.A.P. and Grenfell, B.T. (1996), 'Re-assessment the global prevalence and distribution of lymphatic filariasis', *Parasitology*, Vol.112, pp.409-428.
 103. Modha, J., Parikh, V., Gauldie, J. and Doenhoff, M.J. (1988), 'An association between schistosomes and contrapsin, a mouse serine protease inhibitor (serpin)', *Parasitology*, Vol.9, pp.99-109.
 104. Modulinn, R.L. and Nutman, T.B. (1993), 'Type 2 cytokines and negative immune regulation in Human infections', *Current Opinion in Immunology*, Vol.5, pp.511-517.
 105. More, S.J. and Copeman, D.B. (1990), 'A highly specific and sensitive monoclonal antibody-based ELISA for the detection of circulating antigen

- in bancroftian filariasis', *Tropical Medicine and Parasitology*, Vol.41, pp.403-406.
106. Mosmann, T.R. and Coffmann, R.L. (1989), 'Th1 and Th2 cells; different pattern of lymphokine secretion lead to different functional properties', *Annual Review of Immunology*, Vol.7, pp.145-173.
 107. Moulia-pelat, J.P., Nguyen, L.N., Glaziou, P., Chanteau, S., Ottesen, E.A., Cardines, R., Martin, P.V. and Cartel, J.L. (1994), 'Ivermectin plus Diethylcarbamazine: An additive effect on early microfilarial clearance', *American Journal of Tropical Medicine and Hygiene*, Vol. 50, pp. 206-209.
 108. Moulia-pelat, J.P., Glaziou, P., Nguyen, L.N. and Cartel, J.L. (1995), 'Single doses of Ivermectin 400 ug/kg: the most effective dosage in bancroftian filariasis', *Southeast Asian Journal of Tropical Medicine and Public Health*, Vol. 26, pp.124-127
 109. Mukhopadhyay, S. and Ravindran, B. (1997), 'Antibodies to diethylcarbamazine potentiate the antifilarial activity of the drug', *Parasite Immunology*, Vol.19 (4), pp.191-195.
 110. Mustafa, H., Srivastava, N., Kaushal, D.C, and Kaushal, N.A (1996) 'Analysis and potential of excretory-secretory antigens of *Setaria cervi* for immunodiagnosis of human filariasis', *Indian Journal of Experimental Biology*, Vol, 34(6), pp.508-512.
 111. Nicloas, L., Luquiad, P., Lardeux, F. and Mercer, D.R. (1996), ' A polymerase chain reaction assay to determine infection of *Aedes polynesiensis* by *Wuchereria bancrofti*', *Transactions of the Royal Society of Tropical Medicine and Hygiene*, Vol.90, pp.136-139.
 112. Nicolas, L., Plichart, C., Nguyen, L.N. and Moulia-Pelat, JCP. (1997), 'Reduction of *Wuchereria bancrofti* adult worm circulating antigen after annual treatments of diethylcarbamazine combined with ivermectin in French Polynesia', *Journal of Infectious Diseases*, Vol.175 (2), pp.489-492.
 113. Noroes, J Dreyer, G., Santos, A., Mendes, V.G., Medeiros, Z. and Addiss, D. (1997), 'Assessment of the efficacy of diethylcarbamazine on adult *Wuchereria bancrofti* *in vivo*', *Transactions of Royal Society of Tropical Medicine and Hygiene*, Vol. 91, pp.78-81.
 114. Nutman, TB, Kumaraswami, V., Pao, L., Narayanan, P.R. and Ottesen, E.A.(1987a), 'An analysis of *in vitro* B cell immune responsiveness in human lymphatic filariasis', *The Journal of Immunology*, Vol.138, pp.3954-3959.
 115. Nutman, T.B., Kumaraswami, V. and Ottesen, E.A. (1987b), 'Parasite specific anergy in human filariasis: Insights after analysis of parasite-antigen driven lymphokine production', *Journal of Clinical Investigations*, Vol.79, pp.1516-1523.
 116. Nutman, T.B., Vijayan, V.K., Pinkston, P., Kumaraswami, V., Steel, C., Crystal, R.G, and Ottesen, E.A. (1989) 'Tropical pulmonary eosinophilia:

- analysis of antifilarial antibody localized to the lung'. *Journal of Infectious Diseases*, Vol.160 (6) pp.1042-1050.
117. Nutman, T.B., Steel, C., Ward, D.J., Zea-Flores, G, and Ottesen, E.A. (1991) 'Immunity to onchocerciasis: recognition of larval antigens by humans putatively immune to *Onchocerca volvulus* infection'. *Journal of Infectious Diseases*, Vol.163 (5) pp.1128-1133.
 118. Nutman, T.B., Zimmerman, P.A., Kubofcik, J., Kostyu, D.D. (1994), 'A Universally applicable approach to filarial and other infections', *Parasitology Today*, Vol. 10, pp. 239-243.
 119. Nutman, T.B., Parredes, W., Kubofcik, J, and Guderian, R.H. (1996), 'Polymerase chain reaction-based assessment after macrofilaricidal therapy in *Onchocerca volvulus* infection', *Journal of Infectious Diseases*, Vol 173(3), pp.773-776.
 120. Olins, P.O., Devine, C.S., Rangwala, H.S. and Kavka, S.K. (1988), 'The T7 phage gene 10 leader RNA, a ribosome binding site that dramatically enhances the expression of foreign genes in *E.coli*', *Gene*, Vol.73, pp.227-235.
 121. Ottesen, E.A., Weller, P.F. and Heck, L. (1977), 'Specific cellular immune unresponsiveness in human filariasis', *Immunology* Vol. 331 pp.413-421.
 122. Ottesen, E.A. (1984), 'Immunopathology of lymphatic filariasis in man', *Springer Seminar in Immunopathology*, Vol.2, pp.373-385.
 123. Ottesen, E.A. (1985a), 'Efficacy of Diethylcarbamazine in eradicating infection with lymphatic -dwelling filariae in humans', *Reviews of Infectious Diseases*, Vol. 3 (3), pp.341-356.
 124. Ottesen, E.A.; Skvaril, F., Tripathy, S.P., Poindexter, R.W. and Hussain, R. (1985b), 'Prominence of IgG4 in the IgG antibody response to human filariasis', *The Journal of Immunology*, Vol. 134, pp. 2707-2712.
 125. Ottesen, E.A and Nutman, T.B (1992), 'Tropical pulmonary eosinophilia', *Annual Review of Medicine*, Vol. 43, pp.417-424.
 126. Ottesen, E.A., and Ramachandran, C.P. (1995), 'Lymphatic filariasis infection and disease: Control strategies', *Parasite Immunology*, Vol.11, pp.129-131.
 127. Paranjape,R.S., Hussian, R., Nutman, T.B., Hamilton, R. and Ottesen, E.A. (1986), 'Identification of circulating parasite antigen in patients with bancroftian filariasis, *Clinical Experimental Immunology*, Vol.53, pp.508-516.
 128. Pearce, E.J., Hall, B.F. and Sher, A. (1990), ' Host-specific evasion of the alternative complement pathway by schistosomes correlates with the presence of a phospholipase C-sensitive surface molecule resembling human decay accelerating factor', *The Journal of Immunology*, Vol.144, pp.2751-2756.
 129. Pearlman, E., Hazlett, F.E., Henry Boom,W. and Kazura, J.W. (1993), 'Induction of murine T helper responses to filarial nematode *Brugia malayi*', *Infection and Immunity*, Vol. 61, pp.1105-1112

130. Piessens W.F., Ratiwaytano S., Tuti S., Palmieri J.H., Piessens P.W., Koiman J. and Dennis D.T. (1980), 'Antigen-specific suppressor cells and suppressor factors in human filariasis with *Brugia malayi*', *New England Journal of Medicine*, Vol. 302, pp.833-837.
131. Piessens, W.F., Partono, F., Hoffman, S.L., Ratiwaytano, S., Piessens, P.W., Palmieri, J.R., Koiman, I., Dennis, D.J. and Carney, W.J. (1982), 'Antigen-specific suppressor T lymphocytes in human lymphatic filariasis', *New England Journal of Medicine*, Vol.307, pp.144-148.
132. Porath, J., Carlsson, J., Olsson, J. and Belfrage, G. (1975), 'Metal chelate affinity chromatography A new approach to protein fractionation', *Nature*, Vol. 258 pp.598-599.
133. Prasad, G.B.K.S. and Harinath, B.C. (1988), 'Analysis, Characterization and Diagnostic utility of filarial antigen fractions isolated from immune complexes in Bancroftian filariasis', *Diagnostic and Clinical Immunology*, Vol. 5, pp.269-275.
134. Raghavan, N., McReynolds, L.A., Maina, C.V., Feinstone, S.M., Jayaraman, K., Ottesen, E. A and Nutman, T.B. (1991), 'A recombinant clone of *Wuchereria bancrofti* with DNA specificity for human lymphatic filarial parasites', *Molecular and Biochemical parasitology*, Vol.47, pp.63-72.
135. Raghavan, N., Maina, C.V., Fitzgerald, P.C., Tuan, R.S., Slatko, B.E., Ottesen, E.A, and Nutman, T.B. (1992) 'Characterization of a muscle-associated antigen from *Wuchereria bancrofti*'. *Experimental Parasitology*, Vol, 75(4) pp.379-389.
136. Rahmah, N., Anuar, A.K., Karim, R., Mehdi, R., Sinniah, B. and Omar, A.W. (1994), 'Potential use of IgG2-ELISA in the diagnosis of chronic elephantiasis and IgG4-ELISA in the follow-up of microfilaraemic patients infected with *Brugia malayi*', *Biochemistry Biophysics and Research Communication*, Vol. 205, pp.202-207
137. Rahmah, N., Ashikin, A.N., Anwar, A.K., Ariff, R.H., Abdullah, B., Chan, G.T. and Williams, S.A. (1998), 'PCR-ELISA for the detection of *Brugia malayi* infection using finger-prick blood', *Transactions of the Royal Society of Tropical Medicine and Hygiene*, Vol.92, pp.404-406.
138. Ramzy, R.M., Gad, A.M., Faris, R. and Weil, G.J. (1991), 'Evaluation of a monoclonal antibody based antigen assay for diagnosis of *Wuchereria bancrofti* infection in Egypt', *American Journal of Tropical Medicine and Hygiene*, Vol.44, pp.691-695.
139. Ramzy, R.M., Helmy, H., Fans, R., Gad, A.M., Chandrashekar, R. and Weil, G.J. (1995), 'Evaluation of a recombinant antigen-based antibody assay for diagnosis of bancroftian filariasis in Egypt', *Annals of Tropical Medicine and Parasitology*, Vol.89(4), pp.443-446.
140. Rao, KVN. (1998), 'Identification and characterization of candidate genes for diagnosis and immunological studies from the filarial parasites *Brugia malayi*

and *Wuchereria bancrofti*', Ph.D. Thesis submitted to Faculty of Science and Humanities, Anna University, Chennai, India.

141. Ravichandran, M., Mahanty, S., Kumaraswami, V., Nutman, T.B and Kunthala Jayaraman (1997), 'Elevated IL-10 mRNA expression and downregulation of Th1-type cytokines in microfilaraemic individuals with *Wuchereria bancrofti* infection', Parasite Immunology, Vol.19, pp.69-77.
142. Ravindran, B., Satapathy, A.K., Das, M.k., Pattnaik, N.M and Subramanyam, V.R. (1990), 'Antibodies to microfilarial sheath in bancroftian filariasis-prevalence and characterization', Annals of Tropical Medicine and Parasitology, Vol. 84, pp.607-613.
143. Reddy, M.V.R., Malhotra. A. and Harinath. B.C. (1984), 'Detection of circulating antigens in bancroftian filariasis by sandwich ELISA using filarial serum IgG', Journal of Helminthology, Vol. 58, pp.259-263.
144. Reddy, M.V.R., Ramaprasad, P., Piessens, W.F and Harinath, B.C. (1986), 'Diagnostic utility of monoclonal antibodies raised against microfilarial excretory-secretory antigens in bancroftian filariasis', Journal of Biosciences, Vol.10, pp.461-466.
145. Reddy, M.V.R., Parkhe, R.A., Piessens, W.F., *et al.*, (1989), '*Wb* ES34 monoclonal antibody: Further characterisation and diagnostic use in bancroftian filariasis', Journal Clinical laboratory Analysis, Vol 3, pp.277-282.
146. Riffkin, M., Seow, H.F., Jackson, D., Brown, L. and Wood, P. (1996), 'Defence against the immune barrage: Helminth survival strategies', Immunology and Cell Biology, Vol.74, pp.564-574.
147. Sambrook, J., Fritsch, E.F., and Maniatis, T. (1989), 'Molecular Cloning - A Laboratory Manual (second edition)', Cold Spring Harbor Laboratory, Cold Spring Harbor, New York. pp. 9.31-9.44
148. Shenoy, R.K., Kumaraswami, V., Rajan, K., Thankom, S. and Jalajakumari, (1992), 'Ivermectin for the treatment of malayan filariasis: a study of efficacy and side effects following a single oral dose and retreatment at six months', Annals of Tropical Medicine and Parasitology, Vol.86 (3), pp.271-278.
149. Shenoy, R.K., Sandhya, K., Suma, T.K. and Kumaraswami, V. (1995), 'A preliminary study of filariasis related acute adenolymphangitis with special reference to precipitating factors and treatment modalities', Southeast Asian Journal of Tropical Medicine and Public Health, Vol. 26, pp.301-305.
150. Shutton B.J. and Guld H.J. (1993), 'The Human IgE network', Nature, Vol.366, pp.421-428.
151. Sim, B.K.L., Piessens, W.F. and Wirth, D.F. (1986a), 'A DNA probe cloned in *E.coli* for the identification of *Brugia malayi*', Molecular and Biochemical Parasitology, Vol. 19, pp.117-123.
152. Sim, B.K.L., Mak, J.W., Cheong, W.H., Sutanto, I., Kurniawan, L., Marwoto, H.A., Frankee, E., Campell, J.R. and Wirth, D.F. (1986b), 'Identification of

- Brugia malayi* in vectors with a species specific DNA probe', American Journal of Tropical Medicine and Hygiene, Vol. 35, pp. 559-564.
153. Simonsen, P.E., Lemnge, M.M., Msangeni, H.A., Jakobsen, P.H. and Bygbjerg, I.C. (1996), 'Bancroftian filariasis: the patterns of filarial-specific immunoglobulin G1 (IgG1), IgG4, and circulating antigens in an endemic community of northeastern Tanzania', American Journal of Tropical Medicine and Hygiene, Vol.55(1), pp.69-75
 154. Simurda, M.C., van Keulen, H., Rekosh, D.M. and LoVerde, P.T. (1988), '*Schistosoma mansoni*: identification and analysis of an mRNA and a gene encoding superoxide dismutase (Cu/Zn)', Experimental Parasitology, Vol.67, pp.73-84
 155. Siridewa, K., Karunanayake, E.H. and Chandrasekharan, N.V. (1996), 'Polymerase chain reaction based technique for the detection of *Wuchereria bancrofti* in human blood samples, hydrocele fluid and mosquito vectors', American Journal of Tropical Medicine and Hygiene, Vol.54, pp. 72-76
 156. Smith, D.B., Davern, K.M., Board, P.G., Tiu, W.U., Garcia, E.G., Mitchell, G.F. (1986), 'Mr 26, 000 antigen of *Schistosoma japonicum* recognized by resistant WEHI 129/ J mice is a parasite glutathione S-transferase', Proceedings of National Academic Sciences, USA, Vol.83, pp.8703-8707.
 157. Steel, C., Guinea, A., McCarth, J., Ottesen, E.A. (1994), ' Long term effect of prenatal exposure to maternal microfilaraemia on immune responsiveness to filarial parasite antigens', Lancet, Vol. 343, pp.890-893.
 158. Steel, C, and Nutman, T.B. (1998), 'Helminth antigens selectively differentiate unsensitized CD45RA+ CD4+ human Tcells *in vitro*', The Journal of Immunology, Vol. 160, pp.351-360.
 159. Studier, F.W. and Moffatt, B.A. (1986), 'Use of bacteriophage T7 RNA polymerase to direct selective high-level expression of cloned genes', Journal of Molecular Biology. Vol.189, pp. 113-130.
 160. Studier, F.W., Rosenberg, A.H., Dunn, J.J. and Dubendorff, J.W. (1990), ' Use of T7 RNA polymerase to direct expression of cloned genes', Methods in Enzymology, Vol.185, pp.60-89.
 161. Suba, S. (1997), 'Cellular and humoral immune responses during chemotherapy with Diethylcarbamazine in human lymphatic filariasis', M.S Thesis submitted to San Jose State University, San Jose, CA, USA.
 162. Theodore, J.G., and Kaliraj. P. (1990), 'Isolation, purification and characterization of surface antigens of the bovine filarial parasite *Setaria digitata* for the immunodiagnosis of bancroftian filariasis'. Journal of Helminthology, Vol.64 (2), pp.105-114.
 163. Theodore, J.G., Kaliraj, P., Jayachandran, S. and Jayaraman, K. (1993), 'Cloning, over-expression and evaluation of a recombinant fusion protein of *Wuchereria bancrofti* towards its application as a diagnostic agent for bancroftian filariasis', Parasitology, Vol. 106, pp. 413-420.

164. Theodore, J.G. and Kaliraj, P. (1996), '*Wuchereria bancrofti* recombinant antigen-derived poly- and monoclonal antibodies for the detection of circulating antigen(s) in the sera of lymphatic filarial patients', *Journal of Helminthology*, Vol.70 (1), pp.69-74.
165. Urban, J., Katona, I.M., Paul, W.M., and Finkelman, R.D. (1991), 'Interleukin-4 is important in protective immunity to a gastrointestinal nematode infection in mice', *Proceedings of the National Academy of Sciences U.S.A.*, Vol.88, pp.5513-5517.
166. Urban, J.F.J., Madden, K.B., Svetic, A., Cheever, A., Trotta, P.P., Gause, W.C., Katona, I.M. and Finkelman, F.D. (1992), 'The importance of Th2 cytokines in protective immunity to nematodes', *Immunology Review*, Vol.127, pp. 205-254.
167. Vanderr, Z., van Swieten, J.S.P. and Dalberse, R.C. (1986), 'Serological aspects of IgG4 antibodies II. IgG4 antibodies form small, non-precipitating immune complexes due to functional monovalency', *The Journal of Immunology*, Vol.137, pp.3566-3569.
168. Wamae, C.N., Robert, J. M., Eberhard, M.L. and Lammie, P.J. (1992) 'Kinetics of circulating human IgG4 after Diethylcarbamazine and Ivermectin treatment of Bancroftian filariasis', *The Journal of Infectious Diseases*, Vol.165, pp.1158-1160.
169. Wamae, C.N. (1994), 'Advances in the diagnosis of human lymphatic filariasis: A review', *East African Medical Journal*, Vol.71, pp.171-183.
170. Wang, S.H., Zheng, H, J., Dissanayake, S., Cheng, W.F., Tao, Z.H., Lin, S.H. and Piessens, W.F. (1997), ' Evaluation of recombinant chitinase and SXP1 antigens as antimicrofilarial vaccines', *American Journal of Tropical Medicine and Hygiene*, Vol.56, pp.474-481.
171. Weil, G.J., Malane, M.S., and Powers, K.G (1984) 'Detection of circulating parasite antigens in canine dirofilariasis by counterimmunoelectrophoresis', *American Journal of Tropical Medicine and Hygiene*, Vol, 33(3),pp.425-430.
172. Weil, G.J. and Liffis, F. (1987a), 'Identification and partial characterization of a parasite antigen in sera from human infected with *Wuchereria bancrofti*', *The Journal of Immunology*, Vol. 138, pp. 3035-3041.
173. Weil, G.J., Jain, D.C., Santhanam, S., Malhotra, A., Kumar, H., Sethumadhavan, K.V.P., Liffis, F. and Ghosh, T.K. (1987b), 'A monoclonal antibody-based enzyme immunoassay for detecting parasite antigenemia in bancroftian filariasis', *The Journal of Infectious Diseases*, Vol. 156, pp. 350-355.
174. Weil, G.J., Sethumadhavan, K.V., Santhanam, S., Jain, D.C, and Ghosh, T.K, (1988) 'Persistence of parasite antigenemia following diethylcarbamazine therapy of bancroftian filariasis', *American Journal of Tropical Medicine and Hygiene*, Vol ,38(3) pp.589-595.

175. Weil, G.J., Ramzy, R.M.R., Chandrashekar, R., Gad, A.M., Lowerie, J.R., and Faris, R. (1996), 'Parasite antigenemia without microfilaremia in bancroftian filariasis', *American Journal of Tropical Medicine and Hygiene*, Vol.53 (3), pp333-337.
176. Weil, G.J., Lammie, P.J. and Weiss, N. (1997), 'The ICT Filariasis Test A rapid format antigen test for diagnosis of bancroftian filariasis', *Parasitology Today*, Vol.13, pp.401-404.
177. Werner, C., Higashi, G.I., Yates, J.A. and Rajan, T.V. (1989), 'Differential recognition of two cloned *Brugia malayi* antigens by antibody class', *Molecular and Biochemical Parasitology*, Vol. 35, pp. 209-218.
178. Williams, S.A., DeSimone, S.M. and McReynolds, L.A. (1988), 'Species specific Oligonucleotide probes for the identification of human filarial parasites', *Molecular and Biochemical Parasitology*, Vol.28, pp.163-170
179. Williams, D.L., Pierce, R.J., Cookson, E. and Capron A. (1992), 'Molecular cloning and sequencing of glutathione peroxidase from *Schistosoma mansoni*', *Molecular and Biochemical Parasitology*, Vol.52, pp.127-130.
180. World Health Organization (1992), 'Lymphatic filariasis: the disease and its control. Fifth report of the WHO Expert Committee on Filariasis', *Technical Report Series Vol.821*, pp.1-71
181. Yenbutr, P. and Scott, A.L. (1995), 'Molecular cloning of a serine proteinase inhibitor from *Brugia malayi*', *Infection and Immunity*, Vol.63 (5), pp.1745-1753.
182. Zheng, H. J., Tao, Z. H., Reddy, M.V., Harinath, B. C. and Piessens, W. F. (1987) 'Parasite antigens in sera and urine of patients with bancroftian and brugian filariasis detected by sandwich ELISA with monoclonal antibodies'. *American Journal of Tropical Medicine and Hygiene*, Vol.36 (3), pp.554-560
183. Zheng, H.J., Piessens, W.F., Tao, Z.H., Cheng, W.F., Wang, S.H., Cheng, S.H., Ye, Y.M., Luo, L.F., Chen, X.R. and Gan, G.B. (1991a), 'Efficacy of ivermectin for control of microfilaremia recurring after treatment with diethylcarbamazine. I. Clinical and parasitologic observations', *American Journal of Tropical Medicine and Hygiene*, Vol. 45, pp.168-174.
184. Zheng, H.J, Tao, Z.H., Cheng, W.F., Wang, S.H., Cheng, S.H., Ye, Y.M., Luo, L.F., Chen, X.R., Gan, GB. and Piessens, W.F. (1991b), 'Efficacy of ivermectin for control of microfilaremia recurring after treatment with diethylcarbamazine. II. Immunologic changes following treatment', *American Journal of Tropical Medicine and Hygiene*, Vol. 45, pp 175-181.
185. Zhong, M., McCarthy, J.S., Biertwert, L., Lizotte-Waniewski, M., Chanteau, S., Nutman, T.B., Ottesen, E.A. and Williams, S.A. (1996), 'A polymerase chain reaction assay for detection of the parasite *Wuchereria bancrofti* in human blood samples', *American Journal of Tropical Medicine and Hygiene*, Vol.54, pp.357-363.

186. Zimmerman, P.A., Guderian, R.H., Aruajo, E., Elson, L., Phadke, P, Kubofcik. J, and Nutman, T.B. (1994), 'Polymerase chain reaction-based diagnosis of *Onchocerca volvulus* infection :improved detection of patients with onchocerciasis'. Journal of Infectious Diseases, Vol 169(3) pp.686-689.

VITAE

P. Lalitha was born on 9th October 1967. She has done her Postgraduation in Biochemistry from Christian Medical College, Vellore. She qualified for CSIR SRF and held a senior research fellowship during her tenure as a research scholar. During the course of her doctoral program she has gained in-depth knowledge in Immunology and Molecular biology techniques, which has helped her to learn the insight of filariasis. She is interested in immunological and molecular studies in tropical and parasitic diseases.

Publications

Kannan. K., Lalitha. P., Rao. K.V.N., Narayanan R.B and Kaliraj P (1997), Optimization of immunoaffinity purification of *Wuchereria bancrofti* specific antibodies from human sera. Indian Journal of Experimental Biology Vol:35, pp.1076-1079.

Lalitha. P., Suba. S., Kaliraj. P., Kunthala Jayaraman and Narayanan R. B. (1997), Immunodiagnosis of human lymphatic filariasis: A review, Indian Journal of Clinical Biochemistry Vol:12 (Suppl.), pp.13-16.

Lalitha P., Ravichandran. M., Suba S., Kaliraj P., Narayanan R B., and Jayaraman K.1998. Quantitative assessment of circulating antigens in Human Lymphatic Filariasis; a field evaluation of monoclonal antibody-based ELISA using blood collected on filter strips. Tropical Medicine and International Health, Vol 3, pp.41-45.