

References

REFERENCES

- Adler, G., & Adler, J. (1989). Influence of stimulus intensity on AEP components in the 80 to 200-millisecond latency range. *International Journal of Audiology*. 28(6), 316–324.
- Adler, G., & Adler, J. (1991). Auditory stimulus processing at different stimulus intensities as reflected by auditory evoked potentials. *Biological Psychiatry*. 29(4) ,347–356.
- Ahadi, M., Pourbakht, A., Jafari, A.H., &Jalaie, S., (2014). Effects of stimulus presentation mode and subcortical laterality in speech-evoked auditory brainstem responses. *International Journal of Audiology*; 53(4), 243-249.
- Akhoun, I., Gallego, S., Moulin, A., Menard, M., Veuillet, E., & Vachon,C.B. (2008a). The temporal relationship between speech auditory brainstem responses and the acoustic pattern of the phoneme /ba/ in normal-hearing adults. *Clinical Neurophysiology*, 119(4), 922–933.
- Akhoun, I., Moulin, A., Jeanvoine, A., Menard, M., Buret, F., Vollaire, C., Scorretti, R.,....., Thai-Van, H.,(2008b). Speech auditory brainstem response (speech ABR) characteristics depending on recording conditions, and hearing status: An experimental parametric study. *Journal of Neuroscience Methods*, 175(2), 196–205.
- Allison, T., Hume, A. L., Wood, C. C., & Goff, W.R. (1984). Developmental and aging changes in somatosensory, auditory and visual evoked potentials. *Electroencephalography / Clinical Neurophysiology*, 58(1), 14–24.
- Anderson, S., & Kraus. N. (2010). Objective neural indices of speech-in- noise perception. *Trends in Amplification* .14 (2):73-83.doi:10.1177/108471381 038 0227.
- Anderson, S., Skoe, E., Chandrasekaran, B., &Kraus, N. (2010). Neural Timing is Linked to Speech Perception in Noise. *Journal of Neuroscience*. 30(14), 4922-4926

-
- Anderson, S., Parbery-Clark, A., Yi, H., & Kraus, N. (2011). A neural basis of speech-in-noise perception in older adults. *Ear and Hearing*, 32(6), 750-757.
- Anderson, S., Parbery-Clark, A., White-Schwoch, T., & Kraus, N. (2012). Aging affects neural precision of speech encoding. *Journal of Neuroscience*, 32(41), 14156–14164.
- Anderson, S., White-Schwoch, T., Parbery-Clark, A., & Kraus, N. (2013). A dynamic auditory-cognitive system supports speech-in-noise perception in older adults *Hearing Research*, 300, 18-32.
- Anderson, S., White-Schwoch, T., Choi, H. J., & Kraus, N. (2013). Training changes processing of speech cues in older adults with hearing loss. *Frontiers in Systems Neuroscience*. doi: 10.3389/fnsys.2013.00097
- Anderson, S., Parbery-Clark, A., White-Schwoch, T., Drehobl, S., & Kraus, N. (2013). Effects of hearing loss on the subcortical representation of speech cues. *The Journal of the Acoustical Society of America*, 133(5), 3030-3038.
- Anderson, S., & Kraus, N. (2013). Auditory training: Evidence for neural plasticity in older adults. *Perspectives on Hearing and Hearing Disorders: Research and Diagnostics*, 17, 37-57. doi:10.1044/hhd17.1.37
- Anias, C. R., Lima, M. A., & Kos, A. A. (2004). Evaluation of the influence of age in auditory brainstem response. *Brazilian Journal of Otorhinolaryngology*, 70(1), 84–89.
- Ayas, M., Yaseen, H., Rajashekhar, B. (2015) Auditory brainstem processing of complex speech sounds in high risk infants-a preliminary study *International journal of current research and review*, 7(7), 22-27.
- Banai, K., Nicol, T., Zecker, S. G., & Kraus, N. (2005). Brainstem timing: Implications for cortical processing and literacy. *Journal of Neuroscience*, 25(43), 9850–9857
-

-
- Banai, K., Abrams, D., & Kraus, N. (2007). Sensory-based learning disability: Insights from brainstem processing of speech sound. *International Journal of Audiology*, 46(9), 524-532.
- Banai, K., Hornickel, J., Skoe, E., Nicol, T., Zecker, S., & Kraus, N. (2009). Reading and subcortical auditory function. *Cerebral Cortex*, 19(11), 2699–2707.
- Bao, J. & Ohlemiller, K. (2010). Age-related loss of spiral ganglion neurons. *Hearing Research*. 264, 93–97.
- Batra, R., Kuwada, S., & Maher, V. L. (1986). The frequency-following response to continuous tones in humans. *Hearing Research*. 21, 167-177.
- Beauchaine, K., Gorga, M. P., Reiland, J. K., & Larson, L. L. (1986). The Application of Auditory Brainstem Response Measurements to the Selection of Hearing Aids: Preliminary data. *Journal of Speech and Hearing Research*, 29(1), 120–128.
- Bielefeld, E.C., Tanaka, C., Chen, G., Henderson, D. (2010) .Age-related hearing loss: is it preventable condition? *Hearing Research*. 264(1-2),98-107.
- Bidelman, G.M., Villafuerte, J.W., Moreno, S., Alain, C.(2014). Age-related changes in the subcortical-cortical encoding and categorical perception of speech. *Neurobiology of Aging*. 35(11), 2526-2540.
- Billings, C. J., Tremblay, K. L., Souza, P. E., & Binns, M. A. (2007). Effects of Hearing Aid Amplification and Stimulus Intensity on Cortical Auditory Evoked Potentials. *Audiology Neurotology*, 12(4), 234–246. doi: 10.1159/000101331.
- Billings, C. J., Tremblay, K. L., & Miller, C. W. (2011). Aided cortical auditory evoked

-
- potentials in response to changes in hearing aid gain. *International Journal of Audiology*, 50(7),459-67. doi: 10.3109/14992027.2011.568011.
- Boston, J. R., & Moller, A. R. (1985). Brainstem auditory-evoked potentials. *Critical Reviews in Biomedical Engineering*, 13(2),97–123.
- Chandrasekaran, B., Hornickel, J., Skoe, E., Nicol, T., Kraus, N. (2009). Context-dependent encoding in the human auditory brainstem relates to hearing speech in noise: Implications for developmental dyslexia. *Neuron*. 64(3): 311-319.
- Chandrasekaran, B., & Kraus, N. (2010). The scalp-recorded brainstem response to speech: Neural origins and plasticity. *Psychophysiology*, 47(2), 236–246.
- Clinard, C. G., Tremblay, K. L., & Krishnan, A. R. (2010). Aging alters the perception and physiological representation of frequency: evidence from human frequency-following response recordings. *Hearing Research*, 264, 48–55.
- Clinard, C. G., & Tremblay, K. L. (2013). Aging degrades the neural encoding of simple and complex sounds in the human brainstem. *Journal of American Academy of Audiology*. 24(7), 590-599.
- Cunningham, J., Nicol, T., Zecker, S.G, & Kraus, N. (2000). Speech-evoked neurophysiologic responses in children with learning problems: Development and behavioral correlates of perception. *Ear and Hearing*. 21(6), 554–568.
- Cunningham, J., Nicol, T., Zecker, S. G., Bradlow, &A., Kraus, N. (2001). Neurobiologic responses to speech in noise in children with learning problems: Deficits and strategies for improvement. *Clinical Neurophysiology*, 112(2001), 758–767.

-
- Debruyne, F. (1986). Influence of age and hearing loss on the latency shifts of the auditory brainstem response as a result of increased stimulus rate. *International journal of Audiology*. 25(2), 101–106.
- Dubno, J. R., Lee, F. S., Matthews, L. J., & Mills, J.H. (1997). Age-related and gender-related changes in monaural speech recognition. *Journal of Speech Language & Hearing Research*. 40(2), 444–452.
- Faure, P. A., Fremouw, T., Casseday, J. H., & Covey, E. (2003). Temporal masking reveals properties of sound-evoked inhibition in duration-tuned neurons of the inferior colliculus. *Journal of Neuroscience*. 23(7), 3052–3065.
- Frisina, D. R., & Frisina, R. D. (1997). Speech recognition in noise and presbycusis: Relations to possible neural mechanisms. *Hearing Research*, 106(1-2), 95–104.
- Fitzgibbons, P.J., & Gordon-Salant, S. (1996). Auditory temporal processing in elderly listeners, *Journal of American academy of audiology*, 7(3), 183-189.
- Fitzgibbons, P.J., & Gordon-Salant, S. (2010). Age-related differences in discrimination of temporal intervals in accented tone sequences. *Hearing Research*. 264, 41–47.
- Galbraith, G. C. (1994). Two-channel brainstem frequency-following responses to pure tone and missing fundamental stimuli. *Electroencephalography and Clinical Neurophysiology*. 92(4), 321-30.
- Galbraith, G.C., Arbagey, P. W., Branski, R., Comerci, N., & Rector, P. M. (1995). Intelligible speech encoded in the human brain stem frequency-following response. *Neuroreport*. 6 (17), 2363-2367.

-
- Gordon-Salant, S., & Fitzgibbons, P.J. (1998). Auditory temporal order perception in younger and older adults. *Journal of Speech Language and Hearing Research*. 41(5), 1052-1060.
- Gordon-Salant, S., & Fitzgibbons, P.J. (1999). Profile of auditory temporal processing in older listeners. *Journal of Speech Language and Hearing Research*. 42 (2), 300-311.
- Gordon-Salant, S., Yeni-Komshian, G.H., Fitzgibbons, P.J., & Barrett, J. (2006). Age-related differences in identification and discrimination of temporal cues in speech segments. *Journal of Acoustical Society of America*. 119 (4), 2455-2466.
- Gordon-Salant S., & Friedman, S.A. (2011). Recognition of rapid speech by blind and sighted older adults. *Journal of Speech Language and Hearing Research*. 54(2). 622-631.
- Gorga, M. P., Beauchaine, K. A., & Reiland, J. K. (1987). Comparison of onset and steady state responses of hearing aids: Implications for use of the auditory brainstem response in the selection of hearing aids. *Journal of Speech and Hearing Research*, 30(1), 130–136.
- Gorga, M.P., Johnson, T.A., Kaminski, J.R., Beauchaine, K.L., Garner, C.A., & Neely, S.T.(2006) Using a combination of click- and tone burst-evoked auditory brain stem response measurements to estimate pure-tone thresholds. *Ear and Hearing*; 27(1):60-74.
- Grose, J.H., Mamo, S.K., Buss, E., & Hall, J.W. (2015). Temporal processing deficits in middle age. *American Journal of Audiology*. 24,91-93. doi: 10.1044/2015_AJA-14-0053.

-
- Harkrider, A. W., Plyler, P. N., & Hedrick, M. S. (2005). Effects of age and spectral shaping on perception and neural representation of stop consonant stimuli. *Clinical Neurophysiology*. 116(9), 2153–2164.
- Harkins, S. W. (1981). Effects of age and interstimulus interval on the brainstem auditory evoked potential. *International Journal of Neuroscience*. 15(1-2), 107–118.
- Hayes, E., Warrier, C.M., Nicol, T., Zecker, S.G., & Kraus, N. (2003) Neural plasticity following auditory training in children with learning problems. *Clinical Neurophysiology* 114(4), 673-684.
- Hecox, K. E. (1983). Role of auditory brainstem response in the selection of hearing aids. *Ear and Hearing*, 4(1), 51-55.
- Hornickel, J., Skoe, E., & Kraus, N. (2009). Subcortical laterality of speech encoding. *Audiology and Neurootology*. 14(3), 198 –207.
- Hornickel, J., & Kraus, N. (2011). Objective biological measures for the assessment and management of auditory processing disorder. *Current Pediatric Reviews*. 7(3), 252-261.
- Humes, L.E. (2015). Age-Related Changes in Cognitive and Sensory Processing: Focus on Middle-Aged Adults. *American Journal of Audiology*. doi: 10.1044/ 2015_ AJA-14-0063. [Epub ahead of print]
- Jafari, Z., Omidvar, S., & Jafarloo, F. (2013). Effects of ageing on speed and temporal resolution of speech stimuli in older adults. *Medical Journal of the Islamic Republic of Iran*. 27(4), 195-203
- Jerger, J., & Johnson, K. (1988). Interactions of age, gender, and sensorineural hearing loss on ABR latency. *Ear and Hearing*. 9(4), 168–176.

-
- Jewett, D.L., & Williston, J.S. (1971). Auditory-evoked far fields averaged from the scalp of humans. *Brain*, 94, 681-696.
- Johnson, K. L., Nicol, T. G., & Kraus, N. (2005). Brain stem response to speech: A biological marker of auditory processing. *Ear and Hearing*, 26(5), 424-434.
- Johnson, K. L., Nicol, T. G., Zecker, S. G., & Kraus, N. (2007). Auditory brainstem correlates of perceptual timing deficits. *Journal of Cognitive Neuroscience*, 19(3), 376-385.
- Johnson, K. L., Nicol, T., Zecker, S. G., Bradlow, A.R., Skoe, E., & Kraus, N. (2008). Brainstem encoding of voiced consonant-vowel stop syllables. *Clinical Neurophysiology*, 119(11), 2623-2635.
- Kaukoranta, E., Hari, R., & Lounasmaa, O. V. (1987). Responses of the human auditory cortex to vowel onset after fricative consonants. *Experimental Brain Research*, 69(1), 19-23
- Khaladar, A. A., Kartik, N., & Vanaja, C.S. (2004). Speech burst and click evoked ABR. *Audiology online*. Retrieved from: http://www.Audiologyonline.com/articles/article_detail.asp?article_id=1373.
- King, C., Warrier, C. M., Hayes, E., & Kraus, N. (2002). Deficits in auditory brainstem encoding of speech sounds in children with learning problems. *Neuroscience Letters*, 319(2), 111-115.
- Klatt, D. (1980). Software for cascade/parallel formant synthesizer. *Journal of the Acoustical Society of America*, 67(3), 971-995.

-
- Kraus, N., Bradlow, A. R., Cheatham, M. A., Cunningham, J., King, C.D., Koch, D.B., Nicol, T.G., Mcgee,.....& Wright, B.A. (2000). Consequences of neural asynchrony: A case of auditory neuropathy. *Journal of the Association for Research in Otolaryngology*, 1(1), 33–45.
- Kraus, N., & Nicol, T. (2005). Brainstem origins for cortical ‘what’ and ‘where’ pathways in the auditory system. *Trends in Neuroscience*, 28(4), 176– 181.
- Kraus N, Anderson S. (2013) The effects of aging on auditory processing. *Hearing Journal*.66(1), 36-37.
- Kraus, N., & Anderson, S. (2014). Bigger is not better: Effects of hearing loss on central processing. *Hearing Journal* 67(1): 3.
- Kraus, N., & Anderson, S. (2015). Identifying neural signatures of auditory function. *Hearing Journal*. 68(1), 38-40.
- Krishnan, A. (1999). Human frequency following responses to two tone approximations of steady state vowels. *Audiology and Neurootology*. 4(2), 95-103.
- Krishnan, A., & Parkinson, J. (2000). Human frequency following responses: representation of tonal sweeps. *Audiology and Neurootology*. 5(6), 312-321.
- Krishnan, A. (2002). Human frequency-following responses: Representation of steady-state synthetic vowels. *Hearing Research*. 166(1-2),192–201.
- Krishnan, A., Xu, Y., Gandour, J.T., & Cariani, P. A. (2004). Human frequency following responses: representation of pitch contours in Chinese tones. *Hearing Research*. 189(1-2), 1-12.

-
- Krishnan, A., & Agrawal, S. (2010). Human frequency-following response to speech-like sounds: correlates of off-frequency masking. *Audiology and Neurootology* 15(4):221-228.
- Krizman, J., Skoe, E., & Kraus, N. (2010). Stimulus rate and subcortical auditory processing of speech. *Audiology and Neurootology*, 15(5), 332–342.
- Leigh-Paffenroth, E.D., & Fowler, C.G., (2006). Amplitude-modulated auditory steady state responses in younger and older listeners. *Journal of the American Academy of Audiology*. 17 (8), 582–597.
- Lister, J., & Richard, A.R. (2005). Effects of Age and Hearing Loss on Gap Detection and the Precedence Effect. *Journal of Speech, Language, and Hearing Research*. 48(2), 253-261.
- Martini, A., Comacchio, F., & Magnavita, V. (1991). Auditory evoked responses (ABR, SVR) and brain mapping in the elderly. *Acta Otolaryngologica Supplement*. 476, 97–104.
- Martin, B. A., & Boothroyd, A. (1999). Cortical, auditory, event-related potentials in response to periodic and aperiodic stimuli with the same spectral envelope. *Ear & Hearing*. 20(1), 33–44.
- Martin, B. A., & Boothroyd, A. (2000). Cortical, auditory, evoked potentials in response to changes of spectrum and amplitude. *Journal of Acoustical Society of America*. 107(4), 2155–2161.
- Maurizi, M., Altissimi, G., Ottaviani, F., Paludetti, G., & Bambini, M. (1982.) Auditory brainstem responses (ABR) in the aged. *Scandinavian Audiology*. 11(4), 213-21.

-
- Mendelson, J.R., & Lui, B. (2004). The effects of aging in the medial geniculate nucleus: a comparison with the inferior colliculus and auditory cortex. *Hearing Research*, 191(1-2), 21–33.
- Munro, K. J., Pisareva, N. Y., Parker, D. J., & Purdy, S.C. (2007). Asymmetry in the auditory brainstem response following experience of monaural amplification. *Neuroreport*, 18(17), 1871-1874.
- Neha, S., Ayas, M., Kanaka, G. (2012). Neural encoding of speech in the presence of background noise- A SEABR study. *Unpublished Master's Dissertation submitted to Manipal University*.
- Neupane, A.J., Gururaj, k., Mehta, G., Sinha, S.K. (2014). Effect of repetition rate on speech evoked auditory brainstem response in younger and middle aged individuals. *Audiology Research*, 4(106), 21-27.
- Ning .H, Mills, J.H, Ahlstrom, & Dubno J.R (2008). Age-related differences in the temporal modulation transfer function with pure-tone carriers. *Journal of Acoustic Society of America*, 124(6): 3841–3849.
- Oku, T., & Hasegawa, M. (1997). The influence of aging on auditory brainstem response and electrocochleography in the elderly. *Journal of Otorhinolaryngology*, 59, (3), 141–146.
- Ostroff, J. M., Martin, B. A., & Boothroyd, A. (1998). Cortical evoked response to acoustic change within a syllable. *Ear and Hearing*, 19(4), 290–297.
- Otto, W. C., & McCandless, G. A. (1982). Aging and the auditory brain stem response. *Audiology*, 21(6), 466–473.

-
- Ottaviani, F., Maurizi, M., Dalatri, L., & Almadori, G. (1991). Auditory brainstem response in the aged. *Acta Otolaryngologica*, 111 (s476), 110–113.
- Peelle, J.E., Troiani, V., Grossman, M., & Wingfield, A. (2011). Hearing loss in older adults affects neural systems supporting speech comprehension. *Journal of Neuroscience*, 31(35):12638-12643.
- Philibert, B., Collet, L., Vesson, J.F., & Veillet, E. (2005). The auditory acclimatization effect in sensorineural hearing-impaired listeners: evidence for functional plasticity. *Hearing research*, 205(2), 131-42.
- Pichora, M. K., Schneider, B. A., & Daneman, M. (1995). How young and old adults listen to and remember speech in noise. *Journal of Acoustic Society of America*, 97(1), 593–608.
- Pichora-Fuller, M.K. (2003). Processing speed and timing in aging adults: psychoacoustics, speech perception, and comprehension. *International Journal of Audiology*, 42(S1), 59-67.
- Pichora- Fuller, M.K., & Pamela, E. S. (2003). Effects of aging on auditory processing of speech. *International Journal of Audiology*, 42 (1-2), 11-16
- Plyler, P. N., & Ananthanarayan, A. K. (2001). Human frequency following Responses: Representation of second formant transitions in normal-hearing and hearing impaired listeners. *Journal of American Academic Audiology Society*, 12(10), 423-533.
- Price, P.J., & Simon, H.J. (1984). Perception of temporal differences in speech by "normal-hearing" adults: effects of age and intensity. *Journal of Acoustical Society of America*, 76(2), 405-10.

-
- Purdy, S. C., Kelly, A. S., & Davies, M. G. (2002). Auditory brainstem response, middle latency response, and late cortical evoked potentials in children with learning disabilities. *Journal of American Academy of Audiology*, *13*(7), 367–382.
- Rance, G., Cone-Wesson, B., Wunderlich, J., & Dowell, R. (2002). Speech perception and cortical event related potentials in children with auditory neuropathy. *Ear and Hearing*. *23*(3), 239–253.
- Richard, C., Jeanvoine, A., Veuillet, E., Moulin, A., & Thai-Van, H. (2010). Exploration of the auditory system in humans: From click to speech auditory brainstem responses. *Clinical Neurophysiology*, *40*(5-6), 267-279.
- Rosenhamer, H. J., Lindstrom, B., & Lundborg, T. (1980). On the use of click-evoked electrical brainstem responses in audiological diagnosis. II: Influence of sex and age upon normal response. *Scandinavian Audiology*. *9*(2), 93–100.
- Rosenhall, U., Bjorkman, G., Pedersen, K., & Kall, A. (1985). Brain-stem auditory evoked potentials in different age groups. *Electroencephalography/ Clinical Neurophysiology*, *62*(6), 426–430.
- Rosenhall, U., Pedersen, K., Dovetall, M. (1986). Effects of presbycusis and other types of hearing loss on auditory brainstem responses *Scandinavian Audiology*, *15*(4) 179–185.
- Rossa B, Tremblay, K.L & Picton, T.W (2007). Physiological detection of interaural phase differences, *Journal of Acoustical Society of America*. *121* (2), 1017-1027
- Rocha, C. N., Filippini, R., Moreira, R. R., Neves, I.F., & Schochat, E. (2010). Brainstem auditory evoked potential with speech stimulus. *Pro Fono: revista de atualizaçao científica*, *22*(4), 479-84. doi.:10.1590/S0104-568720100004 00020.

-
- Russo, N.M., Nicol, T., Musacchia, G., Kraus, N. (2004). Brainstem responses to speech syllables. *Clinical Neurophysiology*, 115, 2021–2030.
- Russo, N.M., Nicol, T., Zecker, G., Hayes, E., & Kraus, N. (2005). Auditory training improves neural timing in the human brainstem. *Behavioural Brain Research*, 156, 95–103
- Russo, N.M., Bradlow, A.R., Skoe, E., Trommer, B.L., Nicol, T., Zecker, S., & Kraus, N. (2008) Deficient brainstem encoding of pitch in children with autism spectrum disorders. *Clinical Neurophysiology* 119(8), 1720-1731.
- Russo, N.M., Nicol, T., Trommer, B.L., Zecker, S., & Kraus, N. (2009). Brainstem transcription of speech is disrupted in children with autism spectrum disorders. *Developmental Science* 12(4): 557–567.
- Russo, N.M., Hornickel, J., Nicol, T., Zecker, S., & Kraus, N. (2010) Biological changes in auditory function following training in children with autism spectrum disorders. *Behavioral and Brain Functions*. 6(60),1-8.
- Schneider, B.A., & Hamstra, S.J. (1999). Gap detection thresholds as a function of tonal duration for younger and older listeners. *Journal of Acoustical Society of America*. 106, 371–380.
- Sheetal, R., Peter, V., & Rajshekhar, B. (2007). Brainstem responses to speech syllables in adults and elderly: comparative study, *Unpublished Master's Dissertation submitted to Manipal University*.
- Sinha, S.K., Basavaraj, V.(2011). Speech evoked auditory brainstem responses: a new tool to study brainstem encoding of speech sounds. *Indian Journal of Otolaryngology and Head and Neck Surgery*. 62 (4), 395-399.

-
- Skoe, E., & Kraus, N. (2009). Subcortical laterality of speech encoding. *Audiology and Neurootology*, 14(3), 198–207.
- Skoe, E., & Kraus, N. (2010). Auditory brain stem response to complex sounds: A tutorial. *Ear & Hearing* .31(3) 302-324.
- Skoe E., Krizman. J., Anderson. S., & Kraus, N. (2015). Stability and plasticity of auditory brainstem function across the lifespan. *Cerebral Cortex*. 25(6), 1415-1426. doi: 10.1093/cercor/bht311
- Smurzynski. J., & Probst. R. (1999). Intensity discrimination, temporal integration and gap detection by normally hearing subjects with weak and strong Otoacoustic emissions. *International Journal of Audiology*; 38(5), 251-256.
- Song, J. H., Banai, K., Russo, N. M., & Kraus, N. (2006). On the relationship between speech- and nonspeech-evoked auditory brainstem responses. *Audiology and Neurootology*, 11, 233–241.
- Song, J., Skoe, E., Banai, K., & Kraus, N. (2011) Perception of speech in noise: Neural correlates. *Journal of Cognitive Neuroscience*. 23(9): 2268–2279.
- Sohmer, H., Pratt, H., & Kinarti, R. (1977). Sources of frequency following response (FFR) in man. *Electroencephalography and Clinical Neurophysiology*, 42(5), 646-665.
- Strait, D.L., Hornickel, J., & Kraus, N. (2011) Subcortical processing of speech regularities predicts reading and music aptitude in children. *Behavioral and Brain Functions*. 7(44), 1-11. doi: 10.1186/1744-9081-7-44.
- Strouse, A., Ashmead, D. H., Ohde, R. N., & Grantham, D.W. (1998). Temporal processing in the aging auditory system. *Journal of Acoustical Society of America*, 104(4), 2385–2399.

-
- Tremblay, K. L., Piskosz, M., & Souza, P. (2002). Aging alters the neural representation of speech cues. *Neuroreport*, 13(15), 1865–1870.
- Tremblay, K. L., Piskosz, M., Souza, P. (2003). Effects of age and age-related hearing loss on the neural representation of speech cues. *Clinical Neurophysiology*, 114, 1332–1343.
- Tremblay, K. L., Billings, C., & Rohila, N. (2004). Speech evoked cortical potentials: Effects of age and stimulus presentation rate. *Journal of American Academy of Audiology*. 15(3), 226–237.
- Tremblay, K. L., Kalstein, L., Billings, C., & Souza, P. (2007). The Neural Representation of Consonant-Vowel Transitions In Adults Who Wear hearing Aids. *Trends In Amplification*, 10(3), 155-162.
- Trune, D. R., Mitchell, C., & Phillips, D. S. (1988). The relative importance of head size, gender and age on the auditory brainstem response. *Hearing Research*, 32(2-3), 165–174.
- Vaughan, N.E., & Letowski, T. (1997). Effect of age, speech rate and type of test in temporal processing. *Journal of Speech Language and Hearing Research*. 40(5), 1192-1200.
- Van Campen, L. E., Hall, J. W., & Grantham, D. W. (1997). Human offset auditory brainstem response: Effects of stimulus acoustic ringing and rise-fall time. *Hearing Research*, 103(1-2), 35–46.
- Vander Werff, K.R., & Burns, K.S. (2011). Brain Stem Responses to Speech in Younger and Older Adults. *Ear & Hearing*. 32(2), 168-180.
- Warrier, C.M., Johnson, K.L., Hayes, E., Nicol, T., & Kraus, N. (2004). Learning impaired children exhibit timing deficits and training-related improvements in auditory cortical responses to speech in noise. *Experimental Brain Research*. 157, 431-441.

- Wegner, O., & Dau, T. (2002). Frequency specificity of chirp-evoked auditory brainstem responses. *Journal of acoustical society of America* .111(3),1318-1329.
- Wible, B., Nicol, T., & Kraus, N. (2004). Atypical brainstem representation of onset and formant structure of speech sounds in children with language-based learning problems. *Biological Psychology*, 67, 299–317.
- Wible, B., Nicol, T., & Kraus, N. (2005). Correlation between brainstem and cortical auditory processes in normal and language-impaired children. *Brain*, 128(2), 417–423.
- Wingfield, A., Sandra, L.M., Patricia, A., & Cox, C.L.(2006). Effects of Adult Aging and Hearing Loss on Comprehension of Rapid Speech Varying in Syntactic Complexity. *Journal of American academy of audiology*, 17(7):487–497.
- Wong. P.C., Ettlenger. M., Sheppard. J.P., Gunasekera. S.M., &Dhar, S. (2010). Neuroanatomical characteristics and speech perception in noise in older adults,. *Ear and Hearing*. 31(4), 471-479