

List of Figures

Figure No.	Figure Legend	Page No.
1.1	Mechanism of action of serine proteases	10
1.2	Mechanism of action of aspartic proteases	11
1.3	Mechanism of action of metalloproteases	12
1.4	Mechanism of action of cysteine proteases	13
1.5	Distribution of enzyme sales	37
2.1	Relative enzyme activities of isolates	51
2.2	Growth characteristics of SJ-11 and SJ-21 on milk agar plates after 48 h.	52
2.3	Spot test Showing proteolytic activity at different time intervals	53
2.4 a	Gram stain SJ-11	54
2.4 b	Gram stain SJ-21	54
2.5	Growth and protease production by SJ-11 in production medium	56
2.6	Growth and protease production by SJ-21 in production medium	56
2.7	Phylogram of strain SJ-11	61
2.8	Phylogram of strain SJ-21	63
3.1	Effect of incubation temperature on protease production after 96 h	71
3.2	Effect of initial pH on protease production	72
3.3	pH variations during protease fermentation	73
3.4	Effect of inoculum size on protease production by <i>S. viridis</i> SJ-21	74
3.5	Effect of medium to flask volume ratio	74
3.6	Effect of various carbon sources on protease production	75
3.7	Effect of various nitrogen sources	77
3.8	Effect of aminoacids on protease production and growth of <i>S. viridis</i> SJ-21	78
3.9	Effect of metal ions on protease production	79
3.10	Effects of Ca ⁺² and Mn ⁺² concentration	80

Figure No.	Figure Legend	Page No.
3.11	Effect of various raw sources on protease production	81
3.12	Effect of wheat bran concentration on protease production	81
3.13	Effect of casein concentration on protease production	83
3.14	Effect of peptone concentration on protease production	83
3.15	Effect of glycerol concentration on protease production	84
3.16	Enhanced protease productions in optimized production medium	86
4.1	The protein content of fractions collected during gel permeation.	98
4.2	SDS PAGE for determination of molecular weight and activity staining (zymogram)	99
4.3	Substrate specificity of purified protease	101
4.4	Determination of assay time for protease activity	102
4.5	Determination of optimum temperature for protease activity	102
4.6	Determination of optimum pH for protease activity	104
4.7	Effect of Inhibitors on protease activity	106
4.8	Effect of Metal ions on enzyme activity	107
4.9 a	Substrate saturation curve	109
4.9 b	Line weaver-Burk plot	109
4.10	Arhenius plot to determine activation energy	111
4.11 a	Stability of protease towards pH at 30°C	112
4.11 b	Stability of protease towards pH at 60°C	113
4.12 a	Residual activity of protease of <i>S. viridis</i> at 50°C	113
4.12 b	Residual activity of protease of <i>S. viridis</i> at 60°C	114
4.12 c	Residual activity of protease of <i>S. viridis</i> at 70°C	114
4.12 d	Thermal stability of protease of <i>S. viridis</i> at 50°C, 60°C and 70°C	115
5.1	Utilization of leather throughout the world	122
5.2	A chicken feather	124
5.3	Washing performance of protease of <i>S. viridis</i> SJ-21	129

Figure No.	Figure Legend	Page No.
5.4	Compatibility of protease of <i>S. viridis</i> SJ-21 with commercial detergents	130
5.5	Dehairing of goat skin employing protease of <i>S. viridis</i> at 70°C	131
5.6	Feather degradation by <i>S. viridis</i> at different time intervals	133
5.7	Feather degradation by <i>S. viridis</i> after 96h	134
5.8	Feather degradation by enzyme (protease) and by organism (<i>S. viridis</i>)	135
5.9	Hydrolysis of gelatin coating at different time interval	137
5.10	X-ray film after 20 min incubation with protease at 65°C	138
5.11	X-ray film after 30 min incubation with protease at 65°C	138
5.12	Increase in protein content of hydrolysate at different time interval of gelatin hydrolysis	139
5.13	Control and experimental hydrolysates after 30 min protease treatment	139
5.14	Increase in hydrolysate turbidity suggesting silver recovery	140