

**Microbial Protease from Alkaliphilic and Thermophilic
Actinomycetes: Production, Characterization and
applications**

<u>Table of Contents</u>			
Chapter 1 Introduction			1-45
1.1	Introduction		1
1.2	Proteases		2
	1.2.1	Classification of proteases	3
		1.2.1.1 Exopeptidases	5
		1.2.1.2 Endopeptidases	6
		1.2.1.3 Classification on the basis of optimal pH	8
	1.2.2	Mechanism of action of proteases	9
		1.2.2.1 Serine protease	9
		1.2.2.2 Aspartic protease	10
		1.2.2.3 Metalloprotease	11
		1.2.2.4 Cysteine protease	12
	1.2.3	Sources of proteases	13
		1.2.3.1 Plant proteases	14
		1.2.3.2 Animal proteases	15
		1.2.3.3 Microbial proteases	17
	1.2.4	Extremozymes	22
		1.2.4.1 Proteases from halophiles	23
		1.2.4.2 Proteases from alkalipsychrophilic bacteria	24
		1.2.4.3 Thermostable alkaline proteases from various thermophilic alkaliphiles	24
	1.2.5	Actinomycetes	26
		1.2.5.1 Identification criteria and taxonomy of actinomycetes	27
		1.2.5.2 Taxonomy of Thermophilic actinomycetes	30
	1.2.6	Properties of alkaline proteases	32
		1.2.6.1 Optimum temperature and thermostability of alkaline proteases	32

		1.2.6.2	Optimum pH of alkaline proteases	33
		1.2.6.3	The Isoelectric Point	34
		1.2.6.4	The molecular weight	34
		1.2.6.5	Metal ion requirement and inhibitors of alkaline proteases	35
		1.2.6.6	Substrate specificity	35
	1.2.7	Applications of proteases		37
		1.2.7.1	Detergent industry	38
		1.2.7.2	Tannery industry	40
		1.2.7.3	Silver recovery	40
		1.2.7.4	Medical uses	40
		1.2.7.5	Food industry	41
		1.2.7.6	Waste treatment	42
		1.2.7.7	Chemical industry	43
		1.2.7.8	Other uses	43
1.3	Aim and Scope of the Study			44
Chapter 2 Isolation, screening and characterization of thermotolerant alkaline protease producing actinomycete strains				46-66
2.1	Introduction			46
2.2	Materials and Methods			47
	2.2.1	Source, samples and medium for isolation, preservation and screening		47
		2.2.1.1	Source/ Samples for screening	47
		2.2.1.2	Medium and procedures used for isolation, screening and preservation of protease producing microorganisms	47
	2.2.2	Selection of potent isolates and study of their cultural characters		48
		2.2.2.1	Measure of proteolytic activity on solid media	48
		2.2.2.2	Study of cultural characteristics and morphology	48
	2.2.3	Study of biochemical activity		49
	2.2.4	Measure of protease production with reference to growth of isolates		49
	2.2.5	Effect of salt concentration on growth		49

	2.2.6	Effect of incubation temperature on growth	49
	2.2.7	Effect of pH on growth	50
	2.2.8	16 S rRNA sequencing of potent isolates	50
2.3	Results and Discussion		50
	2.3.1	Isolation of protease producers and study of their cultural characters	50
	2.3.2	Study of biochemical activity of potent isolates	55
	2.3.3	Measure of protease production with reference to growth of isolates	56
	2.3.4	Effect of salt concentration on growth of potent isolates	57
	2.3.5	Effect of incubation temperature on growth of potent isolates	58
	2.3.6	Effect of pH on growth of potent isolates	59
	2.3.7	16S r RNA sequencing and phylograms of potent isolates	60
2.4	Conclusion		64
Chapter 3 Optimization of Medium components for enhanced extracellular alkaline protease production by <i>Saccharomonospora viridis</i> SJ-21			65-86
3.1	Introduction		65
3.2	Materials and Methods		66
	3.2.1	Micro-organisms and inoculum preparation	66
	3.2.2	Initial production medium, enzyme assay and measurement of total protein	67
		3.2.2.1 Enzyme production by <i>S. viridis</i> SJ-21 at different incubation period	67
		3.2.2.2 Enzyme assay and measurement of total protein	67
	3.2.3	Effect of incubation temperature on protease production	67
	3.2.4	Effect of initial pH of the medium on protease production	68
	3.2.5	Effect of inoculum size on protease production	68
	3.2.6	Effect of medium to flask volume ratio on protease production	68
	3.2.7	Effect of carbon sources on protease production	69
	3.2.8	Effect of nitrogen sources on protease production	69
	3.2.9	Effect of metal ions on protease production	69

	3.2.10	Effect of amino acids on protease production	69
	3.2.11	Role of agro wastes and agro products as substrates for alkaline protease production	70
	3.2.12	Solid State Fermentation (SSF) using wheat bran as substrate for protease production by <i>S. viridis</i> SJ-21	70
	3.2.13	Optimization of substrate concentration for protease production	70
3.3	Results and Discussion		71
	3.3.1	Optimization of Incubation time for protease production by <i>S. viridis</i> SJ-21	71
	3.3.2	Effect of incubation temperature on protease production by <i>S. viridis</i> SJ-21	71
	3.3.3	Effect of initial pH of the medium on protease production	72
	3.3.4	Change in pH of the medium during protease production	72
	3.3.5	Effect of inoculum size on protease production	73
	3.3.6	Effect of medium to flask volume ratio	74
	3.3.7	Effect of carbon sources on protease production	75
	3.3.8	Effect of nitrogen sources on protease production	76
	3.3.9	Effect of amino acids on protease production	78
	3.3.10	Effect of metal ions on protease production	79
	3.3.11	Role of agro wastes and agro products as substrates	80
	3.3.12	Solid State Fermentation (SSF) using wheat bran as substrate	82
	3.3.13	Optimization of substrate concentration	83
	3.3.14	Enhanced protease production in optimized production medium by <i>S. viridis</i> SJ-21.	85
3.4	Conclusion		86
Chapter 4 Purification and Characterization of alkaline protease from <i>Saccharomonospora viridis</i> SJ-21			87-119
4.1	Introduction		87
4.2	Materials and Methods		89
	4.2.1	Enzyme source	89
	4.2.2	Enzyme purification	89
		4.2.2.1 Ammonium sulphate precipitation and dialysis of enzyme	89

		4.2.2.2	Gel permeation chromatography using Sephadex G-100	89
		4.2.2.3	Molecular weight determination by SDS-PAGE	90
		4.2.2.4	Detection of proteolytic activity on polyacrylamide gel	91
		4.2.2.5	Silver staining	91
	4.2.3	Substrate specificity		91
	4.2.4	Determination of assay time, temperature and pH		92
		4.2.4.1	Determination of optimum assay time for enzyme activity	92
		4.2.4.2	Determination of optimum temperature for enzyme activity	92
		4.2.4.3	Determination of optimum pH for enzyme activity	92
	4.2.5	Effect of inhibitors on enzyme activity		92
	4.2.6	Effect of metal ions on protease activity		93
	4.2.7	Thermodynamics of casein hydrolysis by protease of <i>S. viridis</i> SJ-21		93
		4.2.7.1	Catalytic constants for casein hydrolysis	93
		4.2.7.2	Determination of activation energy for casein hydrolysis and other parameters like, ΔH , ΔS , ΔG for casein hydrolysis	93
	4.2.8	pH stability of protease		94
	4.2.9	Thermal stability and thermodynamics of protease deactivation		94
		4.2.9.1	Estimation of deactivation rate constant K_d and Half Life $T_{1/2}$	95
		4.2.9.2	Estimation of thermodynamic parameters for protease deactivation	95
4.3	Results and Discussion			97
	4.3.1	Activity of crude enzyme		97
	4.3.2	Enzyme purification and SDS PAGE analysis		97
		4.3.2.1	Ammonium sulphate precipitation data	97
		4.3.2.2	Gel permeation chromatography	97
		4.3.2.3	SDS PAGE for determination of Molecular weight	99

	4.3.3	Substrate specificity	100
	4.3.4	Effect of assay time, temperature and pH	101
		4.3.4.1	Determination of assay time
		4.3.4.2	Determination of optimum temperature for protease activity
		4.3.4.3	Determination of optimum pH for protease activity
	4.3.5	Effect of inhibitors on enzyme activity	105
	4.3.6	Effect of metal ions on enzyme activity	107
	4.3.7	Thermodynamics of casein hydrolysis	108
		4.3.7.1	Catalytic constants for casein hydrolysis
		4.3.7.2	Determination of Activation energy for casein hydrolysis and other parameters like, ΔH, ΔS and ΔG for casein hydrolysis
	4.3.8	pH stability of protease	111
		4.3.8.1	pH stability of protease at 30°C
		4.3.8.2	pH stability of protease at 60°C
	4.3.9	Thermal stability and thermodynamics of protease deactivation	113
		4.3.9.1	Thermal stability and deactivation rate constants
		4.3.9.2	Thermodynamic parameters for protease deactivation
4.4	Conclusion		118
Chapter 5 Biotechnological applications of alkaline protease from <i>Saccharomonospora viridis</i> SJ-21			120-141
5.1	Introduction		120
	5.1.1	Application in Detergent Industry	120
	5.1.2	Application in Leather Industry	121
	5.1.3	Degradation of Feathers	123
	5.1.4	Bioprocessing of Used X-Ray Films	125
5.2	Materials and Methods		126
	5.2.1	Washing performance of protease	126
	5.2.2	Detergent compatibility test	126
	5.2.3	Dehairing of goat skin by protease of <i>S. viridis</i> SJ-21	127
	5.2.4	Degradation of chicken feathers	127

		5.2.4.1	Degradation of feathers by <i>S. viridis</i> SJ-21	127
		5.2.4.2	Degradation of feathers by partially purified protease	128
		5.2.4.3	Aminoacid analysis from degraded feather samples	128
	5.2.5	Enzymatic hydrolysis of gelatin and bioprocessing of used x-ray films for silver recovery		128
5.3	Results and Discussion			129
	5.3.1	Washing performance of protease of <i>S. viridis</i> SJ-21		129
	5.3.2	Detergent compatibility test		129
	5.3.3	Dehairing of goat skin by protease of <i>S. viridis</i> SJ-21		131
	5.3.4	Degradation of feathers: keratinolytic protease activity of <i>S. viridis</i> SJ-21		132
	5.3.5	Enzymatic hydrolysis of gelatin and bioprocessing of used x-ray films for silver recovery		137
5.4	Conclusion			141
References				142-199
Appendicies	Publications And Presentations			
	Appendix-1	Poster presentation at AMI-2011		
	Appendix-2	Research paper in International Journal of Health and Pharmaceutical Sciences, April-2012. Website: www.ijhps.com		
	Appendix-3	Research paper in Bulletin of Environment, Pharmacology and Life Sciences Online ISSN 2277 - 1808 Bull. Environ. Pharmacol. Life Sci.; Volume 1 [6] May 2012: 84 - 92 © All Rights Reserved Academy for Environment and Life Sciences, India Website: www.bepls.com		