

# ***CONTENTS***

**PAGE NO.**

## **ACNOWLEDGMENTS**

## **PREFACE**

**I-VI**

## **CHAPTER 1**

### **EXISTING INFORMATION ON MIXED SINGLE CRYSTALS OF TIN SULPHOSELENIDES**

**1-51**

1.1	INTRODUCTION	2
1.2	OCCURRENCE AND SYNTHESIS	3
1.3	CRYSTAL STRUCTURE	14
	1.3.1. CRYSTALLOGRAPHIC DATA	14
	1.3.2 POLYTYPISM	18
1.4	PROPERTIES OF TIN SULPHOSELENIDES	20
	1.4.1 PHYSICAL PROPERTIES	20
	1.4.2 THERMAL PROPERTIES	20
	1.4.2.1 <i>The expansivities and thermal degradation</i>	20
	1.4.2.2 <i>Thermodynamical behaviour</i>	23
	1.4.3 OPTICAL PROPERTIES	24
	1.4.4 BAND STRUCTURE OF $\text{SnS}_x\text{Se}_{2-x}$	33
	1.4.5 MAGNETIC PROPERTIES	34
	1.4.6 ELECTRICAL PROPERTIES	34
	1.4.7 HARDNESS MEASUREMENTS	40
1.5	MOSSBAUER STUDIES	41
1.6	IMPORTANCE	42
	REFERENCES	43

## CHAPTER 2

### EXPERIMENTAL TECHNIQUES 52-89

2.1	INTRODUCTION	53
2.2	X-RAY POWDER DIFFRACTION (XRD)	53
2.3	ENERGY DISPERSIVE ANALYSIS OF X-RAYS (EDAX)	56
2.4	UV-VIS-NIR SPECTROPHOTOMETER	57
2.5	RESISTIVITY MEASUREMENTS	62
2.5.1	RESISTIVITY MEASUREMENTS PERPENDICULAR TO C-AXIS (ALONG THE BASAL PLANE) ( $\rho_{\perp}$ )	62
2.5.1.1	<i>van der Pauw Technique</i>	63
2.5.1.2	<i>Low Temperature (77 K - 303 K) Resistivity Measurements by Four Probe Method</i>	66
2.5.1.3	<i>High Temperature (303 K - 473 K) Resistivity Measurements by Four Probe Method</i>	73
2.5.2	RESISTIVITY MEASUREMENTS PARALLEL TO C-AXIS (NORMAL TO THE BASAL PLANE) ( $\rho_{\parallel}$ )	76
2.6	MEASUREMENTS OF HALL PARAMETERS	76
2.7	THERMOELECTRIC POWER MEASUREMENTS	82
2.8	INCIDENT LIGHT MICROSCOPE "EPIGNOST" FOR STUDY OF MICROSTRUCTURES	85
2.9	CAPACITANCE MEASUREMENTS WITH MULTI - FREQUENCY LCR METER	85
	REFERENCES	89

## CHAPTER 3

### GROWTH OF CRYSTALS BY VAPOUR TRANSPORT TECHNIQUES 90-104

3.1	INTRODUCTION	91
-----	--------------	----

3.2	GROWTH FROM VAPOUR TRANSPORT METHODS	91
	3.2.1 CHEMICAL VAPOUR TRANSPORT TECHNIQUE	91
	3.2.2 DIRECT VAPOUR TRANSPORT TECHNIQUE	97
3.3	EXPERIMENTAL SET UP	98
	3.3.1 DUAL ZONE HORIZONTAL FURNACE	98
	3.3.2 AMPOULE	101
3.4	CRYSTAL GROWTH	101
	3.4.1 CLEANING OF AMPOULE	101
	3.4.2 CHARGE PREPARATION	102

## CHAPTER 4

### GROWTH OF TIN SULPHOSELENIDE BY DVT TECHNIQUE UNDER DIFFERENT CONDITIONS

**105-130**

4.1	INTRODUCTION	106
4.2	EXPERIMENTAL	107
	4.2.1 (A) COMPOUND PREPARATION	107
	4.2.1 (B) CRYSTAL GROWTH	108
	4.2.2 STRUCTURE	110
	4.2.3 STRUCTURAL CHARACTERISATION	113
	4.2.3 (A) LATTICE PARAMETERS	113
	4.2.3 (B) PARTICLE SIZE DETERMINATION	118
	4.2.3 (C) ESTIMATION OF GROWTH AND DEFORMATION FAULT PROBABILITIES IN SnSSe	120
4.3	EFFECT OF COOLING RATES ON GROWTH PERFACTION	121
4.4	DISCUSSION	124
4.5	CONCLUSIONS	129
	REFERENCES	130

## CHAPTER 5

### **SYNTHESIS AND CHARACTERISATION OF THE INTERMEDIATE COMPOUNDS OF THE SERIES $\text{SnS}_x\text{Se}_{2-x}$ BY DVT TECHNIQUE 131-178**

5.1	INTRODUCTION	132
5.2	EXPERIMENTAL	132
	5.2.1 GROWTH OF CRYSTALS	132
	5.2.2 STRUCTURAL CHARACTERIZATION	133
	5.2.3 ENERGY DISPERSIVE ANALYSIS OF X-RAYS (EDAX)	140
	5.2.4 LOW TEMPERATURE RESISTIVITY PERPENDICULAR TO C-AXIS	140
	5.2.5 HIGH TEMPERATURE RESISTIVITY PERPENDICULAR TO C-AXIS ( $\rho_{\perp}$ )	144
	5.2.6 HIGH TEMPERATURE RESISTIVITY PARALLEL TO C-AXIS ( $\rho_{\parallel}$ )	144
	5.2.7 ANISOTROPY	147
	5.2.8 MEASUREMENT OF HALL PARAMETERS	150
	5.2.9 THERMOELECTRIC POWER MEASUREMENTS	156
	5.2.10 MICROSTRUCTURE	167
5.3	DISCUSSION	169
5.4	CONCLUSIONS	175
	REFERENCES	177

## CHAPTER 6

### **OPTICAL BANDGAPS IN TIN SULPHOSELENIDE SINGLE CRYSTALS 179-209**

6.1	INTRODUCTION	180
	6.1.1 OPTICAL ABSORPTION	181
6.2	EXPERIMENTAL	185

6.3	RESULTS	187
6.4	DISCUSSION	200
6.5	CONCLUSION	207
	REFERENCES	209

## CHAPTER 7

### GROWTH AND CHARACTERISATION OF TIN SULPHOSELENIDE (SnSSe) SINGLE CRYSTALS GROWN USING DIFFERENT TRANSPORTING AGENTS 210-247

7.1	INTRODUCTION	211
7.2	EXPERIMENTAL	211
	7.2.1 GROWTH OF CRYSTALS	211
	7.2.2 STRUCTURAL CHARACTERISATION	213
	7.2.3 ENERGY DISPERSIVE ANALYSIS OF X-RAYS (EDAX)	213
	7.2.4 LOW TEMPERATURE RESISTIVITY PERPENDICULAR TO C-AXIS	217
	7.2.5 HIGH TEMPERATURE RESISTIVITY PERPENDICULAR TO C-AXIS ( $\rho_{\perp}$ )	217
	7.2.6 HIGH TEMPERATURE RESISTIVITY PARALLEL TO C-AXIS ( $\rho_{\parallel}$ )	222
	7.2.7 ANISOTROPY	225
	7.2.8 MEASUREMENT OF HALL PARAMETERS	229
	7.2.9 THERMOELECTRIC POWER MEASUREMENTS	229
	7.2.10 MICROSTRUCTURE	235
7.3	DISCUSSION	238
7.4	CONCLUSIONS	245
	REFERENCES	247

## **CHAPTER 8**

### **AN INTRODUCTION TO BASIC PRINCIPLES OF PEC SOLAR CELLS 248-279**

8.1	INTRODUCTION	249
8.2	PHOTOCONVERSION	250
8.3	SEMICONDUCTOR - ELECTROLYTE INTERFACE	251
8.4	SPACE CHARGE CAPACITANCE AND MOTT SCHOTTKY PLOT	257
8.5	SOME APPLICATIONS OF MOTT SCHOTTKY PLOTS	258
8.6	PRINCIPLES OF DIFFERENT PHOTOELECTROCHEMICAL SOLAR CELLS	261
8.7	PRINCIPLE OF ELECTROCHEMICAL PHOTOVOLTAIC SOLAR CELL	265
8.8	ADVANTAGES OF PEC SOLAR CELLS OVER THE SOLID STATE PHOTOVOLTAIC CELLS	266
8.9	PARAMETERS NECESSARY FOR CHARACTERISATION OF PEC SOLAR CELL	269
8.10	REQUIREMENT FOR FABRICATION OF EFFICIENT PEC SOLAR CELLS	271
8.11	CONCLUSIONS	274
	REFERENCES	275

## **CHAPTER 9**

### **EFFECT OF PARTIAL REPLACEMENT OF SELENIUM BY SULPHUR ON PHOTOELECTROCHEMICAL BEHAVIOUR OF $WSe_2$ 280-309**

9.1	INTRODUCTION	281
9.2	EXPERIMENTAL AND OBSERVATIONS	282
	9.2.1 SELECTION OF MATERIAL	282
	9.2.2 SAMPLE PREPARATION	282

9.2.2	<i>SAMPLE PREPARATION</i>	282
9.2.3	<i>ELECTRODE FABRICATION</i>	282
9.2.4	<i>SOLAR CELL FABRICATION</i>	284
9.2.5	<i>SELECTION OF APPROPRIATE ELECTROLYTE</i>	284
9.2.6	<i>MOTT-SCHOTTKY EVALUATION</i>	287
9.2.6.1	<i>Capacitance Measurements</i>	287
9.2.6.2	<i>Mott-Schottky Plots</i>	288
9.2.6.3	<i>Energetic band location</i>	295
9.2.7	<i>EFFECT OF SUBSTITUTION OF SELENIUM BY SULPHUR ON THE PHOTORESPONSE OF WSe<sub>2</sub></i>	300
9.3	<b>DISCUSSION</b>	300
9.4	<b>CONCLUSIONS</b>	306
	<b>REFERENCES</b>	308

## **CHAPTER 10**

	<b>CONCLUSIONS AND SCOPE FOR FUTURE WORK</b>	<b>310-316</b>
10.1	<b>INTRODUCTION</b>	311
10.2	<b>CONCLUSIONS</b>	311
10.3	<b>SCOPE FOR FUTURE WORK</b>	314
	<b>AUTHOR'S PUBLICATIONS</b>	317