

REFERENCES

1. Agarwal D.R and Perry C.H (1971) 'Long wave length optical phonons and phase transitions in SbSI', Phys. Rev., Vol. B4, pp. 1893-902.
2. Aizu K (1967) 'Ferroelectrics having an irreversible spontaneous polarization vector', J. Phys. Soc. Japan Vol.23, pp. 794-97.
3. Aizu K (1970) 'Possible species of ferromagnetic, ferroelectric and ferroelastic crystals', Phys.Rev.B Vol.B2, pp. 754-72.
4. Aust K.T (1968) 'Techniques of Metals Research', Vol.1 part 2, Ed. R. F. Brunshah (Interscience, New York) pp. 991-1021.
5. Aust K.T. (1972) 'Principles of crystal growth from the solid state in relation to the preparation of large crystals', J. Crystal Growth, Vol.13/14, pp. 57-61.
6. Ballentyne D.W.G., Wetwatana S and White E.A.D (1970) 'Kinetics of the vapour-phase growth of II-VI compounds in a sealed tube', J.Crystal Growth, Vol.7, pp. 79-92.
7. Beltskon D.I., Kopinets I.F., Rubist I.D., Turyanitsa I.I and Shtilikha M.V (1973) 'Photoconduction and Photoluminescence of Single Crystals of BiOCl', Sov. Phys. J, Vol. 5, pp.1201-04.
8. Bercha D.M, Bercha I.V, Slivka V.Yu, Turyanitsa I.D and Chepur D.V (1969) 'Symmetry change of SbSI-type crystals during a second order phase transition', Sov. Phys. Solid State, Vol. 11, pp. 1677-80.
9. Bercha D.M and Zayachkovskii M.P (1972) 'Conductivity, Thermoelectric properties and band structure of crystalline Bismuth Seleniodide', Sov. Phys. Solid State, Vol. 14(3), pp. 766-67.
10. Bercha M., Puga G.D and Boret A.N (1973) 'Two phonon process in crystals of D_{4h}^7 symmetry', Phys. Stat. Sol (b), Vol.55 (1), pp. 69-78.
11. Brice J.C (1973), 'The growth of Crystals from liquids' North-Holland, Amsterdam.

12. Bruhl H.G, Neumann H and Schmidt W (1970) 'Change in symmetry of SbSI type crystals during second order phase transition', Krist. Tech, Vol. 5, pp. K15-18.
13. Burton W.K, Cabrera N and Frank F.C. (1951) 'The growth of crystals and the equilibrium structure of their surfaces', Phil. Trans. Roy. Soc, Vol. A 243, pp. 299-352.
14. Chepur D.V, Gorak Y.A.A, Kovach D.S.H, Turyanitsa I.P, Borets A.N and Yatskovich I.I (1970) 'Production methods and some optical properties of Bismuth telluroiodide', Inorg. Mater. Vol.6 (3), pp. 336-37.
15. Davice J.E (1973) 'Solid State Vibrational Spectroscopy: The IR and Raman Spectra of the bismuth oxide halides', J.Inorg. and Nucl. Chem. Vol.35 (5), pp. 1531-34.
16. Dennis J and Henisch H.K. (1967) 'Nucleation and growth of crystals in gels', J. Electrochem. Soc, Vol.114, pp. 263-66.
17. Donges E (1950), 'Uber thiohalogenide des dreiuertigen antimony and wismuth', Z. Anorg. Allegem. Chem, Vol. 263, pp. 112-32.
18. Fatuzzo E, Harbeke G, Merz W.I, Nitsche R, Roetschi H and Ruppel W (1962), 'Ferroelectricity in SbSI', Phys. Rev., Vol. 127 (6), pp. 2036-37.
19. Frank F.C (1958) 'The Growth and Perfection of crystals', Ed.Doremul R.H. Roberts B.W and Turnbull.D, Wiley New York, p. 411.
20. Furman E, Brafman O and Makovsky J (1976) 'Approximation to long-wave length lattice dynamics of SbSI type crystals', Phys. Rev., Vol.B 13, pp. 1703-10.
21. Ganesha R, Arivuoli D and Ramasamy P (1990) 'Growth of oxyiodides of antimony and bismuth', Procs. VI National Seminar on ferroelectrics and dielectrics, pp. 178-82.
22. Ganesha R, Arivuoli D and Ramasamy P (1991) 'Vapour-liquid-solid mechanism of growth of whiskers of some semiconducting compounds', Crys. Res. Tech., Vol.26, pp. K60-K63.

23. Ganesha R, Arivuoli D and Ramasamy P (1992) 'Observations made during the growth of trihalides of group Vb elements', *J. Crystal Growth*, Vol.109, pp. 303-08.
24. Ganesha R, Arivuoli D and Ramasamy P (1992a) 'Growth and characterisation of BiSeI crystal', *J. Mat. Sci. Lett.*, Vol.11, pp. 1608-10.
25. Ganesha R, Arivuoli D and Ramasamy P (1992b) 'Growth of BiOCl and BiOI crystals from vapour and characterisation by optical and scanning electron microscopy', *J. Mat. Sci. Lett* (in press).
26. Ganesha R, Arivuoli D and Ramasamy P (1993) 'Growth of some V-VI-VII group compounds from vapour', *J. Crystal Growth*, Vol. 128, pp. 1081-85.
27. Ganesha R, Arivuoli D and Ramasamy P (1993a) 'Growth and electrical conductivity of BiTeI crystals', (communicated).
28. Gerzanich E.I and Fridkin V.M (1968), 'Dependence of dielectric properties of SbSI on temperature and hydrostatic pressure', *Sov. Phys. Solid state*, Vol. 10, pp. 2452-54.
29. Gerzanich E.I, Bryzgalov I.A, Rakcheer A.D, and Lyakhovitskaya (1969) 'Optical constants of SbSI single crystals', *Kristallografia*, Vol.13, pp. 776-78.
30. Gerzanich E.I, Lyakhovitskaya V. A, Fridkin V.M, and Popovkin B.A (1982) 'Current topics in Materials Science', Vol. 10, pp. 55-190.
31. Gilman J.J (1963), 'The Art and Science of Growing Crystals', Ed. Gilman. J.J. (J.Wiley, New York), p. 62.
32. Gulyamov K, Lyakhovitskaya V.A, Pikhomirova N.A and Fridkin V.M (1965) 'Abnormally great influence of pressure on the optical and ferroelectric properties of SbSI monocrystals', *Sov. Phys. Dokl.* Vol. 161, pp. 1060-67.
33. Havinga E.E (1960) 'Contribution to the theory of the dielectric properties of the alkali halides', *Phys. Rev.* Vol.119, pp. 1193-98.
34. Henisch H.K. (1968) 'Crystal Growth in Gels', *Helv. Phys. Acta.*, Vol.41, pp. 888-97.

35. Honigmann B (1958), 'Gleichgewichts - und Wachstumsformen Von Kristallen', Steinkopff, Dresden p. 18.
36. Horak.J and Rodot.H (1968) 'Preparation of the semiconductor compound BiTeBr', C.R.Acad.Sci. Vol.B267, pp. 1427-30.
37. Horak J, Turyanitsa I.D and Nejiezchleb K (1974) 'Preparation, optical and photoelectric properties of semiconducting BiSeI crystals', Kristall Technol Vol.3, pp. 1231-40.
38. Horak J, Tichy L and Lostak P (1981), 'Electrical conductivity of BiTeI Crystals', Phys. Stat. Sol(a) Vol.63, pp. 407-15.
39. Horak J, Lostak P, Jansa L and Matousek P (1985) 'Departure from stoichiometry of BiTeI crystals Grown from the vapour phase', Phys.Stat. Sol(a) Vol.89, pp. 493-98.
40. Howard D.G, Dunlop O.D and Dash I.G (1965) 'Internal field of Fe⁵⁷ in Ni in the region of the Curie point', Phys.Rev. Letters, Vol.15, pp. 628-32.
41. Inushima T, Okamoto A, Vohinokura. K and Matswura E (1980) 'Observation of a phase transition in SbSBr single crystals grown by vapour transport method', J. Phys. Soc. Japan, Vol.48, pp. 2167-68.
42. Istren Naray Szabo (1969) 'Inorganic crystal Chemistry' Akademiai Kiado Budapest, p. 178.
43. Iwata Y, Fuki S, Koyano N and Shibuya I (1965) 'Crystal structure in ferroelectric antimony sulphoiodide', J. Phys. Soc. Japan, Vol. 20, pp. 875-79.
44. Iwata Y, Koyanao N and Shibuya I (1976) 'Temperature dependences of generalized anisotropic temperature factors related to polarization reversals in ferroelectric sodium nitrate', Ann. Rep. Res. Reactor Inst. Kyoto Univ. Vol. 2, pp. 13-17.
45. Jeffes J.H.E (1968) 'Physical Chemistry of Transport Properties', J. Crystal Growth, Vol. 3/4, pp. 13-32.
46. Kaldis E (1969) 'Crystal Growth and Growth rates of CdS by sublimation and Chemical Transport processes', J. Crystal Growth, Vol.5, pp. 376-90.

47. Kai Siegbahn, Ulrik Gelius, Hans Siegbahn and Erik Olson (1970) 'Angular distribution of electrons in ESCA spectra from a single crystal', *Pysica Scripta*, Vol.1, pp. 272-76.
48. Kern R (1962) 'An Electro optical and Electrochemical effect in SbSI', *J. Phy. Chem. Solids*, Vol.23, pp. 249-53.
49. Kikuchi A, Oka Y and Sawaguchi E (1967) 'Crystal structure determination of SbSI', *J. Phys. Soc. Japan*, Vol.23, pp. 337-39.
50. Klimakov A.M. Popovkin B.A and Novoselova A.V (1974) 'T-X Projection of the equilibrium diagram of the $\text{BiI}_3 - \text{Bi}_2\text{O}_3$ system', *Russ. J. Inorg. Chem.* Vol.9, pp. 2553-56.
51. Klimakov A.M., Popovkin B.A and Novoselova A.V (1977) 'P-T-X Equilibrium diagram of the Antimony (III) Iodide - Antimony (III) oxide system', *Russ. J. Inorg. Chem.*, Vol.22(5), pp. 733-35.
52. Klimakov A.M., Popovkin B.A and Novoselova A.V. (1977a), 'Saturated Vapour pressure of Crystalline Bismuth Oxide Iodide', *Russ. J. Inorg. Chem.*, Vol.22(6), pp. 928-29.
53. Kramer.V, Nitsche R and Margarete Schutimacher (1974) 'vapour growth of Antimony-Oxide-Iodide $\text{Sb}_5\text{O}_7\text{I}$ and its Ferroelectric properties', *J. Cryst. Growth*, Vol.24/25, pp. 179-82.
54. Kramer V (1978) 'The crystal structure of the ferroelectric/ferroelastic polytype of antimony III oxide iodide, $\text{Sb}_5\text{O}_7\text{I}$ ', *Acta. Cryst.* Vol. 34, pp. 2695-98.
55. Krinik N.N, Popov S.N and Mylnikova I.E (1966) 'Observations of Nuclear resonance in ferroelectric SbSI', *Sov. Phys. Solid state*, Vol. 8, pp. 2933-37.
56. Lal H.B., Nazeeb Dar, and C.Lundgren (1976) 'Magnetic Susceptibility, electrical conductivity and dielectric constant of $\text{Eu}_2(\text{WO}_4)_3$ ', *J. Phys. Soc. Japan*, Vol.41, pp. 1216-19.
57. Mansingh A, Srivastava K.N. and Singh S (1977), 'The particle size dependence of the dielectric behaviour of SbSI', *J. Phys. D. Appl. Phys*, Vol. 10, pp. 2117-26.

58. Mee J.E., Pulliam G.R. Archer J.L and Esser P.J 'Magnetic oxide films', (1969) IEEE Trans. Magnetics Vol.5, pp. 717-27.
59. Nakamura E, Mitsui T and Furnichi J (1963) 'A note on the classification of ferroelectrics', J. Phys. Soc. Japan, Vol. 18, pp. 1477-81.
60. Nguyen Tat Dich, Lostak P and Horak J (1978) 'Preparation and basic physical properties of BiTeI single crystals', Zech. J. Phys. Vol. B28, pp. 1297-1303.
61. Nitsche R and Merz W.J.(1960), 'Photoconductivity in ternary V-VI-VII compounds', J. Phys. Chem. Solids, Vol.13, pp. 154-55.
62. Nitsche R, Kramer V, Schohmacher M and Bussmann (1977) 'Preparation and properties of ferroelectric polytypes of antimony III oxide iodide Sb_5O_7I ', J.Cryst. Growth, Vol. 42, pp. 549-59.
63. Onopko L.V, Onopkov V.V, Chepur D.V, Dorgoshee N.I., Turyahistsa I.D and Zaychkovskysya N.F (1974) 'Physical properties of BiTeI and BiTeBr', Inorgan. Mater. Vol.10(6), pp. 1137-38.
64. Pandey R.K (1969), 'Temperature dependence of spontaneous polarization of polycrystalline SbSI', J. Phys. Soc. Japan, Vol. 27, pp. 633.
65. Pandey R.K (1988), 'Recent trends in Crystal Growth', Editor P. Ramasamy, ICSU - COSTED, p. 177.
66. Patel A.R., Rao K.V. and Shivakumar G.K (1978) 'Electron microscopy of bismuth Oxychloride crystals', Sov. Phys. Semiconductor, Vol.16 (3), pp. 389-91.
67. Pfann W.G (1966), 'Zone melting', Wiley, New york.
68. Pikka T.A (1967) 'Electrical conductivity of some ferro-electric V-VI-VII Group semiconductors', Sov. Phys. Cryst. Vol. 12 (6), pp. 938-39.
69. Pikka T.A and Fridkin (1968) 'Phase transitions in $A^V B^{VI} C^{VII}$ ferroelectric semiconductors', Sov. Phys. Solid State, Vol.10, pp. 2668-72.
70. Piper W.W and Polich S.J. (1961) 'Vapour phase growth of single crystals of II-VI compounds', J.Appl.Phys., Vol.32, pp. 1278-79.

71. Pizzarello F (1954) 'Vapour phase crystal growth of lead sulphide crystals', J. Appl. Phys. Vol.25, pp. 804-05.
72. Popov S.N, Krainik N.N and Milnikova I.E (1969), 'Nuclear quadrupole resonance in SbSI and SbSBr', Izv. An. SSSR. Ser. Fiz. Vol.33, p. 271.
73. Popovkin B.A, Dolgikh V.A, Trifnov V.A, Belousov and Novoselova A.V (1973) 'Chemistry of vaporous Inorganic compounds and Processes of vapour formation', Minsk pp. 153-55.
74. Puga G.D., Borets A.V., Bercha D.M. and Shtilikha M.V (1973) 'Two phonon absorption in BiOX (X = I, Br, Cl) Single crystals', Sov. Phys. Solid State Vol.14, pp. 1830-31.
75. Rao K.V and Subramanyam A, (1977) 'Dielectric properties of Cr₂O₃ single crystals', Ind. J. Pure and Appl. Phys. Vol.15, pp. 359-61.
76. Samara G, (1975) 'Pressure dependence of dielectric properties of SbSI', Physics Lett., Vol. A27, pp. 232-33.
77. Samolionis V.I and Kunigelis V.F (1969) 'Anomalous absorption and velocity dispersion of ultrasonic waves in SbSI crystals', Sov. Phys. Solid State, Vol. 11, pp. 696-97.
78. Scholz H (1967) 'Crystal Growth', Pergmon Press (1967) Ed.H.S. Peiser, p. 475.
79. Schumb W.C and Rittner E.S.(1943) 'Polymorphism of Bismuth Trioxide', J. Amer. Chem. Soc. Vol.65, pp. 1055-60.
80. Shaefer H (1964) 'Chemical Transport Reactions', Translated by Hans Frankfort,(Academic Press, New York and London), p. 5.
81. Shtilikha M.V., Chepur D.V. and Yatskovich J.I. (1972) 'Growing single crystals of bismuth oxyhalides by the methods of chemical gas transport', Sov. Phys. Crystallography, Vol.16 (4), pp. 732-33.

82. Shtilikha M.V and chepur D.V (1972a) 'Influence of uniaxial pressure and electric field on the long wavelength fundamental absorption edge of layered BiOI crystals', Sov. Phys. Semiconductor, Vol. 6 (6), pp. 1019-20.
83. Shtilikha M.V and Chepur D.V (1972b) 'Luminescence and energy levels in BiOCl, Br, I crystals', Sov. Phys. Semicond. Vol. 16 (6), pp. 962-64.
84. Shtilikha M.V and Chepur D.V (1973) 'Heat conductivity of crystals of Bismuth oxyhalides', Sov. Phys. Solid State Vol. , pp. 1354-55.
85. Sugawara F and Nakamura J (1972), 'Far IR reflectivity spectra in SbSI', J. Phys. Chem. Solids, Vol. 33, pp. 1665-68.
86. Takamura T and Mitsui T (1967) 'Type of ferroelectric phase transition in SbSI', J. Phys. Soc. Japan, Vol. 23, pp. 331-34.
87. Tomokiyo.A, Okada.T and Kawano.S (1977) 'Phase diagram of system $\text{Bi}_2\text{Te}_3\text{-BiI}_3$ and crystal structure of BiTeI', Jap. J. Appl. Phys., Vol.16, pp. 291-98.
88. Valitova, N.R., Aleshin.V.A., Popovkin B.A and Novoselova (1974), 'The P-T-X phase diagram of the system $\text{BiI}_3\text{-Bi}_2\text{Te}_3$ ', Inorg. Materials Vol. 12 (2), pp. 225-28.
89. Volk T.R, Gerzanic E.I and Fridkin V.M (1969) 'Existence of critical point for ferroelectric SbSI', Izv. A.N. SSSR. Ser. Fiz. Vol.33, pp. 346-49.
90. Von Hippel (1958) 'Dielectric Materials and Applications', (John Wiley & Sons Ltd., New York).