

REFERENCES

1. Ahmad E. (1972), 'Coastal Geomorphology of India', New Delhi, Orient Longman.
2. Baba and Thomas K.V. (1987), 'Performance of a Seawall with a Frontal Beach', Proc. of Coastal Sediments '87, American Society of Civil Engineers, pp.1051-1061.
3. Bagnold R.A. (1963), 'Mechanics of Marine Sedimentation : in Hill M.H., Goldberg B.D. Iselin C.O.D. and Munk W.H. eds., The Sea, Ideas and Observations on Progress in the Study of the Sea', John Wiley and Sons, New York, Vol.3, pp.507-528.
4. Basco D.R., Bellomo D.A., Hazelton J.M. and Jones B.N. (1997), 'The Influence of Seawalls on Subaerial Beach Volumes with Receding Shorelines', Coastal Engineering, Vol.30, pp.203-233.
5. Bascom, W.J. (1951), 'The Relationship Between Sand Size and Beach Face Slope', Geophysics, Union, 32, No.6, pp.866-874.
6. Bendre V.B., Ranade S.D., Selvan S. and Panvalkar J.S. (2000), 'Application of Remote Sensing for Assessment of Shoreline Changes - A Case Study', Proc. of International Conference on Remote Sensing and GIS (ICORG'2000), ed. T.V. Muralikrishna, BS Publications, Hyderabad, India, pp.671-676.
7. Bhargava D.S. and Mariam D.W. (1991), 'Effect of Suspended Particle Size and Concentration on Reflectance Measurements', Photogrammetric Engineering and Remote Sensing, Vol.57, pp.519-529.
8. Bhat H.G. and Subramanya K.R. (1993), 'Paleoshorelines and Coastal Processes in Dakshina Kannada, Karnataka, India : A Study Based on Remotely Sensed Data', International Journal of Remote Sensing, Vol.14, No.17, pp.3311-3316.

9. Blatt H., Middleton G. and Murry R. (1972), 'Origin of Sedimentary Rocks', Englewood Cliffs N.J., Prentice Hall, 634p.
10. Brooks D.J. (1975), 'Landsat Measures of Water Quality', Photogrammetric Engineering and Remote Sensing, Vol.41, pp.1269-1272.
11. Bruno M.S., Yavary M. and Horrington T.O. (1998), 'The Influence of a Stabilised Inlet on Adjacent Shorelines : Manasquan, New Jersey', Shore and Beach, Vol., pp.19-25.
12. Bukata R.P., Bruton J.E. and Jerome J.H. (1983), 'Use of Chromaticity in Remote Measurement of Water Quality', Remote Sensing of Environment, Vol.13, pp.161-177.
13. Burrough P.A. and McDonnel R.A. (1998), 'Principles of Geographical Information Systems', Oxford University Press, pp.1-135.
14. Carpenter D.J. and Carpenter S.M. (1983), 'Modelling Inland Water Quality Using Landsat Data', Remote Sensing of Environment, Vol.13, pp.345-352.
15. Chauhan P. (2000), 'Retrieval of Water Constituents Using Ocean Colour Data : IRS-P4 OCM Data Processing', Pre-conference Training, December 1-4, 2000, Goa, India, 6-10.
16. Chen Z, Hanson J.D. and Curran P.J. (1991), 'The Form of the Relationship Between Suspended Sediment Concentration and Spectral Reflectance : Its Implication for the Use of Deadalus 1268 Data', International Journal of Remote Sensing, Vol.12, pp.215-222.
17. Cortemiglia G.C., Lamberti A. and Liberatore G. (1981), 'Effects of Harbour Structures on Shoreline Variations along the Coast of Italy', PIANIC Bulletin, No.39, pp.10-36.
18. Cracknell A.P. (1999), 'Remote Sensing Techniques in Estuaries and Coastal Zones - An Update'. International Journal of Remote Sensing, Vol.20, pp.485-496.

19. Curran P.J. and Novo E.M.M. (1988), 'The Relationship Between Suspended Sediment Concentration and Remotely Sensed Spectral Radiance : A Review', *Journal of Coastal Research*, Vol.4, pp.351-368.
20. Curran P.J., Hansom J.D., Plummer S.E. and Pedley M.I. (1987), 'Multispectral Remote Sensing of Nearshore Suspended Sediments: A Pilot Study', *International Journal of Remote Sensing*, Vol.8, pp.103-112.
21. Dattatri J. and Renukaradhya P.S. (1971), 'Wave Forecasting for West Coast of India', *Journal of Waterways, Harbours and Coastal Engineering Division, ASCE*, Vol.97(3), pp.505-515.
22. Dattatri J. (1973), 'Waves off Mangalore Harbour - West Coast of India', *Journal of Waterways, Harbours and Coastal Engineering Division, ASCE*, Vol.99(1), pp.39-58.
23. Dattatri J., Rao N.B.S., Subba Rao, Dwarakish G.S. and Nagendra Kumar B. (1997), 'Beach Profile Studies along Dakshina Kannada Coast of Karnataka State', *Proc. Indian National Conference on Harbour and Ocean Engineering, Thiruvananthapuram, India*, Vol.2, pp.1135-1144.
24. Dattatri J. and Kamath M.M. (1997), 'Littoral Drift and Maintenance Dredging at New Mangalore Port', *Proceedings of Indian National Conference on Harbour and Ocean Engineering, Thiruvananthapuram, India*, Vol.1, pp.578-585.
25. Doerffer R., Fischer J., Stossel M., Brockmann C. and Grassl H. (1989), 'Analysis of Thematic Mapper Data for Studying the Suspended Matter Distribution in the Coastal Area of the German Bight (North Sea)', *Remote Sensing of Environment*, Vol.28, pp.61-73.
26. Dwarakish G.S., Dattatri J. and Anisha M. (1997), 'Remote Sensing Application for Study of River Mouth Changes of Dakshina Kannada District, Karnataka', *Proc. International Conference on Remote Sensing and GIS, Hyderabad, India*, pp.473-483.

27. Dwarakish G.S., Dattatri, J., Rao N.B.S. and Subba Rao (1998), 'Application of Remote Sensing to Study the Dynamic Changes of Netravati-Gurpur River Mouth, D.K. Coast, Karnataka', Proceedings. International Symposium on Information Technology in Oceanography, NIO, Goa, India, pp.72.
28. Dwarakish G.S. and Natesan U. (2001), 'Study of Sediment Dynamics off Mangalore Coast', Journal of Waterway, Port and Coastal Engineering (under review).
29. Dwivedi R.M. and Narrain A. (1987), 'Remote Sensing of Phytoplankton', An attempt from the Landsat thematic mapper. International Journal of Remote Sensing, Vol.8, pp.1563-1569.
30. Dyer K.R. (1990), 'Coastal and Estuarine Sediment Dynamics', John Wiley and Sons, Interscience Publications, pp.13-35.
31. Ekstrand S. (1991), 'Landsat TM Based Quantification of Chlorophyll-a during Algae Blooms in Coastal Waters', International Journal of Remote Sensing, Vol.13, pp.1913-1926.
32. El-Racy M., El-Din S.H.S., Khafagy A.A. and Abozed A.I. (1999), 'Remote Sensing of Beach Erosion / Accretion Patterns along Damietta - Port Said Shoreline, Egypt', Int. J. Remote Sensing, Vol.20, No.6, pp.1087-1106.
33. Ferrier G. (1995), 'A Field Study of the Variability in the Suspended Sediment Concentration - Reflectance Relationship', International Journal of Remote Sensing, Vol.16, pp.2713-2720.
34. Folk R.L. (1966), 'A Review of Grain Size Parameters', Sedimentology, Vol.6, pp.73-93.
35. Folk R.L. and Ward W.C. (1957), 'Brazos River Bar : A study in the Significance of Grain Size Parameters', Journal of Sedimentary Petrology, Vol.27, No.1, pp.3-26.
36. Forster B., Baide X. and Xingwai S. (1994), 'Modelling Suspended Particle Distribution in Near Coastal Waters Using Satellite Remotely Sensed Data', International Journal of Remote Sensing, Vol.15, pp.1207-1219.

37. Friedman G.M. (1967), 'Dynamic Processes and Statistical Parameters Compared for Size Frequency Distribution of Beach and River Sands', *Journal of Sedimentary Petrology*, Vol.37, pp.327-354.
38. Friedman G.M. (1979), 'Differences in Size Distributions of Populations of Particles Among Sands of Various Origins', *Sedimentology*, Vol.26, pp.3-32.
39. Frihy O.E., Dewidar Kh.M., Nasar S.M. and Racy M.M.E. (1998), 'Change Detection of the Northeastern Nile Delta of Egypt : Shoreline Changes, Spit Evolution, Margin Changes of Manzala Lagoon and its Islands', *International Journal of Remote Sensing*, Vol.19, No.10, pp.1901-1912.
40. Froidefond J.M., Castaing P., Fouanneau J.M. and Prudhomme R. (1993), 'Method for Quantification of Suspended Sediments from AVHRR NOAA-II Satellite Data', *International Journal of Remote Sensing*, Vol.14, pp.885-894.
41. Frihy O.E., Nasr S.M., Hattab M.M.E. and Racy M.E. (1994), 'Remote sensing of beach erosion along the Rosetta Promontary Northwestern Nile Delta, Egypt', *International Journal of Remote Sensing*, Vol.15, No.8, pp.1649-1660.
42. Gao J. and O'Leary S.M. (1997), 'Estimation of Suspended Solids from Aerial Photographs in a GIS', *International Journal of Remote Sensing*, Vol.18, pp.2073-2086.
43. Gordon H.R. and Clarke G.L. (1981), 'Clear Water Radiance for Atmospheric Correction of CZCS Imagery', *Applied Optics*, Vol.20, pp.4157-4180.
44. Gordon H.R. and Wang M. (1994), 'Retrieval of Water-leaving Radiance and Aerosol Optical Thickness Over the Oceans with Seawifs : A Preliminary Algorithm', *Applied Optics*, Vol.33, pp.443-452.

45. Gowda H.H., Ganeshraj K., Padmavathy A.S. and Manikiam B. (1995), 'Multidate Satellite Data for Study of Dynamics of Coastal Landforms of Uttara Kannada, South India', *International Journal of Remote Sensing*, Vol.16, No.14, pp.2539-2553.
46. Griffiths J.C. (1967), 'Scientific Methods in the Analysis of Sediments', Mc-Graw Hill, Newyork.
47. Griggs G.B., Tait J.F. and Corona W. (1994), 'The Interaction of Seawalls and Beaches : Seven Years of Field Monitoring Monterey Bay, California', *Shore & Beach*, Vol.62, No.3, pp.21-28.
48. Griggs G.B., Moore L.J., Tait J.F., Scott K. and Pembroke D. (1996), 'The Effects of the Storm Waves of 1995 on Beaches Adjacent to a Long-term Seawall Monitoring Site in Northern Monterey Bay, California', *Shore and Beach*, Vol.66, No.4, pp.34-39.
49. Griggs G.B. and Tait J.F. (1988), 'The Effects of Coastal Protection Structures on Beaches Along Northern Monterey Bay, California', *Journal of Coastal Research*, SI(4), pp.93-111.
50. Griggs G.B. (1999), 'The Protection of California's Coast : Past, Present and Future', *Shore and Beach*, Vol.67, No.1, pp.18-28.
51. Horrington J.A. Jr., Schiebe F.R. and Nix J.F. (1992), 'Remote Sensing of Lake Chicot, Arkansas : Monitoring Suspended Sediments, Turbidity, and Secchi Depth with Landsat MSS Data', *Remote Sensing of Environment*, Vol.39, pp.15-27.
52. Inman D.L. (1952), 'Measures for Describing the Size Distribution of Sediments', *Journal of Sedimentary Petrology*, Vol.22, pp.125-145.
53. IS : 2720 (Part IV), (1965), 'Indian Standard, Methods of Test for Soils, Part IV Grain Size Analysis', Indian Standard Institution, New Delhi.
54. IS : 460 (1962), 'Sieve Series and Aperture Diameter', Indian Standard Institution, New Delhi.

55. Jayapaul C.S. (1982), 'Influence of Environmental Parameters on the Size Distribution of Beach Sands', M. Tech Thesis, KREC, Mangalore University.
56. Jensen J.R., Kjerfve B., Ramsey E.W., Magill K.E., Medeiros G. and Sneed J.E. (1989), 'Remote Sensing and Numerical Modelling of Suspended Sediment in Laguna de Terminos', Campeche, Mexico. *Remote Sensing of Environment*, Vol.28, pp.33-44.
57. Khan P.H. (2000), 'Sediment Trend Matrix Analysis of Beach Sand Along Dakshina Kannada Coast', M.Tech Thesis, KREC, Mangalore University.
58. Khorram S. and Cheshire H.M. (1985), 'Remote Sensing of Water Quality in the Neuse River Estuary, North Carolina', *Photogrammetric Engineering and Remote Sensing*, Vol.51, pp.329-341.
59. Khorram S. (1985), 'Development of Water Quality Models Applicable Throughout the Entire San Francisco Bay and Delta', *Photogrammetric Engineering and Remote Sensing*, Vol.51, pp.53-62.
60. Komar P.D. and McDougal W.G. (1988), 'Coastal Erosion and Engineering Structures : The Oregon Experience', *Journal of Coastal Research*, SI(4), pp.77-92.
61. Komar P.D. (1976), 'Beach Processes and Sedimentation', Prentice-Hall Inc., Englewood Cliffs, New Jersey.
62. Kraus N.C. and Heilman D.J. (1998), 'Comparision of Seawall and Groins, Corpus Christi, Texas', *Shore & Beach*, Vol.66, No.2, pp.4-13.
63. Kraus N.C. (1988), 'The Effect of Seawalls on the Beach : An Extended Literature Review', *Journal of Coastal Research*, SI(4), pp.1-28.
64. KREC Study Team (1994), 'Study on Coastal Erosion (Dakshina Kannada District). Input to Environmental Master Plan Study, Danida-DEE-Mangalore', KREC, Surathkal, pp.113-189.

65. Krumbein W.C. (1938), 'Size Frequency Distribution of Sediments and the Normal Phi Curve', *Journal of Sedimentary Petrology*, Vol.8, pp.84-90.
66. Krumbein W.C. and Pettijohn F.J. (1938), 'Manual of Sedimentary Petrology', D Appleton-Century Co., Newyork, pp.549.
67. Krumbein W.C. (1934), 'Size Frequency Distribution of Sediments', *Journal of Sedimentary Petrology*, Vol.4, pp.65-77.
68. Kumar P., Sanabada M.K. and Parida P.K. (1992), 'Monitoring and Analysis of Shifting Shoreline Near Subarnarekha River Mouth of East Coast of India Using Remote Sensing and GIS', *Proc. of Remote Sensing Applications and Geographic Information Systems - Recent Trends*, ed.I.V. Muralikrishna, Tata McGraw-Hill Publishing Company Limited, New Delhi, pp.359-362.
69. Kumar S. (2000), 'Marine Development', *Shipping and Marine Industries Journal*, Vol.23, pp.67-71.
70. Lathrop R.G. Jr. (1992), 'Landsat Thematic Mapper Monitoring of Turbid Inland Water Quality', *Photogrammetric Engineering and Remote Sensing*, Vol.58, pp.465-470.
71. Lillesand and Kiefer (1994), 'Remote Sensing and Image Interpretation', New York, John Wiley and Sons, Inc., pp.1-48.
72. Lindell L.T., Steinvall O., Jonsson M. and Claesson Th. (1984), 'Mapping of Coastal-water Turbidity Using Landsat Imagery', *International Journal of Remote Sensing*, Vol.6, pp.629-642.
73. Majaker R. (1996), 'Beach Sediment Characteristics Along Mangalore Coast', M. Tech Thesis, KREC, Mangalore University.
74. Manavalan P., Adiga S., Rao K.U. and Somanatha G.S. (1993), 'Monitoring Coastal Processes Using IRS-LISS II Data - A Case Study Along a Part of Karnataka Coast', *Proc. International Symposium on STRIDES IN CIVIL ENGG*, Vol.93, pp.13-18.

75. Mani J.S. (1997), 'Performance of Pipe Breakwater Under Oblique Waves', Proc. Indian National Conference on Harbour and Ocean Engineering, Thiruvananthapuram, India, Vol.1, pp.269-277.
76. McCammon R.B. (1962), 'Efficiencies of Percentile Measures for Describing the Mean Size and Sorting of Sedimentary Particles', Journal of Geology, Vol.70, pp.453-465.
77. McLaren, P. (2001), 'Sediment Trend Analysis (STA), A Sediment Trend Analysis of Santa Cruz Harbour and its Vicinity : Implications to Dredge Disposal Operations', Sea Technology, Vol.42, No.3, pp.10-14.
78. McLaren P. (1981), 'Introduction to Trends in Grain Size Measures', Journal of Sedimentary Petrology, Vol.51, 2, pp.611-624.
79. Meadows G.A., Meadows L., Carpenter D.D., Sumeren H.V., Kuebel B., Wood W.L. and Caufield B. (1998), 'The Great Lakes Groin Performance Experiment, Phase-II : Effects of a Groin Field', Shore and Beach, Vol.66, No.2, pp.14-18.
80. Moore L.J. (2000), 'Shoreline Mapping Techniques', Journal of Coastal Research, Vol.16(1), pp.111-124.
81. Morton R.A. (1988), 'Interactions of Storms, Seawalls and Beaches of the Texas Coast', Journal of Coastal Research, SI(4), pp.113-134.
82. Murthy T.R.S., Madhyastha M.N., Rao I.J. and Chandrashekharappa K.N. (1988), 'A Study of Physical Determinants of Natural Environments and their Impact of Land Use in Netravati and Gurpur River Basins of Western Ghat Region, Karnataka : Project Report, Department of Environment and Forests, Government of India, New Delhi', pp.60.
83. Nanu L. and Robertson C. (1993), 'The Effect of Suspended Sediment Depth Distribution on Coastal Water Spectral Reflectance : Theoretical Simulation', International Journal of Remote Sensing, Vol.14, pp.225-239.

84. Nanu L. and Robertson C. (1990), 'Estimating Suspended Sediment Concentrations from Spectral Reflectance Data', *International Journal of Remote Sensing*, Vol.11, pp.913-920.
85. Navalgund R.R., Jayaraman V., Kumar A.S.K., Sharma T., Mathews K. and Mohanty K.K. (1996), 'Remote Sensing Data Acquisition, Platforms and Sensor Requirements', *Journal of the Indian Society of Remote Sensing*, Vol.24, No.4, pp.207-242.
86. Nayak S.R. and Sahai B. (1985), 'Coastal Morphology : A Case Study of the Gulf of Khambhat (Cambay)', *International Journal of Remote Sensing*, Vol.6, pp.559-567.
87. Nayak S.R. (1991), 'A Manual for Mapping of Coastal Wetland/Landform and Shoreline Change Using Satellite Data', Technical Note, Space Applications Centre, Ahmedabad, IRS-UP/SAC/MCE/TN/32, pp.63-64.
88. Nichol J. and Goh K.C. (1995), 'Remote Sensing for Marine Environmental Monitoring : A Singapore Case Study', *Asian-Pacific Remote Sensing Journal*, Vol.7, pp.27-36.
89. Nordstrom K.F. (1977), 'The Use of Grain Size Statics to Distinguish Between High and Moderate Energy Beach Environments', *Journal of Sedimentary Petrology*, Vol.47, No.3, pp.1287-1294.
90. Novo E.M.M., Hansom J.D. and Curran P.J. (1989), 'The Effect of Sediment Type on the Relationship Between Reflectance and Suspended Sediment Concentration', *International Journal of Remote Sensing*, Vol.10, pp.1283-1289.
91. Otto G.H. (1938), 'The Sedimentation Unit and its Use in Field Sampling', *Journal of Geology*, Vol.46, pp.569-582.
92. Padmanabhan P. and Panda A.P. (1972), 'Coastal Erosion-causes and Protective Measure', *Indian Ports*, July - September, pp.17-23.

93. Pattiaratchi C, Lavery P, Wyllie A. and Hick P. (1994), 'Estimates of Water Quality in Coastal Waters Using Multi-date Landsat Thematic Mapper Data', *International Journal of Remote Sensing*, Vol.15, pp.1571-1584.
94. Prithiviraj M., Sengupta S., Gosh S.K., Ramana I.V. and Chakraborty D. (1995), 'Documentation of the Long-term Coastal Geomorphic Changes within the Hugli River Estuary, India', *Asian-Pacific Remote Sensing Journal*, Vol.7, No.2, pp.1-9.
95. Quibell G. (1991), 'The Effect of Suspended Sediment on Reflectance from Fresh Water Algae', *International Journal of Remote Sensing*, Vol.12, pp.177-182.
96. Rao P.P., Nair M.M. and Raju D.V. (1985), 'Assessment of the Role of Remote Sensing Techniques in Monitoring Shoreline Changes : A Case Study of the Kerala Coast', *International Journal of Remote Sensing*, Vol.6, No.3 and 4, pp.559-567.
97. Ravindra M.N. (1984), 'Influence of Environmental Parameters on the Grain Size Statistics and Deposition Process of Beach Sands', M. Tech Thesis, KREC, Mangalore University.
98. Reddy V.R. (1998), 'A Study of Sediment Characteristics of Netravati-Gurpur River Estuary and Neighbouring Beaches', M.Tech Thesis, KREC, Mangalore University.
99. Reddy, M.P.M., Hariharan, V. and Kurian, N.P. (1979), 'Seasonal Variations in Hydrographic Conditions of Estuarine and Oceanic Waters Adjacent the Old Mangalore Port', No.8, pp.73-77.
100. Rimmer J.C., Collins M.B. and Pattiarachi C. (1987), 'Mapping of Water Quality in Coastal Waters Using Airborne Thematic Mapper Data', *International Journal of Remote Sensing*, Vol.8, pp.85-102.
101. Ritchie J.C. and Cooper C.M. (1988), 'Comparison of Measured Suspended Sediment Concentrations with Suspended Sediment Concentrations Estimated from Landsat MSS Data', *International Journal of Remote Sensing*, Vol.9, pp.379-387.

102. Ritchie J.C., Cooper C.M. and Schiebe F.R. (1990), 'The Relationship of MSS and TM Digital Data with Suspended Sediments, Chlorophyll and Temperature in Moon Lake, Mississippi', *Remote Sensing of Environment*, Vol.33, pp.137-148.
103. Robert W.J. and Robert C.H. (1980), 'Remote Sensing of Water Quality and Biological Measurements in Coastal Waters', *Photogrammetric Engineering and Remote Sensing*, Vol.46, pp.77-85.
104. Robinson I.S. (1983), 'Satellite Observations of Ocean Colour', *Philo. Trans. Royal Soc. of London, Series A*, Vol.309, pp.338-347.
105. Ronald M.N. (1978), 'Coastal Structures Effects on Shorelines', *Coastal Engineering -1978*, Vol.3, pp.2069-2085.
106. Sathyendranath S, Prieur L. and Morel A. (1989), 'A Three Component Model of Ocean Colour and its Application to Remote Sensing of Phytoplankton Pigments in Coastal Waters', *International Journal of Remote Sensing*, Vol.10, pp.1373-1394.
107. Sato S. and Irie I. (1970), 'Variation of Topography of Sea-bed Caused by the Construction of Breakwaters', *Coastal Engineering -1970*, Vol.2, pp.1301-1319.
108. Shore Protection Manual (1984), 'U.S. Army Coastal Engineering Research Centre', Vicksburg, Chapter - 4.
109. Sudhakara S. and Pal D.K. (1993), 'Water Quality Assessment of the Lake Chilka', *International Journal of Remote Sensing*, Vol.14, pp.2575-2579.
110. Tassan S. (1997), 'A Numerical Model for the Detection of Sediment Concentration in Stratified River Flume Using Thematic Mapper Data', *International Journal of Remote Sensing*, Vol.18, pp.2699-2705.
111. Tassan S. (1993), 'An Improved in-water Algorithm for the Determination of Chlorophyll and Suspended Sediment Concentration from Thematic Mapper Data in Coastal Waters', *International Journal of Remote Sensing*, Vol.14, pp.1221-1229.

112. Tassan S. (1987), 'Evaluation of the Thematic Mapper for Marine Application', *International Journal of Remote Sensing*, Vol.8, pp.1455-1478.
113. Tassan S. (1988), 'The Effect of Dissolved 'Yellow Substance' on the Quantitative Retrieval of Chlorophyll and Total Suspended Sediment Concentrations from Remote Measurements of Water Colour', *International Journal of Remote Sensing*, Vol.9, pp.787-797.
114. Topliss B.J., Almos C.L. and Hill P.R. (1990), 'Algorithms for Remote Sensing of High Concentration, Inorganic Suspended Sediment', *International Journal of Remote Sensing*, Vol.11, pp.947-966.
115. Toyoshima O. (1976), 'Changes of Sea-bed Due to Detached Breakwaters', *Coastal Engineering - 1976*, Vol.2, pp.1572-1589.
116. Uma Rain A. (1998), 'Study of Grain Size Parameters Along the Beach Profiles Near KREC Beaches', M.Tech Thesis, KREC, Mangalore University.
117. Visher G.S. (1969), 'Grain Size Distributions and Depositional Processes', *Journal of Sedimentary Petrology*, Vol.39, No.3, pp.1074-1106.
118. Vishwanth D.N. (1993), 'Study of Coastal Erosion and Protection Works Along Dakshina Kannada Coast', M. Tech Thesis, KREC, Mangalore Coast.
119. Weggle J.R. (1988), 'Seawalls : The Need for Research, Dimensional Considerations and a Suggested Classification', *Journal of Coastal Research*, SI(4), pp.29-39.
120. Wood W.L. (1988), 'Effects of Seawalls on Profile Adjustment Along Great Lakes Coastlines', *Journal of Coastal Research*, SI(4), pp.135-146.
121. Xia, L. (1993), 'A Unified Model for Quantitative Remote Sensing of Suspended Sediment Concentration', *International Journal of Remote Sensing*, Vol.14, pp.2665-2676.