

LIST OF FIGURES

Figure No.	Title	Page No.
Figure 1.1	SEM images of human hair, red blood cells and water molecule	1
Figure 1.2	Schematic illustration of the three types of nanomaterials	3
Figure 1.3	Schematic illustration of large surface-to-volume ratio	5
Figure 1.4	Difference in emission colour with respect to the increase in particle size	7
Figure 1.5	The cubic zinc blende and wurtzite structure of CdS	15
Figure 1.6	The cubic zinc blende and wurtzite structure of ZnS	16
Figure 3.1	Block diagram of different nanomaterials strategies	41
Figure 3.2	Schematic representation of top down and bottom up synthesis approach	43
Figure 3.3	The LaMer and Dinegar plot: Schematic illustration of nucleation and growth process during the preparation of nanoparticles	50
Figure 3.4	Structure of Polyvinyl Alcohol	53
Figure 4.1	Schematic diagram of X-ray powder diffraction	65
Figure 4.2	Schematic diagram for deriving Bragg's law	66
Figure 4.3	Block diagram of Transmission Electron Microscope (TEM)	71
Figure 4.4	Bright field imaging and dark field imaging	72
Figure 4.5	Schematic diagram of Scanning Electron Microscope (SEM)	74
Figure 4.6	Probability shells around the nucleus	76
Figure 4.7	Schematic diagram of UV-visible spectrophotometer (double beam)	77
Figure 4.8	Evolution from molecular orbitals into bands	81
<i>List of figures</i>		vii

Figure No.	Title	Page No.
Figure 4.9	Mechanism of photoluminescence	82
Figure 4.10	Schematic diagram of Fourier transform infra red (FTIR) Spectrometer	85
Figure 5.1	Flowchart for synthesis of CdS:Mn with different concentration of Mn ²⁺	93
Figure 5.2	XRD pattern of CdS:Mn nanoparticles doped with different concentrations of Mn ²⁺	96
Figure 5.3(a-f)	Nelson-Riley Plot of CdS nanoparticles doped with 0%, 2%, 4%, 6%, 8% and 10% of Mn ²⁺	98
Figure 5.4(a-d)	TEM images of CdS nanoparticles doped with 0%, 4%, 8% and 10% of Mn ²⁺	101
Figure 5.5(a-f)	HRTEM images of CdS nanoparticles doped with 0%, 4%, 8% and 10% of Mn ²⁺	102
Figure 5.6(a-f)	SAED pattern of CdS nanoparticles doped with 0%, 4%, 8% and 10% of Mn ²⁺	103
Figure 5.7(a-f)	SEM images of CdS nanoparticles doped with 0%, 2%, 4%, 6%, 8% and 10% of Mn ²⁺	104-105
Figure 5.8(a-f)	EDX spectra for CdS nanoparticles doped with 0%, 2%, 4%, 6%, 8% and 10% of Mn ²⁺	105-106
Figure 5.9	UV-vis absorption spectra of CdS nanoparticles doped with varying concentration of Mn ²⁺	108
Figure 5.10	Emission spectra of CdS nanoparticles doped with different concentrations of Mn ²⁺ and inset shows the enlarged view of the tip of the peaks	112
Figure 5.11(a-c)	FTIR spectra of 0%, 4% and 10% doped CdS nanoparticles	113
Figure 6.1	Flowchart for synthesis of ZnS:Mn with different concentration of Mn ²⁺	125
Figure 6.2 (a)	Simplified model of particles of ZnS nucleating	126

Figure No.	Title	Page No.
Figure 6.2 (b)	Formation of stern layer over ZnS by accumulation of Na ⁺ ions	126
Figure 6.3	XRD pattern of ZnS:Mn nanoparticles doped with different concentrations of Mn ²⁺	128
Figure 6.4(a-f)	Nelson-Riley Plot of ZnS nanoparticles doped with 0%, 2%, 4%, 6%, 8% and 10% of Mn ²⁺	130
Figure 6.5(a-d)	TEM images of PVA capped ZnS nanoparticles doped with 0%, 4%, 8% and 10% of Mn ²⁺	133
Figure 6.6(a-d)	HRTEM images of PVA capped ZnS nanoparticles doped with 0%, 4%, 8% and 10% of Mn ²⁺	134
Figure 6.7(a-d)	SAED pattern of PVA capped ZnS nanoparticles doped with 0%, 4%, 8% and 10% of Mn ²⁺	135
Figure 6.8(a-f)	SEM images of ZnS nanoparticles doped with 0%, 2%, 4%, 6%, 8% and 10% of Mn ²⁺	136-137
Figure 6.9(a-f)	EDX spectra for ZnS nanoparticles doped with 0%, 2%, 4%, 6%, 8% and 10% of Mn ²⁺	137-138
Figure 6.10	UV-vis absorption spectra of ZnS nanoparticles doped with varying concentration of Mn ²⁺	139
Figure 6.11	Emission spectra of ZnS nanoparticles doped with different concentrations of Mn ²⁺	142
Figure 6.12(a-c)	FTIR spectra for 0%, 4% and 10% Mn ²⁺ doped ZnS nanoparticles	144-145

LIST OF TABLES

<i>Table No.</i>	<i>Name of table caption</i>	<i>Page No.</i>
Table 5.1	Different combination of cadmium sulphide hydrate, sodium sulphide, manganese acetate and PVA	94
Table 5.2	Values of lattice constant of CdS nanoparticles determined from N-R plot at different concentrations of Mn ²⁺	99
Table 5.3	Crystallite size, strain and dislocation density of CdS nanoparticles doped with different concentrations of Mn ²⁺	100
Table 5.4	EDX compositional data of the synthesized samples	107
Table 5.5	Variation of band gap value and blue shift estimated from absorption spectra	109
Table 5.6	Comparison of particle size estimated by EMA formula and XRD	111
Table 5.7	Vibrational mode of CdS nanoparticles with positions and absorption shown by IR spectra	114
Table 6.1	Varying concentration of zinc acetate, sodium sulphide, manganese acetate and PVA	125
Table 6.2	Values of lattice constant of ZnS nanoparticles determined from N-R plot at different concentrations of Mn ²⁺	131
Table 6.3	Crystallite size, strain and dislocation density of ZnS nanoparticles doped with different concentrations of Mn ²⁺	132
Table 6.4	EDX compositional data of the synthesized samples	139
Table 6.5	Variation of band gap value and blue shift estimated from absorption spectra	141
Table 6.6	Comparison of particle size estimated by EMA formula and XRD	142
Table 6.7	Vibrational mode of CdS nanoparticles with positions and absorption shown by IR spectra	145