

# List of Tables

1.1	Prevalence of ID in various countries . . . . .	5
1.2	A few monogenic causes of ID . . . . .	16
1.3	Reported frequencies of Subtelomeric Rearrangements . . . . .	23
1.4	Comparison among a few genetic diagnostic techniques for evaluation of ID . . . . .	37
2.1	Inclusion & exclusion criteria adopted to recruit study subjects . . .	64
2.2	Reaction master mix for <i>FMRI</i> screening PCR . . . . .	68
2.3	PCR Program for <i>FMRI</i> screening . . . . .	69
2.4	Subtelomeric FISH probe description . . . . .	72
2.5	MLPA program . . . . .	74
2.6	Primers used in the QMPSF assay . . . . .	77
2.7	Reaction master mix for QMPSF assay . . . . .	78
2.8	PCR program for QMPSF assay . . . . .	78
2.9	Reaction master mix for qPCR . . . . .	80
2.10	PCR program for qPCR assay . . . . .	80
2.11	Primers used for qPCR analysis . . . . .	81
3.1	Demographic details of study objects . . . . .	94
4.1	Abnormalities detected using subtelomere FISH among the study subjects . . . . .	106
5.1	Target genomic loci in MLPA P064 probe kit . . . . .	128
5.2	Ratios of abnormal loci in two subjects using MLPA assay . . . . .	132
5.3	Ratios for target loci in ten representative samples using QMPSF assay . . . . .	132
6.1	Ratios of fluorescence intensity observed for telomeres tested using the P036 kit . . . . .	143
6.2	Ratios of dosage observed for genes investigated in regions of rearrangements . . . . .	143