

- Abdelbary, G., Eouani, C., Prinderre, P., Joachiom, J., Reynier, J.P., Piccerelle, P. (2005) Determination of the in vitro disintegration profile of rapidly disintegrating tablets and correlation with oral disintegration. *International Journal of Pharmaceutics*, **292**:29-41.
- Abdullah, D., Ping, Q. N, Lin G. J. (1996) Enhancing effects of essential oils on the penetration of 5-FU through rat skin. *Acta Pharmaceutica Sinica*, **31**:214-221.
- Abdulmnem, A., Richard, E., Tester, F., Farage, H., Al-Ghazzewi, H. Y., Amna, K. A., Najat, G. A., John, E. & Piggott, R. (2008). Effects of konjac glucomannan hydrolysates on the gut microflora of mice. *Nutrition & Food Science*, **38**:422-429.
- Abraham, T. E., George, M. (2007) pH sensitive alginate–guar gum hydrogel for the controlled delivery of protein drugs. *International Journal of Pharmaceutics*, **335**: 123–129.
- Adkin, D. A., Kenyon, C. J., Lerner, E. I., Strauss, E., Caron, D., Penhasi, A., Rubinstein, A. and Wilding, I.R. (1997). The use of scintigraphy to provide "proof of concept" for novel polysaccharide preparations designed for colonic drug delivery. *Pharm. Res.*, **14**, 103-107.
- Aguzzia, C, Ortegab, A, Bonferonic, M. C., Sandric, G., Cerezoa, P., Salcedoa, I., Sáncheza, R., Viserasa, C., Caramellac, C. (2011) Assesment of anti-inflammatory properties of microspheres prepared with chitosan and 5-amino salicylic acid over inflamed Caco-2 cells. *Carbohydrate Polymers* **85**: 638–644
- Ahmed, I.S. (2005) Effect of simulated gastrointestinal conditions on drug release from pectin/ethylcellulose as film coating for drug delivery to the colon. *Drug Dev. Ind. Pharm.*, **31**: 465–470.
- Ahrabi, S.F., Madsen, G., Dyrstad, K., Sande, S.A. and Graffner, C. (2000) Development of pectin matrix tablets for colonic delivery of model drug ropivacaine. *Eur. J. Pharm. Sci.*, **10**: 43-52.
- Aiedeh, K. and Taha, M.O. (1999) Synthesis of chitosan succinate and chitosan phthalate and their evaluation as suggested matrices in orally administered colon-specific drug delivery systems. *Arch. Pharm., (Weinheim.)* **332**:103–107.
- Airoldi, C. and Monteiro, O.A.C. (2000) Chitosan-organosilane hybrids-synthesis, characterization, copper adsorption and enzyme immobilization. *J. Appl. Polym. Sci.*, **77**: 797-804.
- Al-Saidan, S. M., Krishnaiah, Y. S. R., Satyanarayana, V., & Rao, G. S. (2005). *In vitro* and *in vivo* evaluation of guar gum-based matrix tablets of rofecoxib for colonic drug delivery. *Current Drug Delivery*, 2(2), 155-163.

- Aly, S. (1998) Self dissolving chitosan I Preparation, characterization and evaluation for drug delivery system. *Angew. Makromol. Chem.*, **259**: 13-18.
- Aminabhavi, T.M., Toti, U, S.,(2004) Modified guar gum matrix tablet for controlled release of diltiazem hydrochloride. *Journal of Controlled Release*.,**95**: 567– 577.
- Angeli's, A.A., Capitani, D. and Crescenzi, V. (1998) Synthesis and <sup>13</sup>C CP-MAS NMR Characterisation of a new chitosan-based polymeric network. *Macromolecules*, **31**: 1595-1601.
- Argüelles-Monal, W., Goycoolea, F. M., Peniche, C., & Higuera-Ciabra, I. (1998). Rheological study of the chitosan/glutaraldehyde chemical gel system. *Polymer Gels & Networks*, *6*, 429–440.
- Artursson P, Lindmark T, Davis S (1994) Effect of chitosan on the permeability of monolayers of intestinal epithelial-cells (Caco-2). *Pharm Res*, **11**:1358–61.
- Asford M., Fell J. T., Attwood D. and Woodhead P. J. 1993b. An in vitro investigation into the suitability of pH-dependent polymers for colonic targeting. *Int. J. Pharm.*, **91**, 241-245.
- Ashford M, Fell J, Attwood D, Sharma H, Woodhead P (1993) In vitro investigation into the suitability of pH dependent polymer for colonic targeting. *Int. J. Pharm.*, **95**:193-199.
- Ashford M, Fell T. Targeting drugs to colon: delivery system for oral administration. *J. Drug target.*, **2**:241-258.
- Ashford, M. (2002) The Science of Dosage Form Design. In M. Aulton (Ed.), *Pharmaceutics*. Churchill Livingstone, London, pp. 217–233.
- Ashford, M., Fell, J.T., Attwood, D.H.S. and Woodhead, P. (1993) An evaluation of pectin as a carrier for drug targeting to the colon. *J. Control. Release*, **26**: 213–220.
- Bajpai, S. K., Saxena, S. K., & Sharma, S. (2006). Swelling behavior of barium ions-crosslinked bipolymeric sodium alginate–carboxymethyl guar gum blend beads. *Reactive and Functional Polymers*, *66*, 659-666.
- Bajpai,S.K., Tankhiwale,R. (2006) Investigation of dynamic release of vitamin B2 from calcium alginate/chitosan multilayered beads: Part II. *Reactive & Functional Polymers*, **66**:1565–1574.
- Ballantyne, B. and Jordan, S.L. (2001) Toxicological medical and industrial hygiene aspects of glutaraldehyde with particular reference to its biocidal use in cold sterilization procedure. *J. Toxicol*, **21**: 131-151.
- Bartalsky, A. (1982) Salicylazobenzoic acid in ulcerative colitis. *Lancet*, **319**:960-964.

- Basan, H., Orbey, M. T., Gumusderelioglu, M. (2007) Release characteristics of salmon calcitonin from dextran hydrogels for colon-specific delivery. *European Journal of Pharmaceutics and Biopharmaceutics*, **65**:39–46.
- Basit, A. W., Short, M. D., McConnell, E. L., (2008) An in vivo comparison of intestinal pH and bacteria as physiological trigger mechanisms for colonic targeting in man. *Journal of Controlled Release*, **130**: 154-160.
- Basit, A.W. and Bloor, J. (2003) Perspectives on colonic drug delivery. World Market Series Business Briefing: PharmaTech, pp. 185-190.
- Bayat, A., Dorkoosh, F.A., Dehpour, A.R., Moezi, L., Larijani, B., Junginger, H.E. and Rafiee-Tehrani, M. (2008) Nanoparticles of quaternized chitosan derivatives as a carrier for colon delivery of insulin: ex vivo and in vivo studies. *Int. J. Pharm*, **356(1-2)**: 259-66.
- Bayomi, S. M., Al-Badr, A. A. (1989). Analytical Profiles of Drug Substances, Academic Press (New York) **18**:599-639.
- Becker, T., Schlaak, M. and Strasdeit, H. (2000) Adsorption of nickel(II), zinc(II) and cadmium(II) by new chitosan derivatives. *React. Funct. Polym*, **44**: 289–298.
- Benincasa, M., Cartoni, A. G., & Fratte, C. D. (2002). Flow field-flow fractionation and characterization of ionic and neutral polysaccharides of vegetable and microbial origin. *Journal of Chromatography A*, **967**, 219-234.
- Berger, J., Reist, M., Mayer, J. M., Felt, O., Peppas, N. A., & Gurny, R. (2004). Structure and interactions in chitosan hydrogels formed by complexation or aggregation for biomedical applications. *European Journal of Pharmacy and Biopharmaceutics*, **51**, 35-52.
- Bersch, P. C., Nies, B., Liebendorfer, A. (1995) Evaluation of biological properties of different wound dressing material. *J. Mater. Sci. Med*, **6**:231-240.
- Bissett, F. and Sternberg, D. (1978) Immobilization of aspergillus beta-glucosidase on chitosan. *Appl. Environ. Microbiol*, **35**: 750-755.
- Biswajit, P., Singh, Y. V., Ram, H. H. (2004) Combining ability studies for yield and yield attributing traits in round fruited eggplant (*Solanum melongena L.*) under Tarai condition of Uttaranchal, India. *Capsicum and Eggplant Newsletter*, **23**:137-140.
- Blomgren, S., Wolberg, W.H., Kiskan, W.A. (1965) Effect of fluoropyrimidines on delayed cutaneous hypersensitivity. *Cancer Res*. **25**: 977-979

- Boirivant, M., Fuss, I. J., Chu, A., Strober, W. (1998) Oxazolone colitis: murine model of T helper cell type 2 colitis treatable with antibodies to interleukin 4. *J. Exp. Med.*, **188**: 1929-1939.
- Brack, H. P., Tirmizi, S. A. and Risen, W.M. (1997) A spectroscopic and viscosimetric study of the metal ions-induced gelation of the biopolymer chitosan. *Polymer*, **38**: 2351-2362.
- Breeling, J. L., Onderdonk, A. B., Cisneros, R. L., Kasper, D. L. (1988) Bacteroides vulgatus outer membrane antigens associated with carrageenan-induced colitis in guinea pigs. *Infect. Immun.*, **56**:1754-1759.
- Brondsted, H., Andersen, C. and Hovgaard, L. (1998) Crosslinked dextran—a new capsule material for colon targeting of drug. *J. Control. Release*, **53**: 7–13.
- Brown, J., Ramtoola, Z., Cumming, I., Butler, J., Devane, J.G. and Wilding, I.R. (1998) What is the gastrointestinal transit of very small particles in humans? Proc. Int. Symp. Control. Rel. Bioact. Mater, **25**: 126–127.
- Bruce, J., Aungust, J., Hussain. M. A. (1990) Contributions of Drug solubilization, partitioning, barrier disruption and solvent permeation to the enhancement of skin permeation of various compounds with fatty acids and amines. *Pharmaceutical Research*, **2**:107.
- Buckpitt, A.R., Boyd, M.R. A sensitive method for determination of 5-fluorouracil and 5-fluoro-2'-deoxyuridine in human plasma by high-pressure liquid chromatography. *Analyt Biochem* **106**:432-37.
- Bussemer, T., Otto, I. and Bodmeier, R. (2001) Pulsatile drug-delivery systems. Crit. Rev. Ther. Drug Carrier Syst, **18**: 433-458.
- Calabresi, P., Chabner, B.A. (1992) Chemotherapy of neoplastic diseases. In: Hardman JG, Limbird LE, Perry BM, Raymond WR, editors. Goodman and Gilman's the pharmacological basis of therapeutics. 9th ed., New York: McGraw-Hill. 1225–1232.
- Canevari, M., Castagliuolo, I., Brun, P., Cardin, M., Schiavon, M., Pasut, G., Veronese, F.M. (2009) Poly(ethylene glycol)-mesalazine conjugate for colon specific delivery. *International Journal of Pharmaceutics*, **368**:171-177.
- Carter, M.J., Giovine, F.S., Jones, S., Mee, J., Camp, N.J., Lobo, A.J., Duff, G.W. (2001) Inflammation and inflammatory bowel disease: Association of the interleukin 1 receptor antagonist gene with ulcerative colitis in Northern European Caucasians. *Gut*, **48**:461-467.
- Chabner, B.A., Allegra, C.J., Curt, G.A., Calabresi, P. (1996). Chapter 51. Antineoplastic agents. In: Hardman JG, Limbird LE, Molinoff PB, Ruddon RW, Gilman AG, eds.

- Goodman and Gilman's: the pharmacological basis of therapeutics. 9th ed. New York: McGraw-Hill, pp. 1233–1287.
- Chambin, O., Dupuis, G., Champion, D., Voilley, A. and Pourcelot, Y. (2006) Colon specific drug delivery: influence of solution reticulation properties upon pectin beads performance. *Int. J. Pharm*, **321**: 86–93.
- Chaurasia, M. K., Jain, N. K., Jain, A., Soni, V., Gupta, Y., & Jain, S. K. (2006) Cross-linked guar gum microspheres: a viable approach for improved delivery of anticancer drugs for the treatment of colorectal cancer. *AAPS PharmSciTech*, **7(3)**, E1-E9.
- Chellat, F., Tabrizian, M., Dumitriu, S., Chornet, E., Rivard, C.H. and Yahi, L'H. (2000) Study of biodegradation behavior of chitosan-xanthan microspheres in simulated physiological media. *J. Biomed. Mater. Res*, **53**: 592-599.
- Chen, L. G., Liu, Z. L., & Zhuo, R. X. (2005). Synthesis and properties of degradable hydrogels of konjac glucomannan grafted acrylic acid for colon-specific drug delivery. *Polymer*, *46*, 6274-6281.
- Chen, X., Li, W., Zhong, W., Lu, Y. and Yu, T. (1997) pH sensitivity and ion sensitivity of hydrogels based on complex forming chitosan/silk fibroin interpenetrating polymer network. *J. Appl. Polymer Sci*, **65**: 2257-2262.
- Chenite, A., Buschmann, M., Wang, D., Chaput, C., Kandani, N. (2001) Rheological characterisation of thermogelling chitosan/glycerol-phosphate solutions. *Carbohydrate Polymers*, **46**:39–47.
- Chien, C.Y. (1992) Mycological training and education in Taiwan. *Transaction of the Mycological Society of Japan*. **33**:111-116.
- Chien, Y.W. (1992) Transdermal delivery systems In *Novel drug delivery Systems*, Chien Y.W. ed, Dekker New York, 303-380.
- Chourasia, M.K. and Jain, S.K. (2004) Design and development of multiparticulate system for targeted drug delivery to colon. *Drug Delivery*, **11**: 201-207.
- Cohen, S. S., Joel, G., Flaks, G., Barner, H.D., Loeb, M. R., Lichtenstein, J. (1958) The mode of action of 5-fluorouracil and its derivatives. *Proc. Natl. Acad. Sci.U.S.A.* **44**: 1004-1012.
- Daly, M.M. and Knorr, D. (1988) Chitosan-alginate coacervate capsules: Effect of calcium chloride, plasticizers and polyelectrolytes on mechanical stability. *Biotech. Progress*, **4**: 76-80.
- Dannberg, P. B., Montag, B.J., Heidelberger, C. (1958) Studies on fluorinated pyrimidines. IV Effects on nucleic acid metabolism in vivo. *Cancer Res*. **18**: 329-334.

- Das, A., Wadhwa, S., & Srivastava, A. K. (2006) Cross-linked guar gum hydrogel discs for colon-specific delivery of Ibuprofen: Foemulation and *in vitro* evaluation. *Drug Delivery*, **13**:139-142.
- David, R., Friend, (1992) Oral colon-specific drug delivery. *Gastroenterology*, **1** :18-44.
- Davis, S. S., Hardy, J. G. and Fara, J. W. (1986) Transit of pharmaceutical dosage forms through the small intestine. *Gut*, **27**:886-892.
- Davis, S.S., Hardy, J.G., Stockwell, A., Taylor, M.J., Whalley, D.R. and Wilson, C.G. (1984) The effect of food on the gastrointestinal transit of pellets and an osmotic device (Osmet). *Int. J. Pharm*, **21**: 331–340.
- De la Torre, P. M., Enobakhare, Y., Torrado, G., & Torrado, S. (2003) Release of amoxicillin from polyionic complexes of chitosan and poly(acrylic acid) study of polymer/polymer and polymer/drug interactions within the network structure. *Biomaterials*, **24**:1499–1506.
- Demiroz, F. T., & Takka, F. A. S. (2006) Investigation of colon-specific dosage forms of ondansetron prepared with natural polymers. *Pharmazie*, **61**:916-919.
- Demiröz, F. T., Acartürk, F., Sevgi, F. T., & Oznur, K. B. (2004) *In-vitro* and *in-vivo* evaluation of mesalazine-guar gum matrix tablets for colonic drug delivery. *Journal of Drug Targeting*, **12**:105-112.
- Devereux, J.E., Newton, J.M. and Short, M.B. (1990) The influence of density on the gastrointestinal transit of pellets. *J. Pharm. Pharmacol*, **42**: 500–501.
- Dev R. K., Bali V, Pathak K (2011) Novel microbially triggered colon specific delivery system of 5-Fluorouracil: Statistical optimization, *in vitro*, *in vivo*, cytotoxic and stability assessment. *International Journal of Pharmaceutics*, **41**: 142-151
- Dieleman, L. A., Ridwan, B. U., Tennyson, G. S., Beagley, K. W., Bucy, R. P., Elson, C. O. (1994) Dextran sulfate sodium-induced colitis occur in severe combined immunodeficient mice. *Gastroenterology*, **107**:1643-1652.
- Dohi, T., Fujihashi, K., Kiyono, H., Elson, C.O., Mcghee, J.R. (2000) Mice deficient in Th1- and Th2-type cytokines develop distinct forms of hapten-induced colitis. *Gastroenterology*, **119**:724–733.
- Dohi, T., Fujihashi, K., Rennert, P.D., Iwatani, K., Kiyono, H., Mcghee, J.R. (1999) Hapten-induced colitis is associated with colonic patch hypertrophy and T helper cell 2-type responses. *J. Exp. Med*, **189**:1169–1180.

- Dornish, M., Kaplan, D. and Skaugrud, O. (2001) Standards and guidelines for biopolymers in tissue-engineered medical products: ASTM alginate and chitosan standard guides. *Ann NY Acad Sci*, **944**: 388- 397.
- Draget, K.I., Varum, K.M., Moen, E., Gynnild, H. and Smidsrod, O. (1992) Chitosan cross-linked with Mo(VI) polyoxyanions: A new gelling system. *Biomaterials*, **13**: 635-638.
- Dressman, J.B., Bass, P., Ritschel, W.A., Friend, D.R., Rubinstein, A. and Ziv, E. (1993) Gastrointestinal parameters that influence oral medications. *J. Pharm. Sci*, **82**: 857-872.
- Dubey, R., Dubey, R., Omrey, P., Vyas<sup>1</sup>, S.P. and Jain S.K. (2010) Development and characterization of colon specific drug delivery system bearing 5-ASA and camylofine dihydrochloride for the treatment of ulcerative colitis. *Journal of Drug Targeting*, **18** : 589–601
- Dulong, V., Lack, S., Le Cerf, D., Picton, L., Vannier, J. P., & Muller, G. (2004) Hyaluronan-based hydrogels particles prepared by crosslinking with trisodium trimetaphosphate. Synthesis and characterization. *Carbohydrate Polymers*, **57**:1-6.
- Dupuis, G., Chambin, O., Champion, D., A, Voilley, Pourcelot, Y., (2006) Colon-specific drug delivery: Influence of solution reticulation properties upon pectin beads performance. *Int. J. Pharm*, **321**:86-93.
- Durmaz, S., & Okay, O. (2000) Acrylamide/2-acrylamido-2-methylpropane sulfonic acid sodium salt-based hydrogels: Synthesis and characterization. *Polymer*, **41**:3693–3704.
- Eastwood, M.A. and Hamilton, D. (1968) Studies on the adsorption of bile acids in non-absorbed compounds. *Biochim. Biophys. Acta*, **152**:165-173.
- Edwards, C. (1997) Physiology of the colorectal barrier. *Advanced Drug Delivery Reviews*., **28**:173-190.
- Ehrlich, B.E. and Diamond, J.M. (1983) Lithium absorption: implications for sustained release lithium preparations. *Lancet*, **1**: 306.
- Eichenbaum, G. M., Kiser, P. F., Shah, D., Simon, S. A., & Needham, D. (1999) Investigation of the swelling responsive and drug release of ionic microgels: The dependence on functional group composition. *Macromolecules*, **32**:8996–9006.
- Ekstrom, G. M. (1998) Oxazolone-induced colitis in rats: effects of budesonide, cyclosporine A and 5-aminosalicylic acid. *Scand.J.Gastroenterology*, **33**:174-179.

- El-Gibaly, I. (2002) Oral delayed release system based on Zn-pectinate gel (ZPG) microparticles as an alternative carrier to calcium pectinate beads for colonic drug delivery. *Int. J. Pharm*, **232**: 199-211.
- Elson, C.O., Sartor, R.B., Tennyson, G.S., Riddell, H. (1995) Experimental models of inflammatory bowel disease. *Gastroenterology*, **109**:1344-1367.
- Evans, D.F., Pye, G., Bramley, R., Clark, A.G., Dyson, T.J. and Hardcastle, J.D. (1988) Measurement of gastrointestinal pH profiles in normal ambulant human subjects. *Gut*, **29**: 1035-1041.
- Fang, J.Y., Hung, C.F., Fang, Y.P., Chan, Te-Fu. (2004) Transdermal iontophoresis of 5-fluorouracil combined with electroporation and laser treatment. *International Journal of Pharmaceutics*, **270**:241–249.
- Fara, J.W. (1989) Colonic drug absorption and metabolism. In: Novel drug delivery and its therapeutic application. Prescott, L.F. and Nimmo, W.S. (eds.), Wiley Chichester, 103-122.
- Fatmanur Tugcu-Demiorz, Fusun Acarturk, Sevgi Takka, Oznur Konus-Boyunaga (2004). "In-vitro and In-vivo Evaluation of Mesalazine- Gellam gum Matrix Tablets for Colonic Drug Delivery ". *Journal of drug targeting*, **12**:105-112.
- Felipe Alvarez-Mancenido, M. L., Ramon Martinez-Pacheco (2008) "Konjac glucomannan/xanthan gum enzyme sensitive binary mixtures for colonic drug delivery." *European Journal of Pharmaceutics and Biopharmaceutics*, **69**:573-581.
- Felt, O., Buri, P. and Gurny, R. (1998) Chitosan: A unique polysaccharide for drug delivery. *Drug Dev. Ind. Pharm.* **24**: 979-993.
- Fernández-Hervás, M.J. and Fell J.T. (1998) Pectin:chitosan mixtures as coatings for colon-specific drug delivery: an in vitro evaluation. *Int. J. Pharm*, **169**: 115–119.
- Fernandes, D., Bertino, J (1980) 5-Fluorouracilmethotrexate synergy: enhancement of 5-fluorodeoxy uridylylate binding to thymidylate synthetase by dihydropteroylpolyglutamates. *Proc. Natl. Acad. Sci. U.S.A.* **77**: 5663-5667.
- Flourie, B., Molis, C., Achour, L., Dupas, H., Hatat, C. and Rambaud, J.C. (1993) Fate of  $\beta$ -cyclodextrins in the human intestine. *J. Nutr*, **123**: 676–680
- Friend, D. R. (1991) Colon-specific drug delivery. *Adv. Drug Deliv. Rev*, **7**:149-199.
- Friend, D.R. (2005) New oral delivery systems for treatment of inflammatory bowel disease. *Adv. Drug Deliv. Rev*, **57**: 247–265.
- Friend, D.R. and Chang, G.W. (1984) A colon-specific drug delivery system based on drug glycosides and the glycosidases of colonic bacteria. *J. Med. Chem*, **27**: 261–266.



- Friend, D.R. and Tozer, T.N. (1992) Drug glycosides in oral colon-specific drug delivery. *J. Control. Rel.*, **19**: 109-120.
- Fukami, J., Yonemoshi, E., Youshihashi, Y., Terada, K. (2006) Evaluation of rapidly disintegrating tablets containing glycine and carboxymethylcellulose. *Int. J. Pharm.*, **310**:101-109.
- Ganorkar, R. C., Liu, F., Baudys, M., & Kim, S. W. (1999) Modulating insulin-release profile from pH/thermosensitive polymeric beads through polymer molecular weight. *Journal of Controlled Release*, **59**:287–298.
- Gao, S., Guo, J., Wu, L., & Wang, S. (2008) Gelation of konjac glucomannan crosslinked by organic borate. *Carbohydrate Polymers*, **73**:498-505.
- Gazzaniga, A., Busetti, C., Sangali, M.E., Giordana, M.E. (1995) Time-dependent oral delivery system for colonic targeting system for the colon targeting. *STP Pharma Sci*, **5**:83-88.
- Gazzaniga, A., Giordano, F., Busetti, C., Zema, L., Maroni, A., Sangalli, M, E., (2001) In vitro and in vivo evaluation of an oral system for time and/or site-specific drug delivery. *Journal of Controlled Release*, **73**:103–110.
- Gazzaniga, A., Iamartino, P., Maffione, G., Sangal, M.E. (1994) Oral delayed release system for colonic specific delivery. *Int. J. Pharm.*, **108**:77-83.
- George, M., & Abraham, T. E. (2007) pH sensitive alginate-guar gum hydrogel for the controlled delivery of protein drugs. *International Journal of Pharmaceutics*, **335**: 123-129.
- Giavasis, I., Harvey, L.M. and McNeil, B. (2002) Scleroglucan. In S. De Baets, E. J. Vandamme and A. Steinbüchel. (Eds.), *Biopolymers*. Wiley-VCH, Weinheim, Vol. 6, Chapter 2, pp. 37.
- Gil, E.C., Colarte, A.I., Bataille, B., Pedraz, J.L., Rodríguez, F., Heinamaki, J. (2006) Development and optimization of a novel sustained-release dextran tablet formulation for propranolol hydrochloride. *International Journal of Pharmaceutics*, **317**:32–39.
- Gleiter, C.H., Antonin, K.H., Bieck, P., Godbillon, J., Schonleber, W. and Malchow, H. (1985) Colonoscopy in the investigation of drug absorption in healthy volunteers. *Gastrointest. Endose*, **31**: 71-73.
- Gliko-Kabir, I., Yagen, B., Baluom, M. and Rubinstein, A. (2000) Phosphated cross-linked guar for colon-specific drug delivery II. In vitro and in vivo evaluation in the rat. *J. Control. Release*, **63**: 129–134.

- Goel, H., Vohra, N., Tiwary, A.K., Rana, V. (2009) Formulation of dispersible tablets of ondansetron HCl investigations using glycine-chitosan mixture as superdisintegrant. *Yakugaku Zasshi*, **129**:513-21.
- Goodman, M., Barry, B.W. (1988) Action of penetration enhancers on human skin as assessed by the permeation of model drugs 5-fluorouracil and estradiol. Infinite dose technique; *J Invest Dermatol*, **91**: 323-7
- Goracinova, K., Dodov, M.G., Crcarevska, M.S. (2008) Chitosan coated Ca-alginate microparticles loaded with budesonide for delivery to the in amed colonic mucosa. *European Journal of Pharmaceutics and Biopharmaceutics*, **68**: 565–578.
- Goto, J., Takeuchi, Y., Oiwa, H., Katayama, H., Katsumata, H., Kobayashi, N., (2000) A monoclonal antibody-based enzyme-linked immunosorbent assay of ursodeoxycholic acid 3-sulfates in human urine. *Journal of Steroid Biochemistry & Molecular Biology*, **72**:265-272.
- Goyal, P., Kumar, V., & Sharma, P. (2007). Carboxymethylation of tamarind kernel powder. *Carbohydrate Polymers*, **69**: 251-255.
- Goyal, P., Kumar, V., & Sharma, P. (2008a) Cyanoethylation of tamarind kernel powder. *Starch (Starke)*, **60**:41-47.
- Goyal, P., Kumar, V., & Sharma, P. (2008b) Graft copolymerization of acrylamide on to tamarind kernel powder in the presence of cerric ion. *Journal of Applied Polymer Science*, **108**:3696-3701.
- Goycoolea, F., Arguelles-Monal, W., Peniche, C. and Higuera- Ciapara, I. (2000) Chitin and chitosan. In G. Doxastakis and V. Kiosseoglou (Eds.), Novel macromolecules in food systems. Developments in food science. Elsevier, Amsterdam, pp. 265–308.
- Guan, Y.L., Shao, L. and Yao, K.D. (1996) State of water in the pH-sensitive chitosan-polyether semi IPN hydrogel. *J. Appl. Polym. Sci*, **61**: 393-400.
- Guival, E., Sweeney, N.V., Zikan, M.C., Vincent, T. and Tobin, J.M. (2001) Competitive sorption of platinum and palladium on chitosan derivatives. *Int. J. Biol. Macromol*, **28**: 401-408.
- Gurny, R., Peppas, N.A., Mayer, J.M., Reist, M., Berger, J. (2004) Structure and interactions in covalently and ionically crosslinked chitosan hydrogels for biomedical applications. *European Journal of Pharmaceutics and Biopharmaceutics*, **57**:19–34.
- Hahn, R.G., Moertel, C.G., Schutt, A.T. (1975) A double-blind comparison of intensive course 5-Fluorouracil by oral versus intravenous route in the treatment of colorectal carcinoma. *Cancer*. **35**:1031–1035.

- Harboe, E., Larsen, C., Johansen, M., Olesen, H.P. (1989) Macromolecular prodrugs. XV. Colon-targeted delivery bioavailability of naproxen ester prodrugs varying in molecular size in the pig. *Pharm. Res*, **6**: 919–923.
- Hardy, J.G., Healy, J.N.C. and Reynolds, J.R. (1987) Evaluation of an enteric coated delayed release 5-aminosalicylic acid tablet in patient with inflammatory bowel disease. *Aliment. Pharmacol. Ther*, **1**: 273-280.
- Hartmann, K. V., Heidelberger, C (1961) Studies on fluorinated pyrimidines. XIII Inhibition of thymidylate synthetase. *J. Biol. Chem.* 236: 3006-3013.
- Heller, F., Fuss, I, J., Nieuwenhuis, E, E., Blumberg, R, S., Strober, W. (2002) Oxazolone colitis, a Th2 colitis model resembling ulcerative colitis, is mediated by IL-13-producing NK-Tcells. *Immunity*, **17**:629-638.
- Herfarth, H.H., Mohanty, S.P., Rath, H.C., Tonkonogy, S., Sartor, R.B. (1996) Interleukin 10 suppresses experimental chronic, granulomatous inflammation induced by bacterial cell wall polymers. *Gut*, **39**:836-845.
- Hergenrother, R. W., Wabers, H. D., Cooper, S. L., (1992) The effects of chain extenders and stabilizers on the in vivo stability of Polyurethanes. *J. Appl. Biomat*, **3**:17-22.
- Hey, H., Matzen, P. and Thorup, A.J. (1979) “A gastroscopic and pharmacological study of the disintegration time and absorption of pivampicillin capsules and tablets”. *Br. J. Clin. Pharmacol*, **8**, 237-242.
- Hibi, K., Nakayama, H., Koike, M., Kasai, Y., Ito, K., Akiyama, S., Nakao, A. (2002) Colorectal cancers with both p16 and p14 methylation show invasive characteristics. *J Cancer Res*, **93**:883–887.
- Hinton, J.M., Lennard-Jones, J.E. and Young, A.C. (1969) A new method for studying gut transit times using radioopaque markers. *Gut*, **10**: 842-847.
- Hirano, S., Tsuchida, H., Nagao, N. (1989) N-acetylation in chitosan and the rate of its enzymic hydrolysis. *Biomaterials*, **10**:574–576.
- Hirano, S., Yamaguchi, R., Fukui, N. and Iwata, M. (1990) A chitosan, oxalate gel: Its conversion to an N-acetylchitosan gel via a chitosan gel. *Carbohydr. Res*, **201**: 145-149
- Hovgaard, L. and Brondsted, H. (1996) Current applications of polysaccharides in colon targeting. *Crit. Rev. Ther. Drug Carrier Syst*, **13**:185–223.
- Hovgaard, L., Brondsted, H. (1995) Dextran hydrogels for colon-specific drug delivery. *J. Control Release*, **36**:159-166.

- Hu, Z., Kimura, G., Ito, Y., Mawatari, S., Shimokawa, T., Yoshikawa, H., Yoshikawa, Y., Takada, K. (1999) Technology to obtain sustained release characteristics of drugs after delivery to the colon. *Journal of Drug Targeting*, **6**: 439-448.
- Huang, B., Piperno, G., Luck, D.J.L. (1979) Paralyzed flagella mutants of *Chlamydomonas reinhardtii* defective for axonema 1 doublet microtubule arms. *J. Biol. Chem.*, **254**:3091-3099.
- Huang, L., Kobayashi, S., & Nishinari, K. (2001) Dynamic viscoelastic study on the gelation of acetylated konjac glucomannan. *Transactions of the Material Research Society of Japan*, **26**:597-600.
- Huang, L., Takahashi, R., Kobayashi, S., Kawase, T., & Nishinari, K. (2002) Gelation behavior of native and acetylated konjac glucomannan. *Biomacromolecules*, **3**:1296-303.
- Huang, S.I., Bansleben, D. A. and Knox, J. R. (1979) Biodegradable polymers: chymotrypsin degradation of low molecular weight poly (ester-urea) containing phenylalanine. *J. Appl. Polym. Sci.*, **23**:429-437.
- Huang, Y., Lu, J., & Xiao, C. (2007b) Thermal and mechanical properties of cationic guar gum/poly(acrylic acid) hydrogel membranes. *Polymer Degradation and Stability*, **92**:1072-1081.
- Huang, Y., Yu, H., & Xiao, C. (2007a) pH-sensitive cationic guar gum/poly (acrylic acid) polyelectrolyte hydrogels: Swelling and *in vitro* drug release. *Carbohydrate Polymers*, **69**:774-783.
- Hunter, E., Fell, J.T. and Sharma, H. (1982) The gastric emptying of pellets contained in hard gelatin capsules. *Drug Dev. Ind. Pharm*, **8**: 751-757.
- Ibekwe, V.C., Fadda, H.M., Parsons, G.E. and Basit, A.W. (2006a) A comparative in vitro assessment of the drug release performance of pH-responsive polymers for ileo-colonic delivery. *Int. J. Pharm*, **308**:52-60.
- Ibekwe, V.C., Liu, F., Fadda, H.M., Khela, M.K., Evans, D.F., Parsons, G.E. and Basit, A.W. (2006b) An investigation into the in vivo performance variability of pH responsive polymers for ileo-colonic drug delivery using gamma scintigraphy in humans. *J. Pharm. Sci.*, **95**: 2760-2766.
- Illum, L. (1998) Chitosan and its use as a pharmaceutical excipient. *Pharm. Res*, **15**: 1326-1331.

- Irit Gliko-Kabir, B. Y., Penhasi, A., Rubinstein, A. (1998) "Low Swelling, Crosslinked Boswellia gum and Its Potential Use as Colon-Specific Drug Carrier." *Pharmaceutical Research*, **15**:1019-1025.
- Jain, A., Jain, S.K. (2008) In vitro and cell uptake studies for targeting of ligand anchored nanoparticles for colon tumors. *European Journal of Pharmaceutical Sciences*, **35**:404-416.
- Jass, J.R. (2006) Classification of colorectal cancer based on correlation of clinical, morphological and molecular features. DOI: 10.1111/j.1365-2559.2006.02549.x *Histopathology* **50**:113–130,
- Jemal, A., Siegel, R., Ward, E., Hao, Y., Xu, J., Murray, T., Thun, M.J. (2008) Cancer statistics, *CA Cancer J Clin*, **58**:71-96.
- Jeong, Y., Ohno, T., Hu, Z., Yoshikawa, Y., Shibata, N., Nagata, S. and Takada, K. (2001) Evaluation of an intestinal pressure controlled colon delivery capsules prepared by a dipping method. *J. Control. Release*, **71**: 175– 182.
- Jess, T., Loftus, E.V., Velayos, F.S., Harmsen, W.S., Zinsmeister, A.R., Smyrk, T.C., Tremaine, W.J., Melton, L.J., Munkholm, P., Sandborn, W.J. (2006) Incidence and prognosis of colorectal dysplasia in inflammatory bowel disease: a population-based study from Olmsted County, Minnesota. *Inflamm Bowel Dis*, **12**:669-76.14.
- Jess, T., Loftus, E.V., Velayos, F.S., Harmsen, W.S., Zinsmeister, A.R., Smyrk, T.C., Tremaine, W.J., Melton, L.J., Munkholm, P., Sandborn, W.J. (2006a) Risk of intestinal cancer in inflammatory bowel disease: a population-based study from olmsted county, Minnesota. *Gastroenterology*, **130**:1039-46.
- Ji, C., Xu, H., & Wu, W. (2007) *In vitro* evaluation and pharmacokinetics in dogs of guar gum and Eudragit FS30D-coated colon-targeted pellets of indomethacin. *Journal of Drug Targeting*, **15**:123-131.
- Jiangyang, F., Wang, K., Liu, M. & He, Z. (2008). *In vitro* evaluations of konjac glucomannan and xanthan gum mixture as the sustained release material of matrix tablet. *Carbohydrate Polymers*, **73**:241-247.
- Johnson, I.T. and Gee, J.M. (1981) Effect of gel forming food gums on the intestinal unstirred layer and sugar transport in vitro. *Gut*, **22**:398-403.
- Joshi, H.; Kapoor, V. P. (2001) In Cassia grandis : Viscosity Behaviour of Native and Modified Seed Gums; Soni, P. L., Ed. Trends in Carbohydrate Chemistry; Vol. 7; Surya International Publication: Dehradun, India, pp173-178.

- Kabir, I. G., Yagen, B., Baluom, M., & Rubinstein, A. (2000b) Phosphated crosslinked guar for colon-specific drug delivery II. *In vitro* and *in vivo* evaluation in the rat. *Journal of Controlled Release*, **63**:129–134.
- Kabir, I. G., Yagen, B., Penhasi, A., & Rubinstein, A. (1998) Low swelling, crosslinked guar and its potential use as colon-specific drug carrier. *Pharmaceutical Research*, **15**: 1019-1025.
- Kabir, I. G., Yagen, B., Penhasi, A., & Rubinstein, A. (2000a) Phosphated crosslinked guar for colon-specific drug delivery I. Preparation and physicochemical characterization. *Journal of. Controlled Release*, **63**:121–127.
- Kahi, C.J., Rex, D.K., Imperiale, T.F. (2008) Screening, Surveillance, and Primary Prevention for Colorectal Cancer: A Review of the Recent Literature. *Gastroenterology* **34**: 456-475
- Karrout, Y., Neut, C., Wils, D., Siepmann, F., Deremaux, L. (2009) Novel polymeric film coatings for colon targeting: Drug release from coated pellets. *European journal of pharmaceutical sciences*, **37**:427-433.
- Kataoka, K., Bae, Y., (2009) Intelligent polymeric micelles from functional poly(ethylene glycol)-poly(amino acid) block copolymers. *Advanced Drug Delivery Reviews*, **61**: 768–784.
- Kato, K., & Matsuda, K. (1969) Studies on the chemical structure of konjac mannan. *Agricultural and Biological Chemistry*, **33**:1446-1453.
- Kato, Y., Onishi, H., Machida, Y. (2003) Application of Chitin and Chitosan Derivatives in the Pharmaceutical Field Colonic delivery dosage forms. *Current Pharmaceutical Biotechnology*, **4**:303-309.
- Katsuma, M., Watanabe, S., Kawai, H., Takemura, S., Masuda, Y. and Fukui, M. (2002) Studies on lactulose formulations for colon-specific drug delivery. *Int. J. Pharm*, **249**: 33–43.
- Kaus, L.C., Fell, J.T., Sharma, H. and Taylor, D.C. (1984) On the intestinal transit of a single nondisintegrating object. *Int. J. Pharm*, **14**: 143–148.
- Kawashima, Y., Takeuchi, H., Yamamoto, H., Lamprecht, A., (2005) A pH-sensitive microsphere system for the colon delivery of tacrolimus containing nanoparticles. *Journal of Controlled Release*, **104**: 337-346.
- Kelm, G.R. and Manring, G.L. (1996) Pharmaceutical dosage form for colonic delivery. US Patent 5,686,106.

- Kelm, G.R., Manring, G.L., Davis, P.D., Dobrozsi, D.J., Mandel, K.G. and McCanley-Meyers, D.L. (1997) Bisacodyl dosage form for colonic delivery US Patent 5,651,983.
- Kenyon, C. J., Nardi, R. V., Wong, D., Hooper, G., Wilding, I. R. & Friend, D. R. (1997). Colonic delivery of dexamethasone: a pharmacoscintigraphic evaluation. *Alimentary Pharmacology & Therapeutics*, **11**:205-213.
- Khalid, M.N., Ho, L., Agnely, J.C., Grossiord, J.L. and Couarraze, G. (1999) Swelling properties and mechanical characterization of a semi-interpenetrating chitosan/ polyethylene oxide network: Comparison with a chitosan reference gel. *S.T.P. Pharm. Sci*, **9**: 359-364.
- Kim, J.H., Kim, Y., Le, Y.M. and Kim, K.Y. (1992) Properties and swelling characteristics of cross-linked poly(vinylalcohol) chitosan blend membrane. *J. Appl. Polymer Sci*, **45**: 1711-1717.
- Kim, S.S., Lee, Y.M. and Cho, C.S. (1995) Synthesis and properties of semi-interpenetrating polymer networks composed of  $\beta$ -chitin and poly(ethylene glycol). *Macromer Polymer*, **36**: 4497-4501.
- Kinget, R., Kalala, W., Vervoort, L. and Van den Mooter, G. (1998) Colonic drug delivery. *J. Drug Target*, **6**:129-149.
- Kitsukawa, Y., Saito, H., Suzuki, Y., Kasanuki, J., Tamura, Y., Yoshida, S. (1992) Effect of ingestion of eicosapentaenoic acid ethyl ester on carrageenan-induced colitis in guinea pigs. *Gastroenterology*, **102**:1859-1866.
- Klotz, U. (1985) Clinical pharmacokinetics of sulphasalazine, its metabolites and other prodrugs of 5-aminosalicylic acid. *Clin. Pharmacokinet*, **10**: 285-302.
- Knapczyk, J. (1994). Some aspects of chitosan hydrogel ointment base formulation, in: Z. S. Karnicki, M., M., Brzeski, P., J., Bykowski, A., Wojtasz-Pajak, (Eds.), *Chitin World*, Wirtschaftsverlag NW, Bremerhaven, pp. 512–519.
- Knapczyk, J., Majewski, S., Pawlik, B., & Wisniewska, G. (1994) Preclinical study of antimycotic chitosan hydrogel efficacy, in: Z. S. Karnicki, M. M. Brzeski, P. J. Bykowski, & A. Wojtasz-Pajak (Eds.), *Chitin World*, Wirtschaftsverlag, Bremerhaven, pp. 504–511.
- Kobashi, K., Nishimura, T., Kusaka, M., Hattori, M. and Namba, T. (1980) Metabolism of sennosides by human intestinal bacteria. *Planta Medica*, **40**: 225–236.
- Kobayashi, K., Nakahori, Y., Miyake, M., Matsumura, K., Kondo-Iida, E., Nomura, Y., Segawa, M., Yoshioka, M., Saito, K., Osawa, M., Hamano, K., Sakakihara, Y., Nonaka, I., Nakagome, Y., Kanazawa, I., Nakamura, Y., Tokunaga, K., Jong, T.T.,

- Goudsmit, J., Lukashov, V.V., Hillebrand, M.E., Baan, E., Huismans, R., Danner, S.A., Veen, J.H., Wolf, F., Jurriaans, S. (1999) Insertion of two amino acids combined with changes in reverse transcriptase containing tyrosine-215 of HIV-1 resistant to multiple nucleoside analogs. *AIDS*, **13**: 75-80.
- Kobayashi, S., Tsujihata, S., Hibi, N., & Tsukamoto, Y. (2002) Preparation and rheological characterization of carboxymethyl konjac glucomannan. *Food Hydrocolloids*, **16**: 289-294.
- Koga, D. (1998) Chitin enzymology—chitinase, In: R. Chen and H.C. Chen, (Eds.), *Adv. Chitin Sci.* **3**:16–23.
- Kono, K., Kojima, C., Hayashi, N., Nishisaka, E., Kiura, K., Watarai, S., Harada, A., (2008) Preparation and cytotoxic activity of poly(ethyleneglycol)-modified poly(amidoamine) dendrimers bearing adriamycin. *Biomaterials*, **29**:1664-1675.
- Koole, L.H.M., Krufft, A., Aldenhoff, Y.B., Vant Oost.N.E., Van. M.J., Kroonenburgh, F.H. and Veen, V.D. (1998) Sustained local drug delivery from a radiopaque implanted reservoir. *Nat. Biotechnol*, **16** : 172–176.
- Kopecek, J., Kopecekova, P., Brondsted, H., Rathi, R., Rihova, B., Yeh, P.Y. and Ikesue, K. (1992) Polymers for colon-specific drug delivery. *J. Control. Rel*, **19**:121-130.
- Kopeckova, P., Rathi, R., Takada, S., Rihova, B., Berenson, M.M. and Kopecek, J. (1994) Bioadhesive N- (2-hydroxypropyl) methacrylamide copolymers for colon-specific drug delivery. *J. Control. Rel*, **28**:211-222.
- Krishnaiah, Y. S. R., & Srinivas, B. P. (2008). Effect of 5-fluorouracil pretreatment on the *in vitro* drug release from colon-targeted guar gum matrix tablets. *The Open Drug Delivery Journal*, **2**, 71-76.
- Krishnaiah, Y. S. R., Bhaskar Y. I. M. P., Satyanarayana, V., & Latha, K. (2003b) Pharmacokinetic evaluation of guar gum-based colon-targeted drug delivery systems of tinidazole in healthy human volunteers. *Drug delivery*, **10**:263-268.
- Krishnaiah, Y. S. R., Dinesh, Kumar, P. V. R. B., Bhaskar, P., & Satyanarayana, V. (2001b) Development of colon targeted drug delivery systems for mebendazole. *Journal of Controlled Release*, **77**: 87-95.
- Krishnaiah, Y. S. R., Muzib, Y., Indira Rao, G., Srinivasa Bhaskar, P., & Satyanarayana, V. (2003c) Studies on the development of colon targeted oral drug delivery systems for ornidazole in the treatment of amoebiasis. *Drug Development and Industrial Pharmacy*, **10**:111-117.



- Krishnaiah, Y. S. R., Satyanarayana, S., Rama Prasad, Y., & Narasimha Rao, S. (1998) Evaluation of guar gum as a compression coat for drug targeting to colon. *International Journal of Pharmaceutics*, **171**:137-146.
- Krishnaiah, Y. S. R., Satyanarayana, V., Dinesh Kumar, B., Karthikeyan, R. S., & Bhaskar, P. (2003a) *In vivo* pharmacokinetics in human volunteers: oral administered guar gum-based colon-targeted 5-fluorouracil tablets. *European Journal of Pharmaceutical Sciences*, **19**(5), 355-362.
- Krishnaiah, Y.S.R., Raju, P.V., Kumar, B.D., Karthikeyan, R.S., Satyanarayana, V., Bhaskar, P., (2003) Pharmacokinetic evaluation of guar gum-based colon-targeted drug delivery systems of mebendazole in healthy volunteers. *Journal of Controlled Release*, **88**:95–103.
- Krishnaiah, Y.S.R., Rao S.D.A., Nageswara, L., Reddy, P.R., Karthikeyan, R.S., Satyanarayana, V. (2001) Guar gum as a carrier for colon specific delivery; influence of metronidazole and tinidazole on *in vitro* release of albendazole from guar gum matrix tablets. *J Pharm Pharmaceut Sci*,**4**:235-243.
- Krishnaiah, Y.S.R., Satyanarayana, V., Kumar, D., Karthikeyan, R.S. (2002a) Studies on the development of colon-targeted delivery systems for celecoxib in the prevention of colorectal cancer. *J. Drug Target*, **10**:247–254.
- Krishnaiah, Y.S.R., Satyanarayana, V., Kumar, B.D., Karthikeyan, R.S. (2002) *In vitro* drug release studies on guar gum-based colon targeted oral drug delivery systems of 5-fluorouracil. *European Journal of Pharmaceutical Sciences*, **16**:185–192.
- Krugluger W., Brandstaetter, A., Kallary, E., Schueller, J., Krexner, E., Kriwanek, S. (2007) regulation of genes of the circadian clock in human colon cancer: Reduced period-1 and dihydropyrimidine dehydrogenase transcription correlates in high grade tumors. *Cancer Research*, **67**: 7917-7922.
- Kubota, N. and Kikuchi, Y. (1998) Macromolecular complexes of chitosan. In S. Dumitriu (Ed.), *Polysaccharides: Structural diversity and functional versatility*. Marcel Dekker Inc, New York, pp. 595–628.
- Kucuk, C., Ozkan, M., Akgun, H., Muhtaroglu, S., Sozuer, E. (2005) The effect of granulocyte macrophage-colony stimulating factor on bacterial translocation after administration of 5-fluorouracil in rats. *J. Surg. Res*, **128**:15–20.
- Kumbar, S.G., Soppimath, K.S., Aminabhavi, T.M. (2003) Synthesis and characterization of polyacrylamide-grafted chitosan hydrogel microspheres for the controlled release of indomethacin. *Journal of Applied Polymer Science*, **87**:1525–1536.

- Lai, P.S., Shieh, M.J., Pai, C.L., Wang, C.Y., Young, T.H. (2006) A pH-sensitive EVAL membrane by blending with PAA. *J. Membr. Sci.*, **275**:89–96.
- Lang, G., Wendel, H. and Konrad, E. (1985) Cosmetic composition based upon chitosan derivatives, new chitosan derivatives as well as processes for the production thereof. US Patent 4,528,283.
- Larsen, C., Harboe, E., Johansen, M. and Olesen, H.P. (1989) Macromolecular prodrugs. XVI. Colon-targeted delivery-Comparison of rate of release of naproxen from dextran ester prodrugs in homogenates of various segments of the pig gastrointestinal (GI) tract. *Pharm. Res.*, **6**, 995-999.
- Larsen, C., Jensen, B.H. and Olesen, H.P. (1991) Bioavailability of ketoprofen from orally administered ketoprofen-dextran ester prodrugs in the pig. *Acta Pharm. Nord.*, **3**: 71-76.
- Lee, R.C., Feinbaum, R.L., Ambros, V. (1993) The *C. elegans* heterochronic gene *lin-4* encodes small RNAs with antisense complementarity to *lin-14*. *Cell*, **75**:843–854.
- Lee, S.B., Lee, Y.M., Song, K.W. and Park, M.H. (2003) Preparation and properties of polyelectrolyte complex sponges composed of hyaluronic acid and chitosan and their biological behaviors. *J. Appl. Polym. Sci.*, **90**: 925–932.
- Lee, S.J., Kim, S.S. and Lee, Y.M. (2000) Interpenetrating polymer network hydrogels based on poly(ethylene glycol) macromer and chitosan. *Carbohydr. Polymer*, **41**: 197-205.
- Lee, W.R., Shen, S.C., Wang, K.H., Hu, C.H., Fang, J.Y. (2002) The effect of laser treatment on skin to enhance and control transdermal delivery of 5-fluorouracil. *Journal of Pharmaceutical Sciences*, **9**:1613–1626.
- Lehr, C.M., Bouwstra, J.A., Etienne, H., Junginger, H.E. (1992) In vitro evaluation of mucoadhesive properties of chitosan and some other natural polymers. *International Journal of Pharmaceutics*, **78**:43–48.
- Levy, S., Furst, K., Chern, W. (2001) Pharmacokinetic evaluation of 0.5% and 5% Fluorouracil Topical Cream in patients with Actinic Keratosis. *Clinical Therapeutics*, **23**:908-920
- Liu, H., Yang, X.G., Nie, S.F., Wei, L.L., Zhou, L.L., Liu, H., Tang, R. and Pan, W.S. (2007) Chitosan-based controlled porosity osmotic pump for colon-specific delivery system: Screening of formulation variables and in vitro investigation. *Int. J. Pharm.*, **332**: 115-124.

- Lloyd, L.L., Kennedy, J.F., Methacanon, P., Paterson, M. and Knill, C.J. (1998) Carbohydrate polymers as wound management aids. *Carbohydr. Polym.*, **37**: 315-322.
- Losinsky, E. and Diver, G.R. (1993) "A direct method for studying efficiency of enteric coated tablets". *J. Am. Pharm. Assoc. Sci. Ed.*, **22**, 143-145.
- Lueben, H.L., Leeuw, B.J.D., Langemeyer, B.W., Boer, A.G.D., Verhoef, J.C., Junginger, H.E. (1996) Mucoadhesive polymers in peroral peptide drug delivery. VI. Carbomer and chitosan improve the intestinal absorption of the peptide buserelin in vivo. *Pharm. Res.*, **13**:1668–1672.
- Lueben, H.L., Rentel, C.O., Kotze, A.F., Lehr, C.M., De Boer, A.G., Verhoef, J.C. and Junginger, H.E. (1997) Mucoadhesive polymer in per-oral peptide drug delivery IV. polycarbophil and Chitosan are potent enhancer of peptide transport across intestine mucosae in vitro. *J. Control. Release*, **45**: 15-23.
- Luo, L. X. & Feng, C. G., (2004). Preparation and characterization of crosslinked carboxymethyl-konjac-glucomannan granules. *Linchan Huaxue Yu Gongye/Chemistry and Industry of Forest Products (Chin)*, **24**:83-86.
- Luppi, B., Bigucci, F., Cerchiara, T., Sorrenti, M., Bettinetti, G., Rodriguez, L., Zecchi, V. (2008) Chitosan/pectin polyelectrolyte complexes: Selection of suitable preparative conditions for colon-specific delivery of vancomycin. *European journal of pharmaceutical sciences*, **35**:435-441.
- Macleod, G.S., Fell, J.T. and Collett, J.H. (1999a) An in vitro investigation into the potential for bimodal drug release from pectin/chitosan/HPMC-coated tablets. *Int. J. Pharm.*, **188**:11–18.
- Macleod, G.S., Fell, J.T., Collett, J.H., Sharma, H.L. and Smith, A.M. (1999b) Selective drug delivery to the colon using pectin:chitosan:hydroxypropyl methylcellulose film coated, tablets. *Int. J. Pharm.*, **187**: 251–257.
- MacPherson, B. R., Pfeiffer, C. J. (1978) Experimental production of diffuse colitis in rats. *Digestion*, **17**:135-150.
- Madhally, S.V. and Matthew, H.W.T (1999) Porous chitosan scaffolds for tissue engineering. *Biomaterials*, **20**: 1133-1142.
- Maekaji, K. (1978) Determination of acidic component of konjac mannan. *Agricultural and Biological Chemistry*, **42**:177-178.
- Mahler, M., Bristol, I. J., Leiter, E. H., Workman, A. E., Birkenmeier, E. H., Elson, C.O., Sundberg, J.P. (1998) Differential susceptibility of inbred mouse strains to dextran sulfate sodium-induced colitis. *Am. J. Physiol.*, **274**:G544-G551.

- Makinodan, T., Santos, G., Quinn, R. (1970) Immunosuppressive drugs. *Pharmacol. Rev.* **22**: 189-241
- Manceñido, F. A., Landin, M., Lacik, I., & Pacheco, R. M. (2008). Konjac glucomannan and konjac glucomannan/xanthan gum mixtures as excipients for controlled drug delivery systems. Diffusion of small drugs. *International Journal of Pharmaceutics*, **349**:11-18.
- Marcus, A. J., Marcus, S. N., Marcus, R., Watt, J. (1989) Rapid production of ulcerative disease of the colon in newly-weaned guinea-pigs by degraded carrageenan. *J.Pharm.Pharmacol*, **41**:423-426.
- Marianne, H., Ingunn, T. and Sverre, A.S. (2003) The formation and permeability of drugs across free pectin and chitosan films prepared by a spraying method. *Eur. J. Pharm. Biopharm*, **56**:175–182.
- Martínez-Ruvalcaba, A. (2001). Rhe´ologie des solutions de chitosane et des hydrogels de chitosane-xanthane. Ph.D. Thesis. Que´bec, Universite´ de Sherbrooke, Canada.
- Marvola, M., Nykanen, P., Rautio, S., Isonen, N., Autere, A.M. (1999) Enteric polymer as binder and coating material in multiple unit site-specific drug delivery systems. *Eur J Pharm Sci*, **7**:259-267.
- Masahiro, Y., Naitoh, Y., Tsukamoto, Y., Kozuka, S., Yamao, K., Nakazawa, S. (1991) Mucin-producing tumor of the pancreas. *Cancer*, **68**:159–168.
- Mastiholimath, V. S., Dandagi, P.M., Gadad, A. P., Kulkarni, AR., (2007) Time and pH dependent colon specific, pulsatile delivery of theophylline for nocturnal asthma. *International Journal of Pharmaceutics*, **328**: 49–56.
- McCall, R. D., Haskill, S., Zimmermann, E. M., Lund, P. K., Thompson, R. C., Sartor, R. B. (1994) Tissue interleukin -1 and interleukin -1 receptor antagonist expression in enterocolitis in resistant and susceptible rats. *Gastroenterology*, **106**: 960-972.
- McLeod, A., Friend, D. and Tozer, T.N. (1994). Synthesis and chemical stability of glucocorticoid-dextran esters: potential prodrugs for colon specific delivery. *Int. J. Pharm*, **92**:105-114.
- McLeod, A.D., Friend, D.R., Tozer, T.N. (1994) Glucocorticoid-dextran conjugates as potential prodrugs for colon-specific delivery: hydrolysis in rat gastrointestinal tract contents. *J Pharm Sci.*, **83**:1284–1288.
- Meier, R., Beglinger, C., Dederding, J.P., Meyer-Wyss, B., Fumagalli, B., Rowedder, A., Turberg, Y. and Brignoli, R. (1995) Influence of age, gender, hormonal status and smoking habits on colonic transit time. *Neurogastroenterol. Motil.*, **7 (4)**: 235–238.

- Meimei, L., Jiangyang, F., Wang, K., & He, Z. (2007). Synthesis, characterization, and evaluation of phosphated cross-linked konjac glucomannan hydrogels for colon-targeted drug delivery. *Drug Delivery*, **14**:397–402.
- Merritt, K., Johnson, A. (1963) Studies on adjuvant action of bacterial endotoxins on antibody formation. *J. Immunol.* **91**: 266-272
- Meschan, I. (1975) Small intestine, colon and biliary tract. In: An atlas of basic anatomy to radiology. Meschan, I. (ed.), Philadelphia: W.B. Saunders Co., pp. 843-925.
- Mi, F.L., Chen, C.T., Tseng, Y.C., Kuan, C.Y. and Shyu, S.S. (1997) Iron(III) carboxymethyl-chitin microspheres for the pH-sensitive release of 6-Mercaptopurine. *J. Control. Release*, **44**: 19-32.
- Mi, F.L., Shyu, S.S., Lee, S.T. and Wong, T.B. (1999) Kinetic study of chitosan-tripolyphosphate complex reaction and acid-resistive properties of the chitosan-tripolyphosphate gel beads prepared by in-liquid curing method. *J. Polymer Sci. Part-B Polymer Phys*, **37**:1551-1564.
- Milojevic, S., Newton, J.M., Cummings, J.H., Gibson, G.R., Botham, R.L., Ring, S.G., Stockman, M. and Allwood, M.C. (1996a) Amylose as a coating material for drug delivery to colon: preparation and in vitro evaluation using 5-aminosalicylic acid pellets. *J. Control. Release*, **38**:75-84.
- Milojevic, S., Newton, J.M., Cummings, J.H., Gibson, G.R., Botham, R.L., Ring, S.G., Stockman, M. and Allwood, M.C. (1996b) Amylose as a coating material for drug delivery to colon: preparation and in vitro evaluation using glucose pellets. *J. Control. Release*, **38**: 85-94.
- Mitchell, M., DeConti, R. (1970) Immunosuppression by 5-fluorouracil. *Cancer*. **26**: 884-889
- Miyauchi, Y. (1990). Preparation which promotes the absorption of peptides. US Patent 4,900,730.
- Mladenovska, K., Raicki, R.S., Janevik, E.I., Ristoski, T., Pavlova, M.J., Kavrakovski, Z., Dodov, M.G., Goracinova, K. (2007) Colon-specific delivery of 5-aminosalicylic acid from chitosan-Ca-alginate microparticles. *International Journal of Pharmaceutics*, **342**:124–136.
- Moghimi, H.R., Williams, A.C., Barry, B.W. (1998) Enhancement by terpenes of 5-fluorouracil permeation through the stratum corneum: model solvent approach. *J. Pharm. Pharmacol*, **50**:955-964.
- Moghimi, S.M. (1998) Humoral-mediated recognition of “phagocyte-resistant” beads by lymph node macrophages of poloxamine-treated rats. *Clin Sci.*, **394**:389–391.

- Momin, M. K. P. (2004) *In vitro* studies on guar gum based formulation for the colon targeted delivery of sennosides. *Journal of Pharmacy and Pharmaceutical Sciences*, **7**:325-331.
- Monteiro, O.A.C. and Airoidi, C. (1999) Some studies of cross-linking chitosan-glutaraldehyde interaction in a homogeneous system. *Int. J. Bio. Macromol*, **26**: 119-128.
- Moore, J.A., Pletcher, S.A., Ross, M.J. (1986) Absorption enhancement of growth hormone from the gastrointestinal tract of rats. *International Journal of Pharmaceutics*, **34**:1-2.
- Morris, G, P., Beck, P, L., Herridge, M, S., Depew, W, T., Szewezuk, M, R., Wallace, J, L. (1989) Hapten-induced model of chronic inflammation and ulceration in the rat colon. *Gastroenterology*, **96**: 795-803.
- Mrsny, R.J. (1992) The colon as a site for drug delivery. *J. Control. Release*, **22**: 15-34.
- Mundargi, R. C., Patil, S. A., Agnihotri, S. A., & Aminabhavi, T. M. (2007) Development of polysaccharide-based colon targeted drug delivery systems for the treatment of amoebiasis. *Drug Development and Industrial Pharmacy*, **33**:255-264.
- Muranishi, S. (1979) Absorption of 5-Fluorouracil from various regions of Gastrointestinal Tract in rat. Effect of mixed micelles. *J. Pharm. Dyn*, **2**:286-294.
- Muraoka, M., Hu, Z., Shimokawa, T., Sekino, S., Kurogoshi, R., Kuboi, Y., Yoshikawa, Y. and Takada, K. (1998) Evaluation of intestinals pressure-controlled colon delivery capsule containing caffeine as a model drug in human volunteers. *J. Control. Release*, **52**: 119-129.
- Murata-Kamiya, N., Kamiya, H., Kaji, H. and Kasai, H. (1997) Mutational specificity of glyoxal, a product of DNA oxidation, in the lac I gene of wild type Escherchia coli w3110. *Mutat. Res*, **377**: 255-262.
- Murdan, S. (2003) Electro-responsive drug delivery from hydrogels. *Journal of Controlled Release*, **92**:1-17.
- Murdan, S., Frokjaer, S., Hansen, P, B., Florence, A, T., Jensen, M. (2002) Loading into and electro-stimulated release of peptides and proteins from chondroitin 4-sulphate hydrogels. *European Journal of Pharmaceutical Sciences*, **15**:139-148.
- Muzzarelli, C., Vesna, S.V., Gobbi, L., Tosi, G., Muzzarelli, R. (2004) Spray drying of solutions containing chitosan together with polyuronans and characterisation of the microspheres. *Carbohydrate Polymer*, **57**:73-82.

- Muzzarelli, R.A. (1973) Natural chelating polymers: Alginic acid, chitin, and chitosan. *Journal of Surgical Research*, **2**: 193-195.
- Muzzarelli, R.A.A., Ramos, V., Stanic, V., Dubini, B., Mattioli-Belmonte, M., Tosi, G., Giardino, R, Osteogenesis promoted by calcium phosphate N,N-dicarboxymethyl chitosan. *Carbohydrate Polymers*, **36**:267–276.
- Nakamura, J., Asai, K., Nishida, K. and Sasaki, H. (1992) A novel prodrug of salicylic acid, salicylic acid-glutamic acid conjugate utilizing hydrolysis in rabbit intestinal microorganisms. *Chem. Pharm. Bull*, **40**: 2164–2168.
- Nam, C.W., Kim, Y.H. and Ko, S.W. (2001) Blend fibers of polyacrylonitrile and water-soluble chitosan derivative prepared from sodium thiocyanate solution. *J. Appl. Polym. Sci*, **82**: 1620-1629.
- Needleman, I. G., & Smales, F. C. (1995) *In vitro* assessment of bioadhesion for periodontal and buccal drug delivery. *Biomaterials*, **16**:617–624.
- Neurath, M.F., Fuss, I., Kelsall, B. L., Stuber, E., Strober, W. (1995) Antibodies to interleukin 12 abrogate established experimental colitis in mice. *J. Exp. Med*, **182**: 1281-1290.
- New, R.R.C. (1998) Pharmaceutical compositions. US Patent 5,853,748.
- Niibuchi, J.J., Aramaki, Y. and Tsuchiya, S. (1986) Binding of antibiotics to rat intestinal mucin. *Int. J. Pharm*, **30**:181.
- Odeku, O. A. & Fell, J. T. (2005) *In-vitro* evaluation of khaya and albizia gums as compression coatings for drug targeting to the colon. *Journal of Pharmacy and Pharmacology*, **57**:163–168.
- Ofori-Kwakye, K. and Fell, J.T. (2001) Biphasic drug release: the permeability of films containing pectin, chitosan and HPMC. *Int. J. Pharm*, **226**: 139–145.
- Ofori-Kwakye, K. and Fell, J.T. (2003a) Biphasic drug release from film-coated tablets. *Int. J. Pharm*, **250**:431–440.
- Ofori-Kwakye, K. and Fell, J.T. (2003b) Leaching of pectin from mixed films containing pectin, chitosan and HPMC intended for biphasic drug delivery. *Int. J. Pharm*, **250**: 251–257.
- Ofori-Kwakye, K., Fell, J.T., Sharma, H.L. and Smith, A.M. (2004) Gamma scintigraphic evaluation of film-coated tablets intended for colonic or biphasic release. *Int. J. Pharm*, **270**: 307–313.
- Ohtahara, A., Mukerjee, G. and Mitsutomi, M. (1989) Immobilization of alpha-galactosidase and glucoamylase on crosslinked chitosan beads. In *Chitin and Chitosan-Sources*,

- Chemistry, Biochemistry, Physical properties and Applications. Kjak-Brack, G.S., Anthonsen, T. and Sanford, P. (eds.), Elsevier, London, pp. 643-652.
- Okayasu, I., Hatakeyama, S., Yamada, M., Ohkusa, T., Inagaki, Y., Nakata, R. (1990) A novel method in the induction of reliable experimented acute and chronic colitis in mice. *Gastroenterology*, **98**:694-702.
- Paharia, A., Yadav, A.K., Rai, G., Jain, S.K., Pancholi, S.S., Agrawal, G.P. (2007) Eudragit-coated pectin microspheres of 5-Fluorouracil for colon targeting. *AAPS PharmSci-Tech*. **8**:E1-E7.
- Pan, F., Mulkar, R., Hobbs, J.R. (2006) An Annotated Corpus of Typical Durations of Events. In Proceedings of the Fifth International Conference on Language Resources and Evaluation (LREC): 77-83.
- Pan, W. S., Tang, R., Liu, H., Zhou, L.L., Wei, L.L., Nie, S.F., Yang, X.G., Liu, H., (2007) Chitosan-based controlled porosity osmotic pump for colon-specific delivery system: Screening of formulation variables and in vitro investigation. *International Journal of Pharmaceutics*, **332**: 115–124.
- Park, K., Shalaby, S. W. W., Park, H., Biodegradation, Biodegradable Hydrogels for drug Delivery. Technomic Publishing Company, USA, 13-34.
- Pasut, G., Veronese, F.M. (2007) Polymer-drug conjugation, recent achievements and general strategies *Prog. Polym. Sci.*, **32**:933-961.
- Patel, V.R. and Amiji, M.M. (1996) Preparation and characterization of freeze-dried chitosan-poly(ethylene oxide) hydrogels for site-specific antibiotic delivery in the stomach. *Pharm. Res*, **13**: 588-593.
- Paul, W. and Sharma, C.P. (2000) Chitosan, a drug carrier for the 21<sup>st</sup> century: A review. *S.T.P. Pharma. Sci*, **10**: 5-22.
- Peniche, C. and Arguelles-Monal, W. (2001) Chitosan based Polyelectrolyte complexes. *Macromol Symp*, **168**:103–16.
- Peppas, N. A. (1986). Preparation methods and structure of hydrogels, in: N. A. Peppas (Ed.), *Hydrogels in medicine and pharmacy, Fundamentals*, vol. 1, CRC Press, pp. 1–25.
- Peters, G.J., Lankelma, J., Kok, R.M., Noordhuis, P., Van Groeningen. C.J., Vander, W. C.L., Meyer, S., Pinedo, H.M. (1993) Prolonged retention of high concentrations of 5-fluorouracil in human and murine tumors as compared with plasma. *Cancer Chemother. Pharmacol*, **31**: 269–276.
- Pinhasi, A., Gomberg, M. and Avramoff, A. (2004) Venlafaxine formulations. US Patent 6,703,044.



- Pitarresi,G., Casadei,M.A., Mandracchia, D., Paolicelli, P., Palumbo, F.S., Giammona,G. (2007) Photocrosslinking of dextran and polyaspartamide derivatives: A combination suitable for colon-specific drug delivery. *Journal of Controlled Release*, **119**:328–338.
- Poli, S., Bussetti, C., Moro, L., Poli, I.C. (2001) Oral pharmaceutical compositions for specific colon delivery. EP572942.
- Potts, J. E., Clendinneings, R. A, Ackard, W. B. and Wiegisch, W. D., (1973) Biodegradability of synthetic polymers, *Polymer Science and Technology*. Vol. 3, Plenum Press, New York, 61-79.
- Potts, J.T., Niall, H.D., Tregear, G.W., Van Rietschoten, J., Habener, J.F., Segre, G.V., Keutmann, H.T. (1973) Chemical and biologic studies of parathyroid hormone and parathyroid hormone: analysis of hormone biosynthesis and metabolism. *Mt Sinai J Med*, **40**:448-61.
- Powell, D.W. (1981) Barrier function of epithelia. *Am. J. Physiol*, **241**: G275-G288.
- Pozzi, F., Furlani, P., Gazzaniga, A., Davis, S.S. and Wilding, I.R. (1994) The time clock system: a new oral dosage form for fast and complete release of drug after a predetermined lag time. *J. Control. Rel*, **31**: 99-108.
- Pradip, R. A., Kulkarni, A., Ghandi, S., Modudgi, B. M. (1991) Selective flocculation of kaolite from mixtures with tribasic calcium phosphate using hydrolyzed Polyacrylamide. *International Journal of Mineral Processing*, **32**:259–270.
- Prasad, Y., V., Krishnaia, Y. S. R., & Satyanarayana, S. (1998) *In vitro* evaluation of guar gum as a carrier for colon-specific drug delivery. *Journal of Controlled Release*, **51**:281–287.
- Prashant, R., Nambiar, R. R. Gupta, Vikas Misra (2010) An “Omics” based survey of human colon cancer. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 693 ( 1–2): 3-18
- Price, J.M.C., Davis, S.S., Sparrow, R.A. and Wilding, I.R. (1993) The effect of meal composition on the gastrocolonic response: implications for drug delivery to the colon. *Pharm. Res*, **10**: 722–726.
- Qing, D., Wei, H., Ying, C.D., Bai, X., Fang, F.L. (2008) Study on colon-specific pectin/ethylcellulose film-coated 5-fluorouracil pellets in rats. *International Journal of Pharmaceutics*, **348**: 35–45.

- Raghavan, C.V. Muthulingam, C., Leno Jenita, J.A.J. and Ravi, T.K. (2002) An in vitro and in vivo investigation into the suitability of bacterially triggered delivery system for colon targeting. *Chem. Pharm. Bull*, **50**: 892-895.
- Raheja, P., Isloor, S., Sethi, S., Malik, R. (2004): WO04087113.
- Rahman Z, Kohli K, Zhang SQ, Khar RK, Ali M, Charoo NA, Tauseef M, Shamsheer AA, Mohammed NN, Repka MA (2008) In-vivo evaluation in rats of colon-specific microspheres containing 5-fluorouracil. *J Pharm Pharmacol* **60**: 615-23
- Rai, G., Jain, S. K., Agrawal, S., Bhadra, S., Pancholi, S.S. and Agrawal, G.P. (2005) Chitosan hydrochloride based microspheres of albendazole for colonic drug delivery. *Pharmazie*, **60**: 131-134.
- Rana, V., Babita, K., Goyal, D. and Tiwary, A.K. (2004) Sodium citrate cross-linked chitosan films: optimization as substitute for human/rat/rabbit epidermal sheets. *J. Pharm. Sci*, **8**: 10-17.
- Randall, S., Friend, D.R. (1992) Oral colon-specific drug delivery. *Gastroenterology*, **1**: 45-86.
- Rao, S.S. and Ritschel, W.A. (1992) Development and in vitro/in vivo evaluation of a colonic release of vasopressin. *Int. J. Pharm*, **86**: 35-41.
- Ravi, V., Mishra S. T., & Kumar, P. (2008) Influence of natural polymer coating on novel colon targeting drug delivery system. *Journal of Material Science: Material Medicine*, **19**: 2131-2136.
- Reddy, S.M., Sinha, V.R. and Reddy, D.S. (1999) Novel oral colon specific drug delivery systems for pharmacotherapy of peptide and non-peptide drugs. *Drugs Today*, **35**: 537-580.
- Redenti, E., Pietra, C., Gerloczy, A., Szente, L., (2001) Cyclodextrins in oligonucleotide delivery. *Advanced Drug Delivery Reviews*, **53**: 235-244.
- Reis, M.R.G.O., Cavalcanti, A., Rubira, A. F. & Muniz, E. C. (2006) Synthesis and characterization of pH-responsive hydrogels based on chemically modified Arabic gum polysaccharide. *Polymer*, **47**:2023-2029.
- Remunan-Lopez, C. and Bodmeier, R. (1997) Mechanical, water uptake and permeability properties of crosslinked chitosan glutamate and alginate films. *J. Control. Release*, **44**: 215-225.
- Riley, S.A., Kim, M., Sutcliffe, F., Rowland, M. and Turnberg, L.A. (1992) Absorption of polar drugs following caecal instillation in healthy volunteers. *Aliment. Pharmacol. Ther*, **6**: 701-706.
- Riley, S.A., Turnberg, L.A. (1990) Sulphasalazine and aminosalicilate in the treatment of inflammatory bowel disease. *Q J Med*, **75**:561-562.

- Rinaudo, M. (2006) Chitin and chitosan: Properties and applications. *Prog. Polym. Sci*, **31**:603-632.
- Risbud, M.V., Hardikar, A.A., Bhat, S.V. and Bhonde, R.R. (2000) pH-sensitive freeze dried chitosan-polyvinyl pyrrolidone hydrogels as controlled release system for antibiotic delivery. *J. Control. Release*, **68**: 23-30.
- Rodrigues, C.M.P., Kren, B.T., Steer, C.J. and Setchell, K.D.R. (1995) The site specific delivery of ursodeoxycholic acid to the rat colon by sulfate conjugation. *Gastroenterology*, **109**: 1835–1844.
- Rubinstein, A. (1990) Microbially controlled drug delivery to the colon. *Biopharm. Drug Dispos*, **11**: 465-475.
- Rubinstein, A. (1995) Approaches and opportunities in colon-specific drug delivery. *Crit. Rev. Ther. Drug Carrier Syst*, **12**:101–149.
- Rubinstein, A., Kleinstern, J., Gati, I., Zioni, T., Haupt, S., (2006) Luminal delivery and dosing considerations of local celecoxib administration to colorectal cancer. *European journal of pharmaceutical sciences*, **28**: 204-211.
- Rubinstein, A., Nakar, D. and Sintov, A. (1992a) Colonic drug delivery: Enhanced release of indomethacin from cross-linked chondroitin matrix in rat caecal content. *Pharm. Res*, **9**: 276-278.
- Rubinstein, A., Nakar, D. and Sintov, A. (1992b) Chondroitin sulfate: a potential biodegradable carrier for colon-specific drug delivery. *Int. J. Pharm*, **84**: 141-150.
- Rubinstein, A., Nakar, D. and Sintov, A. (1992b) Colonic drug delivery: Enhanced release of indomethacin from cross-linked chondroitin matrix in rat caecal content. *Pharm. Res*, **9**:276-278.
- Rubintsein, A., Radai, R., Ezra, M., Pathak, S. and Rokem, S. (1993) In vitro evaluation of calcium pectinate: a potential colon-specific drug-delivery carrier. *Pharm. Res*, **10**: 258-263.
- Rudolph, M.W., Klein, S., Beckert, T.E., Peetereit, H.U., Dressman, J.B. (2001) A new 5-aminosalicylic acid multiunit dosage form for the therapy of ulcerative colitis. *Eur. J. Pharm. Biopharm*, **51**, 183-190.
- Rusu-Balaita, L., Desbrieres, J. and Rinaudo, M. (2003) Formation of a biocompatible polyelectrolyte complex: chitosan-hyaluronan complex stability. *Polym. Bull*, **50**: 91–98.
- Saffran, M., Field, J. B., Pena, J., Jones, R. H., Okuda, Y. (1991) Oral insulin in diabetes dogs. *J. Endocrinol*, **131**:267-278.

- Sangalli, M.E., Maroni, A., Zema, L., Buseti, C., Giordano, F. and Gazzanica, A. (2001) In vitro and in vivo evaluation of an oral system for time- and/ or site-specific drug delivery. *J. Control. Rel*, **73**:103-110.
- Santos, G. W., Owens, A.H. (1964) A comparison of the effects of selected cytotoxic agents on allogeneic skin graft survival in rats. *Bull. Johns Hopkins Hosp.***116**: 327-340
- Sartor, R.B., Bond, T.M., Schwab, J. H. (1988) Systemic uptake and intestinal inflammatory effects of luminal bacterial cell wall polymers in rats with acute colonic injury. *Infect. Immun*, **56**:2101-2108.
- Savastano, L., Carr, J., Quadros, E., Shah, S. and Khana, S.C. (1997) Controlled release drug delivery device. US Patent 5,681,584.
- Sawayanagi, Y., Nambu, N. and Nagai, T. (1982b) Enhancement of dissolution properties of griseofulvin from ground mixture with chitin or Chitosan. *Chem. Pharm. Bull*, **30**: 4464-4467.
- Schacht, E., Gevaert, A. and Kenawy, E.R. (1996) Polymers for colon specific drug delivery. *J. Control. Rel*, **39**: 327-328.
- Scheline, R.R. (1968) Drug metabolism by intestinal microorganism. *J. Pharm. Sci*, **57**: 2021–2037.
- Scheline, R.R. (1973) Metabolism of foreign compounds by gastrointestinal microorganisms. *Pharmacol Rev*, **25**:451-523,
- Schipper, N.G., Olsson, S., Hoogstraate, J.A. (1997) Chitosans as absorption enhancers for poorly absorbable drugs 2: mechanism of absorption enhancement. *Pharm Res*,**14**:923–9.
- Semde, R., Amighi, K., Devleeschouwer, M.J. and Moes, A.J. (2000) Studies of pectin HM/Eudragit<sup>®</sup> RL/Eudragit<sup>®</sup> NE film-coating formulations intended for colonic drug delivery. *Int. J. Pharm*, **197**: 181-192.
- Sharma, B. R., Kumar, V., & Soni, P. L. (2002) Cerric ammonium nitrate-initiated graft copolymerization of acrylamide on to cassia tora gum. *Journal of Applied Polymer Science*, **86**:3250-3255.
- Sharma, B. R., Kumar, V., & Soni, P. L. (2003a) Carbamoyl ethylation of cassia tora gum. *Carbohydrate Polymers*, **54**:43-147.
- Sharma, B. R., Kumar, V., & Soni, P. L. (2003b) Cynoethylation of cassia tora gum. *Starch (Starke)*, **55**:38-42.
- Sharma, B. R., Kumar, V., & Soni, P. L. (2004) Carbamoyl ethylation of guar gum. *Carbohydrate polymers*, **58**:449-451.

- Sharma, B.R., Kumar, V., Soni, P.L. (2003) Carbamoylethylation of Cassia tora gum. *Carb. Polym*, **54**:143–147.
- Shen, G., Singh J. (1997) Mechanism of transdermal transport of 5-fluorouracil by terpenes: carvone, 1,8-cineole and thymol. *International Journal of Pharmaceutics*, **154**: 67–77.
- Shibata, N., Ohno, T., Shimokawa, T., Hu Z., Yoshikawa, Y., Koga, K., Murakami, M., Takada, K. (2001) Application of pressure-controlled colon delivery capsule to oral administration of glycyrrhizin in dogs. *Journal of Pharmacy and Pharmacology*, **53**:441–447.
- Shim, J. W., & Nho, Y. C. (2003) Preparation of poly(acrylic acid)-chitosan hydrogels by gamma irradiation and *in vitro* drug release. *Journal of Applied Polymer Science*, **90**:3660–3667.
- Shimono, N., Takatori, T., Ueda, M., Mori, M., Higashi, Y. and Nakamura, Y. (2002) Chitosan dispersed system for colon-specific drug delivery. *Int. J. Pharm*, **245**: 45-54.
- Shishu, G., Aggrawal, N. (2007) Stomach-specific delivery of 5-fluorouracil using floating alginate tablets. *AAPS PharmSciTech*, **8**: **Article 48**.
- Shrivastava, M., Kapoor, V.P. (2005) Seed galactomannana: an overview. *Chem. Biodiv*, **2**:295-317.
- Shu, X.Z., Zhu, K.J. and Song, W. (2001) Novel pH sensitive citrate cross-linked chitosan films for drug controlled release. *Int. J. Pharm*, **212**: 19-28.
- Shyale, S., Chowdary, K. P. R., & Krishnaiah, Y. S. R. (2005) Development of colon-targeted albendazole- $\beta$ -cyclodextrin-complex drug delivery systems. *Drug Development Research*, **65**:76–83.
- Shyale, S., Chowdary, K. P. R., Krishnaiah, Y. S. R. & Bhat, N. K. (2006) Pharmacokinetic evaluation and studies on the clinical efficacy of guar gum-based oral drug delivery systems of albendazole and albendazole- $\beta$ -cyclodextrin for colon-targeting in human volunteers. *Drug Development Research*, **67**:154–165.
- Siegel, R. A., Falamarzian, M., Firestone, B. A. & Moxley, B. C. (1988) pH-controlled release from hydrophobic/polyelectrolyte copolymer hydrogels. *Journal of Controlled Release*, **8**:179–182.
- Siew, L.F., Basit, A.W. and Newton, J.M. (2000) The properties of amylase-ethylcellulose films cast from organic-based solvents as potential coatings for colonic drug delivery. *Eur. J. Pharm. Sci*, **11**: 133-139.

- Silva, D. A., De Paula, R. C. M., Feitosa, J. P. A., De Brito, A. C. F., Maciel, J. S., & Paula, H. C. B. (2004). Carboxymethylation of cashew tree exudate polysaccharide. *Carbohydrate Polymers*, **58**:163-171.
- Silva, D. A., Feitosa, J. P. A., Maciel, J. S., Paula, H. C. B., & Paula, R. C. M. (2006) Characterization of crosslinked cashew gum derivatives. *Carbohydrate Polymers*, **66**:16-26.
- Simon, G.L. and Gorbach, S.L. (1984) Intestinal flora in health and disease. *Gastroenterology*, **86**: 174-193.
- Simpkins, J.W., Smulkowski, M., Dixon, R. and Tuttle, R. (1988) Evidence for the delivery of narcotic antagonists to the colon as their glucuronide conjugates. *J. Pharmacol. Exp. Ther.*, **244**: 195–205.
- Singh, B. N., & Kim, K. H. (2007) Characterization and relevance of physicochemical interactions among components of a novel multiparticulate formulation for colonic delivery. *International Journal of Pharmaceutics*, **341**: 68-77.
- Singh, B. N., Trombetta, L. D., & Kim, K. H. (2004) Biodegradation behavior of gellan gum in simulated colonic media. *Pharmaceutical Development and Technology*, **9**:399–407.
- Singh, B., & Vashistha, M. (2008) Development of novel hydrogels by modification of sterculia gum through radiation cross-linking polymerization for use in drug delivery. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, **266**:2009-2020.
- Singh, B.N., Singh, R.B., Singh, J. (2005) Effects of ionization and penetration enhancers on the transdermal delivery of 5-fluorouracil through excised human stratum corneum *International Journal of Pharmaceutics*, **298**:98–107.
- Sinha, V. R., Mittal, B. R., Bhutani, K. K., & Kumaria, R. (2004) Colonic drug delivery of 5-fluorouracil: An *in vitro* evaluation. *International Journal of Pharmaceutics*, **269**: 101-108.
- Sinha, V. R., Singh, A., Singh, S. & Binge, J. R. (2007). Compression coated systems for colonic delivery of 5-fluorouracil. *Journal of Pharmacy and Pharmacology*, **59**: 359-365.
- Sinha, V.R. and Kumria, R. (2002) Binders for colon specific drug delivery: an *in vitro* evaluation. *Int. J. Pharm*, **249**: 23-31.
- Sinha, V.R., Kumria, R. (2003) Microbially triggered drug delivery to the colon. *Eur. J. Pharm. Sci*, **18**:3-18.

- Smith, G.W., Wiggins, P.M., Lee, S.P. and Tasman-Jones, C. (1986) Diffusion of butyrate through pig colon mucus in vitro. *Clin. Sci*, **70**: 271-276.
- Song, J. S., Such, C. H., Park, Y. B., Lee, S. H., Yoo, N. C., Lee, J. D., Kim, K. H., & Lee, S. K. (2001) A phase, I/IIa study on intra-articular injection of holmium-166-chitosan complex for the treatment of knee synovitis of rheumatoid arthritis. *European Journal of Nuclear Medicine*, **28**: 489–497.
- Soppimath, K. S., Kulkarni, A. R., & Aminabhavi, T. M. (2001) Chemically modified polyacrylamide-g-guar gum-based crosslinked anionic microgels as pH-sensitive drug delivery systems: preparation and characterization. *Journal of Controlled Release*, **75**:331–345.
- Soppimath, K. S., & Aminabhavi, T. M. (2002) Water transport and drug release study from cross-linked polyacrylamide grafted guar gum hydrogel microspheres for the controlled release application. *European Journal of Pharmaceutics and Biopharmaceutics*, **53**:87-98.
- Soppimath, K. S., Kulkarni, A. R., & Aminabhavi, T. M. (2000) Controlled release of antihypertensive drug from the interpenetrating network poly(vinyl alcohol)-guar gum hydrogel microspheres. *Journal of Biomaterial Science*, **11**:27-43.
- Spiegelman, S., Sawyer, R., Nayak, R., Ritzi, E., Stolfi, R., Martin, D. (1980) Improving the anti-tumor activity of 5-fluorouracil by increasing its incorporation into RNA via metabolic modulation. *Proc. Natl. Acad. Sci. U.S.A.* **77**: 4966-4970
- Srivastava, M, Kapoor, V.P. (2005) Seed galactomannans:An Overview. *Chemistry and Biodiversity*, **2**: 295-317.
- Staib, A.H., Loew, D., Harder, S., Grayl, E.H. and Pfab, R. (1986) Measurement of theophylline absorption from different regions of the gastrointestinal tract using a remote controlled drug delivery device. *Eur. J. Clin. Pharm*, **9**: 95-97.
- Steed, K.P., Hooper, G., Monti, N., Bwnedetti, M.S., Fornnasini, G. and Wilding, I.R. (1997) The use of pharmacoscintigraphy to focus the development strategy for a novel 5-ASA colon targeting system ('TIME CLOCK' system). *J. Control. Release*, **49**: 115–122.
- Sterzl, J (1961) Effect of some metabolic inhibitors on antibody formation. *Nature*. (Lond.). 189: 1022-1023.
- Stevens, H., Wilson, C., Welling, P., Bakhshae, M., Binns, J., Perkins, A., Frier, M., Blackshaw, E., Frame, M., Nichols, D., Humphrey, M. and Wicks, S. (2002) Evalu-

- ation of Pulsincap™ to provide regional delivery of dofetilide to the human GI tract. *Int. J. Pharm.*, **236**:27-34.
- Sugibayashi, K., Hosoyak, K., Morimoto, Y., Higuchi, W.I. (1985) Effect of the absorption enhancer, azone, on the transport of 5-FU across hairless rat skin. *J. Pharm. Pharmacol.*, **37**: 578-580.
- Suh, J.K.F. and Matthew, H.W.T. (2000) Application of chitosan-based polysaccharide biomaterials in cartilage tissue engineering: a review. *Biomaterials*, **21**: 2589–2598.
- Suzuki, T., Matsumoto, T., Hagino, Y., Tozaki, H., Yamamoto, A. and Muranishi, S. (1998) Biodegradation and medical applications of chitosan hard capsules. In P. Prasad (Ed.), *Sci. Technol. Polym. Adv. Mater*, 4th ed. Plenum Press, New York, 567–571.
- Takada, K. (1997) Controlled-release preparations. US Patent 5,637,319.
- Takada, K. and Murakami, M. (2005) Glycyrrhizin preparations for transmucosal absorption. US Patent 6,890,547.
- Takaya, T., Niwa, K., Muraoka, M., Ogita, I., Nagai, N., Yano, R., Kimura, G., Yoshikawa, Y., Yoshikawa, H. and Takada, K. (1998) Importance of dissolution process on systemic availability of drugs delivered by colon delivery system. *J. Control. Release*, **50**: 111-122.
- Takaya, T., Sawada, K., Suzuki, H., Funaoka, A., Matsuda, K. and Takada, K. (1997) Application of colon delivery capsule to 5- aminosalicylic acid and evaluation of the pharmacokinetic profile after oral administration to beagle dogs, *J. Drug Target*, **4**: 271–276.
- Talukdar, M. M., & Kinget, R. (1995) Swelling and drug release behaviour of xanthan gum matrix tablets. *International Journal of Pharmaceutics*, **120**:63-72.
- Tamak.,Y., Edwin, D., Robert, D.S., Michael, A.P.R., Balfour, S., Matthew, B.G. (2007) Mechanisms of acute and chronic intestinal inflammation induced by indomethacin. *Inflammation*, **17**: 641-662.
- Thimma, R., & Tammishetti, S. (2001) Barium chloride crosslinked carboxymethyl guar gum beads for gastrointestinal drug delivery. *Journal of Applied Polymer Science*, **82**:3084-3090.
- Toledo, O.M.S. and Dietrich, C.P. (1977) Tissue specific distributions of sulphated mucopolysaccharides in mammals. *Biochim. Biophys. Acta*, **498**:114–122.



- Torres, D., Vila-Jato, J. L., Rodríguez, M. (1998) Design of a new multiparticulate system for potential site-specific and controlled drug delivery to the colonic region. *Journal of Controlled Release*. **30**: 67-77
- Toti, U. S., & Aminabhavi, T. M. (2004) Modified guar gum matrix tablet for controlled release of diltiazem hydrochloride. *Journal of Controlled Release*, **95**:567–577.
- Tozaki, H., Fujita, T., Odoriba, T., Terabe, A., Suzuki, T., Tanaka, C., Okabe, S., Muranishi, S.S. and Yamamoto, A. (1999) Colon-specific delivery of R68070, a new thromboxane synthase inhibitor, using chitosan capsules: therapeutic effects against 2,4,6-trinitrobenzene sulfonic acid-induced ulcerative colitis in rats. *Life Sci*, **64**: 1155–1162.
- Tozaki, H., Komoike, J., Tada, C., Maruyama, T., Terabe, A., Suzuki, J., Yamamoto, A. and Muranishi, S. (1997b) Chitosan capsules for colon specific drug delivery: Improvement of insulin absorption from the rat colon. *J. Pharm. Sci*, **86**: 1016-1021.
- Tripathy, T., & Singh, R. P. (2000) High performance flocculating agents based on partially hydrolyzed sodium alginate-g-polyfromacrylamide. *European Polymer Journal*, **36**:1471–1476.
- Uekama, K., Arima, H., Yano, H., Udo, K., Hirayama, F., Kamada, M. (2002) Cyclodextrin conjugate-based controlled release system:repeated- and prolonged-releases of ketoprofen after oral administration in rats. *Journal of Controlled Release*, **82**:407-416.
- Ugurlu, T., Turkoglu, M., Gurer, U.S., Akarsu, B.G. (2007) Colonic delivery of compression coated nisin tablets using pectin/HPMC polymer mixture. *European journal of pharmaceutics and biopharmaceutics*, **67**: 202-210.
- Umemura, K., Inoue, A., & Kawai, S. (2003) Development of new natural polymer-based wood adhesives I: dry bond strength and water resistance of konjac glucomannan, chitosan, and their composites. *Journal of Wood Science*, **49**: 221–226.
- United State Pharmacopoeia/ National Formulary (2007) US pharmacopoeia 30 and NF 25. Dissolution. 277-284.
- USFDA (1999) Guideline for drug master files. [<http://www.fda.gov/cder/guidance/dmf.html>]
- Uy, Q., T. Srinivasin, G. Santos, and A. H. Owens. (1966) Effect of selected cytotoxic agents on the primary immune response in mice. *Exp. Hematol*. **10**: 4-6.
- Vahouny, G.V., Tombes, R., Cassidy, M.M., Kritchevsky, D. and Gallo, L.L. (1981) Dietary fibers. VI. Binding of fatty acids and monolein from mixed micelles containing bile salts and lecithin. *Proc Sot Exp Biol Med*, **166**: 12-16.

- Van den M.G. and Kinget, R. (1995) Oral colon-specific drug delivery: A review. *Drug Delivery*, **2**:81-93.
- Van den Mooter, G., Maris, B., Samyn, C., Augustijns, P. and Kinget, R. (1997) Use of azo polymers for colon-specific drug delivery. *J. Pharm. Sci*, **86**:1321–1327.
- Van den Mooter, G., Samyn, C. and Kinget, R. (1992) Azo polymers for colon-specific drug delivery. *Int. J. Pharm*, **87**: 37-46.
- VandeVord, P.J., Matthew, H.W., DeSilva, S.P., Mayton, L., Wu, B. and Wooley, P.H. (2002) Evaluation of the biocompatibility of a chitosan scaffold in mice. *J. Biomed. Mater. Res*, **59**: 585 – 590.
- Varshosaz, J., Emami, J., Tavakoli, N., Fassihi, A., Minaiyan, M., Ahmadi, F., Dorkoosh, F. (2008) Synthesis and evaluation of dextran-budesonide conjugates as colon specific prodrugs for treatment of ulcerative colitis. *Int J Pharm*, **365**:69-76.
- Varshosaz, J., Emami, J., Tavakoli, N., Fassihi, A., Minaiyan, M., Ahmadi, F., Dorkoosh, F. (2009) Synthesis and evaluation of dextran–budesonide conjugates as colon specific prodrugs for treatment of ulcerative colitis. *International Journal of Pharmaceutics*, **365**: 69–76.
- Varshosaz, J., Emami, J., Tavakoli, N., Minaiyan, M., Rahmani, N., Ahmadi, F., Dorkoosh, F. (2011) Development and validation of a rapid HPLC method for simultaneous analysis of budesonide and its novel synthesized hemiesters in colon specific formulations. *Res Pharm Sci*, **6**:107–116.
- Vasiliu, S., Popa, M. and Rinaudo, M. (2005) Polyelectrolyte capsules made of two biocompatible natural polymers. *Eur. Polym. J*, **41**: 923–932.
- Veronese, F.M., Pasut, G., Schiavon, M., Cardin, M., Castagliuolo, I., Canevari, M., (2009) Poly(ethylene glycol)-mesalazine conjugate for colon specific delivery. *International Journal of Pharmaceutics*, **368**:171-177.
- Veronese, F.M., Schiavon, O., Pasut, G., Mendichi, R., Andersson, L., Tsirk, A., Ford, J., Wu, G., Kneller, S., Davies, J., Duncan, R. (2005) PEG–Doxorubicin Conjugates: Influence of Polymer Structure on Drug Release, in Vitro Cytotoxicity, Biodistribution, and Antitumor Activity. *Bioconjugate Chem*, **16**:775–784.
- Wang, J., Somasundaran, P. (2006) Study of galactomannose interaction with solids using AFM, IR and allied techniques. *J Colloid Interface Sci*, **309**:373-83.
- Wang, K., & He Z. (2002) Alginate–konjac glucomannan–chitosan beads as controlled release matrix. *International Journal of Pharmaceutics*, **244**:117-126.

- Wang, M. Z., Fang, Y., & Hu, D. D. (2001). Preparation and properties of chitosan-poly(N-isopropylacrylamide) full-IPN hydrogels. *Reactive Functional Polymer*, **48**, 215–221.
- Wang, M.Z., Qiang, J.C., Fang, Y., Hu, D.D., Cui, Y.L and Fu, X.G. (2000) Preparation and properties of chitosan-poly(N-isopropyl acrylamide) semi-IPN Hydrogels. *J. Polym. Sci. Part A Polym. Chem*, **38**: 474-481.
- Wastenson, A. (1971) Properties of fractionated chondroitin sulfate from ox nasal septa. *Biochem. J*, **122**: 477–785.
- Watts, P.J. and Illum, L. (1997) Colonic drug delivery. *Drug Dev. Ind. Pharm*, **23**: 893-913.
- Watts, P.J. and Illum, L. (2001) Composition for enhanced uptake of polar drugs from the colon. US Patent 6,200,602.
- Wealth of India (1992) Raw Materials; Publication and Information Directorate, C.S.I.R: New Delhi, India, vol. 3, pp. 343.
- Whistler, R.L., (1963) Methods in carbohydrate chemistry. New York: Academic Press; pp. 23.
- Whitelock, J., Melrose, J., Last, K., Fosang, A.J., Knox, S. (2005) Perlecan from human epithelial cells is a hybrid heparan/chondroitin/keratan sulfate proteoglycan. *FEBS Letters*., **579** :5019–5023.
- Wilding, I., Coupe, A. and Davis, S. (1991). The role of  $\gamma$ -scintigraphy in oral drug delivery. *Adv. Drug Del. Rev*, **7**:87-117.
- Wilding, I.R., Coupe, A.J. and Davis, S.S. (2001) The role of gamma-scintigraphy in oral drug delivery. *Adv. Drug. Deliv. Rev*, **46**:103-124.
- Wilding, I.R., Davis, S.S., Pozzi, F. and Gazzaniga, A. (1994) Enteric coated timed released systems for colonic targeting. *Int. J. Pharm*, **111**: 99–102.
- Williams, A.C., Barry, B.W. (1991) Terpenes and Lipid-protein partitioning theory of skin penetration enhancement. *Pharmaceutical Research*, **8**:17-24
- Williams, K.L., Fuller, C.R., Dieleman, L.A., DaCosta, C.M., Haldeman, K.M., Sartor, R.B., Lund, P.K. (2001) Enhanced survival and mucosal repair after dextran sodium sulfate-induced colitis in transgenic mice that overexpress growth hormone. *Gastroenterology*, **120**:925-937.
- Williams, M. A. K., Foster, T. J., Martin, D. R., Norton, I. T., Yoshimura, M., & Nishinari, K. (2000) A molecular description of the gelation mechanism of konjac mannan. *Bio-macromolecules*, **1**:440-550.

- Wilson, C.G., Washington, N., Greaves, J.L., Kamali, F., Rees, J.A., Sempik, A.K. and Lampard, J.F. (1989) Bimodal release of ibuprofen in a sustained-release formulation: a scintigraphic and pharmacokinetic open study in healthy volunteers under different conditions of food intake. *Int. J. Pharm*, **50**: 155-161.
- Wilson, C.G., Washington, N., Greaves, J.L., Washington, C., Hoadley, T. and Sims, E.E. (1991) Predictive modeling of the behaviour of a controlled release buflomedil HCl formulation using scintigraphic and pharmacokinetic data. *Int. J. Pharm*, **72**: 79-86.
- Wirtz, S., Neufert, C., Weiggmann, B., Neurath, M, F. (2007) Chemically induced mouse models of intestinal inflammation. *Nature Protocols*, **2**:541-546.
- Wiwattanapatapee, R., Lomlim, L. and Saramunee, K. (2003) Dendrimers conjugates for colonic delivery of 5-aminosalicylic acid. *J. Control. Release*, **88**: 1-9.
- Xi, M.M., Zhang, S.Q., Wang, X.Y., Fang, K.Q. and Gu, Y. (2005) Study on the characteristics of pectin-ketoprofen for colon targeting in rats. *Int. J. Pharm*, **298**: 91–97.
- Xia W, Liu P, Liu J (2008) Advance in chitosan hydrolysis by nonspecific cellulases. *Biores. Technol.* **99**:6751–6762.
- Xiao, C., Gao, S. J., Li, G.R., Zhang, Q.C. (1999) Preparation of konjac glucomannan and acrylamide grafted konjac glucomannan. *Journal of Natural Science*, **4**:459-462.
- Xu, C., Zhang, J.S., Mo, Y. and Tan, R.X. (2005) Calcium pectinate capsules for colon-specific drug delivery. *Drug Dev. Ind. Pharm*, **31**:127–134.
- Yalpani, M. and Hall, L.D. (1984) Some chemical and analytical aspects of polysaccharide modification 3 formation of branched-chain soluble chitosan derivatives. *Macromolecules*, **17**: 272-279.
- Yamamoto, A., Tozaki, H., Okada, N., Fujita, T. (2000) Colon specific delivery of peptide drugs and anti-inflammatory drugs using chitosan capsules. *STP Pharma Sciences*, **10**:23-43.
- Yamane, M.A., Williams, A.C., Barry, B.W. (1995) Effects of terpenes and oleic acid as skin penetration enhancers towards 5-fluorouracil as assessed with time; permeation, partitioning and differential scanning calorimetry. *International Journal of Pharmaceutics*, **116**: 237–251.
- Yang, L., Chu, J. and Fix, J. 2002. Colon-specific drug delivery: new approaches and in vitro/in vivo evaluation. *Int. J. Pharm*, **235**:1-15.
- Yano, H., Hirayama, F., Kamada, M., Arima, H. and Uekama, K. (2002) Colonspecific delivery of prednisolone-appended alpha-cyclodextrin conjugate: alleviation of systemic side effect after oral administration. *J. Control. Release*, **79**: 103–112.

- Yao, K. D., Peng, T., Goosen, M. F. A., Min, J. M., & He, Y. Y. (1993) pH sensitivity of hydrogels based on complex forming chitosan: polyether interpenetrating polymer network. *Journal of Applied Polymer Science*, **48**:343–354.
- Yoshikawaa, H., Sezaki, H., Muranishia, S. (1983) Mechanism for selective transfer of bleomycin into lymphatics by a bifunctional delivery system via the lumen of the large intestine. *International Journal of Pharmaceutics*, **13**:321–332.
- Yui, T., Imada, K., Okuyama, K., Suzuki, K. and Ogawa, K. (1994) Molecular and crystal structure of hydrated chitosan. *Macromolecules*, **30**: 5849-5855.
- Zhang, H., Alsarra, I.A. and Neau, S.H. (2002) An in vitro evaluation of a chitosan-containing multiparticulate system for macromolecule delivery to the colon. *Int. J. Pharm*, **239**: 197-205.
- Zhang, H., Yoshimura, M., Nishinari, K., Williams, M. A. K., Foster, T. J., & Norton, I. T. (2001) Gelation behaviour of konjac glucomannan with different molecular weights. *Biopolymers*, **59**:38 –50.
- Zhang, Y.Q., Xie, B.,J. & Gan, X. (2005) Advance in the applications of konjac glucomannan and its derivatives. *Carbohydrate Polymers*, **60**: 27-31.
- Zhaopeng, H., Mawatari, S., Shimokawa, T., Kimura, G., Yoshikawa, Y., Shibata, N., Takada, K. (2000) Colon Delivery Efficiencies of Intestinal Pressure-controlled Colon Delivery Capsules Prepared by a Coating Machine in Human Subjects. *Journal of Pharmacy and Pharmacology*, **52**:1187–1193.
- Zhou, X.H., Po, A.L.W. (1991) Peptide and protein drugs: I. Therapeutic applications, absorption and parenteral administration. *International Journal of Pharmaceutics*, **75**: 97–115.