
References

- Adhikari, T.B. and Basnyat, R.C.** (1998). Effect of crop rotation and cultivar resistance on bacterial wilt of tomato in Nepal. *Can. J. Pl. Pathol.*, **20**: 283-287.
- Adhikari, T.D.** (1993). Identification of biovars and races of *Pseudomonas solanacearum* and sources of resistance in tomato in Nepal. *Plant Dis.*, **77**: 901-903.
- Agrios, G.N.** (2006). *Plant Pathology*, Fifth edition. Elsevier Academic Press, San Diego, pp. 922.
- Akiew, E. and Trevorrow, P.R.** (1994). Management of bacterial wilt of tobacco. In: *Bacterial Wilt: The Disease and its Causative Agent, Pseudomonas solanacearum*. (ed. Hayward, A.C. and Hartman, G.L.), pp. 179-198, CAB International, Wallingford.
- Alvarez, A.M., Trotter, K.J., Swafford, M.B., Berestecky, J.M., Yu, Q.Y. and Ming, R.** (2004). Characterization and detection of *Ralstonia solanacearum* strains causing bacterial wilt of ginger in Hawaii. In: *Proceedings of the 3rd International Bacterial Wilt Symposium, 2002* (eds. Allen, C., Prior, P. and Hayward, A.C.), St. Paul, MN: *The Am. Phytopathol. Soc.*
- Anonymous** (1984). Gram-Negative Aerobic Rods and Cocci. In: *Bergey's Manual of Systematic Bacteriology*, Section 4, Vol. 1 (ed. Noel, R.R. Krieg and John G. Holt). pp. 140-199. William & Wilkins, USA.
- Anonymous** (2000). Council Directive on protective measures against the introduction into the Community of organisms harmful to plants or plant products and against their spread within the Community. *Off. J. Eur. Commun.*, **2000/29/EC L169**: 1-112.
- Anonymous** (2004). Horticultural Crop Statistics of Karnataka State at a Glance 2000-2001. Govt. of Karnataka, Statistical Wing, Directorate of Horticulture, Lalbagh, Bangalore, pp. 115.
- Anonymous** (2005). *Horticultural Crop Statistics of Karnataka State at a Glance 2002-2003*. Govt. of Karnataka, Statistical Wing, Directorate of Horticulture, Lalbagh, Bangalore, pp. 106.

- Araud-Razou, I., Vasse, J., Montrozier, H., Etchebar, C. and Trigalet, A. (1998).** Detection and visualization of the major acidic exopolysaccharide of *Ralstonia solanacearum* and its role in tomato root infection and vascular colonization. *Eur. J. Plant Pathol.*, **104**: 795-809.
- Bentley, J., Eric, B., Paul, V.M. and Janny, V. (2003).** Discovery through diagnosis: A manual of practical exercises and pest data sheets to promote better pest management. Experiences from a pilot project in Bolivia. *CABI Bioscience*, Bakeham Lane, Egham, United Kingdom, pp. 36.
- Beri, H. (2005).** Chemical and molecular analysis of the cell wall composition of tomato (*Lycopersicon esculentum*) in relation to resistance to *Ralstonia solanacearum*, causal agent of bacterial wilt. *M.Sc., Dissertation*, University of Hannover, Germany, pp.189.
- Bhattarai, S.P., Sharma, S. and Subedi, P.P. (1998).** Heat and bacterial wilt tolerant tomato varietal evaluation for rainy season at river basin domain. *Lumle Agr. Res. Cen.*, **98/21**, pp. 11.
- Black, R., Abubakar, Z., Seal, S. and Phiri, N. (1998).** Adaptation of technology for diagnosis and detection of *Ralstonia solanacearum* in Malawi and Tanzania. In: *Bacterial Wilt Disease: Molecular and Ecological Methods* (ed. Prior, P., Allen, C. and Elphinstone, J.), p. 110-115, Springer Verlag, Berlin, Heidelberg.
- Bradbury, J.F. (1986).** *Guide to Plant Pathogenic Bacteria*. CAB International, Wallingford (GB).
- Buddenhagen, I.W. (1986).** Bacterial Wilt Revisited. In: *Bacterial wilt diseases in Asia and the south Pacific* (ed. Persley, G.J.), *Australian Centre for International Agricultural Research Proceedings*, **13**: 126-143, ACIAR, Canberra.
- Buddenhagen, I.W. and Kelman, A. (1964).** Biological and physiological aspects of bacterial wilt caused by *Pseudomonas solanacearum*. *Ann. Rev. Phytopathol.*, **2**: 203-230.
- Buddenhagen, I.W., Sequeira, L. and Kelman, A. (1962).** Designation of Races in *Pseudomonas solanacearum*. *Phytopathol.*, **52**: 726.
- Burney, K. and Ahmad, I. (1997).** Biovars of *Ralstonia solanacearum* in Pakistan (Abstr.). In: *2nd International Bacterial Wilt Symposium*, 22-27, June, held at Guadeloupe, French West Indies (Poster A).

- Butler, E.J.** (1903). Potato diseases in India. *Agric. Ledger*, **10**: 87-124.
- CABI.** (2003). Crop protection compendium, 2003 edition. *CAB International*, Wallingford, U.K. On-line database. <http://www.cabicompendium.org/cpc>, last accessed 4 November 2005.
- Chahal, S.S., Khetarpal, R.K. and Thind, T.S.** (ed.) (2006). One hundred years of plant pathology in India: An overview. *Scientific Publishers* (India), Jodhpur.
- Chakrabarti, S.K., Shekhawat, G.S. and Gadewar, A.V.** (1995). Phenotypic reversion from afluoidal to fluoidal colony types in the strains of *Pseudomonas solanacearum*. *Ind. Phytopathol.*, **48**: 353-356.
- Chen, NungChe, Li, HueiMei and Wang JawFen** (1997). Bacterial wilt resistance sources in eggplant, *Solanum melongena*. *Capsicum and Eggplant Newslett.*, **16**: 111-114.
- Chupp, C.** (1994). Manual of vegetable plant diseases. Discovery Publishing House, New Delhi. pp. 599.
- Ciesla, W.M., Diekmann, M. and Putter, C.A.J.** (1996). *Eucalyptus* spp., FAO/IPGRI Technical Guidelines for the Safe Movement of Germplasm No. 17. Rome, FAO, pp. 66.
- Clough, S.J., Flavier, A.B., Schell, M.A. and Denny, T.P.** (1997). Differential expression of virulence genes and motility in *Ralstonia (Pseudomonas) solanacearum* during exponential growth. *Appl. Environ. Microbiol.*, **63**: 844-850.
- Clough, S.J., Lee, K.E., Schell, M.A. and Denny, T.P.** (1997a). A two-component system in *Ralstonia (Pseudomonas) solanacearum* modulates production of PhcA-regulated virulence factors in response to 3-hydroxypalmitic acid methyl ester. *J. Bacteriol.*, **179**: 3639-3648.
- Clough, S.J., Lee, K.E., Schell, M.A. and Denny, T.P.** (1997b). A two-component system in *Ralstonia (Pseudomonas) solanacearum* modulates production of PhcA-regulated virulence factors in response to 3-hydroxypalmitic acid methyl ester. *J. Bacteriol.*, **179**: 3639-3648.
- Coutinho, T. A., Roux, J., Riedel, K.H., Terblanche, J. and Wingfield, M.J.** (2000). First report of bacterial wilt caused by *Ralstonia solanacearum* on eucalypts. *South Afr. For. Pathol.*, **30**: 205-210.

- Dahab, A.E., El-Goorani, M.A. and Wagih, E.E.** (1978). Race identification of *Pseudomonas solanacearum* E.F. Smith in Egypt. *Zentralblatt fur Bakteriologie und Naturwissenschaften*, **133**: 211-216.
- Das, C.R. and Chattopadhyay, S.B.** (1955). Bacterial wilt of eggplant. *Ind. Phytopathol.* **8**: 130-135.
- Denny, T.P. and Hayward, A.C.** (2001). Ralstonia. In: *Laboratory Guide for the Identification of Plant Pathogenic Bacteria*, 3rd ed. (ed. Schaad, N.W.), APS Press, St. Paul, 151-174.
- Devi, L.R. and Menon, M.R.** (1980). Transmission of *P. solanacearum* through tomato seeds. *Agr. Res. J. Kerala*, **18**: 120-122.
- Dianese, J.C., Dristig, M.C.G. and Cruz, A.P.** (1990). Susceptibility to wilt associated with *Pseudomonas solanacearum* among six species of *Eucalyptus* growing in equatorial Brazil. *Aust. Pl. Pathol.*, **19**: 71-76.
- Dow, M. and Slater, H.** (2003). Bacterial Diseases. In: *Encyclopedia of Applied Plant Sciences* (ed. Thomas, B., Murphy, D.J. and Murphy, B.G.), First Edition, pp. 212-216, Elsevier Academic Press, USA.
- Elphinstone, J.G.** (2004). The current bacterial wilt situation: a global overview. *Proceedings of the 3rd International Bacterial Wilt Symposium* (ed. Allen, C., Prior, P. and Hayward, A.C.), St. Paul, MN, *The Ame. Phytopathol. Soc.*
- EPPO** (1978). Data Sheets on Quarantine Pests: *Ralstonia solanacearum*. *CABI and EPPO Publication, OEPP/EPPO A2 List Series No.58.*
- EPPO** (1999). *Distribution Maps of Plant Diseases. Ralstonia solanacearum*. Map nos., 783-785. CAB International, Wallingford (GB).
- EPPO** (2004). Diagnostic protocols for regulated pests: *Ralstonia solanacearum*, *OEPP/EPPO Bull.*, **34**: 173-178.
- Fahy, P.C. and Persley, G.J.** (1983). *Plant Bacterial Diseases, a Diagnostic Guide*. Academic Press, Sydney, pp. 393.
- French, E.R.** (1986). Interaction between strains of *Pseudomonas solanacearum*, its host and the environment. In: *Bacterial Wilt Disease in Asia and the South Pacific* (ed. Persley, G.J.), Canberra, ACIAR Proceedings No. 13, 99-104,

- French, E.R. and Sequeira, L. (1970).** Strains of *Pseudomonas solanacearum* from Central and South America: a comparative study. *Phytopathol.*, **60**: 506-512.
- French, E.R., Aley, P., Torres, E. and Nydegger, U. (1992).** Diversity of *Ralstonia solanacearum* in Peru and Brazil. In: *Bacterial wilt* (ed. Hartman, C.L. and Hayward, A.C.) ACIAR Proceedings No. 45, Section 9, Canberra, Australia.
- French, E.R., Gutarra, L., Aley, P. and Elphinstone, J. (1995a).** Culture media for *Ralstonia solanacearum* isolation, identification and maintenance. *Fitopatologia*, **30(3)**: 126-130.
- French, E.R., Gutarra, L., Aley, P. and Elphinstone, J. (1995b).** Methods for the detection of *Ralstonia solanacearum* in potato crops. In: *Proceedings of an International Workshop Integrated Management of Bacterial wilt* (eds. Hardy, B. and French, E.R.). New Delhi, India, October 11-16, 1993, pp. 195.
- Genin, S. and Boucher, C. (2004).** The *Ralstonia solanacearum*-plant Interaction. In: *Plant pathogen interactions* (ed. Talbot, N.J.), Oxford, *Blackwell Publishing*, 92-112.
- Goszczyńska, T., Serfontein, J.J. and Serfontein, S. (2000).** *Introduction to Practical Phytobacteriology*. The Swiss Agency for Development and Cooperation (SDC), Switzerland, pp. 91.
- Granada, G.A. and Sequeira, L. (1975).** A hypersensitive reaction induced in tobacco leaves by compatible (race-1) isolate of *Pseudomonas solanacearum*. *Phytopathol.*, **65**: 731-733.
- Granada, G.A. and Sequeira, L. (1983).** Survival of *Pseudomonas solanacearum* in soil, rhizosphere and plant roots. *Canadian J. Microbiol.*, **29**: 433-440.
- Grimault, V. and Prior, P. (1993).** Bacterial wilt resistance in tomato associated with tolerance of vascular tissues to *Pseudomonas solanacearum*. *Pl. Pathol.*, **42**: 589-594.
- Grimault, V. and Prior, P. (1994).** Invasiveness of *Pseudomonas solanacearum* in tomato, eggplant and pepper; a comparative study. *Eur. J. Pl. Pathol.*, **100**: 259-267.
- Grimault, V., Anais, G. and Prior, P. (1994).** Distribution of *Pseudomonas solanacearum* in the stem tissues of tomato plants with different levels of resistance to bacterial wilt. *Pl. Pathol.*, **43**: 663-668.

- Gross, M. and Rudolph, K.** (1987). Demonstration of Levan and Alginate in bean plants (*Phaseolus vulgaris*) infected by *Pseudomonas syringae* pv. *phaseolicola*. *J. Phytopathol.* **120**: 9-19.
- Hanudin** (1997). Bacterial wilt in Java: distribution, races, biovars and its control. (Abstr.) In: *2nd International Bacterial Wilt Symposium (IBWS)*, 22-27 June, Guadeloupe, French West Indies.
- Hayward, A.C.** (1964). Characteristics of *Pseudomonas solanacearum*. *J. Appl. Bacteriol.*, **27**: 265-277.
- Hayward, A.C.** (1983). The non-fluorescent pseudomonads, In: *Plant Bacterial Diseases-A Diagnostic Guide* (ed. Fahy, P.C. and Persley, G.J.), pp. 107-140, Academic Press, Sydney.
- Hayward, A.C.** (1991). Biology and epidemiology of Bacterial wilt caused by *Pseudomonas solanacearum*. *Annu. Rev. Phytopathol.*, **29**: 65-87.
- Hayward, A.C.** (2000). *Ralstonia solanacearum*. In: *Encyclopedia of Microbiology*, Vol. 4 (ed. Lederberg, J.). *Academic Press* San Diego, California, 32-42.
- Hayward, A.C. and Denny, T.P.** (2001). *Ralstonia*. In: *Laboratory Guide for the Identification of Plant Pathogenic Bacteria*, 3rd ed. (ed. Schaad, N.W.). St. Paul, APS Press, 151-174.
- He, L.Y., Sequeira, L. and Kelman, A.** (1983). Characteristics of strains of *Pseudomonas solanacearum* from China. *Plant Dis.*, **67**: 1357-1361.
- Herbert, R.A.** (1990). Methods for enumerating microorganisms and determining biomass in natural environments. *Methods in Microbiol.*, **19**: 1-40.
- Ho, G.D. and Yang, C.H.** (1999). A single locus leads to resistance of *Arabidopsis thaliana* to bacterial wilt caused by *Ralstonia solanacearum* through a hypersensitive-like response. *Phytopathol.*, **89(8)**: 673-678.
- Horita, M. and Tsuchiya, K.** (2001). Genetic diversity of Japanese strains of *Ralstonia solanacearum*. *Phytopathol.*, **91**: 399-407.
- Hsu, S.T.** (1991). Ecology and control of *P. solanacearum* in Taiwan. *Pl. Prot. Bull.*, Taiwan, **33**: 72-79.

- Hsu, S.T., Hong, W.F., Tzeng, K.C. and Chen, C.C.** (1993). Bacterial wilt of perilla caused by *Pseudomonas solanacearum* and its transmission. *Pl. Dis.*, **77**: 674-677.
- Huang, N.X.** (1998). Effects of antibiotics on the growth of *Pseudomonas solanacearum*, a pathogen of *Eucalyptus* bacterial wilt. *Guangxi Forest. Sci.*, **27**: 25-27.
- Huang, Y.D., Wu, W.R. and Ye, Z.H.** (1995). Study on virulence of *Pseudomonas solanacearum* (Smith.) for tomato bacterial wilt at suburbs of Hefei. *Jour. Anhui Agric. Univ.*, **22**: 409-412.
- Huguet, E., Hahn, K., Wengelnik, K. and Bonas, U.** (1998). *hrpA* mutants of *Xanthomonas campestris* pv. *vesicatoria* are affected in pathogenicity but retain the ability to induce host-specific hypersensitive reaction. *Mol. Microbiol.*, **29**: 1379-1390.
- Ito, S., Ushijima, Y., Fujii, T. Tanaka, S. Kameyalwaki, M., Yoshiwara, S. and Kishi, F.** (1998). Detection of viable cells of *Ralstonia solanacearum* in soil using a semi-selective medium and a PCR technique. *J. Phytopathol.*, **146**: 379-384.
- Janse, J.D.** (1991). Infra- and intraspecific classification of *Pseudomonas solanacearum* strains, using whole cell fatty acid analysis. *Sys. Appl. Microbiol.*, **14**(4): 335-345.
- Janse, J.D., van den Beld, H.E., Elphinstone, J., Simpkins, S., Tjou-Tam-Sin, N.A.A. and van Vaerenbergh, J.** (2004). Introduction to Europe of *Ralstonia solanacearum* biovar 2, race 3 in *Pelargonium zonale* cuttings. *J. Pl. Pathol.*, **86**: 147-155.
- Kalha, C.S., Prashar, A. and Sood, A.K.** (1993). Survey for the occurrence of bacterial wilt of tomato in mid-hill sub humid zone of Himachal Pradesh. *Pl. Dis. Res.*, **9**: 209-211.
- Kanda, A., Ohnishi, S., Tomiyama, H., Hasegawa, H., Ysukohchi, M., Kiba, A., Ohnishi, K., Okumo, T. and Hikichi, Y.** (2003). Type III-secretion machinery deficient mutants of *Ralstonia solanacearum* lose their ability to colonize, proliferate and induce host responses immediately after invasion, resulting in loss of their virulence. *J. Gen. Pl. Pathol.*, **69**: 250-257.

- Kang, Y.W., Mao, G.Z., Lu, C.S. and He, L.Y. (1995). Biological control of bacterial wilt of tomato by using extracellular protein defective mutant of *Pseudomonas solanacearum*. *Acta Phytopathologica Sinica*, **22**: 287-288.
- Kang, Y.W., Saile, E., Schell, M.A. and Denny, T.P. (1999). Quantitative immunofluorescence of regulated *eps* gene expression in single cells of *Ralstonia solanacearum*. *Appl. Env. Microbiol.*, **65**(6): 2356-2362.
- Keller, H., Czernic, P., Ponchet, M., Ducrot, P.H., Back, K., Chappell, J., Ricci, P. and Marco, Y. (1998). Sesquiterpene cyclase is not a determining factor for elicitor- and pathogen-induced capsidiol accumulation in tobacco. *Planta*, **205**: 467-476.
- Kelman, A. (1998). One hundred and one years of research on Bacterial wilt. In: *Bacterial Wilt Disease: Molecular and Ecological Methods* (ed. Prior, P., Allen, C. and Elphinstone, J.), p. 1-5. Springer Verlag, Berlin, Heidelberg.
- Kelman, A. (1953). The bacterial wilt caused by *Pseudomonas solanacearum*. *N.C. Agric. Expt. Statn. Tech. Bull.*, **99**:194.
- Kelman, A. (1954). The relationship of pathogenecity in *P. solanacearum* to colony appearance on a tetrazolium medium. *Phytopathol.*, **44**: 693-695.
- Kelman, A. and Sequeira, L. (1965). Root-to-root spread of *Pseudomonas solanacearum*. *Phytopathol.*, **55**: 304-309.
- Kempenaar, C., Groeneveld, R.M.W., Lotz, L.A.P., Wenneker, M. and Janse, J.D. (1998). Ecology and control of *Solanum dulcamara* in relation to brown rot. *Gewasbescherming*, **29**: 119-123.
- Kempenaar, C., Groeneveld, R.M.W., Scheepens, P.C., Zweerde, W. van der and Lotz, L.A.P. (1997). Ecology and biological control of bittersweet (*Solanum dulcamara*). *Report. Res. Inst. Agrobiol. Soil Fert.*, **86**: 0-23.
- King, E.O., Ward, M.K. and Rohey, D.E. (1954). Two simple media for the demonstration of pyocyanin and fluorescein. *J. Lab. Clin. Med.*, **44**: 301-307.
- Kishun, R. (1985). Effect of bacterial wilt on yield of tomato (Abstr.). *Ind. Phytopathol.*, **38**: 606.

- Kishun, R.Q. and Chand, R.** (1988). A rapid method for evaluation of virulence of *Pseudomonas solanacearum*. *Aust. Cen. for Int. Agric. Res. Bacterial Wilt Newslett.*, 4: 2-3.
- Kovacs, N.** (1956). Identification of *Pseudomonas pyocyanea* by the oxidase reaction, *Nat.*, London, 178: 703.
- Kumar, A., Sarma, Y.R. and Anandaraj, M.** (2004). Evaluation of genetic diversity of *Ralstonia solanacearum* bacterial wilt of ginger using REP-PCR and PCR-RFLP. *Curr. Sci.*, 87(11): 1555-1561.
- Kumar, P.G.S., Rajan, S. and Peter, K.V.** (2002). Role of phenols and ascorbic acid in imparing resistance to bacterial wilt in tomato. 3rd *International Bacterial Wilt Symposium*, February, 4-8 (Abstr.)
- Lelliot, R.A. and Stead, D.E.** (1987). Methods for the diagnosis of bacterial diseases of plants. In: *Methods in Plant Pathology* (ed. Preece, T.F.), *Blackwell Scientific Publications*, London.
- Li, N.J., Yuan, S.Q., Pu, H.L., Zhou, H.G. and Dai, M.** (1998). Transfer of cecropin B gene into tobacco plant and confer the bacterial wilt resistance. *J. Agric. Biotech.*, 6: 178-184.
- Liao Boshou, Li Dong, Shan Zhi Hui and Lei Yong.** (1997). Influence of latent infection by bacterial wilt (*Ralstonia solanacearum*) on groundnut plants. *Oil Crops of China*, 19: 55-58.
- Liao, B.S., Shan, Z.H., Duan, N.X., Lei, Y.J., Tan, Y., Li, D. and Mehan, V.K.** (1998). Relationship between latent infection and groundnut bacterial wilt resistance. In: *Bacterial Wilt Disease: Molecular and Ecological Methods* (ed. Prior, P., Allen, C. and Elphinstone, J.) pp. 89-98. Springer Verlag, Berlin, Heidelberg.
- Lin, X.J., Wu, G.J., Shi, M.W., Cai, J.X., Huang, J.H., Zhang, M.X., Xu, S.C., Li, R.L. and Huang, J.W.** (1993). Characteristics of the pathogen of bacterial wilt in *Eucalyptus*. *Hunan Forest. Sci. Technol.*, 20: 6-10.
- Lin, X.P., Lin, X.J., Wu, G.J., Li, X.X., Cai, J.X. and Xu, S.C.** (1996). The epidemic law of bacterial wilt in *Eucalyptus*. *J. Cent. South Forest. Univ.*, 16: 49-55.
- Liu, Q.G. and Zeng, X.M.** (1999). Integrated controls of bacterial wilt in solanaceous vegetables- Integrated management of vegetable pests and diseases. *China Veg.*, 6: 57-52.

- Liu, Q.G., Chen, Z.P., Dong, C. and Zeng, X.M. (1999a). Investigation of the occurrence of *Pseudomonas solanacearum* strains in tobacco in Guangdong Province. *J. China Tobacco*, **5**: 25-28.
- Liu, Y.T. and Zhang, S.G. (2001). New progress of tobacco bacterial wilt. *Jour. Yunnan Agric. Univ.*, **16**: 72-76.
- Lozano, J.C. and Sequeira, L. (1970). Differentiation of races of *Pseudomonas solanacearum* by leaf infiltration technique. *Phytopathol.*, **60**: 833-838.
- Lu, T. (1998). Advances in research of *Pseudomonas solanacearum* of crop in China. *Fujian J. Agric. Sci.*, **13**: 33-40.
- Luo, K. and Wang, Z. (1983). Control of bacterial wilt with antagonistic *Pseudomonas* spp. and avirulent *P. solanacearum*. *Acta Phytopathologica Sinica*, **13**: 51-55.
- Martin, C. and French, E.R. (1985). Bacterial wilt of potato, *Ralstonia solanacearum*. International Potato Center (CIP), *Tech. Inform. Bull.*, Sec. 2, No. 13.
- Martin, C., French, E.R. and Nydegger, U. (1981). Bacterial wilt of potatoes in the Amazon Basin. *Pl. Dis.*, **65**: 246-248.
- Mehrotra, R.S. and Agarwal, A. (2003). Plant Pathology. 2nd ed., *Tata McGraw-Hill Publ. Company Ltd.*, New Delhi, 94-142.
- Melo de, M.S., Furuya, N., Matsumoto, M. and Matsuyama, N. (1999). Comparative studies on fatty acid composition of the whole-cell and outer membrane in Brazilian strains of *Ralstonia solanacearum*. *J. Faculty of Agric. Kyushu Univ.*, **44(1-2)**: 17-23.
- Mew, T.W. and Ho, W.C. (1977). Effect of soil temperature on resistance of tomato cultivars to bacterial wilt. *Phytopathol.*, **67**: 909-911.
- Middleton, K.J. and Hayward, A.C. (1990). Bacterial wilt of groundnut. Proceedings of an ACIAR/ICRISAT collaborative research planning meeting held at Genting Highlands, Malaysia on 18-19. *Aust. Cen. Int. Agri. Res. Proc.*, **31**: 58.
- Mishra, A., Mishra, S.K., Karmakar, S.K., Sarangi, C.R. and Sahu, G.S. (1995). Assessment of yield loss due to wilting in some popular tomato cultivars. *Environ. Eco.*, **13**: 287-290.

- Moffett, M. L., Wood, B.A. and Hayward, A.C.** (1981). Seed and soil: Source of inoculum for the colonization of the foliage of solanaceous hosts by *Pseudomonas solanacearum*. *Annals of Appl. Biol.* **98**: 411.
- Molterer, W.** (1998). Council Directive on the control of *Ralstonia solanacearum* (Smith) Yabuuchi *et al.* *Off. J. Eur. Commun.*, 20th July, **98/57/EC OJC L235**: 1-39.
- Mortensen, C.N.** (1992). Seed Bacteriology Laboratory Guide. *Danish Government Institute of Seed Pathology for Developing Countries*, Hellerup, Copenhagen Denmark.
- Muniyappa, V.** (2003). Plant disease scenario in southern India. *Ind. Phytopathol.*, **56**: 328 (Abstr.)
- Nagaich, B.B., Shekhawat, G.S., Khurana, S.M.P. and Bhattacharya, S.K.** (1974). Pathological problems of potato cultivation in India. *J. Ind. Potato Assoc.*, **1**: 32.
- NIAST.** (2003). National Institute of Agriculture Science and Technology. *Research Highlights*. <http://www.niast.go.Kr/English/sub/highlights.htm> last accessed 15 May, 2006.
- Nirmala, D.S., Veena, S., Sheena, V.K. and Bindu, S.** (2002). Development of bacterial wilt resistant tomato for processing. (Abstr.) 3rd *International Bacterial Wilt Symposium*, February, 4-8.
- Ofuya, C.O.** (1984). Physical properties of pectic polysaccharides of *Pseudomonas solanacearum* from Nigeria. *Curr. Microbiol.*, **10**: 141-146.
- Pan, C.M., Lin Y.S. and Hsu, S.T.** (1996). Bacterial wilt, a new disease of loofah caused by *Pseudomonas solanacearum*. *Pl. Prot. Bull.*, **38**: 295-312.
- Paul Holliday** (1989). *A Dictionary of Plant Pathology*. pp. 256, 352. *Cambridge Univ. Press*, Cambridge, New York.
- Persley G.J.** (1986). Ecology of *Pseudomonas solanacearum*, the causal agent of bacterial wilt. In: *Bacterial Wilt Disease in Asia and the South Pacific* (Ed. Persley, G.J.). Canberra, ACIAR Proceedings, **13**: 71-76.
- Ponnuswami, V.** (1997). Screening for bacterial wilt resistance in brinjal. *Capsicum and Eggplant Newslett.*, **16**: 115-17.

- Ponnuswami, V.** (1998). Inoculum concentration, seedling age and bacterial wilt severity to standardize screening in eggplant. *Capsicum and Eggplant Newslett.*, **17**: 80-83.
- Poussier, S., Vandewalle, P. and Luisetti, J.** (1999). Genetic diversity of African and worldwide strains of *Ralstonia solanacearum* as determined by PCR-Restriction Fragment Length Polymorphism analysis of the *hrp* gene region. *Appl. Environ. Microbiol.*, **65**: 2184-2194.
- Pradhanang, P.M.** (1999). Transmission of *Ralstonia solanacearum* through drainage water. *Bact. Wilt Newslett.*, **16**: 5-7.
- Pradhanang, P.M., Elphinstone, J.G. and Fox, R.T.V.** (2000). Identification of crop and weed hosts of *Ralstonia solanacearum* biovar 2 in the hills of Nepal. *Pl. Pathol.*, **49**: 403-413.
- Pradhanang, P.M., Momol, M.T. and Olson, S.M.** (2003). Effects of plant essential oils on *Ralstonia solanacearum* population density and bacterial wilt incidence in tomato. *Pl. Dis.*, **87**(4): 423-427.
- Prior, P. and Steva, H.** (1990). Characteristics of strains of *Pseudomonas solanacearum* from the French West Indies. *Pl. Dis.*, **74**: 13-17.
- Prior, P., Bart, S., Laclercq, S., Darrasse, A. and Anais, G.** (1996). Resistance to bacterial wilt to tomato as discerned by spread of *Pseudomonas (Burkholderia) solanacearum* in the stem tissues. *Pl. Pathol.*, **45**: 720-726.
- Prior, P., Steva, H. and Cadet, P.** (1990). Aggressiveness of strains of *Pseudomonas solanacearum* from the French West Indies. *Pl. Dis.*, **74**: 962-965.
- Quinon, V.L., Aragki, M. and Ishii, M.** (1964). Pathogenicity and serological relationship in Hawaii. *Phytopathol.*, **54**: 1096-1099.
- Rajeshwari, N.** (2001). Diagnosis and molecular characterization of *Pseudomonas solanacearum* in tomato. In: *Ph.D. Thesis, Seed Pathology Laboratory, Department of Applied Botany, University of Mysore, Mysore, 27-72.*
- Rajeshwari, N., Shylaja, M.D., Krishnappa, M., Shetty, H.S., Mortensen, C.N. and Mathur, S.B.** (1998). Development of ELISA for the detection of *Ralstonia solanacearum* in tomato: Its application in seed health testing. *World J. Microbiol. Biotechnol.*, **14**: 697-704.

- Ramkishun** (1987). Loss in yield of tomato due to bacterial wilt caused by *Pseudomonas solanacearum*. *Ind. Phytopathol.*, **40**: 152-155.
- Ran, L., Liu, C., Wu, G., Van Loon, L.C. and Bakker, P.A.H.M.** (2002). Onderdrukking van *Ralstonia solanacearum* op *Eucalyptus urophylla* door fluorescerende *Pseudomonas* spp. in China. *Gewasbescherming*, **33**: 23.
- Rao, M.V.B.** (1976). Bacterial wilt of tomato and eggplant in India. In: *Proceedings of the First International Planning Conference and Workshop on the Ecology and Control of Bacterial Wilt caused by Pseudomonas solanacearum*. (ed. Sequeira, L. and Kelman, A.), pp. 92-94. Raleigh, North Carolina, July 18-24.
- Ren, X.Z., Wei, G., Qi, Q.S. and Fang, Z.D.** (1981). Comparative studies of isolates of *Pseudomonas solanacearum* Smith from different host plants. *Acta Phytopathologica Sinica*, **11**: 1-8.
- Rena, S., Kanda, A., Ohnishi, K., Kiba, A. and Hikichi, Y.** (2005). Contribution of folate biosynthesis to *Ralstonia solanacearum* proliferation in intercellular space. *Appl. Env. Microbiol.*, **71**: 417-422.
- Robert, S.** (2004). New pest response guidelines: *Ralstonia solanacearum* race-3 biovar-2, Southern Wilt of Geranium. USDA, APHIS, PPQ, Riverdale, MD, pp. 19.2.
- Roux, J., Coutinho, T. A., Wingfield, M. J. and Bouillet, J. P.** (2000). Diseases of plantation *Eucalyptus* in the Republic of Congo. *South Afr. J. Sci.*, **96**: 454-456.
- Saddler, G.S.** (1994). *Burkholderia solanacearum*. *Mycopathologia*, **128**: 61-63.
- Sathish, K.S., Rajeshkumar, Dohroo, N.P. and Rajesh, K.** (2004). Effect of soil solarization on *Ralstonia solanacearum* population and bacterial wilt of tomato in Himachal Pradesh. *Ind. Phytopathol.*, **57(2)**: 200-204.
- Schaad, N.W.** (1988). Laboratory guide for identification of plant pathogenic bacteria. 2nd ed., *APS Press*, St. Paul, Minnesota, USA.
- Seal, S.** (1998). Chair's Perspective: Diagnosis. In: *Bacterial Wilt Disease: Molecular and Ecological Methods* (ed. Prior, P., Allen, C. and Elphinstone, J.), 101-102. Springer Verlag, Berlin, Heidelberg.

- Seal, S.E. and Elphinstone, J.G. (1994). Advances in identification and detection of *Pseudomonas solanacearum*. In: *Bacterial wilt: the disease and its causative agent, Pseudomonas solanacearum* (ed. Hayward, A.C. and Hartman, G.L.), CAB Int., Wallingford, 35-57.
- Shakya, D.D. (1992). Occurrence of *Pseudomonas solanacearum* in tomato seeds imported into Nepal. *Bacterial wilt. Aust. Centre for Int. Agric. Res.*, **45**: 371-372.
- Sharma, J.P. and Kumar, S. (1995). Evaluations of host resistance in brinjal to *Pseudomonas wilt* in Chotanagpur. *Ind. Phytopathol.*, **48**: 81-83.
- Sharma, J.P. and Kumar, S. (1997). Performance of elite lines of tomato (*Lycopersicon esculentum*) for resistance to wilt caused by *Pseudomonas solanacearum*. *Ind. J. Agric. Sci.*, **67**: 175-176.
- Sharma, J.P., Jha, A.K., Singh, A.K., Pan, R.S., Mathura Rai and Kumar, S. (2006). Evaluation of tomato against bacterial wilt (*Ralstonia solanacearum*) in Jharkhand, Uttar Pradesh. *Ind. Phytopathol.*, **59(4)**: 405-409.
- Sharma, T.C. (1999). Technological change in Indian Agriculture. *Rawat Publications*, New Delhi, pp. 394.
- Shekhawat, G.S., Chakrabarti, S.K. and Gadewar, A.V. (1992). Potato bacterial wilt in India. Central Potato Research Institute, Shimla, HP, India, *ICAR Tech. Bull.*, **28**: 52.
- Shekhawat, G.S., Singh, R. and Kishore, V. (1978). Distribution of bacterial wilt and races and biotypes of the pathogen in India. *J. Ind. Potato Assoc.*, **5**: 155-165.
- Shreshta, K., Singh, K. and Mathur, S.B. (1987). Major seed borne diseases of selected vegetable crops of Nepal, *DGISP*, Hellerup, Denmark, p. 158.
- Shuai, Z.B., Su, J.L. and Luo, X.B. (1997). Physiological specialization of tomato bacterial wilt pathogen (*Pseudomonas solanacearum* Smith.) in Chengdu and identification of the resistance of tomato varieties. *China Veg.*, **3**: 16-18.
- Shylaja M.D., Krishnappa, M. and Shetty, H.S. (2000). Host-pathogen interactions in *Ralstonia solanacearum* induced wilt in solanaceous crops. In: *Plant Diseases* (ed. Trivedi, P.C.), pp. 237-268, *Pointer Publishers*, Rajasthan, India.

- Siddiqui, M.R.** (1992). Importance of seed-borne diseases. In: *Current Concepts in Seed Biology*, (ed. Mukerji, K.G., Bhatnagar, A.K., Tripathi, S.C., Bansal, M. and Saxena, M.) pp. 201-212, Cambridge Press, Delhi.
- Singh, P.K. and Gopalakrishnan, T.R.** (1997). Grafting for resistance and productivity in brinjal (*Solanum melongena* L.). *Hort. J.*, **10**: 57-64.
- Singh, R.S.** (2005). Plant diseases, eighth edition. *Oxford and IBH Publishing Co. Pvt. Ltd.*, New Delhi, pp. 108.
- Sinha, S.K.** (1986). Bacterial wilt in India. In: *Bacterial wilt disease in Asia and South Pacific*. In: *Proceedings of International Workshop*, PCARRD, Los Banos, Philippines, 8-10th October 1985. (Ed. Persley, G.J.). *Aust. Cen. Inter. Agric. Res. (ACIAR)*, No. 13, Canberra, Australia.
- Smith, E.F.** (1896). A bacterial disease of the tomato, eggplant and Irish potato (*Bacillus solanacearum* nov. sp.). *US Dept. Agric. Div. Veg. Physiol. Pathol. Bull.*, **12**: 1-28.
- Sonoda, R.M. and Augustine, J.H.** (1978). Reaction of Bacterial wilt Resistant tomato lines to *Pseudomonas solanacearum* in Florida. *Pl. Dis. Report*, **62**: 464-466.
- Steiner, A.M. and Werth, H.** (1975). Die Bedeutung der pH adhangiket des lopographischen etrasolium tests für die buatgut prufung. Land wirtschaftliche Foschung, Sondeheft 32, 60-68. In: *Hand Book of Vigour Test Methods*, Ind. Edition, *ISTA*, Switzerland, pp. 58.
- Strider, D.L., Jones, R.K. and Haygood, R.A.** (1981). Southern bacterial wilt of geranium caused by *Pseudomonas solanacearum*. *Pl. Dis.*, **65**: 52-53.
- Su, C.C. and Leu, L.S.** (1995). Bacterial wilt of anthurium caused by *Pseudomonas solanacearum*. *Pl. Pathol. Bull.*, **4**: 34-38.
- Subrata, B. and Singh, N.P.** (2008). Integrated management of wilt of tomato caused by *Ralstonia solanacearum*. *J. Mycol. Pl. Pathol.*, **38(1)**: 18-20.
- Sumithra Urs, K., Krishnappa, M. Vasanth, T.K., Shetty, H.S., Mortensen, C.N. and Mathur, S.B.** (2000). Seed-borne nature of *Ralstonia solanacearum* in eggplant (*Solanum melongena* L.) cultivars in India. *Seed Sci. Technol.*, **28**: 291-299.
- Sunaina, V. and Gupta, P.K.** (1998). Relationship between seasons and severity of bacterial wilt of potato under field conditions. *Ind. Phytopathol.*, **51**: 92-94.

- Swaminathan, M.S.** (2003). Enhancing our agricultural competitiveness. *Curr. Sci.*, **85**: 886-895.
- Swaminathan, M.S.** (2006). Agriculture Cannot Wait- The year of the Farmer. *Ind. J. Fert.*, **2(4)**: 11-14.
- Tans-Kersten, J., Huang, H. and Caitilyn, A.** (2001). *Ralstonia solanacearum* Needs Motility for the Invasive Virulence on Tomato. *J. Bacteriol.* **183(12)**: 3597-3605.
- Tans-Kersten, J., Yanfeen, G. and Allen, C.** (1998). *Ralstonia solanacearum* pectin methylesterase is required for growth on methylated pectin but not for bacterial wilt virulence. *Appl. Environ. Microbiol.*, **64**: 4918-4923.
- Tewari, A.** (1986). A note on the evaluation of tomato for resistance to bacterial wilt (*Pseudomonas solanacearum*). *Veg. Sci.*, **17**: 196-198.
- Thornley, M.J.** (1960). The differentiation of *Pseudomonas* from other Gram-negative bacteria on the basis of arginine metabolism. *J. Appl. Bacteriol.*, **23**: 37-52.
- Tigchelaar, E.C.** (1992). Bacterial wilt. In: *Compendium of Tomato Diseases* (ed. Jones, J.B., Jones, J.P., Stall, R.E. and Zitter, T.A.), pp. 0-4. *APS Press*, St. Paul, Minnesota, USA.
- Trigalet, A. and Trigalet-Demery, D.D.** (1990). Use of avirulent mutants of *Pseudomonas solanacearum* for the biological control of bacterial wilt of tomato plants. *Physiol. Mol. Pl. Pathol.*, **36**: 27-38.
- Tsrur, L., Aharon, M. and Erlich, O.** (1999). Survey of bacterial and fungal seedborne diseases in imported and domestic potato seed tubers. *Phytoparasitica*, **27(3)**: 215-226.
- Umesha, S., Kavitha, R. and Shetty, H.S.** (2005). Transmission of seed-borne infection of chilli by *Burkholderia solanacearum* and effect of biological seed treatment on disease incidence. *Arch. Phytopathol. Pl. Protec.*, **38(4)**: 281-293 (abst.)
- Van Elsas, J.D., Kastelein, P., Van Bekkum, P., Van der Wolf, J.M., De Vries, P.M. and Van Overbeek, L.S.** (2000). Survival of *Ralstonia solanacearum* biovar 2, the causative agent of potato brown rot, in field and microcosm soils in temperate climates. *Phytopathol.*, **90**: 1358-1366.
- Vidyasagar and Kumar, J.** (1992). Bacterial wilt resistance in tomato (*Lycopersicon esculentum* Mill). *Veg. Sci.*, **19**: 111-114.

- Wang, G.P., Luo, K., Liao, X.L., Zhou, Z.C. and Peng, Z.H. (1996). Studies on the *Pseudomonas solanacearum* pathogenicity and biotype of the tobacco in Hunan province. *J. Hunan Agric. Univ.*, **22**: 371-374.
- Wang, J. (1997). Horizontal and vertical resistance of *Casuarina* clones to isolates of *Pseudomonas solanacearum*. *Scientia Silvae Sinicae*, **33**: 427-431.
- Wang, J., Cen, B.Z. and Su, H. (1997a). A review of studies on bacterial wilt caused by *Pseudomonas solanacearum* in forest trees. *J. South China Agric. Univ.*, **18**: 118-121.
- Wang, Jaw Fen, Nerke, T. and Wang, J.F. (1997b). Sources of resistance to bacterial wilt in *Capsicum annum*. *Capsicum & Eggplant Newslett.*, **16**: 91-93.
- Warwick, E. and Thomas, K. (2007). AVRDC Report 2004. The AVRDC World Vegetable Centre, Taiwan, pp. 158.
- Wenneker, M., Beuningen, A.R. van, Nieuwenhuijze, A.E.M. van and Janse, J.D. (1998). Survival of brown rot and disinfection of surface water. The survival of the brown rot bacteria (*Pseudomonas solanacearum*) in several substrates and the efficiency of several methods for the disinfection of surface water. *Gewasbescherming*, **29**: 7-11.
- Wenneker, M., Verdel, M.S.W., Van Beuningen A.R., Derks, J.H.J. and Janse, J.D. (1999). *Ralstonia (Pseudomonas) solanacearum* race 3 (biovar 2) in surface water and natural weed hosts: first report on stinging nettle (*Urtica dioica*). *Eur. J. Pl. Pathol.*, **105**: 307-315.
- Wheeler, L. (2007). Revised and Updated Illustrated Oxford Dictionary, *Dorling Kinderley Ltd. and Oxford Univ. Press*, pp. 748.
- Winstead, N.N. and Kelman, A. (1952). Inoculation Techniques for Evaluating Resistance of *Pseudomonas solanacearum*. *J. North Carolina Agric. Expt. Statn.*, 624-628.
- Wu, Q.P. and Liang, Z.C. (1988a). Identification and pathogenic tests of the causal organism of the bacterial wilt of *Eucalyptus*. *J. South China Agric. Univ.*, **9**: 59-67.

- Yabuuchi, E., Kosako, Y., Oyaizu, H., Yano, I., Hotta, H., Hashimoto, Y., Ezaki, T. and Arakawa, M. (1992).** Proposal of *Burkholderia* gen. nov. and transfer of seven species of the genus *Pseudomonas* homology group II to the new genus, with the type species *Burkholderia cepacia* (Palleroni and Holmes, 1981) comb. nov., *Microbiol. Immunol.*, **136(12)**: 1251-1275.
- Yabuuchi, E., Kosako, Y., Yano, I., Hotta, H. and Nishiuchi, Y. (1996).** Validation of the published names and new combinations previously effectively published outside the IJSB. *Int. J. Syst. Bacteriol.*, **46**: 625-626.
- Yabuuchi, E., Kosako, Y., Yano, L., Hotta, H. and Nishiuchi, Y. (1995).** Transfer of two *Burkholderia* and an *Alcaligenes* species of *Ralstonia* gen. nov., Proposal of *Ralstonia pickettii* (Ralston, Palleroni and Doudoroff, 1973), comb. nov., *Ralstonia solanacearum* (Smith 1896) comb. nov., *Ralstonia eutropha* (Davis, 1969) comb. Nov., *Microbiol. Immunol.*, **39**: 897-904.
- Yang, C. and Ho, G. (1998).** Resistance and susceptibility of *Arabidopsis thaliana* to bacterial wilt caused by *Ralstonia solanacearum*. *Phytopathol.*, **88**: 330-334.
- Yu, Q., Alvarez, A.M., Moore, P.H., Zee, F., Kim, M.S., De Silva, A., Hepperly, P.R. and Ming, R. (2003).** Molecular diversity of *Ralstonia solanacearum* isolated from ginger in Hawaii. *Phytopathol.*, **93**: 1124-1130.
- Zeng, X.M. and Dong, C. (1995).** Biotypes of *Pseudomonas solanacearum* Smith from various hosts in Guangdong Province. *J. South China Agric. Univ.*, **16**: 50-53.