

LIST OF FIGURES

Figure No	Title of Figure
1.1	Betelvine growing as inter crop in areca garden
1.2	Splash and furrow irrigation in betelvine garden
1.3	Betelvine growing on the live support Erythrina
1.4	Leaves are packed and arranged in thousands
1.5	Erythrina and Moringa provide the live support to betelvine
3.1	Karnataka Agroclimatic zones
3.2	Completely wilted betelvine
3.3	Wilting grades of betelvine
3.4	Roots and damage stem due to soil borne fungal pathogens of betelvine
3.5	Sclerotia of <i>Sclerotium rolfsii</i> on the collar region of betelvine
3.6	Baits incubated on moistened blotters
3.7	<i>Sclerotium rolfsii</i> producing sclerotia on colonized baits
3.8	<i>Fusarium oxysporum</i> showing micro and macroconidia
3.9	Betelvine stems incubated on moistened blotters showing <i>Fusarium</i>
3.10	Betelvine root incubated on PDA showing <i>Fusarium</i>
3.11	Fungi growing from the betelvine stems incubated on PDA
3.12	<i>Phytophthora parasitica</i> Pure culture on PDA
3.13	<i>Pythium vexans</i> Pure culture on PDA
3.14	<i>Fusarium oxysporum</i> Pure culture on PDA
3.15	<i>Rhizoctonia solani</i> Pure culture on PDA
3.16	<i>Sclerotium rolfsii</i> Pure culture on PDA
3.17	Isolation of fungi from Baiting technique
3.18	Test plants were maintaining in green house conditions
3.19	Sand layering to induce roots
3.20	Roots and shoots arising from the nodes

Contd...

3.21	Roots arising from the nodal region raised under water layering
3.22	Roots arising from the nodes raised under sand layering
3.23	<i>Trichoderma harzianum</i> on Paddy straw
3.24	<i>Trichoderma harzianum</i> on Sawdust
3.25	<i>Trichoderma harzianum</i> on sorghum grains
3.26	The betelvine stem was twined into circular fashion before planting
3.27	Recovered plants
4.1	Tarikere Map
4.2	Karnataka rain fall zones
4.3	Karnataka Annual maximum temperature zones
4.4	Karnataka Annual minimum temperature zones
4.5	Water holding capacity of soils at different parts of Kanataka
4.6	Soil map of Tarikere Taluk
4.7	Wilt incidence during pre-monsoon 2000-2002
4.8	Wilt incidence during monsoon 2000-2002
4.9	Recovery of <i>Phytophythora parasitica</i> during Pre-monsoon 2000-2002
4.10	Recovery of <i>Phytophythora parasitica</i> during monsoon 2000-2002
4.11	Recovery of <i>Pythium vexans</i> during Pre-monsoon 2000-2002
4.12	Recovery of <i>Pythium vexans</i> during monsoon 2000-2002
4.13	Recovery of <i>Fusarium oxysporum</i> during Pre-monsoon 2000-2002
4.14	Recovery of <i>Fusarium oxysporum</i> during monsoon 2000-2002
4.15	Recovery of <i>Rhizoctonia solani</i> during Pre-monsoon 2000-2002
4.16	Recovery of <i>Rhizoctonia solani</i> during monsoon 2000-2002
4.17	Recovery of <i>Sclerotium rolfsii</i> during Pre-monsoon 2000-2002
4.18	Recovery of <i>Sclerotium rolfsii</i> during monsoon 2000-2002
4.19	Correlation of <i>Phytophthora parasitica</i> with its PDI and RP during Pre-monsoon 2000-2002
4.20	Correlation of <i>Phytophthora parasitica</i> with its PDI and RP during monsoon 2000-2002

Contd...

4.21	Correlation of <i>Pythium vexans</i> with its PDI and RP during Pre-monsoon 2000-2002
4.22	Correlation of <i>Pythium vexans</i> with its PDI and RP during monsoon 2000-2002
4.23	Correlation of <i>Fusarium oxysporum</i> with its PDI and RP during Pre-monsoon 2000-2002
4.24	Correlation of <i>Fusarium oxysporum</i> with its PDI and RP during monsoon 2000-2002
4.25	Correlation of <i>Rhizoctonia solani</i> with its PDI and RP during Pre-monsoon 2000-2002
4.26	Correlation of <i>Rhizoctonia solani</i> with its PDI and RP during monsoon 2000-2002
4.27	Correlation of <i>Sclerotium rolfsii</i> with its PDI and RP during Pre-monsoon 2000-2002
4.28	Correlation of <i>Sclerotium rolfsii</i> with its PDI and RP during monsoon 2000-2002
4.29	Photo micrograph of <i>Phytophthora parasitica</i> mycelium (400X)
4.30	Chlamydo spores of <i>Phytophthora parasitica</i> inside the root cortex (400X)
4.31	Zoospores of <i>Phytophthora parasitica</i> (400X)
4.32	<i>Phytophthora parasitica</i> with terminal and lateral sporangia(400X)
4.33	Chlamydo spores of <i>Phytophthora parasitica</i> surrounding root hairs (400X)
4.34	<i>Phytophthora parasitica</i> colonizing xylem tissues of betelvine (400X)
4.35	<i>Phytophthora parasitica</i> with terminal sporangium
4.36	Growth rate of soil fungi in different nutrient medium
4.37	<i>Phytophthora parasitica</i> colonizing root cortex
4.38	<i>Pythium vexans</i> colonizing xylem tissues of host plant
4.39	Coenocytic aseptate mycelium of <i>Pythium vexans</i>
4.40	<i>Pythium vexans</i> shows characteristic hyphal coils

Contd....

4.41	Sporangium of <i>Pythium vexans</i> (400x)
4.42	Oogonia of <i>Pythium vexans</i> (400 x)
4.43	Root rot due to <i>Fusarium oxysporum</i>
4.44	Chlamydospores of <i>Fusarium oxysporum</i> (400X).
4.45	Intercalary and terminal Chlamydospores of <i>Fusarium oxysporum</i> (150X)
4.46	Symptoms of <i>Rhizoctonia</i> leaf rot
4.47	Hyphal anastomosis of <i>Rhizoctonia solani</i> (400x)
4.48	<i>Rhizoctonia solani</i> showing longer cells and right angle branching
4.49	<i>Rhizoctonia solani</i> showing collar rot symptoms
4.50	<i>Rhizoctonia solani</i> producing different sized sclerotia on the PDA medium.
4.51	<i>Rhizoctonia solani</i> forming sclerotia around the periphery of the colony
4.52	<i>Rhizoctonia solani</i> showing root rot symptoms of betelvine
4.53	<i>Sclerotium rolfsii</i> causing collar rot of betelvine and forming sclerotia around the collar
4.54	<i>Sclerotium rolfsii</i> forming sclerotia around the periphery of the colony
4.55	Root rot due to <i>Pythium vexans</i>
4.56	Symptoms of root rot due to <i>Phytophthora parasitica</i>
4.57	Betelvine stem rot due to soil borne fungi
4.58	Spread of foot rot was limited to one or two internodes
4.59	<i>Phytophthora parasitica</i> damaging root system during disease transmission
4.60	<i>Fusarium oxysporum</i> colonizing the stem during disease transmission
4.61	<i>Fusarium oxysporum</i> damaging the root system
4.62	<i>Pythium vexans</i> causing root rot during disease transmission
4.63	Wilt due to <i>Rhizoctonia solani</i> during disease transmission
4.64	Wilt due to <i>Sclerotium rolfsii</i> during disease transmission
4.65	Collar rot due to <i>Sclerotium rolfsii</i>
4.66	<i>Sclerotium rolfsii</i> producing sclerotia on the stem
4.67	Effect of Garlic extract on the mycelial growth of <i>Phytophthora parasitica</i>

Contd....

4.68	Effect of Neem extract on the mycelial growth of <i>Phytophthora parasitica</i>
4.69	Effect of Garlic extract on the mycelial growth of <i>Pythium vexans</i>
4.70	Effect of Neem extract on the mycelial growth of <i>Pythium vexans</i>
4.71	Effect of Garlic extract on the mycelial growth of <i>Fusarium oxysporum</i>
4.72	Effect of Neem extract on the mycelial growth of <i>Fusarium oxysporum</i>
4.73	Effect of Garlic extract on the mycelial growth of <i>Rhizoctonia solani</i>
4.74	Effect of Neem extract on the mycelial growth of <i>Rhizoctonia solani</i>
4.75	Effect of Garlic extract on the mycelial growth of <i>Sclerotium rolfsii</i>
4.76	Effect of Neem extract on the mycelial growth of <i>Sclerotium rolfsii</i>
4.77	Photograph showing, effect of Garlic extract on the mycelial growth of <i>Phytophthora parasitica</i>
4.78	Photograph showing, effect of Garlic extract on the mycelial growth of <i>Pythium vexans</i>
4.79	Photograph showing, effect of Garlic extract on the mycelial growth of <i>Fusarium oxysporum</i>
4.80	Photograph showing, effect of Garlic extract on the mycelial growth of <i>Rhizoctonia solani</i>
4.81	Photograph showing, effect of Garlic extract on the mycelial growth of <i>Sclerotium rolfsii</i>
4.82	Betel leaf showing tip burn due Sun
4.83	Betel leaf showing tip burn and necrosis due to scorching heat of Sun
4.84	The conidia of <i>Trichoderma harzianum</i> (400x)
4.85	The diseased plant and plant parts left on the ground contribute for disease spread.
4.86	Brackish water used for betelvine irrigation
4.87	Diseased leaf on the ground
4.88	Culture of <i>Trichoderma viride</i> (TV1)
4.89	Culture of <i>Trichoderma viride</i> (TV2)
4.90	Culture of <i>Trichoderma harzianum</i> (TH)

Contd...

4.91	The <i>Trichoderma harzianum</i> growing faster than (A) <i>Phytophthora parasitica</i> (B) <i>Pythium vexans</i> (C) <i>Fusarium oxysporum</i> , (D) <i>Sclerotium rolfsii</i> except (E) <i>Rhizoctonia solani</i>
4.92	The <i>Trichoderma harzianum</i> colonizing (A) <i>Phytophthora parasitica</i> (B) <i>Pythium vexans</i> (C) <i>Fusarium oxysporum</i> , (D) <i>Sclerotium rolfsii</i> except (E) <i>Rhizoctonia solani</i>
4.93	The <i>Trichoderma harzianum</i> parasiting and colonizing on (A) <i>Sclerotium rolfsii</i> and (B & C) <i>Rhizoctonia solani</i>