

List of Figures

Fig. No.	Figure Description	Page No.
Review of literature		
1.	Geographical distribution of Indian zebu cattle breeds	6
2.	Comparison of characteristics of mitochondrial DNA (mtDNA), microsatellites and single nucleotide polymorphism (SNPs) as genetic markers, with examples of possible DNA sequence differences	9
3.	Phylogenetic tree topologies based on microsatellite diversity and mtDNA sequence diversity reveal the deepest phylogenetic division between <i>Bos indicus</i> and <i>Bos taurus</i> .	13
4.	A) Evolutionary tree of complete mtDNA sequences from cattle.	14
	B) Distribution of mitochondrial DNA haplogroups in various cattle breeds of different geographical regions	15
5.	Genomic organization of the bovine casein locus and whey protein genes	21
Materials and Methods		
6.	Geographical distribution of Indian zebu breeds undertaken for variation analysis in mtDNA and 5'-flanking regulatory regions of milk protein genes	33
Results and Discussion		
7.	Pattern of shared haplotypes (20) distributed across 303 Indian zebu animals	46
8.	Distribution of singleton haplotypes across different cattle breeds	48
9.	A) Distribution of Indian cattle haplotypes 2 (ICH 2) in different cattle breeds	48
	B) Distribution of Indian cattle haplotypes 3 (ICH 3) in different cattle breeds	49
10.	Mismatch distribution for mtDNA HVR types in Indian cattle breeds	51
11.	Breed wise mismatch distribution, raggedness 'r' and Fu's F_s statistics for mtDNA indicating population demography in 14 Indian cattle breeds.	52
12.	Phylogenetic relationship amongst Indian cattle breeds and <i>Bos taurus</i> cattle	53

Fig. No.	Figure Description	Page No.
13.	Median-joining network for Indian cattle breeds based on mtDNA haplotypes	54
14.	A) Haplotypic sequence for bovine mtDNA hypervariable region	55-56
15.	A) Phylogenetic relationship amongst Indian cattle and <i>Bos taurus</i> haplotypes	57
	B) Median-Joining network generated using Indian cattle and <i>B. taurus</i> haplotypes	58
16.	Relationship of Indian cattle with cattle from different continents	59
17.	Annotation of $\alpha S1$ -casein promoter region among Indian zebu cattle	60
18.	Homology between the nucleotide sequences for $\alpha S1$ -CN5' across buffalo, cattle and goat.	72
19.	Evolutionary relationship of $\alpha S1$ -CN5' across different mammalian species	73
20.	Annotation of $\alpha S2$ -CN5' within Indian cattle	74
21.	Homology for $\alpha S2$ -casein regulatory domain among major dairy species – buffalo, cattle and goat	82
22.	Evolutionary relationship of $\alpha S2$ -CN promoter region across different species	83
23.	Annotation of β -CN5' among Indian zebu cattle	85
24.	Homology for β -casein regulatory domain among major dairy species - buffalo, cattle and goat	93
25.	Evolutionary relationship of β -casein gene promoter region across different species.	94
26.	Nucleotide sequence and putative TFBSs in the analyzed region of κ -CN gene promoter in Indian zebu cattle	96
27.	Pair-wise measure of linkage disequilibrium (LD) relationship among the seven markers identified for haplotypes	101
28.	Homology for κ -CN5' among major dairy species (<i>B. indicus</i> , <i>B. taurus</i> , <i>Bubalus bubalis</i> and <i>Capra hircus</i>)	102
29.	N-J phylogenetic tree for promoter region of κ -casein among different mammalian species	103
30.	Schematic representation of variations and transcription factor binding sites (TFBSs) identified within (a) $\alpha S1$ -, (b) $\alpha S2$ -, (c) β - and (d) κ -casein.	104
31.	Blocks of Linkage disequilibrium (LD) and haplotypes using four gamete rules across regulatory regions of casein genes on BTA6.	106

Fig. No.	Figure Description	Page No.
32.	DNA sequence and annotation of the β -LG promoter in Indian native cattle breeds	107
33.	Agarose gel showing β -LG promoter variants of Indian zebu cattle breeds. PCR-RFLP of the promoter region detects the R5 or -204 G/C variants	110
34.	Mean frequencies for variants of β -LG promoter region at position -204 G/C (R5) across different groups of Indian native cattle	112
35.	Homology for β -LG regulatory domain among major dairy species (<i>B. indicus</i> , <i>B. taurus</i> , <i>Bubalus bubalis</i> and <i>Capra hircus</i>).	113
36.	Phylogenetic relationship of <i>beta-lactoglobulin</i> promoter region among different mammalian species.	113
37.	Annotation of <i>alpha-lactalbumin</i> promoter region in Indian native cattle	115
38.	Homology for <i>alpha-lactalbumin</i> regulatory domain among major dairy species (cattle, buffalo and goat).	120
39.	Phylogenetic relationship of <i>alpha-lactalbumin</i> promoter region among different mammalian species.	121
40.	UPGMA based evolutionary relationship among 5'-regulatory region of casein (<i>alpha s1-</i> , <i>alpha s2-</i> , <i>beta-</i> and <i>kappa-casein</i>) and whey (<i>beta-lactoglobulin</i> and <i>alpha-lactalbumin</i>) milk protein genes across different mammalian species.	126