



References

REFERENCES

- Aldovini, A., Young, R.A., 1990.** Mutations of RNA and protein sequences involved in human immunodeficiency virus type 1 packaging result in production of noninfectious virus. *Journal of Virology* 64, 1920-1926.
- Ali, A., Avalos, R.T., Ponimaskin, E., Nayak, D.P., 2000.** Influenza virus assembly: effect of influenza virus glycoproteins on the membrane association of M1 protein. *Journal of Virology* 74, 8709-8719.
- Ali, A., Nayak, D.P., 2000.** Assembly of Sendai virus: M protein interacts with F and HN proteins and with the cytoplasmic tail and transmembrane domain of F protein. *Virology* 276, 289-303.
- Aloia, R.C., Tian, H., Jensen, F.C., 1993.** Lipid composition and fluidity of the human immunodeficiency virus envelope and host cell plasma membranes. *Proceedings of the National Academy of Sciences of the United States of America* 90, 5181-5185.
- Arhel, N., 2010.** Revisiting HIV-1 uncoating. *Retrovirology* 7, 96.
- Balliet, J.W., Kolson, D.L., Eiger, G., Kim, F.M., McGann, K.A., Srinivasan, A., Collman, R., 1994.** Distinct effects in primary macrophages and lymphocytes of the human immunodeficiency virus type 1 accessory genes vpr, vpu, and nef: mutational analysis of a primary HIV-1 isolate. *Virology* 200, 623-631.
- Barlow, K.L., Ajao, A.O., Clewley, J.P., 2003.** Characterization of a novel simian immunodeficiency virus (SIVmonNG1) genome sequence from a mona monkey (*Cercopithecus mona*). *Journal of Virology* 77, 6879-6888.
- Barre-Sinoussi, F., Chermann, J.C., Rey, F., Nugeyre, M.T., Chamaret, S., Gruest, J., Dautquet, C., Axler-Blin, C., Vezinet-Brun, F., Rouzioux, C., Rozenbaum, W., Montagnier, L., 1983.** Isolation of a T-lymphotropic retrovirus from a patient at risk for acquired immune deficiency syndrome (AIDS). *Science* 220, 868-871.
- Batonick, M., Favre, M., Boge, M., Spearman, P., Honing, S., Thali, M., 2005.** Interaction of HIV-1 Gag with the clathrin-associated adaptor AP-2. *Virology* 342, 190-200.
- Berlioz-Torrent, C., Shacklett, B.L., Erdtmann, L., Delamarre, L., Bouchaert, I., Sonigo, P., Dokhelar, M.C., Benarous, R., 1999.** Interactions of the cytoplasmic domains of human and simian retroviral transmembrane proteins with components of the clathrin adaptor complexes modulate intracellular and cell surface expression of envelope glycoproteins. *Journal of Virology* 73, 1350-1361.
- Bhattacharya, J., A. Repik, and P. R. Clapham, 2006.** Gag Regulates Association of Human Immunodeficiency Virus Type 1 Envelope with Detergent-Resistant Membranes. *Journal of Virology* 80, 5292-5300.
- Bhattacharya, J., Peters, P.J., Clapham, P.R., 2004.** Human immunodeficiency virus type 1 envelope glycoproteins that lack cytoplasmic domain cysteines: impact on association with membrane lipid rafts and incorporation onto budding virus particles. *Journal of Virology* 78, 5500-5506.

- Bhattacharya, J., Repik, A., Clapham, P.R., 2006.** Gag regulates association of human immunodeficiency virus type 1 envelope with detergent-resistant membranes. *Journal of Virology* 80, 5292-5300.
- Blot, G., Janvier, K., Le Panse, S., Benarous, R., Berlioz-Torrent, C., 2003.** Targeting of the human immunodeficiency virus type 1 envelope to the trans-Golgi network through binding to TIP47 is required for env incorporation into virions and infectivity. *Journal of Virology* 77, 6931-6945.
- Boge, M., Wyss, S., Bonifacino, J.S., Thali, M., 1998.** A membrane-proximal tyrosine-based signal mediates internalization of the HIV-1 envelope glycoprotein via interaction with the AP-2 clathrin adaptor. *The Journal of Biological Chemistry* 273, 15773-15778.
- Bour, S., Perrin, C., Strebel, K., 1999.** Cell surface CD4 inhibits HIV-1 particle release by interfering with Vpu activity. *The Journal of Biological Chemistry* 274, 33800-33806.
- Bour, S., Schubert, U., Peden, K., Strebel, K., 1996.** The envelope glycoprotein of human immunodeficiency virus type 2 enhances viral particle release: a Vpu-like factor? *Journal of Virology* 70, 820-829.
- Bour, S., Schubert, U., Strebel, K., 1995.** The human immunodeficiency virus type 1 Vpu protein specifically binds to the cytoplasmic domain of CD4: implications for the mechanism of degradation. *Journal of Virology* 69, 1510-1520.
- Bour, S., Strebel, K., 2003.** The HIV-1 Vpu protein: a multifunctional enhancer of viral particle release. *Microbes and Infection / Institut Pasteur* 5, 1029-1039.
- Brenchley, J.M., Schacker, T.W., Ruff, L.E., Price, D.A., Taylor, J.H., Beilman, G.J., Nguyen, P.L., Khoruts, A., Larson, M., Haase, A.T., Douek, D.C., 2004.** CD4+ T cell depletion during all stages of HIV disease occurs predominantly in the gastrointestinal tract. *The Journal of Experimental Medicine* 200, 749-759.
- Brown, D.A., London, E., 1998.** Functions of lipid rafts in biological membranes. *Annual review of Cell and Developmental Biology* 14, 111-136.
- Brown, D.A., London, E., 2000.** Structure and function of sphingolipid- and cholesterol-rich membrane rafts. *The Journal of Biological Chemistry* 275, 17221-17224.
- Brown, D.A., Rose, J.K., 1992.** Sorting of GPI-anchored proteins to glycolipid-enriched membrane subdomains during transport to the apical cell surface. *Cell* 68, 533-544.
- Brugger, B., Glass, B., Haberkant, P., Leibrecht, I., Wieland, F.T., Krausslich, H.G., 2006.** The HIV lipidome: a raft with an unusual composition. *Proceedings of the National Academy of Sciences of the United States of America* 103, 2641-2646.
- Bryant, M., Ratner, L., 1990.** Myristoylation-dependent replication and assembly of human immunodeficiency virus 1. *Proceedings of the National Academy of Sciences of the United States of America* 87, 523-527.
- Byland, R., Vance, P.J., Hoxie, J.A., Marsh, M., 2007.** A conserved dileucine motif mediates clathrin and AP-2-dependent endocytosis of the HIV-1 envelope protein. *Molecular biology of the Cell* 18, 414-425.

- Callahan, M.A., Handley, M.A., Lee, Y.H., Talbot, K.J., Harper, J.W., Panganiban, A.T., 1998.** Functional interaction of human immunodeficiency virus type 1 Vpu and Gag with a novel member of the tetratricopeptide repeat protein family. *Journal of Virology* 72, 8461.
- Campbell, S., Fisher, R.J., Towler, E.M., Fox, S., Issaq, H.J., Wolfe, T., Phillips, L.R., Rein, A., 2001a.** Modulation of HIV-like particle assembly in vitro by inositol phosphates. *Proceedings of the National Academy of Sciences of the United States of America* 98, 10875-10879.
- Campbell, S.M., Crowe, S.M., Mak, J., 2001b.** Lipid rafts and HIV-1: from viral entry to assembly of progeny virions. *Journal of Clinical Virology* 22, 217-227.
- Cao, Y., Qin, L., Zhang, L., Safrit, J., Ho, D.D., 1995.** Virologic and immunologic characterization of long-term survivors of human immunodeficiency virus type 1 infection. *The New England Journal of Medicine* 332, 201-208.
- Casado, G., Thomson, M.M., Sierra, M., Najera, R., 2005.** Identification of a novel HIV-1 circulating ADG intersubtype recombinant form (CRF19_cpx) in Cuba. *JAIDS* 40, 532-537.
- Chan, R., Uchil, P.D., Jin, J., Shui, G., Ott, D.E., Mothes, W., Wenk, M.R., 2008.** Retroviruses human immunodeficiency virus and murine leukemia virus are enriched in phosphoinositides. *Journal of Virology* 82, 11228-11238.
- Chan, W.E., Lin, H.H., Chen, S.S., 2005.** Wild-type-like viral replication potential of human immunodeficiency virus type 1 envelope mutants lacking palmitoylation signals. *Journal of Virology* 79, 8374-8387.
- Chazal, N., Gerlier, D., 2003.** Virus entry, assembly, budding, and membrane rafts. *Microbiology and Molecular Biology reviews : MMBR* 67, 226-237.
- Checkley, M.A., Luttge, B.G., Freed, E.O., 2011.** HIV-1 envelope glycoprotein biosynthesis, trafficking, and incorporation. *Journal of Molecular Biology* 410, 582-608.
- Chen, S.S., Yang, P., Ke, P.Y., Li, H.F., Chan, W.E., Chang, D.K., Chuang, C.K., Tsai, Y., Huang, S.C., 2009.** Identification of the LWYIK motif located in the human immunodeficiency virus type 1 transmembrane gp41 protein as a distinct determinant for viral infection. *Journal of Virology* 83, 870-883.
- Coffin, J., Haase, A., Levy, J.A., Montagnier, L., Oroszlan, S., Teich, N., Temin, H., Toyoshima, K., Varmus, H., Vogt, P., *et al.*, 1986.** What to call the AIDS virus? *Nature* 321, 10.
- Cohen, E.A., Terwilliger, E.F., Sodroski, J.G., Haseltine, W.A., 1988.** Identification of a protein encoded by the vpu gene of HIV-1. *Nature* 334, 532-534.
- Cortes, M.J., Wong-Staal, F., Lama, J., 2002.** Cell surface CD4 interferes with the infectivity of HIV-1 particles released from T cells. *The Journal of Biological Chemistry* 277, 1770-1779.
- Cosson, P., 1996.** Direct interaction between the envelope and matrix proteins of HIV-1. *The EMBO Journal* 15, 5783-5788.
- Courgnaud, V., Abela, B., Pourrut, X., Mpoudi-Ngole, E., Loul, S., Delaporte, E., Peeters, M., 2003.** Identification of a new simian immunodeficiency virus lineage with a vpu gene present among different cercopithecus monkeys (*C. mona*, *C. cephus*, and *C. nictitans*) from Cameroon. *Journal of Virology* 77, 12523-12534.
- Cronin, J., Zhang, X.Y., Reiser, J., 2005.** Altering the tropism of lentiviral vectors through pseudotyping. *Current Gene Therapy* 5, 387-398.

Darlix, J.L., Gabus, C., Nugeyre, M.T., Clavel, F., Barre-Sinoussi, F., 1990. Cis elements and trans-acting factors involved in the RNA dimerization of the human immunodeficiency virus HIV-1. *Journal of Molecular Biology* 216, 689-699.

Davis, M.R., Jiang, J., Zhou, J., Freed, E.O., Aiken, C., 2006. A mutation in the human immunodeficiency virus type 1 Gag protein destabilizes the interaction of the envelope protein subunits gp120 and gp41. *Journal of Virology* 80, 2405-2417.

Deora, A., Spearman, P., Ratner, L., 2000. The N-terminal matrix domain of HIV-1 Gag is sufficient but not necessary for viral protein U-mediated enhancement of particle release through a membrane-targeting mechanism. *Virology* 269, 305-312.

Deschambeault, J., Lalonde, J.P., Cervantes-Acosta, G., Lodge, R., Cohen, E.A., Lemay, G., 1999. Polarized human immunodeficiency virus budding in lymphocytes involves a tyrosine-based signal and favors cell-to-cell viral transmission. *Journal of Virology* 73, 5010-5017.

Ding, L., Derdowski, A., Wang, J.J., Spearman, P., 2003. Independent segregation of human immunodeficiency virus type 1 Gag protein complexes and lipid rafts. *Journal of Virology* 77, 1916-1926.

Dorfman, T., Bukovsky, A., Ohagen, A., Høglund, S., Gottlinger, H.G., 1994a. Functional domains of the capsid protein of human immunodeficiency virus type 1. *Journal of Virology* 68, 8180-8187.

Dorfman, T., Luban, J., Goff, S.P., Haseltine, W.A., Gottlinger, H.G., 1993. Mapping of functionally important residues of a cysteine-histidine box in the human immunodeficiency virus type 1 nucleocapsid protein. *Journal of Virology* 67, 6159-6169.

Dorfman, T., Mammano, F., Haseltine, W.A., Gottlinger, H.G., 1994b. Role of the matrix protein in the virion association of the human immunodeficiency virus type 1 envelope glycoprotein. *Journal of Virology* 68, 1689-1696.

Douglas, J.L., Viswanathan, K., McCarroll, M.N., Gustin, J.K., Fruh, K., Moses, A.V., 2009. Vpu directs the degradation of the human immunodeficiency virus restriction factor BST-2/Tetherin via a β TrCP-dependent mechanism. *Journal of Virology* 83, 7931-7947.

Dubay, J.W., Roberts, S.J., Brody, B., Hunter, E., 1992. Mutations in the leucine zipper of the human immunodeficiency virus type 1 transmembrane glycoprotein affect fusion and infectivity. *Journal of Virology* 66, 4748-4756.

Dube, M., Bego, M.G., Paquay, C., Cohen, E.A., 2010. Modulation of HIV-1-host interaction: role of the Vpu accessory protein. *Retrovirology* 7, 114.

Dube, M., Roy, B.B., Guiot-Guillain, P., Mercier, J., Binette, J., Leung, G., Cohen, E.A., 2009. Suppression of Tetherin-restricting activity upon human immunodeficiency virus type 1 particle release correlates with localization of Vpu in the trans-Golgi network. *Journal of Virology* 83, 4574-4590.

Edidin, M., 2003. The state of lipid rafts: from model membranes to cells. *Annual review of Biophysics and Biomolecular Structure* 32, 257-283.

Ewart, G.D., Sutherland, T., Gage, P.W., Cox, G.B., 1996. The Vpu protein of human immunodeficiency virus type 1 forms cation-selective ion channels. *Journal of Virology* 70, 7108-7115.

- Feng, Y.X., Copeland, T.D., Henderson, L.E., Gorelick, R.J., Bosche, W.J., Levin, J.G., Rein, A., 1996.** HIV-1 nucleocapsid protein induces "maturation" of dimeric retroviral RNA in vitro. *Proceedings of the National Academy of Sciences of the United States of America* 93, 7577-7581.
- Fiebig, E.W., Wright, D.J., Rawal, B.D., Garrett, P.E., Schumacher, R.T., Peddada, L., Heldebrandt, C., Smith, R., Conrad, A., Kleinman, S.H., Busch, M.P., 2003.** Dynamics of HIV viremia and antibody seroconversion in plasma donors: implications for diagnosis and staging of primary HIV infection. *AIDS* 17, 1871-1879.
- Fleming, E.H., Kolokoltsov, A.A., Davey, R.A., Nichols, J.E., Roberts, N.J., Jr., 2006.** Respiratory syncytial virus F envelope protein associates with lipid rafts without a requirement for other virus proteins. *Journal of Virology* 80, 12160-12170.
- Foster, L.J., Chan, Q.W., 2007.** Lipid raft proteomics: more than just detergent-resistant membranes. *Sub-cellular Biochemistry* 43, 35-47.
- Freed, E.O., 2001.** HIV-1 replication. *Somatic cell and Molecular Genetics* 26, 13-33.
- Freed, E.O., Martin, M.A., 1995.** Virion incorporation of envelope glycoproteins with long but not short cytoplasmic tails is blocked by specific, single amino acid substitutions in the human immunodeficiency virus type 1 matrix. *Journal of Virology* 69, 1984-1989.
- Freed, E.O., Martin, M.A., 1996.** Domains of the human immunodeficiency virus type 1 matrix and gp41 cytoplasmic tail required for envelope incorporation into virions. *Journal of Virology* 70, 341-351.
- Freed, E.O., Myers, D.J., Risser, R., 1991.** Identification of the principal neutralizing determinant of human immunodeficiency virus type 1 as a fusion domain. *Journal of Virology* 65, 190-194.
- Freed, E.O., Orenstein, J.M., Buckler-White, A.J., Martin, M.A., 1994.** Single amino acid changes in the human immunodeficiency virus type 1 matrix protein block virus particle production. *Journal of Virology* 68, 5311-5320.
- Gabuzda, D.H., Lever, A., Terwilliger, E., Sodroski, J., 1992.** Effects of deletions in the cytoplasmic domain on biological functions of human immunodeficiency virus type 1 envelope glycoproteins. *Journal of Virology* 66, 3306-3315.
- Gallo, R.C., Salahuddin, S.Z., Popovic, M., Shearer, G.M., Kaplan, M., Haynes, B.F., Palker, T.J., Redfield, R., Oleske, J., Safai, B., *et al.*, 1984.** Frequent detection and isolation of cytopathic retroviruses (HTLV-III) from patients with AIDS and at risk for AIDS. *Science* 224, 500-503.
- Gamble, T.R., Vajdos, F.F., Yoo, S., Worthylake, D.K., Houseweart, M., Sundquist, W.I., Hill, C.P., 1996.** Crystal structure of human cyclophilin A bound to the amino-terminal domain of HIV-1 capsid. *Cell* 87, 1285-1294.
- Gamble, T.R., Yoo, S., Vajdos, F.F., von Schwedler, U.K., Worthylake, D.K., Wang, H., McCutcheon, J.P., Sundquist, W.I., Hill, C.P., 1997.** Structure of the carboxyl-terminal dimerization domain of the HIV-1 capsid protein. *Science* 278, 849-853.
- Geraghty, R.J., Panganiban, A.T., 1993.** Human immunodeficiency virus type 1 Vpu has a CD4- and an envelope glycoprotein-independent function. *Journal of Virology* 67, 4190-4194.

Gheysen, D., Jacobs, E., de Foresta, F., Thiriart, C., Francotte, M., Thines, D., De Wilde, M., 1989. Assembly and release of HIV-1 precursor Pr55gag virus-like particles from recombinant baculovirus-infected insect cells. *Cell* 59, 103-112.

Gitti, R.K., Lee, B.M., Walker, J., Summers, M.F., Yoo, S., Sundquist, W.I., 1996. Structure of the amino-terminal core domain of the HIV-1 capsid protein. *Science* 273, 231-235.

Goffinet, C., Allespach, I., Homann, S., Tervo, H.M., Habermann, A., Rupp, D., Oberbremer, L., Kern, C., Tibroni, N., Welsch, S., Krijnse-Locker, J., Banting, G., Krausslich, H.G., Fackler, O.T., Keppler, O.T., 2009. HIV-1 antagonism of CD317 is species specific and involves Vpu-mediated proteasomal degradation of the restriction factor. *Cell Host & Microbe* 5, 285-297.

Gorelick, R.J., Nigida, S.M., Jr., Bess, J.W., Jr., Arthur, L.O., Henderson, L.E., Rein, A., 1990. Noninfectious human immunodeficiency virus type 1 mutants deficient in genomic RNA. *Journal of Virology* 64, 3207-3211.

Gottlinger, H.G., Dorfman, T., Cohen, E.A., Haseltine, W.A., 1993. Vpu protein of human immunodeficiency virus type 1 enhances the release of capsids produced by gag gene constructs of widely divergent retroviruses. *Proceedings of the National Academy of Sciences of the United States of America* 90, 7381-7385.

Gottlinger, H.G., Dorfman, T., Sodroski, J.G., Haseltine, W.A., 1991. Effect of mutations affecting the p6 gag protein on human immunodeficiency virus particle release. *Proceedings of the National Academy of Sciences of the United States of America* 88, 3195-3199.

Gottlinger, H.G., Sodroski, J.G., Haseltine, W.A., 1989. Role of capsid precursor processing and myristoylation in morphogenesis and infectivity of human immunodeficiency virus type 1. *Proceedings of the National Academy of Sciences of the United States of America* 86, 5781-5785.

Gupta, R.K., Hue, S., Schaller, T., Verschoor, E., Pillay, D., Towers, G.J., 2009. Mutation of a single residue renders human tetherin resistant to HIV-1 Vpu-mediated depletion. *PLoS pathogens* 5, e1000443.

Hahn, B.H., Shaw, G.M., De Cock, K.M., Sharp, P.M., 2000. AIDS as a zoonosis: scientific and public health implications. *Science* 287, 607-614.

Halwani, R., Khorchid, A., Cen, S., Kleiman, L., 2003. Rapid localization of Gag/GagPol complexes to detergent-resistant membrane during the assembly of human immunodeficiency virus type 1. *Journal of Virology* 77, 3973-3984.

Hancock, J.F., 2006. Lipid rafts: contentious only from simplistic standpoints. *Nature reviews. Molecular Cell Biology* 7, 456-462.

Handley, M.A., Paddock, S., Dall, A., Panganiban, A.T., 2001. Association of Vpu-binding protein with microtubules and Vpu-dependent redistribution of HIV-1 Gag protein. *Virology* 291, 198-207.

Harder, T., 2004. Lipid raft domains and protein networks in T-cell receptor signal transduction. *Current Opinion in Immunology* 16, 353-359.

Harila, K., Prior, I., Sjoberg, M., Salminen, A., Hinkula, J., Suomalainen, M., 2006. Vpu and Tsg101 regulate intracellular targeting of the human immunodeficiency virus type 1 core protein precursor Pr55gag. *Journal of Virology* 80, 3765-3772.

Henderson, G., Murray, J., Yeo, R.P., 2002. Sorting of the respiratory syncytial virus matrix protein into detergent-resistant structures is dependent on cell-surface expression of the glycoproteins. *Virology* 300, 244-254.

Hill, C.P., Worthylake, D., Bancroft, D.P., Christensen, A.M., Sundquist, W.I., 1996. Crystal structures of the trimeric human immunodeficiency virus type 1 matrix protein: implications for membrane association and assembly. *Proceedings of the National Academy of Sciences of the United States of America* 93, 3099-3104.

Hill, M.S., Ruiz, A., Schmitt, K., Stephens, E.B., 2010. Identification of amino acids within the second alpha helical domain of the human immunodeficiency virus type 1 Vpu that are critical for preventing CD4 cell surface expression. *Virology* 397, 104-112.

Ho, D.D., Neumann, A.U., Perelson, A.S., Chen, W., Leonard, J.M., Markowitz, M., 1995. Rapid turnover of plasma virions and CD4 lymphocytes in HIV-1 infection. *Nature* 373, 123-126.

Holm, K., Weclawicz, K., Hewson, R., Suomalainen, M., 2003. Human immunodeficiency virus type 1 assembly and lipid rafts: Pr55(gag) associates with membrane domains that are largely resistant to Brij98 but sensitive to Triton X-100. *Journal of Virology* 77, 4805-4817.

Hourioux, C., Brand, D., Sizaret, P.Y., Lemiale, F., Lebigot, S., Barin, F., Roingeard, P., 2000. Identification of the glycoprotein 41(TM) cytoplasmic tail domains of human immunodeficiency virus type 1 that interact with Pr55Gag particles. *AIDS Research and Human Retroviruses* 16, 1141-1147.

Hsu, A., Kempf, D., Leonard, J., Mills, R., 1996. Letter to the editor. [letter]. *Journal of the International Association of Physicians in AIDS Care* 2, 60.

Huang, M., Orenstein, J.M., Martin, M.A., Freed, E.O., 1995. p6Gag is required for particle production from full-length human immunodeficiency virus type 1 molecular clones expressing protease. *Journal of Virology* 69, 6810-6818.

Iwatani, Y., Ueno, T., Nishimura, A., Zhang, X., Hattori, T., Ishimoto, A., Ito, M., Sakai, H., 2001. Modification of virus infectivity by cytoplasmic tail of HIV-1 TM protein. *Virus Research* 74, 75-87.

Jabbar, M.A., 1995. The human immunodeficiency virus type 1 Vpu protein: roles in virus release and CD4 downregulation. *Current Topics in Microbiology and Immunology* 193, 107-120.

Jolly, C., Sattentau, Q.J., 2005. Human immunodeficiency virus type 1 virological synapse formation in T cells requires lipid raft integrity. *Journal of Virology* 79, 12088-12094.

Kawamura, M., Ishizaki, T., Ishimoto, A., Shioda, T., Kitamura, T., Adachi, A., 1994. Growth ability of human immunodeficiency virus type 1 auxiliary gene mutants in primary blood macrophage cultures. *The Journal of General Virology* 75 (Pt 9), 2427-2431.

Klimkait, T., Strebel, K., Hoggan, M.D., Martin, M.A., Orenstein, J.M., 1990. The human immunodeficiency virus type 1-specific protein vpu is required for efficient virus maturation and release. *Journal of Virology* 64, 621-629.

Korber, B., Muldoon, M., Theiler, J., Gao, F., Gupta, R., Lapedes, A., Hahn, B.H., Wolinsky, S., Bhattacharya, T., 2000. Timing the ancestor of the HIV-1 pandemic strains. *Science* 288, 1789-1796.

Kothe, D.L., Li, Y., Decker, J.M., Bibollet-Ruche, F., Zammit, K.P., Salazar, M.G., Chen, Y., Weng, Z., Weaver, E.A., Gao, F., Haynes, B.F., Shaw, G.M., Korber, B.T., Hahn, B.H., 2006. Ancestral and consensus envelope immunogens for HIV-1 subtype C. *Virology* 352, 438-449.

Kupzig, S., Korolchuk, V., Rollason, R., Sugden, A., Wilde, A., Banting, G., 2003. Bst-2/HM1.24 is a raft-associated apical membrane protein with an unusual topology. *Traffic* 4, 694-709.

Kwong, P.D., Wyatt, R., Robinson, J., Sweet, R.W., Sodroski, J., Hendrickson, W.A., 1998. Structure of an HIV gp120 envelope glycoprotein in complex with the CD4 receptor and a neutralizing human antibody. *Nature* 393, 648-659.

Lal, R.B., Chakrabarti, S., Yang, C., 2005. Impact of genetic diversity of HIV-1 on diagnosis, antiretroviral therapy & vaccine development. *The Indian Journal of Medical Research* 121, 287-314.

Lama, J., Mangasarian, A., Trono, D., 1999. Cell-surface expression of CD4 reduces HIV-1 infectivity by blocking Env incorporation in a Nef- and Vpu-inhibitable manner. *Current Biology* : CB 9, 622-631.

Lane, H.C., Fauci, A.S., 1985. Immunologic reconstitution in the acquired immunodeficiency syndrome. *Annals of Internal Medicine* 103, 714-718.

Langhorst, M.F., Reuter, A., Stuermer, C.A., 2005. Scaffolding microdomains and beyond: the function of reggie/flotillin proteins. *Cellular and Molecular Life Sciences* : CMLS 62, 2228-2240.

Lee, Y.H., Schwartz, M.D., Panganiban, A.T., 1997. The HIV-1 matrix domain of Gag is required for Vpu responsiveness during particle release. *Virology* 237, 46-55.

Lefrere, J.J., Morand-Joubert, L., Mariotti, M., Bludau, H., Burghoffer, B., Petit, J.C., Roudot-Thoraval, F., 1997. Even individuals considered as long-term nonprogressors show biological signs of progression after 10 years of human immunodeficiency virus infection. *Blood* 90, 1133-1140.

Lemey, P., Pybus, O.G., Wang, B., Saksena, N.K., Salemi, M., Vandamme, A.M., 2003. Tracing the origin and history of the HIV-2 epidemic. *Proceedings of the National Academy of Sciences of the United States of America* 100, 6588-6592.

Lenburg, M.E., Landau, N.R., 1993. Vpu-induced degradation of CD4: requirement for specific amino acid residues in the cytoplasmic domain of CD4. *Journal of Virology* 67, 7238-7245.

Levesque, K., Zhao, Y.S., Cohen, E.A., 2003. Vpu exerts a positive effect on HIV-1 infectivity by down-modulating CD4 receptor molecules at the surface of HIV-1-producing cells. *The Journal of Biological Chemistry* 278, 28346-28353.

Liao, Z., Cimasky, L.M., Hampton, R., Nguyen, D.H., Hildreth, J.E., 2001. Lipid rafts and HIV pathogenesis: host membrane cholesterol is required for infection by HIV type 1. *AIDS Research and Human Retroviruses* 17, 1009-1019.

Lichtenberg, D., Goni, F.M., Heerklotz, H., 2005. Detergent-resistant membranes should not be identified with membrane rafts. *Trends in Biochemical Sciences* 30, 430-436.

Lindwasser, O.W., Resh, M.D., 2001. Multimerization of human immunodeficiency virus type 1 Gag promotes its localization to rafts, raft-like membrane microdomains. *Journal of Virology* 75, 7913-7924.

Lindwasser, O.W., Resh, M.D., 2002. Myristoylation as a target for inhibiting HIV assembly: unsaturated fatty acids block viral budding. *Proceedings of the National Academy of Sciences of the United States of America* 99, 13037-13042.

Lodge, R., Gottlinger, H., Gabuzda, D., Cohen, E.A., Lemay, G., 1994. The intracytoplasmic domain of gp41 mediates polarized budding of human immunodeficiency virus type 1 in MDCK cells. *Journal of Virology* 68, 4857-4861.

Lodge, R., Lalonde, J.P., Lemay, G., Cohen, E.A., 1997. The membrane-proximal intracytoplasmic tyrosine residue of HIV-1 envelope glycoprotein is critical for basolateral targeting of viral budding in MDCK cells. *The EMBO Journal* 16, 695-705.

London, E., Brown, D.A., 2000. Insolubility of lipids in triton X-100: physical origin and relationship to sphingolipid/cholesterol membrane domains (rafts). *Biochimica et Biophysica Acta* 1508, 182-195.

Lopez-Verges, S., Camus, G., Blot, G., Beauvoir, R., Benarous, R., Berlioz-Torrent, C., 2006. Tail-interacting protein TIP47 is a connector between Gag and Env and is required for Env incorporation into HIV-1 virions. *Proceedings of the National Academy of Sciences of the United States of America* 103, 14947-14952.

Lorizate, M., Brugger, B., Akiyama, H., Glass, B., Muller, B., Anderluh, G., Wieland, F.T., Krausslich, H.G., 2009. Probing HIV-1 membrane liquid order by Laurdan staining reveals producer cell-dependent differences. *The Journal of Biological Chemistry* 284, 22238-22247.

Mammano, F., Kondo, E., Sodroski, J., Bukovsky, A., Gottlinger, H.G., 1995. Rescue of human immunodeficiency virus type 1 matrix protein mutants by envelope glycoproteins with short cytoplasmic domains. *Journal of Virology* 69, 3824-3830.

Mammano, F., Ohagen, A., Høglund, S., Gottlinger, H.G., 1994. Role of the major homology region of human immunodeficiency virus type 1 in virion morphogenesis. *Journal of Virology* 68, 4927-4936.

Manie, S.N., de Breyne, S., Vincent, S., Gerlier, D., 2000. Measles virus structural components are enriched into lipid raft microdomains: a potential cellular location for virus assembly. *Journal of Virology* 74, 305-311.

Margottin, F., Benichou, S., Durand, H., Richard, V., Liu, L.X., Gomas, E., Benarous, R., 1996. Interaction between the cytoplasmic domains of HIV-1 Vpu and CD4: role of Vpu residues involved in CD4 interaction and in vitro CD4 degradation. *Virology* 223, 381-386.

Margottin, F., Bour, S.P., Durand, H., Selig, L., Benichou, S., Richard, V., Thomas, D., Strebel, K., Benarous, R., 1998. A novel human WD protein, h-beta TrCp, that interacts with HIV-1 Vpu connects CD4 to the ER degradation pathway through an F-box motif. *Molecular Cell* 1, 565-574.

Marsh, M., Thali, M., 2003. HIV's great escape. *Nature Medicine* 9, 1262-1263.

Massiah, M.A., Worthylake, D., Christensen, A.M., Sundquist, W.I., Hill, C.P., Summers, M.F., 1996. Comparison of the NMR and X-ray structures of the HIV-1 matrix protein: evidence for conformational changes during viral assembly. *Protein Science : a publication of the Protein Society* 5, 2391-2398.

- Mattapallil, J.J., Douek, D.C., Hill, B., Nishimura, Y., Martin, M., Roederer, M., 2005.** Massive infection and loss of memory CD4⁺ T cells in multiple tissues during acute SIV infection. *Nature* 434, 1093-1097.
- Mattapallil, J.J., Smit-McBride, Z., McChesney, M., Dandekar, S., 1998.** Intestinal intraepithelial lymphocytes are primed for gamma interferon and MIP-1beta expression and display antiviral cytotoxic activity despite severe CD4(+) T-cell depletion in primary simian immunodeficiency virus infection. *Journal of Virology* 72, 6421-6429.
- McNatt, M.W., Zang, T., Hatzioannou, T., Bartlett, M., Fofana, I.B., Johnson, W.E., Neil, S.J., Bieniasz, P.D., 2009.** Species-specific activity of HIV-1 Vpu and positive selection of tetherin transmembrane domain variants. *PLoS Pathogens* 5, e1000300.
- Mitchell, R.S., Katsura, C., Skasko, M.A., Fitzpatrick, K., Lau, D., Ruiz, A., Stephens, E.B., Margottin-Goguet, F., Benarous, R., Guatelli, J.C., 2009.** Vpu antagonizes BST-2-mediated restriction of HIV-1 release via beta-TrCP and endo-lysosomal trafficking. *PLoS Pathogens* 5, e1000450.
- Miyagi, E., Andrew, A.J., Kao, S., Strebel, K., 2009.** Vpu enhances HIV-1 virus release in the absence of Bst-2 cell surface down-modulation and intracellular depletion. *Proceedings of the National Academy of Sciences of the United States of America* 106, 2868-2873.
- Momany, C., Kovari, L.C., Prongay, A.J., Keller, W., Gitti, R.K., Lee, B.M., Gorbalenya, A.E., Tong, L., McClure, J., Ehrlich, L.S., Summers, M.F., Carter, C., Rossmann, M.G., 1996.** Crystal structure of dimeric HIV-1 capsid protein. *Nature Structural Biology* 3, 763-770.
- Morikawa, Y., 2003.** HIV capsid assembly. *Current HIV Research* 1, 1-14.
- Morrow, I.C., Parton, R.G., 2005.** Flotillins and the PHB domain protein family: rafts, worms and anaesthetics. *Traffic* 6, 725-740.
- Munro, S., 2003.** Lipid rafts: elusive or illusive? *Cell* 115, 377-388.
- Murakami, T., Freed, E.O., 2000a.** Genetic evidence for an interaction between human immunodeficiency virus type 1 matrix and alpha-helix 2 of the gp41 cytoplasmic tail. *Journal of Virology* 74, 3548-3554.
- Murakami, T., Freed, E.O., 2000b.** The long cytoplasmic tail of gp41 is required in a cell type-dependent manner for HIV-1 envelope glycoprotein incorporation into virions. *Proceedings of the National Academy of Sciences of the United States of America* 97, 343-348.
- Murray, J.L., Mavrakis, M., McDonald, N.J., Yilla, M., Sheng, J., Bellini, W.J., Zhao, L., Le Doux, J.M., Shaw, M.W., Luo, C.C., Lippincott-Schwartz, J., Sanchez, A., Rubin, D.H., Hodge, T.W., 2005.** Rab9 GTPase is required for replication of human immunodeficiency virus type 1, filoviruses, and measles virus. *Journal of Virology* 79, 11742-11751.
- Neil, S.J., Eastman, S.W., Jouvenet, N., Bieniasz, P.D., 2006.** HIV-1 Vpu promotes release and prevents endocytosis of nascent retrovirus particles from the plasma membrane. *PLoS Pathogens* 2, e39.
- Neil, S.J., Sandrin, V., Sundquist, W.I., Bieniasz, P.D., 2007.** An interferon-alpha-induced tethering mechanism inhibits HIV-1 and Ebola virus particle release but is counteracted by the HIV-1 Vpu protein. *Cell Host & Microbe* 2, 193-203.

Neil, S.J., Zang, T., Bieniasz, P.D., 2008. Tetherin inhibits retrovirus release and is antagonized by HIV-1 Vpu. *Nature* 451, 425-430.

Nguyen, D.H., Hildreth, J.E., 2000. Evidence for budding of human immunodeficiency virus type 1 selectively from glycolipid-enriched membrane lipid rafts. *Journal of Virology* 74, 3264-3272.

Noble, B., Abada, P., Nunez-Iglesias, J., Cannon, P.M., 2006. Recruitment of the adaptor protein 2 complex by the human immunodeficiency virus type 2 envelope protein is necessary for high levels of virus release. *Journal of Virology* 80, 2924-2932.

Ohno, H., Aguilar, R.C., Fournier, M.C., Hennecke, S., Cosson, P., Bonifacino, J.S., 1997. Interaction of endocytic signals from the HIV-1 envelope glycoprotein complex with members of the adaptor medium chain family. *Virology* 238, 305-315.

Ono, A., 2010. Relationships between plasma membrane microdomains and HIV-1 assembly. *Biology of the cell / under the auspices of the European Cell Biology Organization* 102, 335-350.

Ono, A., Freed, E.O., 2001. Plasma membrane rafts play a critical role in HIV-1 assembly and release. *Proceedings of the National Academy of Sciences of the United States of America* 98, 13925-13930.

Ono, A., Freed, E.O., 2004. Cell-type-dependent targeting of human immunodeficiency virus type 1 assembly to the plasma membrane and the multivesicular body. *Journal of Virology* 78, 1552-1563.

Ono, A., Freed, E.O., 2005. Role of lipid rafts in virus replication. *Advances in Virus Research* 64, 311-358.

Ono, A., Orenstein, J.M., Freed, E.O., 2000. Role of the Gag matrix domain in targeting human immunodeficiency virus type 1 assembly. *Journal of Virology* 74, 2855-2866.

Ono, A., Waheed, A.A., Freed, E.O., 2007. Depletion of cellular cholesterol inhibits membrane binding and higher-order multimerization of human immunodeficiency virus type 1 Gag. *Virology* 360, 27-35.

Ono, A., Waheed, A.A., Joshi, A., Freed, E.O., 2005. Association of human immunodeficiency virus type 1 gag with membrane does not require highly basic sequences in the nucleocapsid: use of a novel Gag multimerization assay. *Journal of Virology* 79, 14131-14140.

Orlandi, P.A., Fishman, P.H., 1998. Filipin-dependent inhibition of cholera toxin: evidence for toxin internalization and activation through caveolae-like domains. *The Journal of Cell Biology* 141, 905-915.

Owens, R.J., Compans, R.W., 1989. Expression of the human immunodeficiency virus envelope glycoprotein is restricted to basolateral surfaces of polarized epithelial cells. *Journal of Virology* 63, 978-982.

Owens, R.J., Dubay, J.W., Hunter, E., Compans, R.W., 1991. Human immunodeficiency virus envelope protein determines the site of virus release in polarized epithelial cells. *Proceedings of the National Academy of Sciences of the United States of America* 88, 3987-3991.

Pacyniak, E., Gomez, M.L., Gomez, L.M., Mulcahy, E.R., Jackson, M., Hout, D.R., Wisdom, B.J., Stephens, E.B., 2005. Identification of a region within the cytoplasmic domain of the subtype B Vpu protein of human immunodeficiency virus type 1 (HIV-1) that is responsible for

retention in the golgi complex and its absence in the Vpu protein from a subtype C HIV-1. *AIDS Research and Human Retroviruses* 21, 379-394.

Pal, R., Reitz, M.S., Jr., Tschachler, E., Gallo, R.C., Sarngadharan, M.G., Veronese, F.D., 1990. Myristoylation of gag proteins of HIV-1 plays an important role in virus assembly. *AIDS Research and Human Retroviruses* 6, 721-730.

Parton, R.G., Hancock, J.F., 2004. Lipid rafts and plasma membrane microorganization: insights from Ras. *Trends in Cell Biology* 14, 141-147.

Peeters, M., Toure-Kane, C., Nkengasong, J.N., 2003. Genetic diversity of HIV in Africa: impact on diagnosis, treatment, vaccine development and trials. *AIDS* 17, 2547-2560.

Perez-Caballero, D., Zang, T., Ebrahimi, A., McNatt, M.W., Gregory, D.A., Johnson, M.C., Bieniasz, P.D., 2009. Tetherin inhibits HIV-1 release by directly tethering virions to cells. *Cell* 139, 499-511.

Phillips, A.N., Lundgren, J.D., 2006. The CD4 lymphocyte count and risk of clinical progression. *Current Opinion in HIV and AIDS* 1, 43-49.

Pickl, W.F., Pimentel-Muinos, F.X., Seed, B., 2001. Lipid rafts and pseudotyping. *Journal of Virology* 75, 7175-7183.

Pike, L.J., 2006. Rafts defined: a report on the Keystone Symposium on Lipid Rafts and Cell Function. *Journal of Lipid Research* 47, 1597-1598.

Piller, S.C., Dubay, J.W., Derdeyn, C.A., Hunter, E., 2000. Mutational analysis of conserved domains within the cytoplasmic tail of gp41 from human immunodeficiency virus type 1: effects on glycoprotein incorporation and infectivity. *Journal of Virology* 74, 11717-11723.

Reicin, A.S., Paik, S., Berkowitz, R.D., Luban, J., Lowy, I., Goff, S.P., 1995. Linker insertion mutations in the human immunodeficiency virus type 1 gag gene: effects on virion particle assembly, release, and infectivity. *Journal of Virology* 69, 642-650.

Reil, H., Bukovsky, A.A., Gelderblom, H.R., Gottlinger, H.G., 1998. Efficient HIV-1 replication can occur in the absence of the viral matrix protein. *The EMBO Journal* 17, 2699-2708.

Richards, K.H., Clapham, P.R., 2007. Effects of vpu start-codon mutations on human immunodeficiency virus type 1 replication in macrophages. *The Journal of General Virology* 88, 2780-2792.

Ritter, G.D., Jr., Yamshchikov, G., Cohen, S.J., Mulligan, M.J., 1996. Human immunodeficiency virus type 2 glycoprotein enhancement of particle budding: role of the cytoplasmic domain. *Journal of Virology* 70, 2669-2673.

Rong, L., Zhang, J., Lu, J., Pan, Q., Lorgeoux, R.P., Aloysius, C., Guo, F., Liu, S.L., Wainberg, M.A., Liang, C., 2009. The transmembrane domain of BST-2 determines its sensitivity to down-modulation by human immunodeficiency virus type 1 Vpu. *Journal of Virology* 83, 7536-7546.

Rousseau, C.M., Learn, G.H., Bhattacharya, T., Nickle, D.C., Heckerman, D., Chetty, S., Brander, C., Goulder, P.J., Walker, B.D., Kiepiela, P., Korber, B.T., Mullins, J.I., 2007. Extensive intrasubtype recombination in South African human immunodeficiency virus type 1 subtype C infections. *Journal of Virology* 81, 4492-4500.

Rousso, I., Mixon, M.B., Chen, B.K., Kim, P.S., 2000. Palmitoylation of the HIV-1 envelope glycoprotein is critical for viral infectivity. *Proceedings of the National Academy of Sciences of the United States of America* 97, 13523-13525.

Rowland-Jones, S.L., 2003. Timeline: AIDS pathogenesis: what have two decades of HIV research taught us? *Nature Reviews. Immunology* 3, 343-348.

Sakaguchi, K., Zambrano, N., Baldwin, E.T., Shapiro, B.A., Erickson, J.W., Omichinski, J.G., Clore, G.M., Gronenborn, A.M., Appella, E., 1993. Identification of a binding site for the human immunodeficiency virus type 1 nucleocapsid protein. *Proceedings of the National Academy of Sciences of the United States of America* 90, 5219-5223.

Sakaguchi, T., Leser, G.P., Lamb, R.A., 1996. The ion channel activity of the influenza virus M2 protein affects transport through the Golgi apparatus. *The Journal of Cell Biology* 133, 733-747.

Sato, K., Yamamoto, S.P., Misawa, N., Yoshida, T., Miyazawa, T., Koyanagi, Y., 2009. Comparative study on the effect of human BST-2/Tetherin on HIV-1 release in cells of various species. *Retrovirology* 6, 53.

Schubert, U., Anton, L.C., Bacik, I., Cox, J.H., Bour, S., Bennink, J.R., Orłowski, M., Strebel, K., Yewdell, J.W., 1998. CD4 glycoprotein degradation induced by human immunodeficiency virus type 1 Vpu protein requires the function of proteasomes and the ubiquitin-conjugating pathway. *Journal of Virology* 72, 2280-2288.

Schubert, U., Bour, S., Ferrer-Montiel, A.V., Montal, M., Maldarell, F., Strebel, K., 1996a. The two biological activities of human immunodeficiency virus type 1 Vpu protein involve two separable structural domains. *Journal of Virology* 70, 809-819.

Schubert, U., Bour, S., Willey, R.L., Strebel, K., 1999. Regulation of virus release by the macrophage-tropic human immunodeficiency virus type 1 AD8 isolate is redundant and can be controlled by either Vpu or Env. *Journal of Virology* 73, 887-896.

Schubert, U., Ferrer-Montiel, A.V., Oblatt-Montal, M., Henklein, P., Strebel, K., Montal, M., 1996b. Identification of an ion channel activity of the Vpu transmembrane domain and its involvement in the regulation of virus release from HIV-1-infected cells. *FEBS Letters* 398, 12-18.

Schwartz, M.D., Fiore, D., Panganiban, A.T., 1997. Distinct functions and requirements for the Cys-His boxes of the human immunodeficiency virus type 1 nucleocapsid protein during RNA encapsidation and replication. *Journal of Virology* 71, 9295-9305.

Schwartz, S., Felber, B.K., Fenyo, E.M., Pavlakakis, G.N., 1990. Env and Vpu proteins of human immunodeficiency virus type 1 are produced from multiple bicistronic mRNAs. *Journal of Virology* 64, 5448-5456.

Simons, K., Gerl, M.J., 2010. Revitalizing membrane rafts: new tools and insights. *Nature reviews. Molecular Cell Biology* 11, 688-699.

Simons, K., Ikonen, E., 1997. Functional rafts in cell membranes. *Nature* 387, 569-572.

Simons, K., Ikonen, E., 2000. How cells handle cholesterol. *Science* 290, 1721-1726.

Stebbing, J., Gazzard, B., Douek, D.C., 2004. Where does HIV live? *The New England Journal of Medicine* 350, 1872-1880.

Strebel, K., Klimkait, T., Maldarelli, F., Martin, M.A., 1989. Molecular and biochemical analyses of human immunodeficiency virus type 1 vpu protein. *Journal of Virology* 63, 3784-3791.

Strebel, K., Klimkait, T., Martin, M.A., 1988. A novel gene of HIV-1, vpu, and its 16-kilodalton product. *Science* 241, 1221-1223.

Tanaka, M., Ueno, T., Nakahara, T., Sasaki, K., Ishimoto, A., Sakai, H., 2003. Downregulation of CD4 is required for maintenance of viral infectivity of HIV-1. *Virology* 311, 316-325.

Van Damme, N., Goff, D., Katsura, C., Jorgenson, R.L., Mitchell, R., Johnson, M.C., Stephens, E.B., Guatelli, J., 2008. The interferon-induced protein BST-2 restricts HIV-1 release and is downregulated from the cell surface by the viral Vpu protein. *Cell Host & Microbe* 3, 245-252.

Van Damme, N., Guatelli, J., 2008. HIV-1 Vpu inhibits accumulation of the envelope glycoprotein within clathrin-coated, Gag-containing endosomes. *Cellular Microbiology* 10, 1040-1057.

Varthakavi, V., Heimann-Nichols, E., Smith, R.M., Sun, Y., Bram, R.J., Ali, S., Rose, J., Ding, L., Spearman, P., 2008. Identification of calcium-modulating cyclophilin ligand as a human host restriction to HIV-1 release overcome by Vpu. *Nature Medicine* 14, 641-647.

Varthakavi, V., Smith, R.M., Bour, S.P., Strebel, K., Spearman, P., 2003. Viral protein U counteracts a human host cell restriction that inhibits HIV-1 particle production. *Proceedings of the National Academy of Sciences of the United States of America* 100, 15154-15159.

Varthakavi, V., Smith, R.M., Martin, K.L., Derdowski, A., Lapierre, L.A., Goldenring, J.R., Spearman, P., 2006. The pericentriolar recycling endosome plays a key role in Vpu-mediated enhancement of HIV-1 particle release. *Traffic* 7, 298-307.

Veazey, R.S., DeMaria, M., Chalifoux, L.V., Shvets, D.E., Pauley, D.R., Knight, H.L., Rosenzweig, M., Johnson, R.P., Desrosiers, R.C., Lackner, A.A., 1998. Gastrointestinal tract as a major site of CD4+ T cell depletion and viral replication in SIV infection. *Science* 280, 427-431.

Vincent, M.J., Abdul Jabbar, M., 1995. The human immunodeficiency virus type 1 Vpu protein: a potential regulator of proteolysis and protein transport in the mammalian secretory pathway. *Virology* 213, 639-649.

Vincent, M.J., Melsen, L.R., Martin, A.S., Compans, R.W., 1999. Intracellular interaction of simian immunodeficiency virus Gag and Env proteins. *Journal of Virology* 73, 8138-8144.

Vincent, M.J., Raja, N.U., Jabbar, M.A., 1993. Human immunodeficiency virus type 1 Vpu protein induces degradation of chimeric envelope glycoproteins bearing the cytoplasmic and anchor domains of CD4: role of the cytoplasmic domain in Vpu-induced degradation in the endoplasmic reticulum. *Journal of Virology* 67, 5538-5549.

Waheed, A.A., Ablan, S.D., Mankowski, M.K., Cummins, J.E., Ptak, R.G., Schaffner, C.P., Freed, E.O., 2006. Inhibition of HIV-1 replication by amphotericin B methyl ester: selection for resistant variants. *The Journal of Biological Chemistry* 281, 28699-28711.

Waheed, A.A., Ablan, S.D., Soheilian, F., Nagashima, K., Ono, A., Schaffner, C.P., Freed, E.O., 2008. Inhibition of human immunodeficiency virus type 1 assembly and release by the cholesterol-binding compound amphotericin B methyl ester: evidence for Vpu dependence. *Journal of Virology* 82, 9776-9781.

Wildum, S., Schindler, M., Munch, J., Kirchhoff, F., 2006. Contribution of Vpu, Env, and Nef to CD4 down-modulation and resistance of human immunodeficiency virus type 1-infected T cells to superinfection. *Journal of Virology* 80, 8047-8059.

Wilk, T., Gross, I., Gowen, B.E., Rutten, T., de Haas, F., Welker, R., Krausslich, H.G., Boulanger, P., Fuller, S.D., 2001. Organization of immature human immunodeficiency virus type 1. *Journal of Virology* 75, 759-771.

Willey, R.L., Buckler-White, A., Strebel, K., 1994. Sequences present in the cytoplasmic domain of CD4 are necessary and sufficient to confer sensitivity to the human immunodeficiency virus type 1 Vpu protein. *Journal of Virology* 68, 1207-1212.

Willey, R.L., Maldarelli, F., Martin, M.A., Strebel, K., 1992a. Human immunodeficiency virus type 1 Vpu protein induces rapid degradation of CD4. *Journal of Virology* 66, 7193-7200.

Willey, R.L., Maldarelli, F., Martin, M.A., Strebel, K., 1992b. Human immunodeficiency virus type 1 Vpu protein regulates the formation of intracellular gp160-CD4 complexes. *Journal of Virology* 66, 226-234.

Wills, J.W., Craven, R.C., 1991. Form, function, and use of retroviral gag proteins. *AIDS* 5, 639-654.

Wyma, D.J., Kotov, A., Aiken, C., 2000. Evidence for a stable interaction of gp41 with Pr55(Gag) in immature human immunodeficiency virus type 1 particles. *Journal of Virology* 74, 9381-9387.

Wyss, S., Berlioz-Torrent, C., Boge, M., Blot, G., Honing, S., Benarous, R., Thali, M., 2001. The highly conserved C-terminal dileucine motif in the cytosolic domain of the human immunodeficiency virus type 1 envelope glycoprotein is critical for its association with the AP-1 clathrin adaptor. *Journal of Virology* 75, 2982-2992.

Wyss, S., Dimitrov, A.S., Baribaud, F., Edwards, T.G., Blumenthal, R., Hoxie, J.A., 2005. Regulation of human immunodeficiency virus type 1 envelope glycoprotein fusion by a membrane-interactive domain in the gp41 cytoplasmic tail. *Journal of Virology* 79, 12231-12241.

Yang, C., Li, M., Mokili, J.L., Winter, J., Lubaki, N.M., Mwandagalirwa, K.M., Kasali, M.J., Losoma, A.J., Quinn, T.C., Bollinger, R.C., Lal, R.B., 2005. Genetic diversification and recombination of HIV type 1 group M in Kinshasa, Democratic Republic of Congo. *AIDS Research and Human Retroviruses* 21, 661-666.

Yao, X.J., Gottlinger, H., Haseltine, W.A., Cohen, E.A., 1992. Envelope glycoprotein and CD4 independence of vpu-facilitated human immunodeficiency virus type 1 capsid export. *Journal of Virology* 66, 5119-5126.

Yu, X., Yuan, X., Matsuda, Z., Lee, T.H., Essex, M., 1992. The matrix protein of human immunodeficiency virus type 1 is required for incorporation of viral envelope protein into mature virions. *Journal of Virology* 66, 4966-4971.

Yu, X., Yuan, X., McLane, M.F., Lee, T.H., Essex, M., 1993. Mutations in the cytoplasmic domain of human immunodeficiency virus type 1 transmembrane protein impair the incorporation of Env proteins into mature virions. *Journal of Virology* 67, 213-221.

Zhang, Y., Barklis, E., 1995. Nucleocapsid protein effects on the specificity of retrovirus RNA encapsidation. *Journal of Virology* 69, 5716-5722.

Zhu, P., Chertova, E., Bess, J., Jr., Lifson, J.D., Arthur, L.O., Liu, J., Taylor, K.A., Roux, K.H., 2003. Electron tomography analysis of envelope glycoprotein trimers on HIV and simian immunodeficiency virus virions. *Proceedings of the National Academy of Sciences of the United States of America* 100, 15812-15817.

Zhu, T., Korber, B.T., Nahmias, A.J., Hooper, E., Sharp, P.M., Ho, D.D., 1998. An African HIV-1 sequence from 1959 and implications for the origin of the epidemic. *Nature* 391, 594-597.

Zurcher, T., Luo, G., Palese, P., 1994. Mutations at palmitoylation sites of the influenza virus hemagglutinin affect virus formation. *Journal of Virology* 68, 5748-5754.