

CONTENTS FOR FIGURES

		Page No.
1.1	Crystal structures of MnO ₂ minerals where * = Mn(IV) and o = O ²⁻ and line represents octahedral. (a) Hollandite; (b) Psilomelane; (c) Pyrolusite; (d) Nsutite and (e) Ramsdellite.	25
1.2	Thermal transformation of MnO ₂ phases.	26
3.1	Plot of NaBrO ₃ weight added to the 10 ml manganese effluent versus weight of MnO ₂ obtained	63
3.2	(A) Thermogravimetric (TGA) behavior of Pyrolusite-MnO ₂ sample used by M/s Atul Ltd containing 85% MnO ₂	64
	(B) X-ray diffraction patterns of Pyrolusite-MnO ₂ sample used by M/s Atul Ltd containing 85% MnO ₂ .	64
3.3	Thermogravimetric (TGA) of MnCO ₃ fused sample at 450 °C for (a) 4 h containing 58.45% MnO ₂ , (b) 6 h containing 53.89% MnO ₂ .	69
3.4	X-ray diffraction patterns of MnCO ₃ fused sample at 450 °C for (a) 4 h containing 58.45% MnO ₂ , (b) 6 h containing 53.89% MnO ₂ , (c) 2.5 h containing 84% MnO ₂ after HCl wash.	70
3.5	Thermogravimetric (TGA) curves of fused MnCO ₃ along with (a) 1, (b) 1.93, (c) 3.87 g Na ₂ CO ₃ at 500 °C for 3 h.	73
3.6	X-ray diffraction patterns of fused MnCO ₃ sample along with (a) 1, (b) 1.93, (c) 3.87 g Na ₂ CO ₃ at 500 °C for 3 h	74
3.7	Thermogravimetric (TGA) of MnCO ₃ sample fused for 2.5 h at 450 °C with (a) 15 g having 93.7% MnO ₂ ; (b) 20 g Na ₂ CO ₃ having 71.5% MnO ₂ after acid treatment.	77
3.8	X-ray diffraction patterns of MnCO ₃ sample fused along with (a) 5, (b) 10, (c) 15, (d) 20 g Na ₂ CO ₃ at 450 °C for 2.5 h	78
3.9	X-ray diffraction patterns of MnCO ₃ sample fused along with 2 g of (a) CaCO ₃ .	79
	X-ray diffraction patterns of MnCO ₃ sample fused along with 2 g of (b) MgCO ₃ at 450 °C for 2.5 h	80

- 3.10 Thermogravimetric (TGA) curves of fused MnCO_3 at 450 °C along with (a) 0.1 g NaOH for 2 h having 59.75% MnO_2 ; (b) 0.1 g NaOH for 4 h having 61.27% MnO_2 . 83
- Thermogravimetric (TGA) curves of fused MnCO_3 at 450 °C along with (c) 0.1 g NaOH for 6 h having 64.67% MnO_2 ; (d) 1 g NaOH for 3 h having 69.10% MnO_2 . 84
- 3.11 X-ray diffraction patterns of fused MnCO_3 sample at 450 °C along with (a) 0.1 g NaOH for 2 h having 59.75% MnO_2 ; (b) 1.0 g NaOH for 4 h having 61.27% MnO_2 ; (c) 1.0 g NaOH for 3 h having 69.10% MnO_2 . 85
- 3.12 (A) Thermogravimetric (TGA) curves of 55.5% MnO_2 obtained by the chemical oxidation of Mn(II) in ME using Cl_2 gas. 88
- (B) X-ray diffraction patterns of 55.5% MnO_2 obtained by the chemical oxidation of Mn(II) in ME using Cl_2 gas. 88
- 3.13 (A) Thermogravimetric (TGA) curve of 88% MnO_2 obtained by the chemical oxidation of Mn(II) in ME using NaBrO_3 gas. 91
- (B) X-ray diffraction pattern of 88% MnO_2 obtained by the chemical oxidation of Mn(II) in ME using NaBrO_3 gas. 92
- 3.14 (A) Thermogravimetric (TGA) curve of 80% MnO_2 obtained by the chemical oxidation of Mn(II) in ME using KMnO_4 . 96
- (B) X-ray diffraction pattern of 80% MnO_2 obtained by the chemical oxidation of Mn(II) in ME using KMnO_4 . 96
- 3.15 (A) Thermogravimetric (TGA) curve of 72% MnO_2 obtained by potassium chlorate treatment on fused MnCO_3 . 98
- (B) X-ray diffraction pattern of 72% MnO_2 obtained by potassium chlorate treatment on fused MnCO_3 . 99
- 3.16 (A) Thermogravimetric (TGA) curve of 80% MnO_2 obtained by HNO_3 treatment on fused MnCO_3 . 101
- (B) X-ray diffraction pattern of 80% MnO_2 obtained by HNO_3 treatment on fused MnCO_3 . 101
- 3.17 (A) Thermogravimetric (TGA) curve of 74% MnO_2 obtained by ozone treatment on fused MnCO_3 . 103
- (B) X-ray diffraction pattern of 74% MnO_2 obtained by ozone treatment on fused MnCO_3 . 104