

List of illustrations

Fig.2.1	Transmission process in CSMA/CD	23
Fig.2.2	Reception sequence in CSMA/CD	25
Fig.3.1	Representative cycle for slotted non-persistent CSMA where * depict imbedded minislots.	52
Fig.3.2	Maximum achievable throughput for CSMA and CSMA/CD as a function of packet length with CD time as a parameter.	65
Fig.3.3	Maximum achievable throughput for CSMA and CSMA/CD as a function of collision detect time with packet length as a parameter.	73
Fig.3.4	Average channel utilization for CSMA and CSMA/CD as a function of offered traffic when $T = 20$ minislots.	83
Fig.3.5	Average channel utilization for CSMA and CSMA/CD as a function of offered traffic with packet length and collision detect time as parameters.	89
Fig.3.6	Representative cycle for slotted non-persistent CSMA/CD model for packet delay analysis.	95
Fig.4.1	A directed acyclic graph realization with respect to Van Der Pol's equation program.	108
Fig.4.2	Optimum critical path method schedule of directed acyclic graph.	110

ILLUSTRATIONS

7

Fig.4.3	A blocked by two directed acyclic graph realization	113
Fig.4.4	Optimum critical path method schdule of a blocked by two directed acyclic graph	114
Fig.4.5	Partial view of critical path method schedule for a blocked by eight directed acyclic graph	117
Fig.4.6	Directed cyclic graph realization of inner loop	119
Fig.4.7	Optimum cyclo-static processor schedule for fully specified flow graph	134
Fig.5.1	Network with two origin-destination pairs.	144
Fig.5.2.1	Feasible directions ΔX at a feasible point X	
FIG.5.2.2	Descent directions at a feasible point X	153
Fig.5.3	Path of an iterative descent technique according to feasible descent directions	156
Fig.5.4	Routing in single origin-destination pair having three paths	158
Fig.5.5	Successive iterates of the Frank-Wolfe technique in the two-node, three link system.	159
Fig.5.6	Determining the feasible descent direction $\Delta X = \bar{X} - X$ at a point X in the Frank-Wolfe technique	162
Fig.5.7	Successive iterations of the Frank-Wolfe technique in which a vertex of the feasible set is determined at each iteration.	164
Fig.5.8	Working of the gradient projection technique.	171

ILLUSTRATIONS

8

List 3.3.1	"Program listing : Packet length vs throughput	66
List 3.3.2	"Program listing : Collision detect time vs throughput	74
List 3.4.1	"Program listing : Offered traffic vs average channel Utilization"	84
List 3.4.2	" Program listing : Offered traffic vs average channel utilization	90
Table 4.1	Critical path method bound for various blocking factors.	115