



# Bibliography

Abboud H, Labreuche J, Meseguer E, et al. Ischemiamodified albumin in acute stroke. *Cerebrovasc Dis* 2007; 23: 216-20.

Aberle SW, Puchhammer-Stöckl E. Diagnosis of herpesvirus infections of the central nervous system. *J Clin Virol*. 2002; 25: S79-85.

Abraham AM, Babu M, Kavitha S, Jesudason MV, Sridharan G. A molecular method for typing Herpes simplex virus isolates as an alternative to immunofluorescence methods. *Indian J Med Microbiol*. 2009; 27: 22-6.

Abraham AM, Kavitha S, Joseph P, George R, Pillay D, Malathi J, Jesudason MV, Sridharan G. Aciclovir resistance among Indian strains of Herpes simplex virus as determined using a dye uptake assay. *Indian J Med Microbiol*. 2007; 25: 260-2.

Akçali A, Ozkaya E, Yilmaz D, Uyar Y, Oncül O. [Investigation of herpes simplex virus in viral meningoencephalitis suspected cases using molecular and serological methods]. *Mikrobiyol Bul*. 2008; 42: 421-8.

Al-Shekhlee A, Kocharian N, Suarez JJ. Re-evaluating the diagnostic methods in herpes simplex encephalitis. *Herpes*. 2006; 13: 17-9.

Anderson NE, Powell KF, Croxson MC. A polymerase chain reaction assay of cerebrospinal fluid in patients with suspected herpes simplex encephalitis. *J Neurol Neurosurg Psychiatry*. 1993; 56: 520-5.

Ando Y, Kimura H, Miwata H, Kudo T, Shibata M, Morishima T. Quantitative analysis of herpes simplex virus DNA in cerebrospinal fluid of children with herpes simplex encephalitis. *J Med Virol*. 1993; 41: 170-3.

Annegers JF, Hauser WA, Beghi E, Nicolosi A, Kurland LT. The risk of unprovoked seizures after encephalitis and meningitis. *Neurology*. 1988; 38: 1407-10.

Aribas E and Turk U. Herpes simpleks virus ensefaliti: bir olgu sunumu. *Flora*. 1996; 2: 123-126.

Ashley RL. Genital herpes. Type-specific antibodies for diagnosis and management. *Dermatol Clin*. 1998; 16: 789-93.

Aslanzadeh J, Garner JG, Feder HM, Ryan RW. Use of polymerase chain reaction for laboratory diagnosis of herpes simplex virus encephalitis. *Ann Clin Lab Sci*. 1993; 23: 196-202.

Aslanzadeh J, Osmon DR, Wilhelm MP, Espy MJ, Smith TF. A prospective study of the polymerase chain reaction for detection of herpes simplex virus in cerebrospinal fluid submitted to the clinical virology laboratory. *Mol Cell Probes*. 1992; 6: 367-73.

Aurelius E, Johansson B, Sköldenberg B, Forsgren M. Encephalitis in immunocompetent patients due to herpes simplex virus type 1 or 2 as determined by type-specific polymerase chain reaction and antibody assays of cerebrospinal fluid. *J Med Virol*. 1993; 39: 179-86.

Aurelius E, Johansson B, Sköldenberg B, Staland A, Forsgren M. Rapid diagnosis of herpes simplex encephalitis by nested polymerase chain reaction assay of cerebrospinal fluid. *Lancet*. 1991; 337: 189-92.

Bader C, Crumpacker CS, Schnipper LE, Ransil B, Clark JE, Arndt K, Freedberg IM. The natural history of recurrent facial-oral infection with herpes simplex virus. *J Infect Dis.* 1978; 138: 897-905.

Banatvala JE. Herpes simplex encephalitis. *Lancet Infect Dis.* 2011; 11: 80-1.

Baringer JR, Pisani P. Herpes simplex virus genomes in human nervous system tissue analyzed by polymerase chain reaction. *Ann Neurol.* 1994; 36: 823-9.

Baringer JR. Herpes simplex virus encephalitis. In: Davis LE, Kennedy PGE (eds). *Infectious Diseases of the Nervous System.* Oxford: Butterworth-Heinemann; 2000; 139-164.

Barnett EM, Jacobsen G, Evans G, Cassell M, Perlman S. Herpes simplex encephalitis in the temporal cortex and limbic system after trigeminal nerve inoculation. *J Infect Dis.* 1994; 169: 782-6.

Behzad-Behbahani A, Abdolvahab A, Gholamali YP, Roshanak B, Mahmood R. Clinical signs as a guide for performing HSV-PCR in correct diagnosis of herpes simplex virus encephalitis. *Neurol India.* 2003; 51: 341-4. Erratum in: *Neurol India.* 2003; 51: 473.

Beig FK, Malik A, Rizvi M, Acharya D, Khare S. Etiology and clinico-epidemiological profile of acute viral encephalitis in children of western Uttar Pradesh, India. *Int J Infect Dis.* 2010; 14: e141-6.

Benjamin LA, Kelly M, Cohen D, Neuhann F, Galbraith S, Mallewa M, Hopkins M, Hart IJ, Guiver M, Lalloo DG, Heyderman RS, Solomon T. Detection of

herpes viruses in the cerebrospinal fluid of adults with suspected viral meningitis in Malawi. *Infection*. 2013; 41: 27-31.

Bereczky-Veress B, Lidman O, Sabri F, Bednar I, Granath F, Bergström T, Spenger C, Grandien A, Olsson T, Piehl F, Diez M, Sköldenberg B. Host strain-dependent difference in susceptibility in a rat model of herpes simplex type 1 encephalitis. *J Neurovirol*. 2008; 14: 102-18.

Berger JR, Houff S. Neurological complications of herpes simplex virus type 2 infection. *Arch Neurol*. 2008; 65: 596-600.

Bergström T, Trybala E. Antigenic differences between HSV-1 and HSV-2 glycoproteins and their importance for type-specific serology. *Intervirology*. 1996; 39: 176-84.

Besson C, Amiel C, Le-Pendeven C, Brice P, Fermé C, Carde P, Hermine O, Raphael M, Abel L, Nicolas JC. Positive correlation between Epstein-Barr virus viral load and anti-viral capsid immunoglobulin G titers determined for Hodgkin's lymphoma patients and their relatives. *J Clin Microbiol*. 2006; 44: 47-50.

Bewermeyer H, Huber M, Bamborschke, S. Neue Aspekte in der Diagnostik und Therapie der Herpes-simplex-Enzephalitis. *Internist Prax*. 1987; 27: 323–337.

Bizzaro N, Bartoloni E, Morozzi G, Manganelli S, Riccieri V, Sabatini P, Filippini M, Tampona M, Afeltra A, Sebastiani G, Alpini C, Bini V, Bistoni O, Alunno A, Gerli R; the Forum Interdisciplinare per la Ricerca nelle Malattie Autoimmuni (FIRMA Group). Anti-cyclic citrullinated peptide antibody titer

predicts time to rheumatoid arthritis onset in patients with undifferentiated arthritis: results from a 2-year prospective study. *Arthritis Res Ther.* 2013; 15: R16.

Boerman RH, Peters AC, Verheij M, Raap AK, van Ekdorf LT, van Eer A, van der Ploeg M. Immunofluorescence detection of herpes simplex virus type 1 antigen in cerebrospinal fluid cells of experimentally infected mice. *J Neurol Sci.* 1988; 87: 245-54.

Bohl DL, Storch GA, Ryschkewitsch C, Gaudreault-Keener M, Schnitzler MA, Major EO, Brennan DC. Donor origin of BK virus in renal transplantation and role of HLA C7 in susceptibility to sustained BK viremia. *Am J Transplant.* 2005; 5: 2213– 2221.

Boivin G. Diagnosis of herpesvirus infections of the central nervous system. *Herpes.* 2004; 11: 48A-56A.

Borg I, Rohde G, Loseke S et al. Evaluation of a quantitative real-time PCR for the detection of respiratory syncytial virus in pulmonary diseases. *Eur. Respir. J.* 2003; 21: 944–951.

Bork K, Brauninger W. Increasing incidence of eczema herpeticum: analysis of seventy-five cases. *J Am Acad Dermatol.* 1988; 19:1024–9.

Brown ZA, Wald A, Morrow RA, Selke S, Zeh J, Corey L. Effect of serologic status and cesarean delivery on transmission rates of herpes simplex virus from mother to infant. *JAMA.* 2003; 289: 203-9.

Cai WH, Gu B, Person S. Role of glycoprotein B of herpes simplex virus type 1 in viral entry and cell fusion. *J Virol.* 1988; 62: 2596-604.

Calvario A, Bozzi A, Scarasciulli M, Ventola C, Seccia R, Stomati D, Brancasi B. Herpes Consensus PCR test: a useful diagnostic approach to the screening of viral diseases of the central nervous system. *J Clin Virol.* 2002; 25: S71-8.

Casas I, Tenorio A, de Ory F, Lozano A, Echevarría JM. Detection of both herpes simplex and varicella-zoster viruses in cerebrospinal fluid from patients with encephalitis. *J Med Virol.* 1996; 50: 82-92.

Cassinotti P, Mietz H, Siegl G. Suitability and clinical application of a multiplex nested PCR assay for the diagnosis of herpes simplex virus infections. *J Med Virol.* 1996; 50: 75-81.

Cesario TC, Poland JD, Wulff H, Chin TD, Wenner HA. Six years experience with herpes simplex virus in a children's home. *Am J Epidemiol.* 1969; 90: 416-22.

Cherpes TL, Ashley RL, Meyn LA, Hillier SL. Longitudinal reliability of focus glycoprotein G-based type-specific enzyme immunoassays for detection of herpes simplex virus types 1 and 2 in women. *J Clin Microbiol.* 2003; 41: 671-4.

Ch'ien LT, Boehm RM, Robinson H, Liu C, Frenkel LD. Characteristic early electroencephalographic changes in herpes simplex encephalitis. *Arch Neurol.* 1977; 34: 361-4.

Child N, Croxson MC, Rahnama F, Anderson NE. A retrospective review of acute encephalitis in adults in Auckland over a five-year period (2005-2009). *J Clin Neurosci*. 2012; 19: 1483-5.

Cinque P, Vago L, Marenzi R, Giudici B, Weber T, Corradini R, Ceresa D, Lazzarin A, Linde A. Herpes simplex virus infections of the central nervous system in human immunodeficiency virus-infected patients: clinical management by polymerase chain reaction assay of cerebrospinal fluid. *Clin Infect Dis*. 1998; 27: 303-9.

Coleman RM, Bailey PD, Whitley RJ, Keyserling H, Nahmias AJ. ELISA for the detection of herpes simplex virus antigens in the cerebrospinal fluid of patients with encephalitis. *J Virol Methods*. 1983; 7: 117-25.

Cook ML, Stevens JG. Pathogenesis of herpetic neuritis and ganglionitis in mice: evidence for intra-axonal transport of infection. *Infect Immun*. 1973; 7: 272-88.

Corey L, Adams HG, Brown ZA, Holmes KK. Genital herpes simplex virus infections: clinical manifestations, course, and complications. *Ann Intern Med*. 1983; 98: 958-72.

Corey L, Spear PG. Infections with herpes simplex viruses. *N Engl J Med* 1986; 314: 686–91.

Cremer NE, Cossen CK, Hanson CV, Shell GR. Evaluation and reporting of enzyme immunoassay determinations of antibody to herpes simplex virus in sera and cerebrospinal fluid. *J Clin Microbiol*. 1982; 15: 815-23.



Cunningham ET Jr, Short GA, Irvine AR, Duke JS, Margolis TP. Acquired immunodeficiency syndrome – associated herpes simplex virus retinitis. Clinical description and use of a polymerase chain reaction based assay as a diagnostic tool. Arch Ophthalmol. 1996; 114: 834–840.

Danise, A., P. Cinque, S. Vergani, M. Candino, S. Racca, A. De Bona, R. Novati, A. Castagna, and A. Lazzarin. Use of polymerase chain reaction assays of aqueous humor in the differential diagnosis of retinitis in patients infected with human immunodeficiency virus. Clin. Infect. Dis. 1997; 24: 1100-1106.

Darougar S, Wishart MS, Viswalingam ND. Epidemiological and clinical features of primary herpes simplex virus ocular infection. Br J Ophthalmol. 1985; 69: 2–6.

Davis LE, McLaren LC. Relapsing herpes simplex encephalitis following antiviral therapy. Ann Neurol. 1983; 13: 192–5.

Davison AJ and Clements JB. Herpesviruses: general properties. In: Topley and Wilson's Virology, Mahy, B.W.J. and Ter Maulen, V., (Eds). pp. 485-505, ASM Press, Washington; 2005.

Davison AJ. Overview of classification. In: Arvin A, Campadelli-Fiume G, Mocarski E, Moore PS, Roizman B, Whitley R, Yamanishi K, editors. Human Herpesviruses: Biology, Therapy, and Immunoprophylaxis. Cambridge: Cambridge University Press; 2007. Chapter 1.

De Tiège X, Rozenberg F, Des Portes V, Lobut JB, Lebon P, Ponsot G, Héron B. Herpes simplex encephalitis relapses in children: differentiation of two neurologic entities. *Neurology*. 2003; 61: 241-3.

Dennett C, Cleator GM, Klapper PE. HSV-1 and HSV-2 in herpes simplex encephalitis: a study of sixty-four cases in the United Kingdom. *J Med Virol*. 1997; 53: 1-3.

Dey S, Mohan CM, Ramadass P, Nachimuthu K. Diagnosis of leptospirosis by recombinant antigen based single serum dilution ELISA. *Indian J Med Res*. 2008; 128: 172-7.

Dinn JJ. Transfactory spread of virus in herpes simplex encephalitis. *Br Med J*. 1980; 281: 1392.

Djukic M, Meyding-Lamade UK, Prange H. Virale Meningoenzephalitis In: Leitlinien für Diagnostik und Therapie in der Neurologie. Diener, H.C., für die Kommission „Leitlinien“ der Deutschen Gesellschaft für Neurologie, pp. 226-233, Thieme, Hrsg. Stuttgart; 2003.

Domingues RB, Lakeman FD, Mayo MS, Whitley RJ. Application of competitive PCR to cerebrospinal fluid samples from patients with herpes simplex encephalitis. *J Clin Microbiol*. 1998; 36: 2229–2234.

Domingues RB, Lakeman FD, Pannuti CS, Fink MC, Tsanaclis AM. Advantage of polymerase chain reaction in the diagnosis of herpes simplex encephalitis: presentation of 5 atypical cases. *Scand J Infect Dis*. 1997(a); 29: 229-31.

Domingues RB, Tsanaclis AM, Pannuti CS, Mayo MS, Lakeman FD. Evaluation of the range of clinical presentations of herpes simplex encephalitis by using polymerase chain reaction assay of cerebrospinal fluid samples. *Clin Infect Dis.* 1997(b); 25: 86-91.

Dowdle WR, Nahmias AJ, Harwell RW, Pauls FP. Association of antigenic type of Herpesvirus hominis with site of viral recovery. *J Immunol.* 1967; 99: 974-80.

Dupuis O, Audibert F, Fernandez H, Frydman R. Herpes simplex virus encephalitis in pregnancy. *Obstet Gynecol.* 1999; 94: 810-2.

Eberle R, Courtney RJ. Assay of type-specific and type-common antibodies to herpes simplex virus types 1 and 2 in human sera. *Infect Immun.* 1981; 31: 1062-70.

Elbers JM, Bitnun A, Richardson SE, Ford-Jones EL, Tellier R, Wald RM, Petric M, Kolski H, Heurter H, MacGregor D. A 12-year prospective study of childhood herpes simplex encephalitis: is there a broader spectrum of disease? *Pediatrics.* 2007; 119: e399-407.

Elitsur Y, Carmi R, Sarov I. HSV-specific serum/CSF antibody ratio in association with HSV serum IgM antibodies in diagnosis of herpes encephalitis in infants. *Isr J Med Sci.* 1983; 19: 943-5.

Embil JA, Stephens RG, Manual FR. Prevalence of recurrent herpes labialis and aphthous ulcers among young adults on six continents. *Can Med Assoc J.* 1975; 113: 627-30.

Engelberg R, Carrell D, Krantz E, Corey L, Wald A. Natural history of genital herpes simplex virus type 1 infection. *Sex. Transm. Dis.* 2003; 30: 174–177.

Enzmann DR, Ransom B, Norman D. Computed tomography of herpes simplex encephalitis. *Radiology.* 1978; 129: 419–425.

Erlich KS, Mills J, Chatis P, Mertz GJ, Busch DF, Follansbee SE, Grant RM, Crumpacker CS. Acyclovir-resistant herpes simplex virus infections in patients with the acquired immunodeficiency syndrome. *N. Engl. J. Med.* 1989; 20: 293–296.

Erturk M. Herpes simplex virusleri (1999). In: Temel ve Klinik Mikrobiyoloji, Ustacelebi, S., (Ed). Gunes Kitabevi, Ankara; 1999: 815-827.

Feder HM Jr, Long SS. Herpetic whitlow. Epidemiology, clinical characteristics, diagnosis, and treatment. *Am. J. Dis. Child.* 1983; 137: 861–863.

Fomsgaard A, Kirkby N, Jensen IP, Vestergaard BF. Routine diagnosis of herpes simplex virus (HSV) encephalitis by an internal DNA controlled HSV PCR and an IgG-capture assay for intrathecal synthesis of HSV antibodies. *Clin. Diagn. Virol.* 1998; 9: 45-56.

Gaeta A, Verzaro S, Cristina LM, Mancini C, Nazzari C. Diagnosis of neurological herpesvirus infections: real time PCR in cerebral spinal fluid analysis. *New Microbiol.* 2009; 32: 333-40.

Galasso Whitley, Merigan Pavan-Langston DR. Major ocular viral diseases. In Antiviral Agents and Viral Diseases of Man. 3rd edn, ed. New York: Raven Press; 1990: 183–233.

Gambhir IS, Singh NN, Singh DS, Gulati AK. Herpes simplex virus-1 encephalitis in eastern Uttar Pradesh. J Assoc Physicians India. 1999; 47: 1149-51.

Ganji A, Esmailzadeh A, Ghafarzadegan K, Helalat H, Rafatpanah H, Mokhtarifar A. Correlation between HBsAg quantitative assay results and HBV DNA levels in chronic HBV. Hepat Mon. 2011; 11: 342-5.

Gómara MJ, Haro I. Synthetic peptides for the immunodiagnosis of human diseases. Curr. Med. Chem. 2007; 14: 531-46.

Gomes-Ruiz AC, Nascimento RT, de Paula SO, Lopes da Fonseca BA. SYBR green and TaqMan real-time PCR assays are equivalent for the diagnosis of dengue virus type 3 infections. J Med Virol. 2006; 78: 760-3.

Görander S, Svennerholm B, Liljeqvist JA. Secreted portion of glycoprotein g of herpes simplex virus type 2 is a novel antigen for type-discriminating serology. J. Clin. Microbiol. 2003; 41: 3681-6.

Gosselin J, Flamand L, D'Addario M, Hiscott J, Stefanescu I, Ablashi DV, Gallo RC, Menezes J. Modulatory effects of Epstein-Barr, herpes simplex, and human herpes-6 viral infections and coinfections on cytokine synthesis. A comparative study. J. Immunol. 1992; 149: 181-187.

Grabowska A, Jameson C, Laing P, Jeansson S, Sjögren-Jansson E, Taylor J, Cunningham A, Irving WL. Identification of type-specific domains within glycoprotein G of herpes simplex virus type 2 (HSV-2) recognized by the majority of patients infected with HSV-2, but not by those infected with HSV-1. *J Gen Virol.* 1999; 80: 1789-98.

Griffin DE. (2000). Encephalitis, myelitis, and neuritis. In: Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases, Mandell GL, Bennett JE, Dolin R. (Eds)., Fifth ed., Churchill Livingstone, Philadelphia; 2000: 1009-1016.

Griffith JR, Kibrick S, Dodge PR, Richardson E.P. (1967). Experimental herpes simplex encephalitis: electroencephalographic, clinical, virologic, and pathologic observations in the rabbit. *Electroencephalogr. Clin. Neurophysiol.* 1977; 23: 263–267. Hill, T.J. Herpes simplex virus latency. In: *The Herpesviruses*, Roizman B. (Ed.), Plenum Publishing, New York; 1985.

Guffond T, Dewilde A, Lobert PE, Caparros-Lefebvre D, Hober D, Wattré P. Significance and clinical relevance of the detection of herpes simplex virus DNA by the polymerase chain reaction in cerebrospinal fluid from patients with presumed encephalitis. *Clin. Infect. Dis.* 1994; 18: 744-749.

Hanada N, Kido S, Terashima M, Nishikawa K, Morishima T. Non-invasive method for early diagnosis of herpes simplex encephalitis. *Arch Dis Child.* 1988; 63: 1470-3.

Hanaki K, Ike F, Kajita A, Yasuno W, Yanagiba M, Goto M, Sakai K, Ami Y, Kyuwa S. A broadly reactive one-step SYBR Green I real-time RT-PCR assay for rapid detection of murine norovirus. *PLoS One*. 2014; 9: e98108.

Hanson KE, Alexander BD, Woods C, Petti C, Reller LB. Validation of laboratory screening criteria for herpes simplex virus testing of cerebrospinal fluid. *J Clin Microbiol*. 2007; 45: 721-4.

Hatipoglu HG, Sakman B, Yuksel E. Magnetic resonance and diffusion-weighted imaging findings of herpes simplex encephalitis. *Herpes*. 2008; 15: 13-7.

Held K, Derfuss T. Control of HSV-1 latency in human trigeminal ganglia--current overview. *J Neurovirol*. 2011; 17: 518-27.

Higuchi R, Dollinger G, Walsh PA, Griffith R. Simultaneous amplification and detection of specific DNA sequences. *Biotechnology*. 1992; 10: 413-417.

Hjalmarsson A, Blomqvist P, Sköldenberg B. Herpes simplex encephalitis in Sweden, 1990-2001: incidence, morbidity, and mortality. *Clin Infect Dis*. 2007; 45: 875-80.

Ho DD, Hirsch MS. Acute viral encephalitis. *Med Clin North Am*. 1985; 69: 415-29.

Holzmann H. Diagnosis of tick-borne encephalitis. *Vaccine*. 2003; 21: S1/36-40.

Hong YJ, Lim MS, Hwang SM, Kim TS, Park KU, Song J, Kim EC. Detection of herpes simplex and varicella-zoster virus in clinical specimens by multiplex

real-time PCR and melting curve analysis. *Biomed Res Int.* 2014; 2014: 261947. doi: 10.1155/2014/261947.

Hsieh WB, Chiu NC, Hu KC, Ho CS, Huang FY. Outcome of herpes simplex encephalitis in children. *Journal of Microbiology, Immunology and Infection.* 2007; 40: 34–8.

<http://en.wikipedia.org/wiki/Herpesviridae>

Huff JC, Krueger GG, Overall JC Jr, Copel J, Spruance SL. The histopathologic evolution of recurrent herpes simplex labialis. *J Am Acad Dermatol* 1981; 5: 550–7.

Huff JC, Weston WL, Tonnesen MG. Erythema multiforme: a critical review of characteristics, diagnostic criteria, and causes. *J Am Acad Dermatol.* 1983; 8: 763-75.

Hung IF, To KK, Lee CK, Lin CK, Chan JF, Tse H, Cheng VC, Chen H, Ho PL, Tse CW, Ng TK, Que TL, Chan KH, Yuen KY. Effect of clinical and virological parameters on the level of neutralizing antibody against pandemic influenza A virus H1N1 2009. *Clin Infect Dis,* 2010; 51: 274–279.

Hutfield DC. History of herpes genitalis. *Br J Vener Dis.* 1966; 42: 263-8.

Ito Y, Ando Y, Kimura H, Kuzushima K, Morishima T. Polymerase chain reaction-proved herpes simplex encephalitis in children. *Pediatr. Infect. Dis. J.* 1998; 17: 29-32.



Jain P, Jain A, Kumar A, Prakash S, Khan DN, Singh KP, Garg RK, Kumar R, Kumar GA. Epidemiology and etiology of acute encephalitis syndrome in North India. *Jpn J Infect Dis.* 2014; 67: 197-203.

Jakob NJ, Lenhard T, Schnitzler P, Rohde S, Ringleb PA, Steiner T, Wildemann B. Herpes simplex virus encephalitis despite normal cell count in the cerebrospinal fluid. *Crit Care Med.* 2012; 40: 1304-8.

Jeffery KJ, Read SJ, Peto TE, Mayon-White RT, Bangham CR. Diagnosis of viral infections of the central nervous system: clinical interpretation of PCR results. *Lancet.* 1997; 349: 313-317.

Jerome KR, Ashley RI. Herpes simplex viruses and Herpes B virus. In: *Manuel of Clinical Microbiology*, Murray PR. (Ed)., ASM Press, Washington; 2003: 1291-1303. Johnson RT. (1998). *Viral infections of the nervous system*, 2nd edn., Lippincott-Raven, Philadelphia-New York; 1998.

Johnson RT, Olson LC, Buescher EL. Herpes simplex virus infections of the nervous system: problems in laboratory diagnosis. *Arch. Neurol.* 1968; 18: 260– 264.

Kahlon J, Chatterjee S, Lakeman FD, Lee F, Nahmias AJ, Whitley RJ. Detection of antibodies to herpes simplex virus in the cerebrospinal fluid of patients with herpes simplex encephalitis. *J Infect Dis.* 1987; 155: 38-44.

Kamei S, Takasu T, Morishima T, Mizutani T. Serial changes of intrathecal viral loads evaluated by chemiluminescence assay and nested PCR with acyclovir treatment in herpes simplex virus encephalitis. *Intern Med.* 2004; 43: 796-801.

Kashyap RS, Morey SH, Ramteke SS, Chandak NH, Parida MM, Deshpande PS, Purohit HJ, Taori GM, Dagainawala HF. Diagnosis of chikungunya fever in an Indian population by an indirect enzyme-linked immunosorbent assay protocol based on an antigen detection assay: a prospective cohort study. *Clin Vaccine Immunol.* 2010; 17: 291-297.

Kasubi MJ, Nilsen A, Marsden HS, Bergström T, Langeland N, Haarr L. A branched, synthetic oligopeptide corresponding to a region of glycoprotein G of HSV-1 reacts sensitively and specifically with HSV-1 antibodies in an ELISA. *J Virol Methods.* 2005; 125: 137-43.

Kawada J, Kimura H, Ito Y, Hoshino Y, Tanaka-Kitajima N, Ando Y, Futamura M, Morishima T. Comparison of real-time and nested PCR assays for detection of herpes simplex virus DNA. *Microbiol Immunol.* 2004; 48: 411-5.

Kennedy PG, Chaudhuri A. Herpes simplex encephalitis. *J Neurol Neurosurg Psychiatry.* 2002; 73: 237-8.

Kessler HH, Mühlbauer G, Rinner B, Stelzl E, Berger A, Hans-Wilhelm Dörr, Santner B, Marth E, Rabenau H. Detection of Herpes Simplex Virus DNA by Real-Time PCR. *Journal Of Clinical Microbiology.* 2000; 38: 2638–2642.

Kessler HH, Pierer K, Weber B, Sakrauski A, Santner B, Stuenzner D, Gergely E, Marth E. Detection of Herpes Simplex Virus DNA from Cerebrospinal Fluid by PCR and a Rapid, Nonradioactive Hybridization Technique. *J Clin Microbiol.* 1994; 32: 1881–1886.

Kimura H, Aso K, Kuzushima K, Hanada N, Shibata M, Morishima T. Relapse of herpes simplex encephalitis in children. *Pediatrics.* 1992; 89: 891-4.

Kimura H, Futamura M, Kito H, Ando T, Goto M, Kuzushima K, Shibata M, Morishima T. Detection of viral DNA in neonatal herpes simplex virus infections: frequent and prolonged presence in serum and cerebrospinal fluid. *J. Infect. Dis.* 1991; 164: 289-293.

Kimura H, Ito Y, Futamura M, Ando Y, Yabuta Y, Hoshino Y, Nishiyama Y, Morishima T. Quantitation of viral load in neonatal herpes simplex virus infection and comparison between type 1 and type 2. *Journal of Medical Virology.* 2002; 67: 349–353.

Kimura H, Shibata M, Kuzushima K, Nishikawa K, Nishiyama Y, Morishima T. Detection and direct typing of herpes simplex virus by polymerase chain reaction. *Med. Microbiol. Immunol.* 1990; 179: 177-184.

Kimura T, Rokuhara A, Sakamoto Y, Yagi S, Tanaka E, Kiyosawa K, Maki N. Sensitive enzyme immunoassay for hepatitis B virus core-related antigens and their correlation to virus load. *J Clin Microbiol.* 2002; 40: 439-45.

Klotz RW. Herpetic whitlow: an occupational hazard. *AANA J.* 1990; 58: 8–13.

Knipe, Howley Roizman B, Pellett PE. The family herpesviridae: a brief introduction. In *Fields Virology*, ed., Philadelphia, PA. Lippincott: Williams and Wilkins; 2001; 2: 2381-2398.

Koenig H, Rabinowitz SG, Day E, Miller V. Post-infectious encephalomyelitis after successful treatment of herpes simplex encephalitis with adenine arabinoside: ultrastructural observations. *N Engl J Med.* 1979; 300: 1089-93.

Kohl S. Herpes simplex virus encephalitis in children. *Pediatr. Clin. North Am.* 1988; 35: 465–483.

Kolaskar AS, Tongaonkar PC. A semi-empirical method for prediction of antigenic determinants on protein antigens. *FEBS Lett.* 1990; 276: 172-4.

Koskiniemi M, Piiparinen H, Mannonen I, Rantalaiho T, Vaehri A. Herpes simplex encephalitis is a disease of middle aged and elderly people: polymerase chain reaction for detection herpes simplex virus in CSF of 516 patients with encephalitis. The Study Group. *J Neurol Neurosurg Psychiatry.* 1996; 60: 174-178.

Koskiniemi ML, Vaehri A. Diagnostic value of cerebrospinal fluid antibodies in herpes simplex virus encephalitis. *J. Neurol. Neurosurg. Psychiatry.* 1982; 45: 239-42.

Kudelova M, Muranyiova M, Kudela O, Rajcani J, Lehtinen M, Stankovic J, Arvaja M, Balint O. Detection of herpes simplex virus DNA by polymerase chain reaction in the cerebrospinal fluid of patients with viral meningoencephalitis using primers for the glycoprotein D gene. *Acta Virol.* 1995; 39: 11-17.

Kumar S, Kumar Y, Malhotra DV, Dhar S, Nichani AK. Standardisation and comparison of serial dilution and single dilution enzyme linked immunosorbant assay (ELISA) using different antigenic preparations of the Babesia (Theileria) equi parasite. *Vet Res.* 2003; 34: 71-83.

Kuzushima K, Kimura H, Kino Y, et al. Clinical manifestations of primary herpes simplex virus type 1 infection in a closed community. *Pediatrics*. 1991; 87: 152–158.

Lachmann R. Herpes simplex virus latency. *Expert Rev Mol Med*. 2003; 5: 1-14.

Lafferty WE, Coombs RW, Benedetti J, Critchlow C, Corey L. Recurrences after oral and genital herpes simplex virus infection. Influence of site of infection and viral type. *N Engl J Med*. 1987; 316: 1444-9.

Lakeman FD, Whitley RJ. Diagnosis of herpes simplex encephalitis: application of polymerase chain reaction to cerebrospinal fluid from brain-biopsied patients and correlation with disease. National Institute of Allergy and Infectious Diseases Collaborative Antiviral Study Group. *J Infect Dis*. 1995; 171: 857-63.

Lanciott RS, Kerst AJ, Nasci RJ, et al. Rapid detection of West Nile virus from human clinical specimens, field-collected mosquitoes, and avian samples by a TaqMan reverse transcriptase-PCR assay. *J Clin Microbiol*. 2000; 38: 4066-4071.

Landau Z, Miller EB, Roif M. Recurrent herpes simplex encephalitis *Eur J Intern Med*. 2005; 16: 513 – 514.

Lévêque N, Legoff J, Mengelle C, Mercier-Delarue S, N'guyen Y, Renois F, Tissier F, Simon F, Izopet J, Andréoletti L. Virological diagnosis of central nervous system infections by use of PCR coupled with mass spectrometry analysis of cerebrospinal fluid samples. *J Clin Microbiol*. 2014; 52: 212-7.

Levi M, Rudén U, Wahren B. Peptide sequences of glycoprotein G-2 discriminate between herpes simplex virus type 2 (HSV-2) and HSV-1 antibodies. *Clin Diagn Lab Immunol*. 1996; 3: 265-9.

Levine DP, Lauter CB, Lerner AM. Simultaneous serum and CSF antibodies in herpes simplex virus encephalitis. *JAMA*. 1978; 240: 356-60.

Levitz RE. Herpes simplex encephalitis: a review. *Heart Lung*. 1998; 27: 209–212.

Lewandowski G, Zimmerman MN, Denk LL, et al. Herpes simplex type 1 infects and establishes latency in the brain and trigeminal ganglia during primary infection of the lip in cotton rats and mice. *Arch Virol*. 2002; 147: 167–179.

Liesegang TJ: Biology and molecular aspects of herpes simplex and varicella-zoster virus infections. *Ophthalmology*. 1992; 99: 781.

Lin JC, Wang WY, Chen KY et al. Quantification of plasma Epstein-Barr virus DNA in patients with advanced nasopharyngeal carcinoma. *N. Engl. J. Med*. 2004; 350: 2461–2470.

Lipson SM, Szabo K, Lin JH. Changing patterns of genital herpes simplex virus infections. *Zentralbl Bakteriol Mikrobiol Hyg A*. 1988; 268: 57-61.

Livak KJ, Flood SJ, Marmaro J, Giusti W, Deetz K. Oligonucleotides with fluorescent dyes at opposite ends provide a quenched probe system useful for detecting PCR product and nucleic acid hybridization. *PCR Methods Appl*. 1995; 4: 357-62.

Longson M. The general nature of viral encephalitis in the United Kingdom. In: *Viral Diseases of the Central Nervous System*, Ellis, L.S. (Ed.), Bailliere Tindall, London; 1984.

Loon AM, Cleator GM, Klapper PE. Herpesviruses. In: *Infectious Diseases*, Cohen J. Powderly WG. (Eds). 2nd ed., Mosby, London; 2004: 2021-2039.

Lowhagen GB, Bonde E, Eriksson B, Nordin L, Tunback P, Krantz I. Self-reported herpes labialis in a Swedish population. *Scand. J. Infect. Dis.* 2002; 34: 664–667.

Lundstig A, Stattin P, Persson K, Sasnauskas K, Viscidi RP, Gislefoss RE, Dillner J. No excess risk for colorectal cancer among subjects seropositive for the JC polyomavirus. *Int J Cancer.* 2007; 121: 1098–1102.

MacCallum FO, Chinn IJ, Gostling JV. Antibodies to herpes-simplex virus in the cerebrospinal fluid of patients with herpetic encephalitis. *J. Med. Microbiol.* 1974; 7: 325-31.

Maccallum FO, Potter JM, Edwards DH. Early diagnosis of herpes-simplex encephalitis by brain biopsy. *Lancet.* 1964; 2: 332-4.

Maihofner C, Neundorfer B, Tomandl B, et al. Herpes simplex virus encephalitis. *Med Klin.* 2002; 97: 493–494.

Mailles A, Stahl JP. Steering Committee and Investigators Group. Infectious encephalitis in France in 2007: a national prospective study. *Clin Infect Dis.* 2009; 49: 1838-47.

Malkin JE, Morand P, Malvy D, Ly TD, Chanzy B, de Labareyre C, El Hasnaoui A, Hercberg S. Seroprevalence of HSV-1 and HSV-2 infection in the general French population. *Sex Transm Infect.* 2002; 78: 201-3.

Marchetti S, Santangelo R, Manzara S, D'onghia S, Fadda G, Cattani P. Comparison of real-time PCR and pp65 antigen assays for monitoring the development of Cytomegalovirus disease in recipients of solid organ and bone marrow transplants. *New Microbiol.* 2011; 34: 157-64.

Marco de Lucas E, González Mandly A, Gutiérrez A, Sánchez E, Arnáiz J, Piedra T, Rodríguez E, Díez C. Computed tomography perfusion usefulness in early imaging diagnosis of herpes simplex virus encephalitis. *Acta Radiol.* 2006; 47: 878-81.

Marsden HS, MacAulay K, Murray J, Smith IW. Identification of an immunodominant sequential epitope in glycoprotein G of herpes simplex virus type 2 that is useful for serotype-specific diagnosis. *J Med Virol.* 1998; 56: 79-84.

Mateen FJ, Miller SA, Aksamit AJ Jr. Herpes simplex virus 2 encephalitis in adults. *Mayo Clin Proc.* 2014; 89: 274-5.

Mathewson Commission. Epidemic encephalitis: etiology, epidemiology, treatment. Report of a Survey by the Mathewson Commission. Columbia University Press, New York, 1929. McCabe K, Tyler K, Tanabe J. Diffusion-weighted MRI abnormalities as a clue to the diagnosis of herpes simplex encephalitis. *Neurology.* 2003; 61: 1015–1016.



McClung H, Seth P, Rawls WE. Relative concentrations in human sera of antibodies to cross-reacting and specific antigens of Herpes simplex virus types 1 and 2. *Am. J. Epidemiol.* 1976; 104: 192-201.

McGrath N, Anderson NE, Croxson MC, Powell KF. Herpes simplex encephalitis treated with acyclovir: diagnosis and long term outcome. *J Neurol Neurosurg Psychiatry.* 1997; 63: 321-6.

Merrifield RB. Solid Phase Peptide Synthesis. I. The Synthesis of a Tetrapeptide. *J. Am. Chem. Soc.* 1963; 85: 2149-54.

Mester JC, Highlander SL, Osmand AP, Glorioso JC, Rouse BT. Herpes simplex virus type 1-specific immunity induced by peptides corresponding to an antigenic site of glycoprotein B. *J Virol.* 1990; 64: 5277-83.

Meyer Jr MH, Johnson RT, Crawford IP, Dascomb HE, Rogers NG. Central nervous system syndromes of "viral" etiology. *Am. J. Med.* 1960; 29: 334–347.

Meylan S, Robert D, Estrade C, Grimbuehler V, Péter O, Meylan PR, Sahli R. Real-time PCR for type-specific identification of herpes simplex in clinical samples: evaluation of type-specific results in the context of CNS diseases. *J Clin Virol.* 2008; 41: 87-91.

Michael BD, Solomon T. Seizures and encephalitis: clinical features, management, and potential pathophysiologic mechanisms. *Epilepsia.* 2012; 53: 63-71.

Mindel A, Taylor J, Tideman RL, Seifert C, Berry G, Wagner K, Page J, Marks C, Trudinger B, Cunningham A. Neonatal herpes prevention: a minor public health problem in some communities. *Sex Transm Infect.* 2000; 76: 287-91.

Minjolle S, Michelet C, Jusselin I, Joannes M, Cartier F, Colimon R. Amplification of the six major human herpesviruses from cerebrospinal fluid by a single PCR. *J Clin Microbiol.* 1999; 37: 950-3.

Mitchell PS, Espy MJ, Smith TF, Toal DR, Rys PN, Berbari EF, Osmon DR, Persing DH. Laboratory diagnosis of central nervous system infections with herpes simplex virus by PCR performed with cerebrospinal fluid specimens. *J Clin Microbiol.* 1997; 35: 2873-7.

Miura K, Orcutt AC, Muratova OV, Miller LH, Saul A, Long CA. Development and characterization of a standardized ELISA including a reference serum on each plate to detect antibodies induced by experimental malaria vaccines. *Vaccine.* 2008; 26: 193-200.

Mommeja-Marin H, Lafaurie M, Scieux C, Galicier L, Oksendler E, Molina JM. Herpes simplex virus type 2 as a cause of severe meningitis in immunocompromised adults. *Clin Infect Dis.* 2003; 37: 1527-1533.

Mook-Kanamori B, van de Beek D, Wijdicks EF. Herpes simplex encephalitis with normal initial cerebrospinal fluid examination. *J Am Geriatr Soc.* 2009; 57: 1514-5.

Moon SM, Kim T, Lee EM, Kang JK, Lee SA, Choi SH. Comparison of clinical manifestations, outcomes and cerebrospinal fluid findings between herpes

simplex type 1 and type 2 central nervous system infections in adults. *J Med Virol.* 2014. doi: 10.1002/jmv.23999.

Morawetz RB, Whitley RJ, Murphy DM. Experience with brain biopsy for suspected herpes encephalitis: a review of forty consecutive cases. *Neurosurgery.* 1983; 12: 654-7.

Morey SH, Kashyap RS, Purohit HJ, Taori GM, Daginawala HF. An approach towards peptide-based antibody detection for diagnosis of Chikungunya infection. *Biomarkers.* 2010; 15: 546-52.

Morgan MA, Smith TF. Evaluation of an enzyme-linked immunosorbent assay for the detection of herpes simplex virus antigen. *J Clin Microbiol.* 1984; 19: 730-2.

Mueller SN, Jones CM, Chen W, Kawaoka Y, Castrucci MR, Heath WR, Carbone FR. The early expression of glycoprotein B from herpes simplex virus can be detected by antigen-specific CD8<sup>+</sup> T cells. *J Virol.* 2003; 77: 2445-51.

Muñoz-Almagro C, Jordan I, Cambra FJ, Esteban E, Urrea M, Garcia-Garcia JJ, Palomeque A. Quantitative real-time PCR in paediatric patients with herpes simplex infections of the central nervous system. *J Virol Methods.* 2008; 147: 297-300.

Murphy RF, Caliendo AM. Relative quantity of cerebrospinal fluid herpes simplex virus DNA in adult cases of encephalitis and meningitis. *Am J Clin Pathol.* 2009; 132: 687-90.

Nahmias AJ, Whitley RJ, Visintine AN, Takei Y, Alford CA Jr. Herpes simplex virus encephalitis: laboratory evaluations and their diagnostic significance. *J Infect Dis.* 1982; 145: 829-36.

Najioullah F, Bosshard S, Thouvenot D, Boibieux A, Menager B, Biron F, Aymard M, Lina B. Diagnosis and surveillance of herpes simplex virus infection of the central nervous system. *J Med Virol.* 2000; 61: 468-73.

Nakajima H, Furutama D, Kimura F, Shinoda K, Nakagawa T, Shimizu A, Ohsawa N. Herpes simplex virus type 2 infections presenting as brainstem encephalitis and recurrent myelitis. *Intern. Med.* 1995; 34: 839-842.

Neils EW, Lukin R, Tomsick TA, Tew JM. Magnetic resonance imaging and computerized tomography scanning of herpes simplex encephalitis. Report of two cases. *J Neurosurg.* 1987; 67: 592-4.

Nerurkar LS, Namba M, Brashears G, Jacob AJ, Lee YJ, Sever JL. Rapid detection of herpes simplex virus in clinical specimens by use of a capture biotin-streptavidin enzyme-linked immunosorbent assay. *J Clin Microbiol.* 1984; 20: 109-14.

Nicoll JA, Maitland NJ, Love S. Autopsy neuropathological findings in 'burnt out' herpes simplex encephalitis and use of the polymerase chain reaction to detect viral DNA. *Neuropathol. Appl. Neurobiol.* 1991; 17: 375-382.

Ojeda VJ, Archer M, Robertson TA, Bucens MR. Necropsy study of olfactory portal of entry in herpes simplex encephalitis. *Med. J. Aust.* 1983; 1: 79-81.

Openshaw H, Bennett HE. Recurrence of herpes simplex virus after dental extraction. *J. Infect. Dis.* 1982; 146: 707.

Orkide O, Koyuncu , Ian B, Hogue , Lynn W, Enquist. Virus Infections in the Nervous System. *Cell Host & Microbe.* 2013; 13: 379 – 393.

Panagariya A, Jain RS, Gupta S, Garg A, Sureka RK, Mathur V. Herpes simplex encephalitis in North West India. *Neurol India.* 2001; 49: 360-5.

Papin JF, Vahrson W, Dittmer DP. SYBR green-based real-time quantitative PCR assay for detection of West Nile Virus circumvents false-negative results due to strain variability. *J Clin Microbiol.* 2004; 42: 1511-8.

Park Y, Hong DJ, Shin S, Cho Y, Kim HS. Performance evaluation of new automated hepatitis B viral markers in the clinical laboratory: two quantitative hepatitis B surface antigen assays and an HBV core-related antigen assay. *Am J Clin Pathol.* 2012; 137: 770-7.

Pastrana DV, Wieland U, Silling S, Buck CB, Pfister H. Positive correlation between Merkel cell polyomavirus viral load and capsid-specific antibody titer. *Med Microbiol Immunol.* 2012; 201: 17-23.

Pattnaik P, Srivastava A, Abhyankar A, Dash PK, Parida MM, Lakshmana Rao PV. Fusogenic peptide as diagnostic marker for detection of flaviviruses. *J Postgrad Med.* 2006; 52: 174-8.

Paudel D, Jarman R, Limkittikul K, Klungthong C, Chamnanchanunt S, Nisalak A, Gibbons R, Chokejindachai W. Comparison of real-time SYBR green dengue assay with real-time taqman RT-PCR dengue assay and the

conventional nested PCR for diagnosis of primary and secondary dengue infection. *N Am J Med Sci.* 2011; 3: 478-85.

Peng GC, Slanina SM, Yukht A, Ghiasi H, Nesburn AB, Wechsler SL. The latency-associated transcript gene enhances establishment of herpes simplex virus type 1 latency in rabbits. *J Virol.* 2000; 74: 1885-91.

Petersen LR, Marfin AA. West Nile virus: A primer for the clinician. *Ann Intern Med.* 2002; 137: 173-179.

Pohl-Koppe A, Dahm C, Elgas M, Kuhn JE, Braun RW, Meulen V ter. The diagnostic significance of the polymerase chain reaction and isoelectric focusing in herpes simplex virus encephalitis. *J. Med. Virol.* 1992; 36: 147-154.

Ponchel F, Toomes C, Bransfield K, Leong FT, Douglas SH, Field SL, Bell SM, Combaret V, Puisieux A, Mighell AJ, Robinson PA, Inglehearn CF, Isaacs JD, Markham AF. Real-time PCR based on SYBR-Green I fluorescence: an alternative to the TaqMan assay for a relative quantification of gene rearrangements, gene amplifications and micro gene deletions. *BMC Biotechnol.* 2003; 3: 18.

Porter-Jordan K, Rosenberg EI, Keiser JF, Gross JD, Ross AM, Nasim S, Garrett CT. Nested polymerase chain reaction assay for the detection of cytomegalovirus overcomes false positives caused by contamination with fragmented DNA. *J Med Virol.* 1990; 30: 85-91.

Powell KF, Anderson NE, Frith RW, Croxson MC. Non-invasive diagnosis of herpes simplex encephalitis. *Lancet.* 1990; 335: 357-358.

Pramod NP, Thyagarajan SP, Mohan KV, Anandakannan K. Acyclovir resistance in herpes simplex virus isolates from keratitis cases: an analysis from a developing country. *Microbiol Immunol.* 2000; 44: 241-7.

Puchhammer-Stöckl E, Mandl CW, Kletzmayer J, Holzmann H, Hofmann A, Aberle SW, Heinz FX, Watschinger B, Hofmann H. Monitoring the virus load can predict the emergence of drug-resistant hepatitis B virus strains in renal transplantation patients during lamivudine therapy. *J Infect Dis.* 2000; 181: 2063-6.

Puchhammer-Stöckl E, Popow-Kraupp T, Heinz FX, Mandl CW, Kunz C. Establishment of PCR for the early diagnosis of herpes simplex encephalitis. *J Med Virol.* 1990; 32: 77-82.

Puchhammer-Stöckl E, Presterl E, Croÿ C, Aberle S, Popow-Kraupp T, Kundi M, Hofmann H, Wenninger U, Gödl I. Screening for possible failure of herpes simplex virus PCR in cerebrospinal fluid for the diagnosis of herpes simplex encephalitis. *J Med Virol.* 2001; 64: 531-6.

Ramadass P, Parthiban M, Thiagarajan V, Chandrasekar M, Vidhya M, Raj GD. Development of single serum dilution ELISA for detection of IBDV antibodies. *Vet. Arhiv.* 2008; 78: 23-30.

Randhawa P, Bohl D, Brennan D, Ruppert K, Ramaswami B, Storch G, March J, Shapiro R, Viscidi R. Longitudinal analysis of levels of immunoglobulins against BK virus capsid proteins in kidney transplant recipients. *Clin Vaccine Immunol.* 2008; 15: 1564–1571.

Raphael M, Abel L, Nicolas JC. Positive correlation between Epstein-Barr virus viral load and anti-viral capsid immunoglobulin G titers determined for Hodgkin's lymphoma patients and their relatives. *J Clin Microbiol.* 2006; 44: 47-50.

Raschilas F, Wolff M, Delatour F, Chaffaut C, DeBroucker T, Chevret S, Lebon P, Canton P, Rozenberg F. Outcome of and prognostic factors for herpes simplex encephalitis in adult patients: results of a multicenter study. *Clinical Infectious Diseases.* 2002; 135: 254–60.

Ratho RK, Sethi S, Singh S. Role of serology in the diagnosis of herpes simplex encephalitis. *Indian J Pathol Microbiol.* 1999; 42: 333-7.

Read SJ, Jeffery KJM, Bangham CRM. Aseptic meningitis and encephalitis: the role of PCR in the diagnostic laboratory. *J. Clin.Microbiol.* 1997; 35: 691–696.

Read SJ, Kurtz JB. Laboratory diagnosis of common viral infections of the central nervous system by using a single multiplex PCR screening assay. *J ClinMicrobiol.* 1999; 37: 1352-5.

Revello MG, Baldanti F, Sarasini A, Zella D, Zavattoni M, Gerna G. Quantitation of herpes simplex virus DNA in cerebrospinal fluid of patients with herpes simplex encephalitis by the polymerase chain reaction. *Clin. Diagn. Virol.* 1997; 7: 183-191.

Riancho J, Delgado-Alvarado M, Sedano MJ, Polo JM, Berciano J. Herpes simplex encephalitis: clinical presentation, neurological sequelae and new prognostic factors. Ten years of experience. *Neurol Sci.* 2013; 34: 1879-81.



Riera-Mestre A, Gubieras L, Martínez-Yelamos S, Cabellos C, Fernández-Viladrich P. Adult herpes simplex encephalitis: fifteen years' experience. *Enferm Infecc Microbiol Clin*. 2009; 27: 143-7.

Rimek D, Singh J, Kappe R. Cross-reactivity of the PLATELIA CANDIDA antigen detection enzyme immunoassay with fungal antigen extracts. *J Clin Microbiol*. 2003; 41: 3395-8.

Roberts-Thomson PJ, Esiri MM, Young AC, MacLennan IC. Cerebrospinal fluid immunoglobulin quotients, kappa/lambda ratios, and viral antibody titres in neurological disease. *J Clin Pathol*. 1976; 29: 1105-15.

Rock DL, Frasher NW. Detection of HSV-1 genome in central nervous system of latently infected mice. *Nature*. 1983; 302: 523–531.

Rodrigues D, de-Paris F, Paiva RM. Minimum detection limit of an in-house nested-PCR assay for herpes simplex virus and varicella zoster virus. *Rev Soc Bras Med Trop*. 2013; 46: 625-8.

Roos KL. Encephalitis. *Neurol Clin*. 1999; 17: 813-825.

Rowley AH, Whitley RJ, Lakeman FD, Wolinsky SM. Rapid detection of herpes-simplex-virus DNA in cerebrospinal fluid of patients with herpes simplex encephalitis. *Lancet*. 1990; 335: 440-441.

Rozenberg F, Lebon P. Amplification and characterization of herpesvirus DNA in cerebrospinal fluid from patients with acute encephalitis. *J. Clin. Microbiol*. 1991; 29: 2412-2417.

Rozenberg F. Acute viral encephalitis. *Handb Clin Neurol.* 2013; 112: 1171-81.

Ryncarz AJ, Goddard J, Wald A, Huang ML, Roizman B, Corey L. Development of a high-throughput quantitative assay for detecting herpes simplex virus DNA in clinical samples. *J Clin Microbiol.* 1999; 37: 1941-7.

Saravanan P, Satishkumar, Kataria JM, Rasool TJ. Detection of Infectious bursal disease virus by ELISA using an antipeptide antibody raised against VP3 region. *Acta Virol.* 2004; 48: 39-45.

Satishchandra P, Nandini M, Shankar SK, Vasudevarao T, Ravi V, Shenoy PK, Chatterjee S, Jain S. Herpes simplex encephalitis: a diagnostic and therapeutic reappraisal. *J Assoc Physicians India.* 1993; 41: 277-8.

Sauerbrei A, Eichhorn U, Hottenrott G, Wutzler P. Virological diagnosis of herpes simplex encephalitis. *J Clin Virol.* 2000; 17: 31-6.

Sauerbrei A, Wutzler P. Laboratory diagnosis of central nervous system infections caused by herpesviruses. *J Clin Virol.* 2002; 25: S45-51.

Schiff D, Rosenblum MK. Herpes simplex encephalitis (HSE) and the immunocompromised: A clinical and autopsy study of HSE in the settings of cancer and human immunodeficiency virus-type 1 infection. *Hum Pathol.* 1998; 29: 215-222.

Schlesinger Y, Buller RS, Brunstrom JE, Moran CJ, Storch GA. Expanded spectrum of herpes simplex encephalitis in childhood. *J. Pediatr.* 1995; 126: 234– 241.

Schlitt M, Lakeman FD, Wilson ER, To A, Acoff R, Harsh GR, Whitley RJ. A rabbit model of focal herpes simplex encephalitis. *J. Infect. Dis.* 1986; 153: 732– 735.

Schloss L, Falk KI, Skoog E, Brytting M, Linde A, Aurelius E. Monitoring of herpes simplex virus DNA types 1 and 2 viral load in cerebrospinal fluid by real-time PCR in patients with herpes simplex encephalitis. *J Med Virol.* 2009; 81: 1432-7.

Schmid DS, Brown DR, Nisenbaum R, Burke RL, Alexander D, Ashley R, Pellett PE, Reeves WC. Limits in reliability of glycoprotein G-based type-specific serologic assays for herpes simplex virus types 1 and 2. *J Clin Microbiol.* 1999; 37: 376-9.

Schmutzhard E. *Entzündliche Erkrankungen des Nervensystems*, Thieme, Stuttgart; 2000.

Schmutzhard ES. Viral infections of the CNS with special emphasis on herpes simplex infections. *J. Neurol.* 2001; 248: 469–477.

Schneweis KE. [Serological studies on the type differentiation of Herpesvirus hominis]. *Z Immun exp ther.* 1962; 124: 24-48.

Schofield JK, Tatnall FM, Leigh IM. Recurrent erythema multiforme: clinical features and treatment in a large series of patients. *Br J Dermatol.* 1993; 128: 542–5.

Schroth G, Gawehn J, Thron A, Vallbracht A, Voigt K. Early diagnosis of herpes simplex encephalitis by MRI. *Neurology.* 1987; 37: 179-83.

Sekizawa T, Openshaw H. Encephalitis resulting from reactivation of latent herpes simplex virus in mice. *J Virol.* 1984; 50: 263-6.

Sellner J, Trinka E. Seizures and epilepsy in herpes simplex virus encephalitis: current concepts and future directions of pathogenesis and management. *J Neurol.* 2012; 259: 2019-30.

Sener RN. Diffusion MRI in Rasmussen's encephalitis, herpes simplex encephalitis, and bacterial meningoencephalitis. *Comput. Med. Imag. Graph.* 2002; 26: 327–332.

Sener RN. Herpes simplex encephalitis: diffusion MR imaging findings. *Comput. Med. Imag. Graph.* 2001; 25: 391–397.

Serter D. Herpes simplex viruslar. In: *Infeksiyon Hastaliklari ve Mikrobiyolojisi*, Topcu AW, Söyletir G, Doganay M. (Eds)., Nobel Tip Kitabevleri, Istanbul; 2002: 1176-1186.

Shen T, Chen X, Zhang W, Xi Y, Cao G, Zhi Y, Wang S, Xu C, Wei L, Lu F, Zhuang H. A higher correlation of HCV core antigen with CD4+ T cell counts compared with HCV RNA in HCV/HIV-1 coinfecting patients. *PLoS One.* 2011; 6:e23550.

Shivkumar M, Milho R, May JS, Nicoll MP, Efstathiou S, Stevenson PG. Herpes simplex virus 1 targets the murine olfactory neuroepithelium for host entry. *J Virol.* 2013; 87: 10477-88.

Shoji H, Koga M, Kusuhara T, Kaji M, Ayabe M, Hino H, Hondo R. Differentiation of herpes simplex virus 1 and 2 in cerebrospinal fluid of

patients with HSV encephalitis and meningitis by stringent hybridization of PCR-amplified DNAs. *J Neurol.* 1994; 241: 526-30.

Shoji H. Can we predict a prolonged course and intractable cases of herpes simplex encephalitis? *Intern Med.* 2009; 48: 177-8.

Sili U, Kaya A, Mert A; HSV Encephalitis Study Group. Herpes simplex virus encephalitis: clinical manifestations, diagnosis and outcome in 106 adult patients. *J Clin Virol.* 2014; 60: 112-8.

Simko JP, Caliendo AM, Hogle K, Versalovic J. Differences in laboratory findings for cerebrospinal fluid specimens obtained from patients with meningitis or encephalitis due to herpes simplex virus (HSV) documented by detection of HSV DNA. *Clin Infect Dis.* 2002; 35: 414-9.

Simmons A. Clinical manifestations and treatment considerations of herpes simplex virus infection. *J Infect Dis.* 2002; 186: S71-7.

Sivadon V, Lebon P, Rozenberg F. Variations of HSV-1 glycoprotein B in human herpes simplex encephalitis. *J Neurovirol.* 1998; 4: 106-14.

Sköldenberg B, Forsgren M, Alestig K, Bergström T, Burman L, Dahlqvist E, Forkman A, Frydén A, Lövgren K, Norlin K, et al. Acyclovir versus vidarabine in herpes simplex encephalitis. Randomised multicentre study in consecutive Swedish patients. *Lancet.* 1984; 2: 707-11.

Smith JB, Westmoreland BF, Reagan TJ, Sandok BA. A distinctive clinical EEG profile in herpes simplex encephalitis. *Mayo Clin. Proc.* 1975; 50: 469–474.

Smith MG, Lennette EH, Reames HR. Isolation of the virus of herpes simplex and the demonstration of intranuclear inclusions in a case of acute encephalitis. *Am. J. Pathol.* 1941; 17: 55–68.

Stahl JP, Mailles A, Morand P. Viral Encephalitis in 2010: From Epidemiology to Treatment. *Infect Disord Drug Targets.* 2011.

Steiner I, Kennedy PG, Pachner AR. The neurotropic herpes viruses: herpes simplex and varicella-zoster. *Lancet Neurol.* 2007; 6: 1015-28.

Steiner I. Herpes simplex virus encephalitis: new infection or reactivation? *Curr Opin Neurol.* 2011; 24: 268-74.

Stevens JG. Human herpesviruses: a consideration of the latent state. *Microbiol Rev.* 1989; 53: 318–32.

Stroop WG, Schaefer DC. Production of encephalitis restricted to the temporal lobes by experimental reactivation of herpes simplex virus. *J. Infect. Dis.* 1986; 153: 721–731.

Struffert T, Reith W. [Herpes simplex virus encephalitis: neuroradiologic differential diagnosis]. *Radiologe.* 2000; 40: 1011-6.

Sullivan-Bolyai J, Hull HF, Wilson C, Corey L. Neonatal herpes simplex virus infection in King County, Washington: increasing incidence and epidemiological correlates. *J. Am. Med. Assoc.* 1983; 250: 3059–3062.

Taber KH, Hurley RA. Herpes encephalitis in the immunocompetent adult: advances in neuroimaging. *J Neuropsychiatry Clin Neurosci.* 2010; 22: 1 p preceding 125, 125-9.

Taira N, Kamei S, Morita A, Ishihara M, Miki K, Shiota H, Mizutani T. Predictors of a prolonged clinical course in adult patients with herpes simplex virus encephalitis. *Intern Med.* 2009; 48: 89-94.

Tang YW, Mitchell PS, Espy MJ, Smith TF, Persing DH. Molecular diagnosis of herpes simplex virus infections in the central nervous system. *J. Clinical Microbiol.* 1999; 37: 2127–2136.

Tang YW, Mitchell PS, Espy MJ, Smith TF, Persing DH. Molecular diagnosis of herpes simplex virus infections in the central nervous system. *J Clin Microbiol.* 1999; 37: 2127-36.

Tang YW, Rys PN, Rutledge BJ, Mitchell PS, Smith TF, Persing DH. Comparative evaluation of colorimetric microtiter plate systems for detection of herpes simplex virus in cerebrospinal fluid. *J. Clin. Microbiol.* 1998; 36: 2714-2717.

Thompson AJ, Nguyen T, Iser D, Ayres A, Jackson K, Littlejohn M, Slavin J, Bowden S, Gane EJ, Abbott W, Lau GK, Lewin SR, Visvanathan K, Desmond PV, Locarnini SA. Serum hepatitis B surface antigen and hepatitis B e antigen titers: disease phase influences correlation with viral load and intrahepatic hepatitis B virus markers. *Hepatology.* 2010; 51: 1933-44.

Tookey P, Peckham CS. Neonatal herpes simplex virus infection in the British Isles. *Paediatr. Perinat. Epidemiol.* 1996; 10: 432–442.

Troendle-Atkins J, Demmler GJ, Buffone GJ. Rapid diagnosis of herpes simplex virus encephalitis by using the polymerase chain reaction. *J Pediatr.* 1993; 123: 376-80.

Tunbäck P, Liljeqvist JA, Löwhagen GB, Bergström T. Glycoprotein G of herpes simplex virus type 1: identification of type-specific epitopes by human antibodies. *J Gen Virol.* 2000; 81: 1033-40.

Twomey JA, Barker CM, Robinson G, Howell DA. Olfactory mucosa in herpes simplex encephalitis. *J. Neurol. Neurosurg. Psychiat.* 1979; 42: 983–987.

Tyler KL, Tedder DG, Yamamoto LJ, Klapper JA, Ashley R, Lichtenstein KA, Levin MJ. Recurrent brainstem encephalitis associated with herpes simplex virus type 1 DNA in cerebrospinal fluid. *Neurology.* 1995; 45: 2246-2250.

Tyler KL. Herpes simplex virus infections of the central nervous system: encephalitis and meningitis, including Mollaret's. *Herpes.* 2004; 11: 57A-64A.

Upton A, Grumpert J. Electroencephalography in diagnosis of herpes simplex encephalitis. *Lancet.* 1970; 1: 650–652.

Uren EC, Johnson PD, Montanaro J, Gilbert GL. Herpes simplex virus encephalitis in pediatrics: diagnosis by detection of antibodies and DNA in cerebrospinal fluid. *Pediatr. Infect. Dis. J.* 1993; 12: 1001-1006.

Vestergaard BF. Herpes simplex virus antigens and antibodies: a survey of studies based on quantitative immunoelectrophoresis. *Rev. Infect. Dis.* 1980; 2: 899-913.

Vrioni G, Kalogeropoulos C, Gartzonika C, Priavali E, Levidiotou S. Usefulness of Herpes Consensus PCR methodology to routine diagnostic testing for herpesviruses infections in clinical specimens. *Virology Journal.* 2007; 4: 59.



Wang RW, Newton DJ, Liu NY, Shou M, Rushmore T, Lu AY. Inhibitory anti-CYP3A4 peptide antibody: mapping of inhibitory epitope and specificity toward other CYP3A isoforms. *Drug Metab Dispos.* 1999; 27: 167-72.

Ward KN, Ohrling A, Bryant NJ, Bowley JS, Ross EM, Verity CM. Herpes simplex serious neurological disease in young children: incidence and long-term outcome. *Arch Dis Child.* 2012; 97: 162-5.

Warford RL, Levy RA, Rekrut KA. Evaluation of a commercial enzyme-linked immunosorbant assay for detection of herpes simplex virus antigen. *J. Clin. Microbiol.* 1984; 20: 490-493.

Weidmann M, Meyer-König U, Hufert FT. Rapid detection of herpes simplex virus and varicella-zoster virus infections by real-time PCR. *J Clin Microbiol.* 2003; 41: 1565-8.

Whiley DM, Mackay IM, Syrmis MW, Witt MJ, Sloots TP. Detection and differentiation of herpes simplex virus types 1 and 2 by a duplex LightCycler PCR that incorporates an internal control PCR reaction. *J Clin Virol.* 2004; 30: 32-8.

Whitley RJ, Alford CA. Herpes simplex encephalitis: need for accurate diagnosis. *JAMA.* 1980; 244: 371-2.

Whitley RJ, Alford Jr CA, Hirsch MS, Schooley RT, Luby JP, Aoki FY, Hanley D, Nahmias AJ, Soong SJ and The National Institute of Allergy and Infectious Diseases Collaborative Antiviral Study Group. Vidarabine versus acyclovir therapy in herpes simplex encephalitis. *New Engl. J. Med.* 1986; 314: 144–149.

Whitley RJ, Gnann JW Jr. Acyclovir: a decade later. *N Engl J Med.* 1992; 327: 782-9. Review. Erratum in: *N Engl J Med* 1997; 337: 1703. *N Engl J Med* 1993; 328: 671.

Whitley RJ, Gnann JW. Viral encephalitis: familiar infections and emerging pathogens. *Lancet.* 2002; 359: 507-13.

Whitley RJ, Kimberlin DW, Roizman B. Herpes simplex viruses. *Clin Infect Dis* 1998; 26: 541–53.

Whitley RJ, Lakeman F. Herpes simplex virus infections of the central nervous system: therapeutic and diagnostic considerations. *Clin Infect Dis.* 1995; 20: 414– 420.

Whitley RJ, Roizman B. Herpes simplex virus infections. *Lancet.* 2001; 357: 1513-1518.

Whitley RJ, Soong SJ, Linneman C Jr, Liu C, Pazin G, Alford CA. Herpes simplex encephalitis. *Clinical Assessment. JAMA.* 1982; 247: 317-20.

Whitley RJ. Herpes simplex viruses. In: *Fields Virology*, Fields BN, Knipe DM and Howley PM. (Eds.), Lippincott Williams and Wilkins, Philadelphia; 1996: 2297-2330. Whitley RJ. Viral infections of the central nervous system. In: *Infectious Diseases* Cohen J, Powderly WG. (Eds.), 2nd ed., Mosby, London; 2004: 267-277.

Widener RW, Whitley RJ. Herpes simplex virus. *Handb Clin Neurol.* 2014; 123: 251-63.

Wilson AC, Mohr I. A cultured affair: HSV latency and reactivation in neurons. Trends Microbiol. 2012; 20: 604-11.

Wittwer CT, Herrmann MG, Moss AA, Rasmussen RP. Continuous fluorescence monitoring of rapid cycle DNA amplification. Biotechniques. 1997; 22: 130-1,134-8.

Yamada S, Kameyama T, Nagaya S, Hashizume Y, Yoshida M. Relapsing herpes simplex encephalitis: pathological confirmation of viral reactivation. J Neurol. Neurosurg. Psychiatry. 2003; 74: 262-4.

Yerly S, Gervaix A, Simonet V, Catflisch M, Perrin L, Wunderli. W. Rapid and sensitive detection of enteroviruses in specimens from aseptic meningitis. J. Clin. Microbiol. 1996; 34: 199–201.

Yoshida M, Amatsu A. Asymptomatic shedding of herpes simplex virus into the oral cavity of patients with atopic dermatitis. J. Clin. Virol. 2000; 16: 65–69.

Zarafonitis CJ, Smadel JE. Fatal Herpes Simplex Encephalitis in Man. Am J Pathol. 1944; 20: 429-45.

Zimmerman RD, Russell EJ, Leeds NE, Kaufman D. CT in the early diagnosis of herpes simplex encephalitis. Am. J. Roentgenol. 1980; 134: 61–66.

Ziyaeyan M, Alborzi A, Borhani Haghighi A, Jamalidoust M, Moeini M, Pourabbas B. Diagnosis and quantitative detection of HSV DNA in samples from patients with suspected herpes simplex encephalitis. Braz J Infect Dis. 2011; 15: 211-4.

Zöllner B, Schäfer P, Feucht HH, Schröter M, Petersen J, Laufs R. Correlation of hepatitis B virus load with loss of e antigen and emerging drug-resistant variants during lamivudine therapy. *J Med Virol.* 2001; 65: 659-63.